

Test Condition: HTLV, Test Mode: RMC, HSDPA, HSUPA, Test WCDMA Band: B1, B8

## Test Data

### Clause 4.2.2 WCDMA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	882.4	23.89	20.3	25.7	PASS
8	2788	897.6	23.38	20.3	25.7	PASS
8	2863	912.6	23.84	20.3	25.7	PASS
1	9612	1922.4	22.77	20.3	25.7	PASS
1	9750	1950	22.53	20.3	25.7	PASS
1	9888	1977.6	23.06	20.3	25.7	PASS

### Clause 4.2.5 WCDMA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
8	2712	882.4	-54.15	-49	PASS
8	2788	897.6	-54.97	-49	PASS
8	2863	912.6	-54.66	-49	PASS
1	9612	1922.4	-55.77	-49	PASS
1	9750	1950	-55.94	-49	PASS
1	9888	1977.6	-55.48	-49	PASS

### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
8	2712	882.4	-10MHz	-61.90	-42.2	PASS
8	2712	882.4	-5MHz	-45.21	-32.2	PASS
8	2712	882.4	5MHz	-46.43	-32.2	PASS
8	2712	882.4	10MHz	-58.72	-42.2	PASS
8	2788	897.6	-10MHz	-57.30	-42.2	PASS
8	2788	897.6	-5MHz	-45.79	-32.2	PASS
8	2788	897.6	5MHz	-45.49	-32.2	PASS
8	2788	897.6	10MHz	-57.33	-42.2	PASS
8	2863	912.6	-10MHz	-56.85	-42.2	PASS
8	2863	912.6	-5MHz	-45.58	-32.2	PASS
8	2863	912.6	5MHz	-47.68	-32.2	PASS
8	2863	912.6	10MHz	-61.71	-42.2	PASS
1	9612	1922.4	-10MHz	-59.16	-42.2	PASS
1	9612	1922.4	-5MHz	-42.48	-32.2	PASS
1	9612	1922.4	5MHz	-43.15	-32.2	PASS
1	9612	1922.4	10MHz	-59.26	-42.2	PASS
1	9750	1950	-10MHz	-53.21	-42.2	PASS
1	9750	1950	-5MHz	-36.04	-32.2	PASS
1	9750	1950	5MHz	-36.12	-32.2	PASS

1	9750	1950	10MHz	-53.27	-42.2	PASS
1	9888	1977.6	-10MHz	-55.62	-42.2	PASS
1	9888	1977.6	-5MHz	-38.06	-32.2	PASS
1	9888	1977.6	5MHz	-38.74	-32.2	PASS
1	9888	1977.6	10MHz	-56.83	-42.2	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



#### Clause 4.2.13 WCDMA Receiver Reference Sensitivity level

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	-106	0.00	0.1	PASS
8	2788	897.6	-106	0.00	0.1	PASS
8	2863	912.6	-106	0.00	0.1	PASS
1	9612	1922.4	-106	0.00	0.1	PASS
1	9750	1950	-106	0.00	0.1	PASS
1	9888	1977.6	-106	0.00	0.1	PASS


#### Clause 4.2.12 HSDPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-58.62	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-42.90	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-43.71	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-58.74	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-55.86	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-43.02	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-43.88	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-56.02	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-54.17	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-42.67	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-43.49	-32.2	PASS


1	9612	1922.4	Subtest3	10MHz	-54.02	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-54.91	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-43.07	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-43.67	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-54.88	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-52.50	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-36.55	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-36.75	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-53.27	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-51.94	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-36.71	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-36.94	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-52.58	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-51.87	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-37.49	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-37.69	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-52.13	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-52.10	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-37.45	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-37.64	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-52.52	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-56.26	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-38.90	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-39.69	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-57.25	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-53.05	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-39.60	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-40.36	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-53.77	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-54.12	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-39.86	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-40.68	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-54.73	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-53.31	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-39.84	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-40.65	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-54.10	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-61.07	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-47.21	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-47.62	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-58.72	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-58.01	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-46.84	-32.2	PASS

8	2712	882.4	Subtest2	5MHz	-47.04	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-56.58	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-57.87	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-46.72	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-46.88	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-56.16	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-58.18	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-45.71	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-46.12	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-53.80	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-56.97	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-45.94	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-45.49	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-57.22	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-55.30	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-45.63	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-45.33	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.78	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-55.59	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-45.67	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-45.21	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-56.17	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-52.36	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-44.30	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-44.29	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-53.09	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-57.15	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-45.80	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-48.83	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-61.70	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-52.79	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-44.95	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-48.03	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-58.59	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-53.35	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-44.67	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-47.81	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-58.25	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-54.72	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-44.64	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-47.91	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-59.30	-42.2	PASS

Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png







Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png



Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png







Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



**Clause 4.2.2 HSDPA Transmitter maximum output power**

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	912.6	Subtest1	22.23	18.8	25.7	PASS
8	2712	882.4	Subtest2	22.51	18.8	25.7	PASS
8	2712	882.4	Subtest3	21.53	18.8	25.7	PASS
8	2712	882.4	Subtest4	21.54	18.8	25.7	PASS
8	2788	897.6	Subtest1	22.39	18.8	25.7	PASS
8	2788	897.6	Subtest2	22.05	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.91	18.8	25.7	PASS
8	2788	897.6	Subtest4	21.07	18.8	25.7	PASS
8	2863	912.6	Subtest1	22.86	18.8	25.7	PASS
8	2863	912.6	Subtest2	22.16	18.8	25.7	PASS
8	2863	912.6	Subtest3	21.66	18.8	25.7	PASS
8	2863	912.6	Subtest4	21.36	18.8	25.7	PASS
1	9612	1977.6	Subtest1	22.05	18.8	25.7	PASS
1	9612	1922.4	Subtest2	21.15	18.8	25.7	PASS
1	9612	1922.4	Subtest3	20.46	18.8	25.7	PASS
1	9612	1922.4	Subtest4	20.41	18.8	25.7	PASS
1	9750	1950	Subtest1	21.59	18.8	25.7	PASS
1	9750	1950	Subtest2	21.19	18.8	25.7	PASS
1	9750	1950	Subtest3	19.76	18.8	25.7	PASS
1	9750	1950	Subtest4	20.18	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.10	18.8	25.7	PASS
1	9888	1977.6	Subtest2	21.38	18.8	25.7	PASS
1	9888	1977.6	Subtest3	20.47	18.8	25.7	PASS
1	9888	1977.6	Subtest4	20.73	18.8	25.7	PASS

**Clause 4.2.12 HSUPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)**


Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-54.50	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-42.99	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-43.74	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-54.51	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-55.59	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-43.13	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-43.96	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-55.79	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-53.60	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-43.27	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-44.19	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-53.81	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-57.33	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-42.90	-32.2	PASS

1	9612	1922.4	Subtest4	5MHz	-43.70	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-57.40	-42.2	PASS
1	9612	1922.4	Subtest5	-10MHz	-54.00	-42.2	PASS
1	9612	1922.4	Subtest5	-5MHz	-42.65	-32.2	PASS
1	9612	1922.4	Subtest5	5MHz	-43.22	-32.2	PASS
1	9612	1922.4	Subtest5	10MHz	-54.01	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-51.43	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-36.77	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-36.95	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-51.81	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-51.58	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-36.52	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-36.71	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-52.24	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-51.52	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-37.24	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-37.45	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-51.97	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-52.10	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-36.66	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-36.72	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-52.63	-42.2	PASS
1	9750	1950	Subtest5	-10MHz	-51.03	-42.2	PASS
1	9750	1950	Subtest5	-5MHz	-36.84	-32.2	PASS
1	9750	1950	Subtest5	5MHz	-37.10	-32.2	PASS
1	9750	1950	Subtest5	10MHz	-51.61	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-53.96	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-38.86	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-39.79	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-54.78	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-53.95	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-38.80	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-39.50	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-54.60	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-53.68	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-39.61	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-40.41	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-54.29	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-55.65	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-38.79	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-39.58	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-56.44	-42.2	PASS
1	9888	1977.6	Subtest5	-10MHz	-53.55	-42.2	PASS


1	9888	1977.6	Subtest5	-5MHz	-39.62	-32.2	PASS
1	9888	1977.6	Subtest5	5MHz	-40.26	-32.2	PASS
1	9888	1977.6	Subtest5	10MHz	-54.22	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-57.25	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-46.72	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-47.12	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-56.21	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-57.34	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-46.90	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-47.19	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-56.47	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-55.95	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-47.06	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-46.97	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-55.20	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-59.49	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-46.95	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-47.29	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-57.78	-42.2	PASS
8	2712	882.4	Subtest5	-10MHz	-57.14	-42.2	PASS
8	2712	882.4	Subtest5	-5MHz	-46.71	-32.2	PASS
8	2712	882.4	Subtest5	5MHz	-47.11	-32.2	PASS
8	2712	882.4	Subtest5	10MHz	-56.04	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-54.59	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-45.49	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-45.28	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-55.12	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-55.19	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-45.92	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-45.37	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.60	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-53.76	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-45.40	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-45.06	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-54.34	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-56.23	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-45.86	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-45.49	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-56.42	-42.2	PASS
8	2788	897.6	Subtest5	-10MHz	-54.21	-42.2	PASS
8	2788	897.6	Subtest5	-5MHz	-45.54	-32.2	PASS
8	2788	897.6	Subtest5	5MHz	-45.14	-32.2	PASS
8	2788	897.6	Subtest5	10MHz	-54.74	-42.2	PASS

8	2863	912.6	Subtest1	-10MHz	-52.83	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-44.94	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-47.85	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-57.75	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.75	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-45.64	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-48.53	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-58.04	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-52.89	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-44.81	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-47.87	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-56.88	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-56.45	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-45.78	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-48.72	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-60.04	-42.2	PASS
8	2863	912.6	Subtest5	-10MHz	-52.73	-42.2	PASS
8	2863	912.6	Subtest5	-5MHz	-44.96	-32.2	PASS
8	2863	912.6	Subtest5	5MHz	-47.98	-32.2	PASS
8	2863	912.6	Subtest5	10MHz	-57.46	-42.2	PASS


Band1 Channel=9612 Subtest1.png



Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png







Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png



Band8 Channel=2712 Subtest3.png




Band8 Channel=2712 Subtest4.png







Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



## Clause 4.2.2 HSUPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
1	9612	1977.6	Subtest1	20.05	18.8	25.7	PASS
1	9612	1922.4	Subtest2	21.82	18.8	25.7	PASS
1	9612	1922.4	Subtest3	20.38	18.8	25.7	PASS
1	9612	1922.4	Subtest4	21.86	18.8	25.7	PASS
1	9612	1922.4	Subtest5	21.18	18.8	25.7	PASS
1	9750	1950	Subtest1	21.14	18.8	25.7	PASS
1	9750	1950	Subtest2	21.56	18.8	25.7	PASS
1	9750	1950	Subtest3	20.46	18.8	25.7	PASS
1	9750	1950	Subtest4	21.59	18.8	25.7	PASS
1	9750	1950	Subtest5	21.13	18.8	25.7	PASS
1	9888	1977.6	Subtest1	21.56	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.03	18.8	25.7	PASS
1	9888	1977.6	Subtest3	20.90	18.8	25.7	PASS
1	9888	1977.6	Subtest4	22.11	18.8	25.7	PASS
1	9888	1977.6	Subtest5	21.62	18.8	25.7	PASS
8	2712	912.6	Subtest1	20.43	18.8	25.7	PASS
8	2712	882.4	Subtest2	22.84	18.8	25.7	PASS
8	2712	882.4	Subtest3	21.81	18.8	25.7	PASS
8	2712	882.4	Subtest4	22.90	18.8	25.7	PASS

8	2712	882.4	Subtest5	22.32	18.8	25.7	PASS
8	2788	897.6	Subtest1	22.21	18.8	25.7	PASS
8	2788	897.6	Subtest2	22.38	18.8	25.7	PASS
8	2788	897.6	Subtest3	21.12	18.8	25.7	PASS
8	2788	897.6	Subtest4	22.39	18.8	25.7	PASS
8	2788	897.6	Subtest5	21.78	18.8	25.7	PASS
8	2863	912.6	Subtest1	22.71	18.8	25.7	PASS
8	2863	912.6	Subtest2	22.87	18.8	25.7	PASS
8	2863	912.6	Subtest3	21.75	18.8	25.7	PASS
8	2863	912.6	Subtest4	22.88	18.8	25.7	PASS
8	2863	912.6	Subtest5	22.24	18.8	25.7	PASS