

Test Condition: HTLV Test Mode: RMC, HSDPA, HSUPA Test WCDMA Band: B1, B8

## Test Data

### Clause 4.2.2 WCDMA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	882.4	21.78	20.3	25.7	PASS
8	2788	897.6	22.07	20.3	25.7	PASS
8	2863	912.6	22.04	20.3	25.7	PASS
1	9612	1922.4	21.98	20.3	25.7	PASS
1	9750	1950	21.63	20.3	25.7	PASS
1	9888	1977.6	21.93	20.3	25.7	PASS

### Clause 4.2.5 WCDMA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
8	2712	882.4	-55.83	-49	PASS
8	2788	897.6	-56.30	-49	PASS
8	2863	912.6	-56.34	-49	PASS
1	9612	1922.4	-55.88	-49	PASS
1	9750	1950	-56.37	-49	PASS
1	9888	1977.6	-56.33	-49	PASS

### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
8	2712	882.4	-10MHz	-59.60	-42.2	PASS
8	2712	882.4	-5MHz	-48.71	-32.2	PASS
8	2712	882.4	5MHz	-49.38	-32.2	PASS
8	2712	882.4	10MHz	-59.36	-42.2	PASS
8	2788	897.6	-10MHz	-58.21	-42.2	PASS
8	2788	897.6	-5MHz	-48.90	-32.2	PASS
8	2788	897.6	5MHz	-47.77	-32.2	PASS
8	2788	897.6	10MHz	-58.62	-42.2	PASS
8	2863	912.6	-10MHz	-55.74	-42.2	PASS
8	2863	912.6	-5MHz	-46.18	-32.2	PASS
8	2863	912.6	5MHz	-46.98	-32.2	PASS
8	2863	912.6	10MHz	-60.13	-42.2	PASS
1	9612	1922.4	-10MHz	-55.25	-42.2	PASS
1	9612	1922.4	-5MHz	-42.51	-32.2	PASS
1	9612	1922.4	5MHz	-43.60	-32.2	PASS
1	9612	1922.4	10MHz	-55.49	-42.2	PASS
1	9750	1950	-10MHz	-54.93	-42.2	PASS

1	9750	1950	-5MHz	-43.66	-32.2	PASS
1	9750	1950	5MHz	-44.36	-32.2	PASS
1	9750	1950	10MHz	-56.02	-42.2	PASS
1	9888	1977.6	-10MHz	-56.37	-42.2	PASS
1	9888	1977.6	-5MHz	-44.35	-32.2	PASS
1	9888	1977.6	5MHz	-45.34	-32.2	PASS
1	9888	1977.6	10MHz	-57.17	-42.2	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



### Clause 4.2.13 WCDMA Receiver Reference Sensitivity level

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	-106	0.00	0.1	PASS
8	2788	897.6	-106	0.00	0.1	PASS
8	2863	912.6	-106	0.00	0.1	PASS
1	9612	1922.4	-106	0.00	0.1	PASS
1	9750	1950	-106	0.00	0.1	PASS
1	9888	1977.6	-106	0.00	0.1	PASS


### Clause 4.2.12 HSDPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-55.91	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-44.16	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-44.82	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-56.08	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-54.40	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-42.54	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-43.05	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-54.63	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-55.00	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-42.34	-32.2	PASS

1	9612	1922.4	Subtest3	5MHz	-42.95	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-55.17	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-54.89	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-42.04	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-42.62	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-55.18	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-56.44	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-44.99	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-45.41	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-56.52	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-55.19	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-43.78	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-44.07	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-55.29	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-54.86	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-43.29	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-43.55	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-54.95	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-55.32	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-42.78	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-43.20	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-55.46	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-56.38	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-47.00	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-48.30	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-57.03	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-53.93	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-44.80	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-45.98	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-54.47	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-53.66	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-44.11	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-44.70	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-53.80	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-54.05	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-43.93	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-45.03	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-54.47	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-59.47	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-49.59	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-50.10	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-58.93	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.13	-42.2	PASS


8	2712	882.4	Subtest2	-5MHz	-48.48	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-48.73	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-55.56	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-55.79	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-47.14	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-47.38	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-54.63	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-56.63	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-46.96	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-46.46	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-54.72	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-57.49	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-49.47	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-48.39	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-57.89	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-54.28	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-47.41	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-46.30	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-54.65	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-54.30	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-47.38	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-46.20	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-54.72	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-53.21	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-45.37	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-44.15	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-53.06	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-57.58	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-47.22	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-48.03	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-60.17	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-50.68	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-44.95	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-45.66	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-57.18	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-49.97	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-44.48	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-45.53	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-56.28	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-52.99	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-46.09	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-46.94	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-57.03	-42.2	PASS

Band1 Channel=9612 Subtest1.png







Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png



Band8 Channel=2712 Subtest4.png




Band8 Channel=2788 Subtest1.png







Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



### Clause 4.2.2 HSDPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	912.6	Subtest1	20.34	18.8	25.7	PASS
8	2712	882.4	Subtest2	20.68	18.8	25.7	PASS
8	2712	882.4	Subtest3	19.73	18.8	25.7	PASS
8	2712	882.4	Subtest4	19.50	18.8	25.7	PASS
8	2788	897.6	Subtest1	21.11	18.8	25.7	PASS
8	2788	897.6	Subtest2	20.55	18.8	25.7	PASS
8	2788	897.6	Subtest3	19.88	18.8	25.7	PASS
8	2788	897.6	Subtest4	19.48	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.13	18.8	25.7	PASS
8	2863	912.6	Subtest2	20.37	18.8	25.7	PASS
8	2863	912.6	Subtest3	19.30	18.8	25.7	PASS
8	2863	912.6	Subtest4	19.32	18.8	25.7	PASS
1	9612	1977.6	Subtest1	20.71	18.8	25.7	PASS
1	9612	1922.4	Subtest2	20.57	18.8	25.7	PASS
1	9612	1922.4	Subtest3	19.63	18.8	25.7	PASS
1	9612	1922.4	Subtest4	19.61	18.8	25.7	PASS
1	9750	1950	Subtest1	21.11	18.8	25.7	PASS
1	9750	1950	Subtest2	20.48	18.8	25.7	PASS
1	9750	1950	Subtest3	19.46	18.8	25.7	PASS

1	9750	1950	Subtest4	19.72	18.8	25.7	PASS
1	9888	1977.6	Subtest1	21.06	18.8	25.7	PASS
1	9888	1977.6	Subtest2	20.54	18.8	25.7	PASS
1	9888	1977.6	Subtest3	19.78	18.8	25.7	PASS
1	9888	1977.6	Subtest4	19.40	18.8	25.7	PASS


#### Clause 4.2.12 HSUPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-53.66	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-42.73	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-43.40	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-53.93	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-54.00	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-43.71	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-44.28	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-54.22	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-53.79	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-42.22	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-42.77	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-53.97	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-55.12	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-44.07	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-44.85	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-55.30	-42.2	PASS
1	9612	1922.4	Subtest5	-10MHz	-53.72	-42.2	PASS
1	9612	1922.4	Subtest5	-5MHz	-42.48	-32.2	PASS
1	9612	1922.4	Subtest5	5MHz	-43.05	-32.2	PASS
1	9612	1922.4	Subtest5	10MHz	-53.93	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-54.07	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-44.26	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-44.70	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-54.17	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-54.24	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-44.66	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-45.07	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-54.40	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-54.06	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-43.23	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-43.45	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-54.26	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-55.53	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-44.93	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-45.43	-32.2	PASS


1	9750	1950	Subtest4	10MHz	-55.71	-42.2	PASS
1	9750	1950	Subtest5	-10MHz	-54.07	-42.2	PASS
1	9750	1950	Subtest5	-5MHz	-43.83	-32.2	PASS
1	9750	1950	Subtest5	5MHz	-44.11	-32.2	PASS
1	9750	1950	Subtest5	10MHz	-54.09	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-53.03	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-45.42	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-46.46	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-53.41	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-53.91	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-46.08	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-47.10	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-54.38	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-52.63	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-43.94	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-45.04	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-53.07	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-55.06	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-46.81	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-48.07	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-55.54	-42.2	PASS
1	9888	1977.6	Subtest5	-10MHz	-52.27	-42.2	PASS
1	9888	1977.6	Subtest5	-5MHz	-43.85	-32.2	PASS
1	9888	1977.6	Subtest5	5MHz	-44.81	-32.2	PASS
1	9888	1977.6	Subtest5	10MHz	-52.80	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-55.56	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-48.28	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-48.93	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-55.30	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-55.68	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-49.09	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-49.57	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-55.68	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-54.84	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-47.26	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-47.51	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-54.00	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-57.72	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-49.40	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-49.97	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-57.48	-42.2	PASS
8	2712	882.4	Subtest5	-10MHz	-55.24	-42.2	PASS
8	2712	882.4	Subtest5	-5MHz	-48.64	-32.2	PASS

8	2712	882.4	Subtest5	5MHz	-49.32	-32.2	PASS
8	2712	882.4	Subtest5	10MHz	-55.15	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-54.40	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-48.49	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-47.49	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-54.89	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-54.88	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-48.95	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-47.93	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.24	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-52.78	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-46.60	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-45.77	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-53.13	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-56.36	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-49.29	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-48.20	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-56.84	-42.2	PASS
8	2788	897.6	Subtest5	-10MHz	-53.46	-42.2	PASS
8	2788	897.6	Subtest5	-5MHz	-47.83	-32.2	PASS
8	2788	897.6	Subtest5	5MHz	-46.37	-32.2	PASS
8	2788	897.6	Subtest5	10MHz	-53.74	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-52.15	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-45.75	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-46.38	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-55.98	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-53.51	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-46.21	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-46.97	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-56.38	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-52.22	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-46.05	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-46.37	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-55.06	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-56.46	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-47.45	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-48.38	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-58.38	-42.2	PASS
8	2863	912.6	Subtest5	-10MHz	-53.72	-42.2	PASS
8	2863	912.6	Subtest5	-5MHz	-46.40	-32.2	PASS
8	2863	912.6	Subtest5	5MHz	-46.97	-32.2	PASS
8	2863	912.6	Subtest5	10MHz	-56.09	-42.2	PASS

Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png







Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png



Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png







Band8 Channel=2712 Subtest4.png




Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



**Clause 4.2.2 HSUPA Transmitter maximum output power**

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
1	9612	1977.6	Subtest1	18.92	18.8	25.7	PASS
1	9612	1922.4	Subtest2	21.09	18.8	25.7	PASS
1	9612	1922.4	Subtest3	19.59	18.8	25.7	PASS
1	9612	1922.4	Subtest4	21.15	18.8	25.7	PASS
1	9612	1922.4	Subtest5	20.49	18.8	25.7	PASS
1	9750	1950	Subtest1	20.70	18.8	25.7	PASS
1	9750	1950	Subtest2	21.02	18.8	25.7	PASS
1	9750	1950	Subtest3	19.90	18.8	25.7	PASS
1	9750	1950	Subtest4	21.13	18.8	25.7	PASS
1	9750	1950	Subtest5	20.45	18.8	25.7	PASS
1	9888	1977.6	Subtest1	20.69	18.8	25.7	PASS
1	9888	1977.6	Subtest2	21.04	18.8	25.7	PASS
1	9888	1977.6	Subtest3	19.63	18.8	25.7	PASS
1	9888	1977.6	Subtest4	21.06	18.8	25.7	PASS
1	9888	1977.6	Subtest5	20.47	18.8	25.7	PASS
8	2712	912.6	Subtest1	18.87	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.07	18.8	25.7	PASS
8	2712	882.4	Subtest3	19.76	18.8	25.7	PASS
8	2712	882.4	Subtest4	21.09	18.8	25.7	PASS
8	2712	882.4	Subtest5	20.29	18.8	25.7	PASS
8	2788	897.6	Subtest1	20.58	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.14	18.8	25.7	PASS
8	2788	897.6	Subtest3	19.88	18.8	25.7	PASS
8	2788	897.6	Subtest4	21.13	18.8	25.7	PASS
8	2788	897.6	Subtest5	20.46	18.8	25.7	PASS
8	2863	912.6	Subtest1	20.80	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.03	18.8	25.7	PASS
8	2863	912.6	Subtest3	19.77	18.8	25.7	PASS
8	2863	912.6	Subtest4	21.11	18.8	25.7	PASS
8	2863	912.6	Subtest5	20.75	18.8	25.7	PASS