

Clause 4.2.2 LTE Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	23.00	20.3	25.7	PASS
Band1	5	18025	8	#0	QPSK	23.09	20.3	25.7	PASS
Band1	5	18025	25	#0	QPSK	22.07	20.3	25.7	PASS
Band1	5	18025	1	#0	QAM16	22.17	20.3	25.7	PASS
Band1	5	18025	8	#0	QAM16	22.04	20.3	25.7	PASS
Band1	5	18025	25	#0	QAM16	21.11	20.3	25.7	PASS
Band1	5	18300	1	#0	QPSK	22.53	20.3	25.7	PASS
Band1	5	18300	8	#0	QPSK	22.64	20.3	25.7	PASS
Band1	5	18300	25	#0	QPSK	21.62	20.3	25.7	PASS
Band1	5	18300	1	#0	QAM16	21.76	20.3	25.7	PASS
Band1	5	18300	8	#0	QAM16	21.64	20.3	25.7	PASS
Band1	5	18300	25	#0	QAM16	20.67	20.3	25.7	PASS
Band1	5	18575	1	#0	QPSK	22.74	20.3	25.7	PASS
Band1	5	18575	8	#0	QPSK	22.81	20.3	25.7	PASS
Band1	5	18575	25	#0	QPSK	21.86	20.3	25.7	PASS
Band1	5	18575	1	#0	QAM16	21.98	20.3	25.7	PASS
Band1	5	18575	8	#0	QAM16	21.80	20.3	25.7	PASS
Band1	5	18575	25	#0	QAM16	20.90	20.3	25.7	PASS
Band1	20	18100	1	#0	QPSK	22.86	20.3	25.7	PASS
Band1	20	18100	18	#0	QPSK	22.93	20.3	25.7	PASS
Band1	20	18100	100	#0	QPSK	22.00	20.3	25.7	PASS
Band1	20	18100	1	#0	QAM16	22.02	20.3	25.7	PASS
Band1	20	18100	18	#0	QAM16	21.90	20.3	25.7	PASS
Band1	20	18100	100	#0	QAM16	21.01	20.3	25.7	PASS
Band1	20	18300	1	#0	QPSK	22.61	20.3	25.7	PASS
Band1	20	18300	18	#0	QPSK	22.64	20.3	25.7	PASS
Band1	20	18300	100	#0	QPSK	21.66	20.3	25.7	PASS
Band1	20	18300	1	#0	QAM16	21.42	20.3	25.7	PASS
Band1	20	18300	18	#0	QAM16	21.55	20.3	25.7	PASS
Band1	20	18300	100	#0	QAM16	20.71	20.3	25.7	PASS
Band1	20	18500	1	#0	QPSK	22.49	20.3	25.7	PASS
Band1	20	18500	18	#0	QPSK	22.64	20.3	25.7	PASS
Band1	20	18500	100	#0	QPSK	21.82	20.3	25.7	PASS
Band1	20	18500	1	#0	QAM16	21.25	20.3	25.7	PASS
Band1	20	18500	18	#0	QAM16	21.58	20.3	25.7	PASS
Band1	20	18500	100	#0	QAM16	20.86	20.3	25.7	PASS
Band20	5	24175	1	#0	QPSK	22.93	18.8	25.7	PASS
Band20	5	24175	8	#0	QPSK	22.99	18.8	25.7	PASS
Band20	5	24175	25	#0	QPSK	21.98	20.3	25.7	PASS
Band20	5	24175	1	#0	QAM16	22.03	18.8	25.7	PASS

Band20	5	24175	8	#0	QAM16	21.89	18.8	25.7	PASS
Band20	5	24175	25	#0	QAM16	20.99	20.3	25.7	PASS
Band20	5	24300	1	#0	QPSK	22.99	20.3	25.7	PASS
Band20	5	24300	8	#0	QPSK	23.13	20.3	25.7	PASS
Band20	5	24300	25	#0	QPSK	22.00	20.3	25.7	PASS
Band20	5	24300	1	#0	QAM16	22.01	20.3	25.7	PASS
Band20	5	24300	8	#0	QAM16	21.95	20.3	25.7	PASS
Band20	5	24300	25	#0	QAM16	20.90	20.3	25.7	PASS
Band20	5	24425	1	#0	QPSK	22.74	20.3	25.7	PASS
Band20	5	24425	8	#0	QPSK	23.01	20.3	25.7	PASS
Band20	5	24425	25	#0	QPSK	21.91	20.3	25.7	PASS
Band20	5	24425	1	#0	QAM16	22.02	20.3	25.7	PASS
Band20	5	24425	8	#0	QAM16	21.90	20.3	25.7	PASS
Band20	5	24425	25	#0	QAM16	20.90	20.3	25.7	PASS
Band20	20	24250	1	#0	QPSK	22.72	18.8	25.7	PASS
Band20	20	24250	18	#0	QPSK	22.81	18.8	25.7	PASS
Band20	20	24250	100	#0	QPSK	21.80	20.3	25.7	PASS
Band20	20	24250	1	#0	QAM16	21.70	18.8	25.7	PASS
Band20	20	24250	18	#0	QAM16	21.62	18.8	25.7	PASS
Band20	20	24250	100	#0	QAM16	20.55	20.3	25.7	PASS
Band20	20	24300	1	#0	QPSK	22.28	20.3	25.7	PASS
Band20	20	24300	18	#0	QPSK	22.36	20.3	25.7	PASS
Band20	20	24300	100	#0	QPSK	21.65	20.3	25.7	PASS
Band20	20	24300	1	#0	QAM16	21.16	20.3	25.7	PASS
Band20	20	24300	18	#0	QAM16	21.36	20.3	25.7	PASS
Band20	20	24300	100	#0	QAM16	20.74	20.3	25.7	PASS
Band20	20	24350	1	#0	QPSK	22.35	20.3	25.7	PASS
Band20	20	24350	18	#0	QPSK	22.46	20.3	25.7	PASS
Band20	20	24350	100	#0	QPSK	21.48	20.3	25.7	PASS
Band20	20	24350	1	#0	QAM16	20.99	20.3	25.7	PASS
Band20	20	24350	18	#0	QAM16	21.31	20.3	25.7	PASS
Band20	20	24350	100	#0	QAM16	20.60	20.3	25.7	PASS
Band3	1.4	19207	1	#0	QPSK	23.35	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QPSK	23.34	18.8	25.7	PASS
Band3	1.4	19207	6	#0	QPSK	22.27	18.8	25.7	PASS
Band3	1.4	19207	1	#0	QAM16	22.23	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QAM16	22.41	18.8	25.7	PASS
Band3	1.4	19207	6	#0	QAM16	21.35	18.8	25.7	PASS
Band3	1.4	19575	1	#0	QPSK	23.21	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QPSK	23.29	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QPSK	22.28	20.3	25.7	PASS
Band3	1.4	19575	1	#0	QAM16	22.38	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QAM16	22.50	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QAM16	21.30	20.3	25.7	PASS

Band3	1.4	19943	1	#0	QPSK	23.13	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QPSK	23.17	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QPSK	22.16	18.8	25.7	PASS
Band3	1.4	19943	1	#0	QAM16	22.00	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QAM16	22.20	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QAM16	21.18	18.8	25.7	PASS
Band3	5	19225	1	#0	QPSK	23.15	18.8	25.7	PASS
Band3	5	19225	8	#0	QPSK	23.24	18.8	25.7	PASS
Band3	5	19225	25	#0	QPSK	22.25	20.3	25.7	PASS
Band3	5	19225	1	#0	QAM16	22.37	18.8	25.7	PASS
Band3	5	19225	8	#0	QAM16	22.21	18.8	25.7	PASS
Band3	5	19225	25	#0	QAM16	21.30	20.3	25.7	PASS
Band3	5	19575	1	#0	QPSK	23.17	20.3	25.7	PASS
Band3	5	19575	8	#0	QPSK	23.21	20.3	25.7	PASS
Band3	5	19575	25	#0	QPSK	22.28	20.3	25.7	PASS
Band3	5	19575	1	#0	QAM16	22.33	20.3	25.7	PASS
Band3	5	19575	8	#0	QAM16	22.19	20.3	25.7	PASS
Band3	5	19575	25	#0	QAM16	21.27	20.3	25.7	PASS
Band3	5	19925	1	#0	QPSK	22.97	20.3	25.7	PASS
Band3	5	19925	8	#0	QPSK	23.09	20.3	25.7	PASS
Band3	5	19925	25	#0	QPSK	22.11	20.3	25.7	PASS
Band3	5	19925	1	#0	QAM16	22.22	20.3	25.7	PASS
Band3	5	19925	8	#0	QAM16	22.08	20.3	25.7	PASS
Band3	5	19925	25	#0	QAM16	21.14	20.3	25.7	PASS
Band3	20	19300	1	#0	QPSK	23.03	18.8	25.7	PASS
Band3	20	19300	18	#0	QPSK	23.10	18.8	25.7	PASS
Band3	20	19300	100	#0	QPSK	22.18	20.3	25.7	PASS
Band3	20	19300	1	#0	QAM16	22.15	18.8	25.7	PASS
Band3	20	19300	18	#0	QAM16	22.04	18.8	25.7	PASS
Band3	20	19300	100	#0	QAM16	21.23	20.3	25.7	PASS
Band3	20	19575	1	#0	QPSK	23.14	20.3	25.7	PASS
Band3	20	19575	18	#0	QPSK	23.19	20.3	25.7	PASS
Band3	20	19575	100	#0	QPSK	22.28	20.3	25.7	PASS
Band3	20	19575	1	#0	QAM16	21.93	20.3	25.7	PASS
Band3	20	19575	18	#0	QAM16	22.10	20.3	25.7	PASS
Band3	20	19575	100	#0	QAM16	21.28	20.3	25.7	PASS
Band3	20	19850	1	#0	QPSK	22.98	20.3	25.7	PASS
Band3	20	19850	18	#0	QPSK	23.08	20.3	25.7	PASS
Band3	20	19850	100	#0	QPSK	22.15	20.3	25.7	PASS
Band3	20	19850	1	#0	QAM16	21.73	20.3	25.7	PASS
Band3	20	19850	18	#0	QAM16	22.01	20.3	25.7	PASS
Band3	20	19850	100	#0	QAM16	21.23	20.3	25.7	PASS
Band7	5	20775	1	#0	QPSK	23.72	18.8	25.7	PASS
Band7	5	20775	8	#0	QPSK	23.50	18.8	25.7	PASS

Band7	5	20775	25	#0	QPSK	22.10	20.3	25.7	PASS
Band7	5	20775	1	#0	QAM16	22.39	18.8	25.7	PASS
Band7	5	20775	8	#0	QAM16	22.16	18.8	25.7	PASS
Band7	5	20775	25	#0	QAM16	21.11	20.3	25.7	PASS
Band7	5	21100	1	#0	QPSK	22.69	20.3	25.7	PASS
Band7	5	21100	8	#0	QPSK	22.69	20.3	25.7	PASS
Band7	5	21100	25	#0	QPSK	21.69	20.3	25.7	PASS
Band7	5	21100	1	#0	QAM16	21.76	20.3	25.7	PASS
Band7	5	21100	8	#0	QAM16	21.61	20.3	25.7	PASS
Band7	5	21100	25	#0	QAM16	20.67	20.3	25.7	PASS
Band7	5	21425	1	#0	QPSK	22.74	20.3	25.7	PASS
Band7	5	21425	8	#0	QPSK	22.89	20.3	25.7	PASS
Band7	5	21425	25	#0	QPSK	21.90	20.3	25.7	PASS
Band7	5	21425	1	#0	QAM16	21.98	20.3	25.7	PASS
Band7	5	21425	8	#0	QAM16	21.81	20.3	25.7	PASS
Band7	5	21425	25	#0	QAM16	20.88	20.3	25.7	PASS
Band7	20	20850	1	#0	QPSK	23.13	18.8	25.7	PASS
Band7	20	20850	18	#0	QPSK	23.06	18.8	25.7	PASS
Band7	20	20850	100	#0	QPSK	21.93	20.3	25.7	PASS
Band7	20	20850	1	#0	QAM16	22.19	18.8	25.7	PASS
Band7	20	20850	18	#0	QAM16	22.02	18.8	25.7	PASS
Band7	20	20850	100	#0	QAM16	20.89	20.3	25.7	PASS
Band7	20	21100	1	#0	QPSK	22.87	20.3	25.7	PASS
Band7	20	21100	18	#0	QPSK	22.83	20.3	25.7	PASS
Band7	20	21100	100	#0	QPSK	21.73	20.3	25.7	PASS
Band7	20	21100	1	#0	QAM16	21.62	20.3	25.7	PASS
Band7	20	21100	18	#0	QAM16	21.72	20.3	25.7	PASS
Band7	20	21100	100	#0	QAM16	20.72	20.3	25.7	PASS
Band7	20	21350	1	#0	QPSK	22.79	20.3	25.7	PASS
Band7	20	21350	18	#0	QPSK	22.83	20.3	25.7	PASS
Band7	20	21350	100	#0	QPSK	21.94	20.3	25.7	PASS
Band7	20	21350	1	#0	QAM16	21.47	20.3	25.7	PASS
Band7	20	21350	18	#0	QAM16	21.76	20.3	25.7	PASS
Band7	20	21350	100	#0	QAM16	20.94	20.3	25.7	PASS
Band8	1.4	21457	1	#0	QPSK	22.56	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QPSK	22.52	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QPSK	21.50	18.8	25.7	PASS
Band8	1.4	21457	1	#0	QAM16	21.42	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QAM16	21.69	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QAM16	20.51	18.8	25.7	PASS
Band8	1.4	21625	1	#0	QPSK	22.56	20.3	25.7	PASS
Band8	1.4	21625	5	#0	QPSK	22.62	20.3	25.7	PASS
Band8	1.4	21625	6	#0	QPSK	21.65	20.3	25.7	PASS
Band8	1.4	21625	1	#0	QAM16	21.67	20.3	25.7	PASS

Band8	1.4	21625	5	#0	QAM16	21.84	20.3	25.7	PASS
Band8	1.4	21625	6	#0	QAM16	20.59	20.3	25.7	PASS
Band8	1.4	21793	1	#0	QPSK	22.56	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QPSK	22.61	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QPSK	21.60	18.8	25.7	PASS
Band8	1.4	21793	1	#0	QAM16	21.41	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QAM16	21.66	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QAM16	20.60	18.8	25.7	PASS
Band8	5	21475	1	#0	QPSK	22.41	18.8	25.7	PASS
Band8	5	21475	8	#0	QPSK	22.47	18.8	25.7	PASS
Band8	5	21475	25	#0	QPSK	21.56	20.3	25.7	PASS
Band8	5	21475	1	#0	QAM16	21.65	18.8	25.7	PASS
Band8	5	21475	8	#0	QAM16	21.46	18.8	25.7	PASS
Band8	5	21475	25	#0	QAM16	20.60	20.3	25.7	PASS
Band8	5	21625	1	#0	QPSK	22.59	20.3	25.7	PASS
Band8	5	21625	8	#0	QPSK	22.65	20.3	25.7	PASS
Band8	5	21625	25	#0	QPSK	21.64	20.3	25.7	PASS
Band8	5	21625	1	#0	QAM16	21.68	20.3	25.7	PASS
Band8	5	21625	8	#0	QAM16	21.56	20.3	25.7	PASS
Band8	5	21625	25	#0	QAM16	20.61	20.3	25.7	PASS
Band8	5	21775	1	#0	QPSK	22.44	20.3	25.7	PASS
Band8	5	21775	8	#0	QPSK	22.58	20.3	25.7	PASS
Band8	5	21775	25	#0	QPSK	21.64	20.3	25.7	PASS
Band8	5	21775	1	#0	QAM16	21.66	20.3	25.7	PASS
Band8	5	21775	8	#0	QAM16	21.54	20.3	25.7	PASS
Band8	5	21775	25	#0	QAM16	20.62	20.3	25.7	PASS
Band8	10	21500	1	#0	QPSK	22.48	18.8	25.7	PASS
Band8	10	21500	12	#0	QPSK	22.55	18.8	25.7	PASS
Band8	10	21500	50	#0	QPSK	21.56	20.3	25.7	PASS
Band8	10	21500	1	#0	QAM16	21.68	18.8	25.7	PASS
Band8	10	21500	12	#0	QAM16	21.52	18.8	25.7	PASS
Band8	10	21500	50	#0	QAM16	20.58	20.3	25.7	PASS
Band8	10	21625	1	#0	QPSK	22.62	20.3	25.7	PASS
Band8	10	21625	12	#0	QPSK	22.63	20.3	25.7	PASS
Band8	10	21625	50	#0	QPSK	21.71	20.3	25.7	PASS
Band8	10	21625	1	#0	QAM16	21.71	20.3	25.7	PASS
Band8	10	21625	12	#0	QAM16	21.56	20.3	25.7	PASS
Band8	10	21625	50	#0	QAM16	20.69	20.3	25.7	PASS
Band8	10	21750	1	#0	QPSK	22.64	20.3	25.7	PASS
Band8	10	21750	12	#0	QPSK	22.61	20.3	25.7	PASS
Band8	10	21750	50	#0	QPSK	21.63	20.3	25.7	PASS
Band8	10	21750	1	#0	QAM16	21.40	20.3	25.7	PASS
Band8	10	21750	12	#0	QAM16	21.58	20.3	25.7	PASS
Band8	10	21750	50	#0	QAM16	20.65	20.3	25.7	PASS

Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	7.51	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	14.57	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	24.59	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	12.89	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	29.38	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	17.93	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	25.09	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	13.27	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	30.25	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	18.50	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.99	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	12.96	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	8.28	PASS
Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	17.44	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	24.89	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	13.14	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	17.03	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	17.05	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	20.77	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	9.70	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	17.40	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	17.37	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	21.34	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	10.00	PASS
Band1	5	18025	8	#0	QAM16	-1MHz-0MHz	10.12	PASS
Band1	5	18025	8	#0	QAM16	-5MHz--1MHz	17.23	PASS
Band1	5	18025	8	#0	QAM16	-6MHz--5MHz	24.89	PASS
Band1	5	18025	8	#0	QAM16	-10MHz--6MHz	12.89	PASS
Band1	5	18025	8	#0	QAM16	0MHz-1MHz	30.90	PASS
Band1	5	18025	8	#0	QAM16	1MHz-5MHz	19.16	PASS
Band1	5	18025	8	#0	QAM16	5MHz-6MHz	25.10	PASS
Band1	5	18025	8	#0	QAM16	6MHz-10MHz	13.26	PASS
Band1	5	18025	8	#Max	QAM16	-1MHz-0MHz	31.04	PASS
Band1	5	18025	8	#Max	QAM16	-5MHz--1MHz	19.76	PASS
Band1	5	18025	8	#Max	QAM16	-6MHz--5MHz	25.05	PASS
Band1	5	18025	8	#Max	QAM16	-10MHz--6MHz	12.84	PASS
Band1	5	18025	8	#Max	QAM16	0MHz-1MHz	12.45	PASS
Band1	5	18025	8	#Max	QAM16	1MHz-5MHz	19.03	PASS
Band1	5	18025	8	#Max	QAM16	5MHz-6MHz	25.00	PASS
Band1	5	18025	8	#Max	QAM16	6MHz-10MHz	13.25	PASS
Band1	5	18025	25	#0	QAM16	-1MHz-0MHz	17.96	PASS

Band1	5	18025	25	#0	QAM16	-5MHz--1MHz	18.27	PASS
Band1	5	18025	25	#0	QAM16	-6MHz--5MHz	22.01	PASS
Band1	5	18025	25	#0	QAM16	-10MHz--6MHz	11.06	PASS
Band1	5	18025	25	#0	QAM16	0MHz-1MHz	17.80	PASS
Band1	5	18025	25	#0	QAM16	1MHz-5MHz	18.38	PASS
Band1	5	18025	25	#0	QAM16	5MHz-6MHz	22.32	PASS
Band1	5	18025	25	#0	QAM16	6MHz-10MHz	11.34	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	11.50	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	14.88	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	24.67	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	12.87	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	30.83	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	19.38	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	25.05	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	13.16	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	30.90	PASS
Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	19.50	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	24.80	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	12.82	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	9.29	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	13.87	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	24.84	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	13.06	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	18.63	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	17.64	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	20.91	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	9.95	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	16.91	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	17.69	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	20.85	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	9.94	PASS
Band1	5	18300	8	#0	QAM16	-1MHz-0MHz	13.42	PASS
Band1	5	18300	8	#0	QAM16	-5MHz--1MHz	16.58	PASS
Band1	5	18300	8	#0	QAM16	-6MHz--5MHz	24.91	PASS
Band1	5	18300	8	#0	QAM16	-10MHz--6MHz	12.75	PASS
Band1	5	18300	8	#0	QAM16	0MHz-1MHz	32.52	PASS
Band1	5	18300	8	#0	QAM16	1MHz-5MHz	20.58	PASS
Band1	5	18300	8	#0	QAM16	5MHz-6MHz	25.03	PASS
Band1	5	18300	8	#0	QAM16	6MHz-10MHz	13.23	PASS
Band1	5	18300	8	#Max	QAM16	-1MHz-0MHz	32.52	PASS
Band1	5	18300	8	#Max	QAM16	-5MHz--1MHz	20.70	PASS
Band1	5	18300	8	#Max	QAM16	-6MHz--5MHz	24.85	PASS
Band1	5	18300	8	#Max	QAM16	-10MHz--6MHz	12.73	PASS
Band1	5	18300	8	#Max	QAM16	0MHz-1MHz	13.76	PASS

Band1	5	18300	8	#Max	QAM16	1MHz-5MHz	16.02	PASS
Band1	5	18300	8	#Max	QAM16	5MHz-6MHz	24.92	PASS
Band1	5	18300	8	#Max	QAM16	6MHz-10MHz	13.02	PASS
Band1	5	18300	25	#0	QAM16	-1MHz-0MHz	16.71	PASS
Band1	5	18300	25	#0	QAM16	-5MHz--1MHz	16.77	PASS
Band1	5	18300	25	#0	QAM16	-6MHz--5MHz	21.80	PASS
Band1	5	18300	25	#0	QAM16	-10MHz--6MHz	11.45	PASS
Band1	5	18300	25	#0	QAM16	0MHz-1MHz	19.49	PASS
Band1	5	18300	25	#0	QAM16	1MHz-5MHz	16.95	PASS
Band1	5	18300	25	#0	QAM16	5MHz-6MHz	21.61	PASS
Band1	5	18300	25	#0	QAM16	6MHz-10MHz	11.34	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	9.79	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	19.49	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	25.35	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	13.44	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	30.19	PASS
Band1	5	18575	8	#0	QPSK	1MHz-5MHz	17.48	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	25.55	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	13.70	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	30.38	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	18.80	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	25.41	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	13.37	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	9.87	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	17.95	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	25.35	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	13.63	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	17.95	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	18.53	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	22.85	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	10.75	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	16.63	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	18.34	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	22.74	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	11.05	PASS
Band1	5	18575	8	#0	QAM16	-1MHz-0MHz	14.25	PASS
Band1	5	18575	8	#0	QAM16	-5MHz--1MHz	20.68	PASS
Band1	5	18575	8	#0	QAM16	-6MHz--5MHz	25.45	PASS
Band1	5	18575	8	#0	QAM16	-10MHz--6MHz	13.38	PASS
Band1	5	18575	8	#0	QAM16	0MHz-1MHz	31.83	PASS
Band1	5	18575	8	#0	QAM16	1MHz-5MHz	18.99	PASS
Band1	5	18575	8	#0	QAM16	5MHz-6MHz	25.50	PASS
Band1	5	18575	8	#0	QAM16	6MHz-10MHz	13.68	PASS
Band1	5	18575	8	#Max	QAM16	-1MHz-0MHz	32.69	PASS

Band1	5	18575	8	#Max	QAM16	-5MHz--1MHz	20.46	PASS
Band1	5	18575	8	#Max	QAM16	-6MHz--5MHz	25.56	PASS
Band1	5	18575	8	#Max	QAM16	-10MHz--6MHz	13.36	PASS
Band1	5	18575	8	#Max	QAM16	0MHz-1MHz	12.70	PASS
Band1	5	18575	8	#Max	QAM16	1MHz-5MHz	19.97	PASS
Band1	5	18575	8	#Max	QAM16	5MHz-6MHz	25.54	PASS
Band1	5	18575	8	#Max	QAM16	6MHz-10MHz	13.71	PASS
Band1	5	18575	25	#0	QAM16	-1MHz-0MHz	21.87	PASS
Band1	5	18575	25	#0	QAM16	-5MHz--1MHz	20.05	PASS
Band1	5	18575	25	#0	QAM16	-6MHz--5MHz	22.87	PASS
Band1	5	18575	25	#0	QAM16	-10MHz--6MHz	11.60	PASS
Band1	5	18575	25	#0	QAM16	0MHz-1MHz	17.51	PASS
Band1	5	18575	25	#0	QAM16	1MHz-5MHz	19.12	PASS
Band1	5	18575	25	#0	QAM16	5MHz-6MHz	22.93	PASS
Band1	5	18575	25	#0	QAM16	6MHz-10MHz	11.80	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	11.67	PASS
Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	13.33	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	24.12	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	11.36	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	32.78	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	20.40	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	16.61	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	13.31	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	33.26	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	21.52	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	18.05	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	11.34	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	11.57	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	18.17	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	24.54	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	13.14	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	21.44	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	19.97	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	18.43	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	10.60	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	18.72	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	20.59	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	18.44	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	11.14	PASS
Band1	10	18050	12	#0	QAM16	-1MHz-0MHz	12.72	PASS
Band1	10	18050	12	#0	QAM16	-5MHz--1MHz	15.96	PASS
Band1	10	18050	12	#0	QAM16	-10MHz--5MHz	24.37	PASS
Band1	10	18050	12	#0	QAM16	-15MHz--10MHz	11.30	PASS
Band1	10	18050	12	#0	QAM16	0MHz-1MHz	32.99	PASS

Band1	10	18050	12	#0	QAM16	1MHz-5MHz	20.96	PASS
Band1	10	18050	12	#0	QAM16	5MHz-10MHz	17.29	PASS
Band1	10	18050	12	#0	QAM16	10MHz-15MHz	13.24	PASS
Band1	10	18050	12	#Max	QAM16	-1MHz-0MHz	33.12	PASS
Band1	10	18050	12	#Max	QAM16	-5MHz--1MHz	21.80	PASS
Band1	10	18050	12	#Max	QAM16	-10MHz--5MHz	18.35	PASS
Band1	10	18050	12	#Max	QAM16	-15MHz--10MHz	11.45	PASS
Band1	10	18050	12	#Max	QAM16	0MHz-1MHz	14.33	PASS
Band1	10	18050	12	#Max	QAM16	1MHz-5MHz	19.13	PASS
Band1	10	18050	12	#Max	QAM16	5MHz-10MHz	24.66	PASS
Band1	10	18050	12	#Max	QAM16	10MHz-15MHz	13.10	PASS
Band1	10	18050	50	#0	QAM16	-1MHz-0MHz	19.41	PASS
Band1	10	18050	50	#0	QAM16	-5MHz--1MHz	21.26	PASS
Band1	10	18050	50	#0	QAM16	-10MHz--5MHz	19.48	PASS
Band1	10	18050	50	#0	QAM16	-15MHz--10MHz	11.30	PASS
Band1	10	18050	50	#0	QAM16	0MHz-1MHz	20.45	PASS
Band1	10	18050	50	#0	QAM16	1MHz-5MHz	21.29	PASS
Band1	10	18050	50	#0	QAM16	5MHz-10MHz	19.25	PASS
Band1	10	18050	50	#0	QAM16	10MHz-15MHz	11.39	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	12.57	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	14.56	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	24.12	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	11.30	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	32.87	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	21.34	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	17.62	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	13.13	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	33.09	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	21.75	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	18.43	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	11.28	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	11.79	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	12.25	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	24.50	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	12.99	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	20.69	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	19.95	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	17.33	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	10.27	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	22.54	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	19.99	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	16.89	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	10.63	PASS
Band1	10	18300	12	#0	QAM16	-1MHz-0MHz	13.19	PASS

Band1	10	18300	12	#0	QAM16	-5MHz--1MHz	16.68	PASS
Band1	10	18300	12	#0	QAM16	-10MHz--5MHz	24.29	PASS
Band1	10	18300	12	#0	QAM16	-15MHz--10MHz	11.26	PASS
Band1	10	18300	12	#0	QAM16	0MHz-1MHz	33.30	PASS
Band1	10	18300	12	#0	QAM16	1MHz-5MHz	22.14	PASS
Band1	10	18300	12	#0	QAM16	5MHz-10MHz	18.86	PASS
Band1	10	18300	12	#0	QAM16	10MHz-15MHz	13.12	PASS
Band1	10	18300	12	#Max	QAM16	-1MHz-0MHz	32.90	PASS
Band1	10	18300	12	#Max	QAM16	-5MHz--1MHz	22.78	PASS
Band1	10	18300	12	#Max	QAM16	-10MHz--5MHz	19.31	PASS
Band1	10	18300	12	#Max	QAM16	-15MHz--10MHz	11.37	PASS
Band1	10	18300	12	#Max	QAM16	0MHz-1MHz	12.33	PASS
Band1	10	18300	12	#Max	QAM16	1MHz-5MHz	15.03	PASS
Band1	10	18300	12	#Max	QAM16	5MHz-10MHz	24.61	PASS
Band1	10	18300	12	#Max	QAM16	10MHz-15MHz	13.05	PASS
Band1	10	18300	50	#0	QAM16	-1MHz-0MHz	21.03	PASS
Band1	10	18300	50	#0	QAM16	-5MHz--1MHz	19.29	PASS
Band1	10	18300	50	#0	QAM16	-10MHz--5MHz	18.03	PASS
Band1	10	18300	50	#0	QAM16	-15MHz--10MHz	11.25	PASS
Band1	10	18300	50	#0	QAM16	0MHz-1MHz	20.16	PASS
Band1	10	18300	50	#0	QAM16	1MHz-5MHz	19.04	PASS
Band1	10	18300	50	#0	QAM16	5MHz-10MHz	18.11	PASS
Band1	10	18300	50	#0	QAM16	10MHz-15MHz	11.64	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	12.27	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	18.23	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	24.77	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.77	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	32.84	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	19.38	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	15.75	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	13.72	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	33.23	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	21.11	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	17.65	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.79	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	13.30	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	17.60	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	24.80	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	13.55	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	21.53	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	20.48	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	20.16	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	10.41	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	22.24	PASS

Band1	10	18550	50	#0	QPSK	1MHz-5MHz	20.29	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	19.89	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	12.42	PASS
Band1	10	18550	12	#0	QAM16	-1MHz-0MHz	14.14	PASS
Band1	10	18550	12	#0	QAM16	-5MHz--1MHz	19.50	PASS
Band1	10	18550	12	#0	QAM16	-10MHz--5MHz	24.80	PASS
Band1	10	18550	12	#0	QAM16	-15MHz--10MHz	11.83	PASS
Band1	10	18550	12	#0	QAM16	0MHz-1MHz	33.14	PASS
Band1	10	18550	12	#0	QAM16	1MHz-5MHz	20.64	PASS
Band1	10	18550	12	#0	QAM16	5MHz-10MHz	17.24	PASS
Band1	10	18550	12	#0	QAM16	10MHz-15MHz	13.66	PASS
Band1	10	18550	12	#Max	QAM16	-1MHz-0MHz	33.79	PASS
Band1	10	18550	12	#Max	QAM16	-5MHz--1MHz	22.39	PASS
Band1	10	18550	12	#Max	QAM16	-10MHz--5MHz	18.99	PASS
Band1	10	18550	12	#Max	QAM16	-15MHz--10MHz	11.91	PASS
Band1	10	18550	12	#Max	QAM16	0MHz-1MHz	14.07	PASS
Band1	10	18550	12	#Max	QAM16	1MHz-5MHz	19.33	PASS
Band1	10	18550	12	#Max	QAM16	5MHz-10MHz	25.14	PASS
Band1	10	18550	12	#Max	QAM16	10MHz-15MHz	13.64	PASS
Band1	10	18550	50	#0	QAM16	-1MHz-0MHz	19.46	PASS
Band1	10	18550	50	#0	QAM16	-5MHz--1MHz	21.03	PASS
Band1	10	18550	50	#0	QAM16	-10MHz--5MHz	20.42	PASS
Band1	10	18550	50	#0	QAM16	-15MHz--10MHz	11.32	PASS
Band1	10	18550	50	#0	QAM16	0MHz-1MHz	20.53	PASS
Band1	10	18550	50	#0	QAM16	1MHz-5MHz	20.73	PASS
Band1	10	18550	50	#0	QAM16	5MHz-10MHz	20.06	PASS
Band1	10	18550	50	#0	QAM16	10MHz-15MHz	12.70	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	13.42	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	15.47	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	23.19	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	13.44	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	30.54	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	27.55	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	17.15	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	13.31	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	30.77	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	27.22	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	20.78	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	13.62	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	14.60	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	17.67	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	23.59	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	13.20	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	23.08	PASS

Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	22.20	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	20.51	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	13.16	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	21.31	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	21.16	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	19.85	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	12.02	PASS
Band1	20	18100	18	#0	QAM16	-1MHz-0MHz	15.34	PASS
Band1	20	18100	18	#0	QAM16	-5MHz--1MHz	16.78	PASS
Band1	20	18100	18	#0	QAM16	-20MHz--5MHz	23.15	PASS
Band1	20	18100	18	#0	QAM16	-25MHz--20MHz	13.49	PASS
Band1	20	18100	18	#0	QAM16	0MHz-1MHz	30.75	PASS
Band1	20	18100	18	#0	QAM16	1MHz-5MHz	27.56	PASS
Band1	20	18100	18	#0	QAM16	5MHz-20MHz	18.54	PASS
Band1	20	18100	18	#0	QAM16	20MHz-25MHz	13.38	PASS
Band1	20	18100	18	#Max	QAM16	-1MHz-0MHz	30.96	PASS
Band1	20	18100	18	#Max	QAM16	-5MHz--1MHz	27.16	PASS
Band1	20	18100	18	#Max	QAM16	-20MHz--5MHz	21.44	PASS
Band1	20	18100	18	#Max	QAM16	-25MHz--20MHz	13.57	PASS
Band1	20	18100	18	#Max	QAM16	0MHz-1MHz	17.30	PASS
Band1	20	18100	18	#Max	QAM16	1MHz-5MHz	18.75	PASS
Band1	20	18100	18	#Max	QAM16	5MHz-20MHz	23.65	PASS
Band1	20	18100	18	#Max	QAM16	20MHz-25MHz	13.23	PASS
Band1	20	18100	100	#0	QAM16	-1MHz-0MHz	23.18	PASS
Band1	20	18100	100	#0	QAM16	-5MHz--1MHz	23.58	PASS
Band1	20	18100	100	#0	QAM16	-20MHz--5MHz	21.24	PASS
Band1	20	18100	100	#0	QAM16	-25MHz--20MHz	14.11	PASS
Band1	20	18100	100	#0	QAM16	0MHz-1MHz	21.64	PASS
Band1	20	18100	100	#0	QAM16	1MHz-5MHz	21.92	PASS
Band1	20	18100	100	#0	QAM16	5MHz-20MHz	19.97	PASS
Band1	20	18100	100	#0	QAM16	20MHz-25MHz	13.50	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	15.75	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	17.42	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	23.07	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	13.30	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	31.13	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	27.73	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	19.17	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	13.96	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	30.69	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	27.05	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	20.97	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	13.47	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	13.18	PASS

Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	13.89	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	23.56	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	13.84	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	22.93	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	22.40	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	20.07	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	12.06	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	24.01	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	22.25	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	18.93	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	11.75	PASS
Band1	20	18300	18	#0	QAM16	-1MHz-0MHz	17.92	PASS
Band1	20	18300	18	#0	QAM16	-5MHz--1MHz	18.94	PASS
Band1	20	18300	18	#0	QAM16	-20MHz--5MHz	23.13	PASS
Band1	20	18300	18	#0	QAM16	-25MHz--20MHz	13.40	PASS
Band1	20	18300	18	#0	QAM16	0MHz-1MHz	30.89	PASS
Band1	20	18300	18	#0	QAM16	1MHz-5MHz	27.80	PASS
Band1	20	18300	18	#0	QAM16	5MHz-20MHz	20.57	PASS
Band1	20	18300	18	#0	QAM16	20MHz-25MHz	13.99	PASS
Band1	20	18300	18	#Max	QAM16	-1MHz-0MHz	30.67	PASS
Band1	20	18300	18	#Max	QAM16	-5MHz--1MHz	27.12	PASS
Band1	20	18300	18	#Max	QAM16	-20MHz--5MHz	21.81	PASS
Band1	20	18300	18	#Max	QAM16	-25MHz--20MHz	13.42	PASS
Band1	20	18300	18	#Max	QAM16	0MHz-1MHz	14.47	PASS
Band1	20	18300	18	#Max	QAM16	1MHz-5MHz	15.87	PASS
Band1	20	18300	18	#Max	QAM16	5MHz-20MHz	24.12	PASS
Band1	20	18300	18	#Max	QAM16	20MHz-25MHz	13.82	PASS
Band1	20	18300	100	#0	QAM16	-1MHz-0MHz	21.41	PASS
Band1	20	18300	100	#0	QAM16	-5MHz--1MHz	21.88	PASS
Band1	20	18300	100	#0	QAM16	-20MHz--5MHz	20.03	PASS
Band1	20	18300	100	#0	QAM16	-25MHz--20MHz	13.45	PASS
Band1	20	18300	100	#0	QAM16	0MHz-1MHz	22.96	PASS
Band1	20	18300	100	#0	QAM16	1MHz-5MHz	21.69	PASS
Band1	20	18300	100	#0	QAM16	5MHz-20MHz	19.73	PASS
Band1	20	18300	100	#0	QAM16	20MHz-25MHz	12.37	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	14.65	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	14.02	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	23.37	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	31.33	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	28.23	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	18.67	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	13.84	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	31.08	PASS

Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	27.66	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	19.90	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	13.47	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	15.90	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	17.69	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	24.13	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	13.77	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	22.68	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	22.38	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	19.37	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	11.52	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	23.37	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	22.12	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	20.91	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	13.75	PASS
Band1	20	18500	18	#0	QAM16	-1MHz-0MHz	14.95	PASS
Band1	20	18500	18	#0	QAM16	-5MHz--1MHz	15.80	PASS
Band1	20	18500	18	#0	QAM16	-20MHz--5MHz	23.55	PASS
Band1	20	18500	18	#0	QAM16	-25MHz--20MHz	13.26	PASS
Band1	20	18500	18	#0	QAM16	0MHz-1MHz	31.59	PASS
Band1	20	18500	18	#0	QAM16	1MHz-5MHz	28.28	PASS
Band1	20	18500	18	#0	QAM16	5MHz-20MHz	19.94	PASS
Band1	20	18500	18	#0	QAM16	20MHz-25MHz	13.85	PASS
Band1	20	18500	18	#Max	QAM16	-1MHz-0MHz	30.81	PASS
Band1	20	18500	18	#Max	QAM16	-5MHz--1MHz	27.59	PASS
Band1	20	18500	18	#Max	QAM16	-20MHz--5MHz	21.20	PASS
Band1	20	18500	18	#Max	QAM16	-25MHz--20MHz	13.47	PASS
Band1	20	18500	18	#Max	QAM16	0MHz-1MHz	16.38	PASS
Band1	20	18500	18	#Max	QAM16	1MHz-5MHz	18.87	PASS
Band1	20	18500	18	#Max	QAM16	5MHz-20MHz	24.22	PASS
Band1	20	18500	18	#Max	QAM16	20MHz-25MHz	13.75	PASS
Band1	20	18500	100	#0	QAM16	-1MHz-0MHz	22.69	PASS
Band1	20	18500	100	#0	QAM16	-5MHz--1MHz	22.03	PASS
Band1	20	18500	100	#0	QAM16	-20MHz--5MHz	19.50	PASS
Band1	20	18500	100	#0	QAM16	-25MHz--20MHz	12.24	PASS
Band1	20	18500	100	#0	QAM16	0MHz-1MHz	21.93	PASS
Band1	20	18500	100	#0	QAM16	1MHz-5MHz	22.17	PASS
Band1	20	18500	100	#0	QAM16	5MHz-20MHz	20.50	PASS
Band1	20	18500	100	#0	QAM16	20MHz-25MHz	14.81	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	8.07	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	14.69	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	24.69	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	13.02	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	31.51	PASS

Band20	5	24175	8	#0	QPSK	1MHz-5MHz	20.52	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	25.31	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	13.42	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	30.52	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	20.38	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	25.29	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	13.07	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	8.64	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	16.50	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	22.88	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	12.33	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	17.71	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	18.37	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	22.28	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	12.18	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	17.69	PASS
Band20	5	24175	25	#0	QPSK	1MHz-5MHz	18.56	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	20.28	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	9.12	PASS
Band20	5	24175	8	#0	QAM16	-1MHz-0MHz	10.47	PASS
Band20	5	24175	8	#0	QAM16	-5MHz--1MHz	16.45	PASS
Band20	5	24175	8	#0	QAM16	-6MHz--5MHz	25.02	PASS
Band20	5	24175	8	#0	QAM16	-10MHz--6MHz	13.03	PASS
Band20	5	24175	8	#0	QAM16	0MHz-1MHz	32.67	PASS
Band20	5	24175	8	#0	QAM16	1MHz-5MHz	21.94	PASS
Band20	5	24175	8	#0	QAM16	5MHz-6MHz	25.20	PASS
Band20	5	24175	8	#0	QAM16	6MHz-10MHz	13.49	PASS
Band20	5	24175	8	#Max	QAM16	-1MHz-0MHz	32.06	PASS
Band20	5	24175	8	#Max	QAM16	-5MHz--1MHz	22.18	PASS
Band20	5	24175	8	#Max	QAM16	-6MHz--5MHz	25.46	PASS
Band20	5	24175	8	#Max	QAM16	-10MHz--6MHz	13.06	PASS
Band20	5	24175	8	#Max	QAM16	0MHz-1MHz	12.65	PASS
Band20	5	24175	8	#Max	QAM16	1MHz-5MHz	17.79	PASS
Band20	5	24175	8	#Max	QAM16	5MHz-6MHz	23.52	PASS
Band20	5	24175	8	#Max	QAM16	6MHz-10MHz	12.65	PASS
Band20	5	24175	25	#0	QAM16	-1MHz-0MHz	18.28	PASS
Band20	5	24175	25	#0	QAM16	-5MHz--1MHz	17.94	PASS
Band20	5	24175	25	#0	QAM16	-6MHz--5MHz	23.17	PASS
Band20	5	24175	25	#0	QAM16	-10MHz--6MHz	13.73	PASS
Band20	5	24175	25	#0	QAM16	0MHz-1MHz	18.54	PASS
Band20	5	24175	25	#0	QAM16	1MHz-5MHz	18.26	PASS
Band20	5	24175	25	#0	QAM16	5MHz-6MHz	20.86	PASS
Band20	5	24175	25	#0	QAM16	6MHz-10MHz	9.88	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	7.27	PASS

Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	12.28	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	23.75	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	12.55	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	32.57	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	21.15	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	25.25	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	13.41	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	31.89	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	20.46	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	25.01	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	13.09	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	9.00	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	16.56	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	23.57	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	12.66	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	16.00	PASS
Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	11.46	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	18.66	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	7.04	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	15.60	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	12.91	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	20.88	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	9.55	PASS
Band20	5	24300	8	#0	QAM16	-1MHz-0MHz	9.04	PASS
Band20	5	24300	8	#0	QAM16	-5MHz--1MHz	13.81	PASS
Band20	5	24300	8	#0	QAM16	-6MHz--5MHz	24.23	PASS
Band20	5	24300	8	#0	QAM16	-10MHz--6MHz	12.80	PASS
Band20	5	24300	8	#0	QAM16	0MHz-1MHz	33.57	PASS
Band20	5	24300	8	#0	QAM16	1MHz-5MHz	22.53	PASS
Band20	5	24300	8	#0	QAM16	5MHz-6MHz	25.27	PASS
Band20	5	24300	8	#0	QAM16	6MHz-10MHz	13.36	PASS
Band20	5	24300	8	#Max	QAM16	-1MHz-0MHz	32.84	PASS
Band20	5	24300	8	#Max	QAM16	-5MHz--1MHz	21.53	PASS
Band20	5	24300	8	#Max	QAM16	-6MHz--5MHz	25.08	PASS
Band20	5	24300	8	#Max	QAM16	-10MHz--6MHz	12.95	PASS
Band20	5	24300	8	#Max	QAM16	0MHz-1MHz	13.75	PASS
Band20	5	24300	8	#Max	QAM16	1MHz-5MHz	17.73	PASS
Band20	5	24300	8	#Max	QAM16	5MHz-6MHz	24.04	PASS
Band20	5	24300	8	#Max	QAM16	6MHz-10MHz	12.80	PASS
Band20	5	24300	25	#0	QAM16	-1MHz-0MHz	16.47	PASS
Band20	5	24300	25	#0	QAM16	-5MHz--1MHz	12.90	PASS
Band20	5	24300	25	#0	QAM16	-6MHz--5MHz	18.70	PASS
Band20	5	24300	25	#0	QAM16	-10MHz--6MHz	8.28	PASS
Band20	5	24300	25	#0	QAM16	0MHz-1MHz	19.05	PASS

Band20	5	24300	25	#0	QAM16	1MHz-5MHz	15.54	PASS
Band20	5	24300	25	#0	QAM16	5MHz-6MHz	21.29	PASS
Band20	5	24300	25	#0	QAM16	6MHz-10MHz	10.38	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	7.96	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	13.18	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	23.88	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	12.72	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	31.82	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	20.93	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	25.25	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	13.25	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	31.33	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	19.44	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	24.83	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	12.92	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	9.29	PASS
Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	15.45	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	23.85	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	12.82	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	16.44	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	12.49	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	18.70	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	6.84	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	16.66	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	14.49	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	22.11	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	11.29	PASS
Band20	5	24425	8	#0	QAM16	-1MHz-0MHz	12.25	PASS
Band20	5	24425	8	#0	QAM16	-5MHz--1MHz	15.46	PASS
Band20	5	24425	8	#0	QAM16	-6MHz--5MHz	24.55	PASS
Band20	5	24425	8	#0	QAM16	-10MHz--6MHz	12.97	PASS
Band20	5	24425	8	#0	QAM16	0MHz-1MHz	33.55	PASS
Band20	5	24425	8	#0	QAM16	1MHz-5MHz	21.83	PASS
Band20	5	24425	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band20	5	24425	8	#0	QAM16	6MHz-10MHz	13.36	PASS
Band20	5	24425	8	#Max	QAM16	-1MHz-0MHz	32.54	PASS
Band20	5	24425	8	#Max	QAM16	-5MHz--1MHz	20.76	PASS
Band20	5	24425	8	#Max	QAM16	-6MHz--5MHz	25.01	PASS
Band20	5	24425	8	#Max	QAM16	-10MHz--6MHz	12.97	PASS
Band20	5	24425	8	#Max	QAM16	0MHz-1MHz	12.16	PASS
Band20	5	24425	8	#Max	QAM16	1MHz-5MHz	18.22	PASS
Band20	5	24425	8	#Max	QAM16	5MHz-6MHz	24.40	PASS
Band20	5	24425	8	#Max	QAM16	6MHz-10MHz	13.10	PASS
Band20	5	24425	25	#0	QAM16	-1MHz-0MHz	19.26	PASS

Band20	5	24425	25	#0	QAM16	-5MHz--1MHz	13.02	PASS
Band20	5	24425	25	#0	QAM16	-6MHz--5MHz	18.68	PASS
Band20	5	24425	25	#0	QAM16	-10MHz--6MHz	8.11	PASS
Band20	5	24425	25	#0	QAM16	0MHz-1MHz	18.15	PASS
Band20	5	24425	25	#0	QAM16	1MHz-5MHz	16.84	PASS
Band20	5	24425	25	#0	QAM16	5MHz-6MHz	22.75	PASS
Band20	5	24425	25	#0	QAM16	6MHz-10MHz	12.21	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	11.69	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	13.51	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	23.82	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	11.64	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	32.11	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	23.51	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	19.95	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	13.45	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	33.05	PASS
Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	24.73	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	22.19	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	11.71	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	12.38	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	14.22	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	22.24	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	12.47	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	20.68	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	16.92	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	19.32	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	11.61	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	17.08	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	15.55	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	13.99	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	9.35	PASS
Band20	10	24200	12	#0	QAM16	-1MHz-0MHz	13.25	PASS
Band20	10	24200	12	#0	QAM16	-5MHz--1MHz	15.53	PASS
Band20	10	24200	12	#0	QAM16	-10MHz--5MHz	24.44	PASS
Band20	10	24200	12	#0	QAM16	-15MHz--10MHz	11.55	PASS
Band20	10	24200	12	#0	QAM16	0MHz-1MHz	32.70	PASS
Band20	10	24200	12	#0	QAM16	1MHz-5MHz	24.42	PASS
Band20	10	24200	12	#0	QAM16	5MHz-10MHz	20.95	PASS
Band20	10	24200	12	#0	QAM16	10MHz-15MHz	13.36	PASS
Band20	10	24200	12	#Max	QAM16	-1MHz-0MHz	33.24	PASS
Band20	10	24200	12	#Max	QAM16	-5MHz--1MHz	25.32	PASS
Band20	10	24200	12	#Max	QAM16	-10MHz--5MHz	22.85	PASS
Band20	10	24200	12	#Max	QAM16	-15MHz--10MHz	11.58	PASS
Band20	10	24200	12	#Max	QAM16	0MHz-1MHz	12.73	PASS

Band20	10	24200	12	#Max	QAM16	1MHz-5MHz	15.35	PASS
Band20	10	24200	12	#Max	QAM16	5MHz-10MHz	23.52	PASS
Band20	10	24200	12	#Max	QAM16	10MHz-15MHz	12.81	PASS
Band20	10	24200	50	#0	QAM16	-1MHz-0MHz	18.81	PASS
Band20	10	24200	50	#0	QAM16	-5MHz--1MHz	18.27	PASS
Band20	10	24200	50	#0	QAM16	-10MHz--5MHz	21.19	PASS
Band20	10	24200	50	#0	QAM16	-15MHz--10MHz	13.35	PASS
Band20	10	24200	50	#0	QAM16	0MHz-1MHz	18.29	PASS
Band20	10	24200	50	#0	QAM16	1MHz-5MHz	15.42	PASS
Band20	10	24200	50	#0	QAM16	5MHz-10MHz	15.57	PASS
Band20	10	24200	50	#0	QAM16	10MHz-15MHz	9.92	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	8.04	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	9.68	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	22.75	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	11.43	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	33.04	PASS
Band20	10	24300	12	#0	QPSK	1MHz-5MHz	23.28	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	19.82	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	13.36	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	31.55	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	22.53	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	19.32	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	11.54	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	13.27	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	14.92	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	22.57	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	12.22	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	14.89	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	13.60	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	13.77	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	8.36	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	17.79	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	14.70	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	17.02	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	11.30	PASS
Band20	10	24300	12	#0	QAM16	-1MHz-0MHz	9.78	PASS
Band20	10	24300	12	#0	QAM16	-5MHz--1MHz	12.53	PASS
Band20	10	24300	12	#0	QAM16	-10MHz--5MHz	23.52	PASS
Band20	10	24300	12	#0	QAM16	-15MHz--10MHz	11.52	PASS
Band20	10	24300	12	#0	QAM16	0MHz-1MHz	33.59	PASS
Band20	10	24300	12	#0	QAM16	1MHz-5MHz	24.06	PASS
Band20	10	24300	12	#0	QAM16	5MHz-10MHz	20.86	PASS
Band20	10	24300	12	#0	QAM16	10MHz-15MHz	13.38	PASS
Band20	10	24300	12	#Max	QAM16	-1MHz-0MHz	32.46	PASS

Band20	10	24300	12	#Max	QAM16	-5MHz--1MHz	23.41	PASS
Band20	10	24300	12	#Max	QAM16	-10MHz--5MHz	20.19	PASS
Band20	10	24300	12	#Max	QAM16	-15MHz--10MHz	11.63	PASS
Band20	10	24300	12	#Max	QAM16	0MHz-1MHz	12.71	PASS
Band20	10	24300	12	#Max	QAM16	1MHz-5MHz	16.62	PASS
Band20	10	24300	12	#Max	QAM16	5MHz-10MHz	23.65	PASS
Band20	10	24300	12	#Max	QAM16	10MHz-15MHz	12.64	PASS
Band20	10	24300	50	#0	QAM16	-1MHz-0MHz	15.96	PASS
Band20	10	24300	50	#0	QAM16	-5MHz--1MHz	14.32	PASS
Band20	10	24300	50	#0	QAM16	-10MHz--5MHz	14.52	PASS
Band20	10	24300	50	#0	QAM16	-15MHz--10MHz	8.48	PASS
Band20	10	24300	50	#0	QAM16	0MHz-1MHz	19.16	PASS
Band20	10	24300	50	#0	QAM16	1MHz-5MHz	16.83	PASS
Band20	10	24300	50	#0	QAM16	5MHz-10MHz	18.57	PASS
Band20	10	24300	50	#0	QAM16	10MHz-15MHz	12.16	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	12.27	PASS
Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	15.49	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	22.07	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	11.38	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	32.27	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	23.09	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	20.06	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	13.29	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	32.00	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	22.60	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	19.31	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	11.50	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	10.02	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	13.91	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	23.75	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	13.30	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	21.60	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	18.34	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	15.56	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	8.41	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	20.25	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	19.71	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	21.35	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	13.31	PASS
Band20	10	24400	12	#0	QAM16	-1MHz-0MHz	13.07	PASS
Band20	10	24400	12	#0	QAM16	-5MHz--1MHz	16.24	PASS
Band20	10	24400	12	#0	QAM16	-10MHz--5MHz	23.45	PASS
Band20	10	24400	12	#0	QAM16	-15MHz--10MHz	11.46	PASS
Band20	10	24400	12	#0	QAM16	0MHz-1MHz	33.39	PASS

Band20	10	24400	12	#0	QAM16	1MHz-5MHz	24.07	PASS
Band20	10	24400	12	#0	QAM16	5MHz-10MHz	21.14	PASS
Band20	10	24400	12	#0	QAM16	10MHz-15MHz	13.32	PASS
Band20	10	24400	12	#Max	QAM16	-1MHz-0MHz	33.02	PASS
Band20	10	24400	12	#Max	QAM16	-5MHz--1MHz	23.58	PASS
Band20	10	24400	12	#Max	QAM16	-10MHz--5MHz	20.14	PASS
Band20	10	24400	12	#Max	QAM16	-15MHz--10MHz	11.40	PASS
Band20	10	24400	12	#Max	QAM16	0MHz-1MHz	13.69	PASS
Band20	10	24400	12	#Max	QAM16	1MHz-5MHz	16.70	PASS
Band20	10	24400	12	#Max	QAM16	5MHz-10MHz	24.38	PASS
Band20	10	24400	12	#Max	QAM16	10MHz-15MHz	13.31	PASS
Band20	10	24400	50	#0	QAM16	-1MHz-0MHz	19.15	PASS
Band20	10	24400	50	#0	QAM16	-5MHz--1MHz	17.26	PASS
Band20	10	24400	50	#0	QAM16	-10MHz--5MHz	16.08	PASS
Band20	10	24400	50	#0	QAM16	-15MHz--10MHz	8.08	PASS
Band20	10	24400	50	#0	QAM16	0MHz-1MHz	21.25	PASS
Band20	10	24400	50	#0	QAM16	1MHz-5MHz	19.24	PASS
Band20	10	24400	50	#0	QAM16	5MHz-10MHz	21.07	PASS
Band20	10	24400	50	#0	QAM16	10MHz-15MHz	14.94	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	15.66	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	16.64	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	23.18	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	31.19	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	27.91	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	20.10	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	13.43	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	30.65	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	27.36	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	23.56	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	13.68	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	14.62	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	16.23	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	22.80	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	13.34	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	20.37	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	18.80	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	19.78	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	13.53	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	20.79	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	18.40	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	17.71	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	13.30	PASS
Band20	20	24250	18	#0	QAM16	-1MHz-0MHz	15.58	PASS

Band20	20	24250	18	#0	QAM16	-5MHz--1MHz	17.61	PASS
Band20	20	24250	18	#0	QAM16	-20MHz--5MHz	23.35	PASS
Band20	20	24250	18	#0	QAM16	-25MHz--20MHz	13.56	PASS
Band20	20	24250	18	#0	QAM16	0MHz-1MHz	31.22	PASS
Band20	20	24250	18	#0	QAM16	1MHz-5MHz	27.91	PASS
Band20	20	24250	18	#0	QAM16	5MHz-20MHz	21.22	PASS
Band20	20	24250	18	#0	QAM16	20MHz-25MHz	13.51	PASS
Band20	20	24250	18	#Max	QAM16	-1MHz-0MHz	30.81	PASS
Band20	20	24250	18	#Max	QAM16	-5MHz--1MHz	27.36	PASS
Band20	20	24250	18	#Max	QAM16	-20MHz--5MHz	23.52	PASS
Band20	20	24250	18	#Max	QAM16	-25MHz--20MHz	13.75	PASS
Band20	20	24250	18	#Max	QAM16	0MHz-1MHz	16.28	PASS
Band20	20	24250	18	#Max	QAM16	1MHz-5MHz	17.51	PASS
Band20	20	24250	18	#Max	QAM16	5MHz-20MHz	22.95	PASS
Band20	20	24250	18	#Max	QAM16	20MHz-25MHz	13.36	PASS
Band20	20	24250	100	#0	QAM16	-1MHz-0MHz	18.80	PASS
Band20	20	24250	100	#0	QAM16	-5MHz--1MHz	18.52	PASS
Band20	20	24250	100	#0	QAM16	-20MHz--5MHz	20.53	PASS
Band20	20	24250	100	#0	QAM16	-25MHz--20MHz	15.58	PASS
Band20	20	24250	100	#0	QAM16	0MHz-1MHz	21.16	PASS
Band20	20	24250	100	#0	QAM16	1MHz-5MHz	19.36	PASS
Band20	20	24250	100	#0	QAM16	5MHz-20MHz	18.58	PASS
Band20	20	24250	100	#0	QAM16	20MHz-25MHz	15.35	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	15.58	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	15.88	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	21.25	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	31.22	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	27.89	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	22.43	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	13.46	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	30.85	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	27.40	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	21.94	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	13.68	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	15.78	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	14.54	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	21.56	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	13.33	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	20.10	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	17.61	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	16.05	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	13.53	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	19.84	PASS

Band20	20	24300	100	#0	QPSK	1MHz-5MHz	18.58	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	18.12	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	13.24	PASS
Band20	20	24300	18	#0	QAM16	-1MHz-0MHz	15.19	PASS
Band20	20	24300	18	#0	QAM16	-5MHz--1MHz	17.11	PASS
Band20	20	24300	18	#0	QAM16	-20MHz--5MHz	21.77	PASS
Band20	20	24300	18	#0	QAM16	-25MHz--20MHz	13.57	PASS
Band20	20	24300	18	#0	QAM16	0MHz-1MHz	31.10	PASS
Band20	20	24300	18	#0	QAM16	1MHz-5MHz	27.93	PASS
Band20	20	24300	18	#0	QAM16	5MHz-20MHz	22.99	PASS
Band20	20	24300	18	#0	QAM16	20MHz-25MHz	13.48	PASS
Band20	20	24300	18	#Max	QAM16	-1MHz-0MHz	30.92	PASS
Band20	20	24300	18	#Max	QAM16	-5MHz--1MHz	27.34	PASS
Band20	20	24300	18	#Max	QAM16	-20MHz--5MHz	22.26	PASS
Band20	20	24300	18	#Max	QAM16	-25MHz--20MHz	13.77	PASS
Band20	20	24300	18	#Max	QAM16	0MHz-1MHz	15.09	PASS
Band20	20	24300	18	#Max	QAM16	1MHz-5MHz	15.78	PASS
Band20	20	24300	18	#Max	QAM16	5MHz-20MHz	22.19	PASS
Band20	20	24300	18	#Max	QAM16	20MHz-25MHz	13.27	PASS
Band20	20	24300	100	#0	QAM16	-1MHz-0MHz	20.74	PASS
Band20	20	24300	100	#0	QAM16	-5MHz--1MHz	18.63	PASS
Band20	20	24300	100	#0	QAM16	-20MHz--5MHz	16.52	PASS
Band20	20	24300	100	#0	QAM16	-25MHz--20MHz	14.66	PASS
Band20	20	24300	100	#0	QAM16	0MHz-1MHz	21.48	PASS
Band20	20	24300	100	#0	QAM16	1MHz-5MHz	19.73	PASS
Band20	20	24300	100	#0	QAM16	5MHz-20MHz	18.87	PASS
Band20	20	24300	100	#0	QAM16	20MHz-25MHz	15.16	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	6.39	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	8.78	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	21.33	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	31.15	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	27.93	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	25.08	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	13.43	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	30.48	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	27.19	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	21.15	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	13.63	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	10.65	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	13.42	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	23.44	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	13.28	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	18.94	PASS

Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	17.17	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	15.42	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	19.74	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	17.59	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	17.46	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	13.29	PASS
Band20	20	24350	18	#0	QAM16	-1MHz-0MHz	9.18	PASS
Band20	20	24350	18	#0	QAM16	-5MHz--1MHz	11.15	PASS
Band20	20	24350	18	#0	QAM16	-20MHz--5MHz	21.57	PASS
Band20	20	24350	18	#0	QAM16	-25MHz--20MHz	13.50	PASS
Band20	20	24350	18	#0	QAM16	0MHz-1MHz	31.20	PASS
Band20	20	24350	18	#0	QAM16	1MHz-5MHz	27.99	PASS
Band20	20	24350	18	#0	QAM16	5MHz-20MHz	25.02	PASS
Band20	20	24350	18	#0	QAM16	20MHz-25MHz	13.43	PASS
Band20	20	24350	18	#Max	QAM16	-1MHz-0MHz	30.51	PASS
Band20	20	24350	18	#Max	QAM16	-5MHz--1MHz	27.23	PASS
Band20	20	24350	18	#Max	QAM16	-20MHz--5MHz	21.70	PASS
Band20	20	24350	18	#Max	QAM16	-25MHz--20MHz	13.70	PASS
Band20	20	24350	18	#Max	QAM16	0MHz-1MHz	13.40	PASS
Band20	20	24350	18	#Max	QAM16	1MHz-5MHz	16.24	PASS
Band20	20	24350	18	#Max	QAM16	5MHz-20MHz	23.62	PASS
Band20	20	24350	18	#Max	QAM16	20MHz-25MHz	13.28	PASS
Band20	20	24350	100	#0	QAM16	-1MHz-0MHz	18.52	PASS
Band20	20	24350	100	#0	QAM16	-5MHz--1MHz	17.71	PASS
Band20	20	24350	100	#0	QAM16	-20MHz--5MHz	16.84	PASS
Band20	20	24350	100	#0	QAM16	-25MHz--20MHz	15.55	PASS
Band20	20	24350	100	#0	QAM16	0MHz-1MHz	20.67	PASS
Band20	20	24350	100	#0	QAM16	1MHz-5MHz	19.11	PASS
Band20	20	24350	100	#0	QAM16	5MHz-20MHz	18.08	PASS
Band20	20	24350	100	#0	QAM16	20MHz-25MHz	15.28	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	11.41	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	19.43	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	11.78	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	12.03	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	20.49	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	11.94	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	13.79	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	20.83	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	12.03	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	10.54	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	19.50	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	11.79	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	19.55	PASS

Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	20.08	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	12.00	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	20.14	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	20.68	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	11.91	PASS
Band3	1.4	19207	5	#0	QAM16	-1MHz-0MHz	15.17	PASS
Band3	1.4	19207	5	#0	QAM16	-2.5MHz--1MHz	21.16	PASS
Band3	1.4	19207	5	#0	QAM16	-3.5MHz--2.5MHz	12.12	PASS
Band3	1.4	19207	5	#0	QAM16	0MHz-1MHz	16.50	PASS
Band3	1.4	19207	5	#0	QAM16	1MHz-2.5MHz	22.77	PASS
Band3	1.4	19207	5	#0	QAM16	2.5MHz-3.5MHz	12.33	PASS
Band3	1.4	19207	5	#Max	QAM16	-1MHz-0MHz	16.60	PASS
Band3	1.4	19207	5	#Max	QAM16	-2.5MHz--1MHz	23.04	PASS
Band3	1.4	19207	5	#Max	QAM16	-3.5MHz--2.5MHz	12.15	PASS
Band3	1.4	19207	5	#Max	QAM16	0MHz-1MHz	15.24	PASS
Band3	1.4	19207	5	#Max	QAM16	1MHz-2.5MHz	21.31	PASS
Band3	1.4	19207	5	#Max	QAM16	2.5MHz-3.5MHz	12.14	PASS
Band3	1.4	19207	6	#0	QAM16	-1MHz-0MHz	23.10	PASS
Band3	1.4	19207	6	#0	QAM16	-2.5MHz--1MHz	21.88	PASS
Band3	1.4	19207	6	#0	QAM16	-3.5MHz--2.5MHz	12.29	PASS
Band3	1.4	19207	6	#0	QAM16	0MHz-1MHz	23.31	PASS
Band3	1.4	19207	6	#0	QAM16	1MHz-2.5MHz	21.73	PASS
Band3	1.4	19207	6	#0	QAM16	2.5MHz-3.5MHz	12.18	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	15.69	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	23.25	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	12.16	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	16.62	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	23.58	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	12.20	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	17.19	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	23.62	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	12.19	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	15.59	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	22.84	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	12.03	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	18.42	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	23.38	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	11.81	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	19.20	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	23.37	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	11.82	PASS
Band3	1.4	19575	5	#0	QAM16	-1MHz-0MHz	16.52	PASS
Band3	1.4	19575	5	#0	QAM16	-2.5MHz--1MHz	23.57	PASS
Band3	1.4	19575	5	#0	QAM16	-3.5MHz--2.5MHz	12.23	PASS

Band3	1.4	19575	5	#0	QAM16	0MHz-1MHz	19.68	PASS
Band3	1.4	19575	5	#0	QAM16	1MHz-2.5MHz	24.19	PASS
Band3	1.4	19575	5	#0	QAM16	2.5MHz-3.5MHz	12.36	PASS
Band3	1.4	19575	5	#Max	QAM16	-1MHz-0MHz	19.15	PASS
Band3	1.4	19575	5	#Max	QAM16	-2.5MHz--1MHz	24.25	PASS
Band3	1.4	19575	5	#Max	QAM16	-3.5MHz--2.5MHz	12.39	PASS
Band3	1.4	19575	5	#Max	QAM16	0MHz-1MHz	16.72	PASS
Band3	1.4	19575	5	#Max	QAM16	1MHz-2.5MHz	23.26	PASS
Band3	1.4	19575	5	#Max	QAM16	2.5MHz-3.5MHz	12.22	PASS
Band3	1.4	19575	6	#0	QAM16	-1MHz-0MHz	22.31	PASS
Band3	1.4	19575	6	#0	QAM16	-2.5MHz--1MHz	23.48	PASS
Band3	1.4	19575	6	#0	QAM16	-3.5MHz--2.5MHz	12.39	PASS
Band3	1.4	19575	6	#0	QAM16	0MHz-1MHz	21.43	PASS
Band3	1.4	19575	6	#0	QAM16	1MHz-2.5MHz	23.29	PASS
Band3	1.4	19575	6	#0	QAM16	2.5MHz-3.5MHz	12.18	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	14.75	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	22.20	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	11.85	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	16.08	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	23.00	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	11.93	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	15.51	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	23.04	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	11.96	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	14.81	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	22.25	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	11.84	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	19.59	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	23.45	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	11.62	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	18.58	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	23.28	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	11.59	PASS
Band3	1.4	19943	5	#0	QAM16	-1MHz-0MHz	17.75	PASS
Band3	1.4	19943	5	#0	QAM16	-2.5MHz--1MHz	23.35	PASS
Band3	1.4	19943	5	#0	QAM16	-3.5MHz--2.5MHz	12.19	PASS
Band3	1.4	19943	5	#0	QAM16	0MHz-1MHz	19.81	PASS
Band3	1.4	19943	5	#0	QAM16	1MHz-2.5MHz	23.73	PASS
Band3	1.4	19943	5	#0	QAM16	2.5MHz-3.5MHz	12.27	PASS
Band3	1.4	19943	5	#Max	QAM16	-1MHz-0MHz	19.27	PASS
Band3	1.4	19943	5	#Max	QAM16	-2.5MHz--1MHz	24.04	PASS
Band3	1.4	19943	5	#Max	QAM16	-3.5MHz--2.5MHz	12.31	PASS
Band3	1.4	19943	5	#Max	QAM16	0MHz-1MHz	17.91	PASS
Band3	1.4	19943	5	#Max	QAM16	1MHz-2.5MHz	23.21	PASS

Band3	1.4	19943	5	#Max	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band3	1.4	19943	6	#0	QAM16	-1MHz-0MHz	19.01	PASS
Band3	1.4	19943	6	#0	QAM16	-2.5MHz--1MHz	23.53	PASS
Band3	1.4	19943	6	#0	QAM16	-3.5MHz--2.5MHz	12.69	PASS
Band3	1.4	19943	6	#0	QAM16	0MHz-1MHz	21.51	PASS
Band3	1.4	19943	6	#0	QAM16	1MHz-2.5MHz	23.22	PASS
Band3	1.4	19943	6	#0	QAM16	2.5MHz-3.5MHz	12.74	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	6.42	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	13.68	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	24.33	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	12.76	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	31.17	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	19.51	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	13.29	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	31.21	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	19.81	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	25.00	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	12.80	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	6.01	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	13.21	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	24.41	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	12.88	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	16.14	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	13.64	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	20.93	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	10.74	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	16.25	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	13.35	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	21.37	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	10.71	PASS
Band3	5	19225	8	#0	QAM16	-1MHz-0MHz	9.37	PASS
Band3	5	19225	8	#0	QAM16	-5MHz--1MHz	17.52	PASS
Band3	5	19225	8	#0	QAM16	-6MHz--5MHz	24.63	PASS
Band3	5	19225	8	#0	QAM16	-10MHz--6MHz	12.80	PASS
Band3	5	19225	8	#0	QAM16	0MHz-1MHz	32.51	PASS
Band3	5	19225	8	#0	QAM16	1MHz-5MHz	20.81	PASS
Band3	5	19225	8	#0	QAM16	5MHz-6MHz	25.21	PASS
Band3	5	19225	8	#0	QAM16	6MHz-10MHz	13.22	PASS
Band3	5	19225	8	#Max	QAM16	-1MHz-0MHz	32.24	PASS
Band3	5	19225	8	#Max	QAM16	-5MHz--1MHz	21.21	PASS
Band3	5	19225	8	#Max	QAM16	-6MHz--5MHz	24.99	PASS
Band3	5	19225	8	#Max	QAM16	-10MHz--6MHz	12.85	PASS
Band3	5	19225	8	#Max	QAM16	0MHz-1MHz	10.24	PASS

Band3	5	19225	8	#Max	QAM16	1MHz-5MHz	17.16	PASS
Band3	5	19225	8	#Max	QAM16	5MHz-6MHz	24.70	PASS
Band3	5	19225	8	#Max	QAM16	6MHz-10MHz	13.04	PASS
Band3	5	19225	25	#0	QAM16	-1MHz-0MHz	17.14	PASS
Band3	5	19225	25	#0	QAM16	-5MHz--1MHz	16.71	PASS
Band3	5	19225	25	#0	QAM16	-6MHz--5MHz	22.42	PASS
Band3	5	19225	25	#0	QAM16	-10MHz--6MHz	11.66	PASS
Band3	5	19225	25	#0	QAM16	0MHz-1MHz	17.73	PASS
Band3	5	19225	25	#0	QAM16	1MHz-5MHz	16.49	PASS
Band3	5	19225	25	#0	QAM16	5MHz-6MHz	22.33	PASS
Band3	5	19225	25	#0	QAM16	6MHz-10MHz	11.60	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	10.75	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	19.77	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	24.83	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	12.89	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	30.31	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	18.46	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	25.20	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	13.20	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	30.70	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	19.18	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	24.97	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.90	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	8.61	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	19.98	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	24.99	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	13.23	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	17.27	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	14.95	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	24.16	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	12.02	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	15.77	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	15.32	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	24.34	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	12.13	PASS
Band3	5	19575	8	#0	QAM16	-1MHz-0MHz	11.55	PASS
Band3	5	19575	8	#0	QAM16	-5MHz--1MHz	21.32	PASS
Band3	5	19575	8	#0	QAM16	-6MHz--5MHz	24.91	PASS
Band3	5	19575	8	#0	QAM16	-10MHz--6MHz	12.90	PASS
Band3	5	19575	8	#0	QAM16	0MHz-1MHz	31.55	PASS
Band3	5	19575	8	#0	QAM16	1MHz-5MHz	19.64	PASS
Band3	5	19575	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band3	5	19575	8	#0	QAM16	6MHz-10MHz	13.30	PASS
Band3	5	19575	8	#Max	QAM16	-1MHz-0MHz	32.51	PASS

Band3	5	19575	8	#Max	QAM16	-5MHz--1MHz	20.41	PASS
Band3	5	19575	8	#Max	QAM16	-6MHz--5MHz	25.10	PASS
Band3	5	19575	8	#Max	QAM16	-10MHz--6MHz	12.91	PASS
Band3	5	19575	8	#Max	QAM16	0MHz-1MHz	11.71	PASS
Band3	5	19575	8	#Max	QAM16	1MHz-5MHz	21.29	PASS
Band3	5	19575	8	#Max	QAM16	5MHz-6MHz	24.90	PASS
Band3	5	19575	8	#Max	QAM16	6MHz-10MHz	13.24	PASS
Band3	5	19575	25	#0	QAM16	-1MHz-0MHz	17.04	PASS
Band3	5	19575	25	#0	QAM16	-5MHz--1MHz	16.42	PASS
Band3	5	19575	25	#0	QAM16	-6MHz--5MHz	23.80	PASS
Band3	5	19575	25	#0	QAM16	-10MHz--6MHz	12.02	PASS
Band3	5	19575	25	#0	QAM16	0MHz-1MHz	19.07	PASS
Band3	5	19575	25	#0	QAM16	1MHz-5MHz	16.40	PASS
Band3	5	19575	25	#0	QAM16	5MHz-6MHz	23.73	PASS
Band3	5	19575	25	#0	QAM16	6MHz-10MHz	11.93	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	7.68	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	18.93	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	24.55	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	12.82	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	30.43	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	17.86	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	25.20	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	13.17	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	29.83	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	17.90	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	24.88	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	12.79	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	7.45	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	18.16	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	24.88	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	13.12	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	16.42	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	14.03	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	24.08	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	11.86	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	15.36	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	14.06	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	23.78	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	12.11	PASS
Band3	5	19925	8	#0	QAM16	-1MHz-0MHz	11.48	PASS
Band3	5	19925	8	#0	QAM16	-5MHz--1MHz	21.30	PASS
Band3	5	19925	8	#0	QAM16	-6MHz--5MHz	24.63	PASS
Band3	5	19925	8	#0	QAM16	-10MHz--6MHz	12.71	PASS
Band3	5	19925	8	#0	QAM16	0MHz-1MHz	31.88	PASS

Band3	5	19925	8	#0	QAM16	1MHz-5MHz	19.32	PASS
Band3	5	19925	8	#0	QAM16	5MHz-6MHz	25.25	PASS
Band3	5	19925	8	#0	QAM16	6MHz-10MHz	13.18	PASS
Band3	5	19925	8	#Max	QAM16	-1MHz-0MHz	32.09	PASS
Band3	5	19925	8	#Max	QAM16	-5MHz--1MHz	19.52	PASS
Band3	5	19925	8	#Max	QAM16	-6MHz--5MHz	24.96	PASS
Band3	5	19925	8	#Max	QAM16	-10MHz--6MHz	12.83	PASS
Band3	5	19925	8	#Max	QAM16	0MHz-1MHz	11.03	PASS
Band3	5	19925	8	#Max	QAM16	1MHz-5MHz	20.96	PASS
Band3	5	19925	8	#Max	QAM16	5MHz-6MHz	24.90	PASS
Band3	5	19925	8	#Max	QAM16	6MHz-10MHz	13.13	PASS
Band3	5	19925	25	#0	QAM16	-1MHz-0MHz	20.67	PASS
Band3	5	19925	25	#0	QAM16	-5MHz--1MHz	15.84	PASS
Band3	5	19925	25	#0	QAM16	-6MHz--5MHz	24.07	PASS
Band3	5	19925	25	#0	QAM16	-10MHz--6MHz	12.40	PASS
Band3	5	19925	25	#0	QAM16	0MHz-1MHz	17.45	PASS
Band3	5	19925	25	#0	QAM16	1MHz-5MHz	15.36	PASS
Band3	5	19925	25	#0	QAM16	5MHz-6MHz	24.34	PASS
Band3	5	19925	25	#0	QAM16	6MHz-10MHz	12.73	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	8.87	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	11.28	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	24.05	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	11.26	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	32.33	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	20.94	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	17.27	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	13.31	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	33.10	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	22.35	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	19.04	PASS
Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	11.36	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	8.55	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	12.47	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	24.27	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	13.01	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	17.82	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	15.16	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	15.90	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	10.02	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	16.20	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	14.04	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	14.84	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	10.60	PASS
Band3	10	19250	12	#0	QAM16	-1MHz-0MHz	10.76	PASS

Band3	10	19250	12	#0	QAM16	-5MHz--1MHz	15.07	PASS
Band3	10	19250	12	#0	QAM16	-10MHz--5MHz	24.29	PASS
Band3	10	19250	12	#0	QAM16	-15MHz--10MHz	11.31	PASS
Band3	10	19250	12	#0	QAM16	0MHz-1MHz	32.88	PASS
Band3	10	19250	12	#0	QAM16	1MHz-5MHz	22.00	PASS
Band3	10	19250	12	#0	QAM16	5MHz-10MHz	18.53	PASS
Band3	10	19250	12	#0	QAM16	10MHz-15MHz	13.30	PASS
Band3	10	19250	12	#Max	QAM16	-1MHz-0MHz	33.23	PASS
Band3	10	19250	12	#Max	QAM16	-5MHz--1MHz	23.57	PASS
Band3	10	19250	12	#Max	QAM16	-10MHz--5MHz	20.09	PASS
Band3	10	19250	12	#Max	QAM16	-15MHz--10MHz	11.36	PASS
Band3	10	19250	12	#Max	QAM16	0MHz-1MHz	10.55	PASS
Band3	10	19250	12	#Max	QAM16	1MHz-5MHz	15.79	PASS
Band3	10	19250	12	#Max	QAM16	5MHz-10MHz	24.58	PASS
Band3	10	19250	12	#Max	QAM16	10MHz-15MHz	13.06	PASS
Band3	10	19250	50	#0	QAM16	-1MHz-0MHz	18.51	PASS
Band3	10	19250	50	#0	QAM16	-5MHz--1MHz	17.37	PASS
Band3	10	19250	50	#0	QAM16	-10MHz--5MHz	17.92	PASS
Band3	10	19250	50	#0	QAM16	-15MHz--10MHz	10.46	PASS
Band3	10	19250	50	#0	QAM16	0MHz-1MHz	18.80	PASS
Band3	10	19250	50	#0	QAM16	1MHz-5MHz	16.42	PASS
Band3	10	19250	50	#0	QAM16	5MHz-10MHz	17.29	PASS
Band3	10	19250	50	#0	QAM16	10MHz-15MHz	11.22	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	11.17	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	15.38	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	24.11	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	11.38	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	32.54	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	19.85	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	16.09	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	13.34	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	33.10	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	21.27	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	17.84	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	11.55	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	10.43	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	15.58	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	24.21	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	13.18	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	17.56	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	16.26	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	16.37	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	11.11	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	18.96	PASS

Band3	10	19575	50	#0	QPSK	1MHz-5MHz	16.69	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	16.53	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	12.37	PASS
Band3	10	19575	12	#0	QAM16	-1MHz-0MHz	12.16	PASS
Band3	10	19575	12	#0	QAM16	-5MHz--1MHz	18.44	PASS
Band3	10	19575	12	#0	QAM16	-10MHz--5MHz	24.38	PASS
Band3	10	19575	12	#0	QAM16	-15MHz--10MHz	11.32	PASS
Band3	10	19575	12	#0	QAM16	0MHz-1MHz	32.97	PASS
Band3	10	19575	12	#0	QAM16	1MHz-5MHz	20.85	PASS
Band3	10	19575	12	#0	QAM16	5MHz-10MHz	17.36	PASS
Band3	10	19575	12	#0	QAM16	10MHz-15MHz	13.36	PASS
Band3	10	19575	12	#Max	QAM16	-1MHz-0MHz	33.10	PASS
Band3	10	19575	12	#Max	QAM16	-5MHz--1MHz	22.55	PASS
Band3	10	19575	12	#Max	QAM16	-10MHz--5MHz	19.15	PASS
Band3	10	19575	12	#Max	QAM16	-15MHz--10MHz	11.44	PASS
Band3	10	19575	12	#Max	QAM16	0MHz-1MHz	12.87	PASS
Band3	10	19575	12	#Max	QAM16	1MHz-5MHz	18.18	PASS
Band3	10	19575	12	#Max	QAM16	5MHz-10MHz	24.58	PASS
Band3	10	19575	12	#Max	QAM16	10MHz-15MHz	13.28	PASS
Band3	10	19575	50	#0	QAM16	-1MHz-0MHz	19.48	PASS
Band3	10	19575	50	#0	QAM16	-5MHz--1MHz	17.69	PASS
Band3	10	19575	50	#0	QAM16	-10MHz--5MHz	18.10	PASS
Band3	10	19575	50	#0	QAM16	-15MHz--10MHz	11.12	PASS
Band3	10	19575	50	#0	QAM16	0MHz-1MHz	19.28	PASS
Band3	10	19575	50	#0	QAM16	1MHz-5MHz	17.68	PASS
Band3	10	19575	50	#0	QAM16	5MHz-10MHz	18.04	PASS
Band3	10	19575	50	#0	QAM16	10MHz-15MHz	12.19	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	9.21	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	15.22	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	23.71	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	11.22	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	33.00	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	21.08	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	17.81	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	13.18	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	32.14	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	20.36	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	16.93	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	11.28	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	10.26	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	14.95	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	24.43	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	13.18	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	17.76	PASS

Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	15.43	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	15.97	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	11.03	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	19.16	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	16.69	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	18.07	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	13.16	PASS
Band3	10	19900	12	#0	QAM16	-1MHz-0MHz	12.13	PASS
Band3	10	19900	12	#0	QAM16	-5MHz--1MHz	18.51	PASS
Band3	10	19900	12	#0	QAM16	-10MHz--5MHz	24.08	PASS
Band3	10	19900	12	#0	QAM16	-15MHz--10MHz	11.32	PASS
Band3	10	19900	12	#0	QAM16	0MHz-1MHz	33.09	PASS
Band3	10	19900	12	#0	QAM16	1MHz-5MHz	22.13	PASS
Band3	10	19900	12	#0	QAM16	5MHz-10MHz	19.15	PASS
Band3	10	19900	12	#0	QAM16	10MHz-15MHz	13.19	PASS
Band3	10	19900	12	#Max	QAM16	-1MHz-0MHz	32.76	PASS
Band3	10	19900	12	#Max	QAM16	-5MHz--1MHz	21.34	PASS
Band3	10	19900	12	#Max	QAM16	-10MHz--5MHz	17.79	PASS
Band3	10	19900	12	#Max	QAM16	-15MHz--10MHz	11.31	PASS
Band3	10	19900	12	#Max	QAM16	0MHz-1MHz	12.69	PASS
Band3	10	19900	12	#Max	QAM16	1MHz-5MHz	18.40	PASS
Band3	10	19900	12	#Max	QAM16	5MHz-10MHz	24.75	PASS
Band3	10	19900	12	#Max	QAM16	10MHz-15MHz	13.22	PASS
Band3	10	19900	50	#0	QAM16	-1MHz-0MHz	17.72	PASS
Band3	10	19900	50	#0	QAM16	-5MHz--1MHz	16.92	PASS
Band3	10	19900	50	#0	QAM16	-10MHz--5MHz	17.62	PASS
Band3	10	19900	50	#0	QAM16	-15MHz--10MHz	11.72	PASS
Band3	10	19900	50	#0	QAM16	0MHz-1MHz	18.60	PASS
Band3	10	19900	50	#0	QAM16	1MHz-5MHz	17.80	PASS
Band3	10	19900	50	#0	QAM16	5MHz-10MHz	18.92	PASS
Band3	10	19900	50	#0	QAM16	10MHz-15MHz	14.12	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	8.61	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	11.71	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	22.88	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	13.37	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	30.89	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	27.71	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	18.97	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	13.46	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	30.34	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	27.10	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	21.02	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	13.56	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	10.33	PASS

Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	13.33	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	23.85	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	13.41	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	20.15	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	19.08	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	17.78	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	11.85	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	19.16	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	18.06	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	16.61	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	11.76	PASS
Band3	20	19300	18	#0	QAM16	-1MHz-0MHz	10.25	PASS
Band3	20	19300	18	#0	QAM16	-5MHz--1MHz	14.82	PASS
Band3	20	19300	18	#0	QAM16	-20MHz--5MHz	22.98	PASS
Band3	20	19300	18	#0	QAM16	-25MHz--20MHz	13.38	PASS
Band3	20	19300	18	#0	QAM16	0MHz-1MHz	30.86	PASS
Band3	20	19300	18	#0	QAM16	1MHz-5MHz	27.77	PASS
Band3	20	19300	18	#0	QAM16	5MHz-20MHz	19.75	PASS
Band3	20	19300	18	#0	QAM16	20MHz-25MHz	13.45	PASS
Band3	20	19300	18	#Max	QAM16	-1MHz-0MHz	30.72	PASS
Band3	20	19300	18	#Max	QAM16	-5MHz--1MHz	27.12	PASS
Band3	20	19300	18	#Max	QAM16	-20MHz--5MHz	21.64	PASS
Band3	20	19300	18	#Max	QAM16	-25MHz--20MHz	13.61	PASS
Band3	20	19300	18	#Max	QAM16	0MHz-1MHz	13.20	PASS
Band3	20	19300	18	#Max	QAM16	1MHz-5MHz	16.22	PASS
Band3	20	19300	18	#Max	QAM16	5MHz-20MHz	24.05	PASS
Band3	20	19300	18	#Max	QAM16	20MHz-25MHz	13.34	PASS
Band3	20	19300	100	#0	QAM16	-1MHz-0MHz	22.39	PASS
Band3	20	19300	100	#0	QAM16	-5MHz--1MHz	21.32	PASS
Band3	20	19300	100	#0	QAM16	-20MHz--5MHz	19.71	PASS
Band3	20	19300	100	#0	QAM16	-25MHz--20MHz	12.14	PASS
Band3	20	19300	100	#0	QAM16	0MHz-1MHz	22.11	PASS
Band3	20	19300	100	#0	QAM16	1MHz-5MHz	20.91	PASS
Band3	20	19300	100	#0	QAM16	5MHz-20MHz	19.06	PASS
Band3	20	19300	100	#0	QAM16	20MHz-25MHz	12.14	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	12.33	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	14.59	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	23.08	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	13.34	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.68	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	27.63	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	17.43	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	13.50	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	30.50	PASS

Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	27.25	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	19.65	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	13.63	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	12.12	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	14.47	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	23.62	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	13.35	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	18.66	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	17.53	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	16.68	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	12.28	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	18.17	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	17.84	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	17.35	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	12.40	PASS
Band3	20	19575	18	#0	QAM16	-1MHz-0MHz	13.94	PASS
Band3	20	19575	18	#0	QAM16	-5MHz--1MHz	17.57	PASS
Band3	20	19575	18	#0	QAM16	-20MHz--5MHz	23.24	PASS
Band3	20	19575	18	#0	QAM16	-25MHz--20MHz	13.36	PASS
Band3	20	19575	18	#0	QAM16	0MHz-1MHz	30.61	PASS
Band3	20	19575	18	#0	QAM16	1MHz-5MHz	27.68	PASS
Band3	20	19575	18	#0	QAM16	5MHz-20MHz	18.85	PASS
Band3	20	19575	18	#0	QAM16	20MHz-25MHz	13.34	PASS
Band3	20	19575	18	#Max	QAM16	-1MHz-0MHz	31.02	PASS
Band3	20	19575	18	#Max	QAM16	-5MHz--1MHz	27.16	PASS
Band3	20	19575	18	#Max	QAM16	-20MHz--5MHz	20.74	PASS
Band3	20	19575	18	#Max	QAM16	-25MHz--20MHz	13.53	PASS
Band3	20	19575	18	#Max	QAM16	0MHz-1MHz	14.15	PASS
Band3	20	19575	18	#Max	QAM16	1MHz-5MHz	17.25	PASS
Band3	20	19575	18	#Max	QAM16	5MHz-20MHz	23.79	PASS
Band3	20	19575	18	#Max	QAM16	20MHz-25MHz	13.33	PASS
Band3	20	19575	100	#0	QAM16	-1MHz-0MHz	20.92	PASS
Band3	20	19575	100	#0	QAM16	-5MHz--1MHz	19.39	PASS
Band3	20	19575	100	#0	QAM16	-20MHz--5MHz	18.17	PASS
Band3	20	19575	100	#0	QAM16	-25MHz--20MHz	12.56	PASS
Band3	20	19575	100	#0	QAM16	0MHz-1MHz	19.90	PASS
Band3	20	19575	100	#0	QAM16	1MHz-5MHz	19.36	PASS
Band3	20	19575	100	#0	QAM16	5MHz-20MHz	18.26	PASS
Band3	20	19575	100	#0	QAM16	20MHz-25MHz	12.48	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	13.51	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	15.97	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	22.97	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	13.37	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	30.89	PASS

Band3	20	19850	18	#0	QPSK	1MHz-5MHz	27.76	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	24.01	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	13.39	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	30.15	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	26.93	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	19.26	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	13.48	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	12.32	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	13.62	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	24.35	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	13.24	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	17.99	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	17.81	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	16.88	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	12.71	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	20.72	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	19.84	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	20.03	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	13.29	PASS
Band3	20	19850	18	#0	QAM16	-1MHz-0MHz	14.91	PASS
Band3	20	19850	18	#0	QAM16	-5MHz--1MHz	18.04	PASS
Band3	20	19850	18	#0	QAM16	-20MHz--5MHz	23.03	PASS
Band3	20	19850	18	#0	QAM16	-25MHz--20MHz	13.42	PASS
Band3	20	19850	18	#0	QAM16	0MHz-1MHz	31.23	PASS
Band3	20	19850	18	#0	QAM16	1MHz-5MHz	27.82	PASS
Band3	20	19850	18	#0	QAM16	5MHz-20MHz	24.43	PASS
Band3	20	19850	18	#0	QAM16	20MHz-25MHz	13.39	PASS
Band3	20	19850	18	#Max	QAM16	-1MHz-0MHz	30.30	PASS
Band3	20	19850	18	#Max	QAM16	-5MHz--1MHz	27.00	PASS
Band3	20	19850	18	#Max	QAM16	-20MHz--5MHz	20.08	PASS
Band3	20	19850	18	#Max	QAM16	-25MHz--20MHz	13.50	PASS
Band3	20	19850	18	#Max	QAM16	0MHz-1MHz	13.44	PASS
Band3	20	19850	18	#Max	QAM16	1MHz-5MHz	16.36	PASS
Band3	20	19850	18	#Max	QAM16	5MHz-20MHz	24.23	PASS
Band3	20	19850	18	#Max	QAM16	20MHz-25MHz	13.25	PASS
Band3	20	19850	100	#0	QAM16	-1MHz-0MHz	21.26	PASS
Band3	20	19850	100	#0	QAM16	-5MHz--1MHz	19.89	PASS
Band3	20	19850	100	#0	QAM16	-20MHz--5MHz	18.55	PASS
Band3	20	19850	100	#0	QAM16	-25MHz--20MHz	13.44	PASS
Band3	20	19850	100	#0	QAM16	0MHz-1MHz	21.96	PASS
Band3	20	19850	100	#0	QAM16	1MHz-5MHz	21.34	PASS
Band3	20	19850	100	#0	QAM16	5MHz-20MHz	20.72	PASS
Band3	20	19850	100	#0	QAM16	20MHz-25MHz	15.12	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	6.93	PASS

Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	11.59	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	24.08	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	12.84	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	29.43	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	17.85	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	25.42	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	13.56	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	29.61	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	18.16	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	25.27	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	13.17	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	9.11	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	12.32	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	24.41	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	12.85	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	16.68	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	12.28	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	20.98	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	9.87	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	17.04	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	11.78	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	20.52	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	8.96	PASS
Band7	5	20775	8	#0	QAM16	-1MHz-0MHz	11.10	PASS
Band7	5	20775	8	#0	QAM16	-5MHz--1MHz	14.11	PASS
Band7	5	20775	8	#0	QAM16	-6MHz--5MHz	24.85	PASS
Band7	5	20775	8	#0	QAM16	-10MHz--6MHz	13.09	PASS
Band7	5	20775	8	#0	QAM16	0MHz-1MHz	30.46	PASS
Band7	5	20775	8	#0	QAM16	1MHz-5MHz	19.29	PASS
Band7	5	20775	8	#0	QAM16	5MHz-6MHz	25.45	PASS
Band7	5	20775	8	#0	QAM16	6MHz-10MHz	13.52	PASS
Band7	5	20775	8	#Max	QAM16	-1MHz-0MHz	30.83	PASS
Band7	5	20775	8	#Max	QAM16	-5MHz--1MHz	19.77	PASS
Band7	5	20775	8	#Max	QAM16	-6MHz--5MHz	25.30	PASS
Band7	5	20775	8	#Max	QAM16	-10MHz--6MHz	13.14	PASS
Band7	5	20775	8	#Max	QAM16	0MHz-1MHz	13.07	PASS
Band7	5	20775	8	#Max	QAM16	1MHz-5MHz	14.44	PASS
Band7	5	20775	8	#Max	QAM16	5MHz-6MHz	24.92	PASS
Band7	5	20775	8	#Max	QAM16	6MHz-10MHz	13.45	PASS
Band7	5	20775	25	#0	QAM16	-1MHz-0MHz	19.78	PASS
Band7	5	20775	25	#0	QAM16	-5MHz--1MHz	15.51	PASS
Band7	5	20775	25	#0	QAM16	-6MHz--5MHz	22.38	PASS
Band7	5	20775	25	#0	QAM16	-10MHz--6MHz	11.37	PASS
Band7	5	20775	25	#0	QAM16	0MHz-1MHz	19.98	PASS

Band7	5	20775	25	#0	QAM16	1MHz-5MHz	14.75	PASS
Band7	5	20775	25	#0	QAM16	5MHz-6MHz	21.17	PASS
Band7	5	20775	25	#0	QAM16	6MHz-10MHz	10.63	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	9.97	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	13.79	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	24.47	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	12.83	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	28.20	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	16.83	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	25.34	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	13.54	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	29.83	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	18.32	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	25.30	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	13.04	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	10.17	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	13.46	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	24.41	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	13.09	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	18.99	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	14.35	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	22.28	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	10.67	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	18.23	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	13.18	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	21.18	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	9.80	PASS
Band7	5	21100	8	#0	QAM16	-1MHz-0MHz	11.98	PASS
Band7	5	21100	8	#0	QAM16	-5MHz--1MHz	15.33	PASS
Band7	5	21100	8	#0	QAM16	-6MHz--5MHz	24.81	PASS
Band7	5	21100	8	#0	QAM16	-10MHz--6MHz	13.02	PASS
Band7	5	21100	8	#0	QAM16	0MHz-1MHz	30.18	PASS
Band7	5	21100	8	#0	QAM16	1MHz-5MHz	17.72	PASS
Band7	5	21100	8	#0	QAM16	5MHz-6MHz	25.40	PASS
Band7	5	21100	8	#0	QAM16	6MHz-10MHz	13.56	PASS
Band7	5	21100	8	#Max	QAM16	-1MHz-0MHz	31.89	PASS
Band7	5	21100	8	#Max	QAM16	-5MHz--1MHz	19.73	PASS
Band7	5	21100	8	#Max	QAM16	-6MHz--5MHz	25.22	PASS
Band7	5	21100	8	#Max	QAM16	-10MHz--6MHz	13.06	PASS
Band7	5	21100	8	#Max	QAM16	0MHz-1MHz	14.10	PASS
Band7	5	21100	8	#Max	QAM16	1MHz-5MHz	15.40	PASS
Band7	5	21100	8	#Max	QAM16	5MHz-6MHz	24.88	PASS
Band7	5	21100	8	#Max	QAM16	6MHz-10MHz	13.28	PASS
Band7	5	21100	25	#0	QAM16	-1MHz-0MHz	20.24	PASS

Band7	5	21100	25	#0	QAM16	-5MHz--1MHz	16.56	PASS
Band7	5	21100	25	#0	QAM16	-6MHz--5MHz	23.25	PASS
Band7	5	21100	25	#0	QAM16	-10MHz--6MHz	12.47	PASS
Band7	5	21100	25	#0	QAM16	0MHz-1MHz	20.43	PASS
Band7	5	21100	25	#0	QAM16	1MHz-5MHz	15.50	PASS
Band7	5	21100	25	#0	QAM16	5MHz-6MHz	21.68	PASS
Band7	5	21100	25	#0	QAM16	6MHz-10MHz	11.31	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	4.82	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	11.87	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	22.94	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	12.27	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	30.29	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	17.82	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	25.52	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	13.54	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	28.29	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	16.76	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	25.15	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	13.08	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	3.91	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	11.06	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	22.64	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	12.32	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	14.91	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	10.13	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	21.15	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	10.39	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	15.31	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	10.66	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	21.68	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	11.00	PASS
Band7	5	21425	8	#0	QAM16	-1MHz-0MHz	10.15	PASS
Band7	5	21425	8	#0	QAM16	-5MHz--1MHz	14.85	PASS
Band7	5	21425	8	#0	QAM16	-6MHz--5MHz	24.36	PASS
Band7	5	21425	8	#0	QAM16	-10MHz--6MHz	12.91	PASS
Band7	5	21425	8	#0	QAM16	0MHz-1MHz	30.98	PASS
Band7	5	21425	8	#0	QAM16	1MHz-5MHz	18.98	PASS
Band7	5	21425	8	#0	QAM16	5MHz-6MHz	25.55	PASS
Band7	5	21425	8	#0	QAM16	6MHz-10MHz	13.57	PASS
Band7	5	21425	8	#Max	QAM16	-1MHz-0MHz	31.01	PASS
Band7	5	21425	8	#Max	QAM16	-5MHz--1MHz	18.40	PASS
Band7	5	21425	8	#Max	QAM16	-6MHz--5MHz	25.25	PASS
Band7	5	21425	8	#Max	QAM16	-10MHz--6MHz	13.13	PASS
Band7	5	21425	8	#Max	QAM16	0MHz-1MHz	10.01	PASS

Band7	5	21425	8	#Max	QAM16	1MHz-5MHz	14.73	PASS
Band7	5	21425	8	#Max	QAM16	5MHz-6MHz	24.44	PASS
Band7	5	21425	8	#Max	QAM16	6MHz-10MHz	13.17	PASS
Band7	5	21425	25	#0	QAM16	-1MHz-0MHz	19.19	PASS
Band7	5	21425	25	#0	QAM16	-5MHz--1MHz	13.27	PASS
Band7	5	21425	25	#0	QAM16	-6MHz--5MHz	22.14	PASS
Band7	5	21425	25	#0	QAM16	-10MHz--6MHz	11.70	PASS
Band7	5	21425	25	#0	QAM16	0MHz-1MHz	17.50	PASS
Band7	5	21425	25	#0	QAM16	1MHz-5MHz	13.46	PASS
Band7	5	21425	25	#0	QAM16	5MHz-6MHz	22.69	PASS
Band7	5	21425	25	#0	QAM16	6MHz-10MHz	11.93	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	6.20	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	9.72	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	21.72	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	11.44	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	33.55	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	20.70	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	17.15	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	13.57	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	33.03	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	20.36	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	16.84	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	11.52	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	8.68	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	11.97	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	22.09	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	12.67	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	18.22	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	14.04	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	15.51	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	10.89	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	17.84	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	14.46	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	15.98	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	10.73	PASS
Band7	10	20800	12	#0	QAM16	-1MHz-0MHz	9.23	PASS
Band7	10	20800	12	#0	QAM16	-5MHz--1MHz	13.18	PASS
Band7	10	20800	12	#0	QAM16	-10MHz--5MHz	22.37	PASS
Band7	10	20800	12	#0	QAM16	-15MHz--10MHz	11.63	PASS
Band7	10	20800	12	#0	QAM16	0MHz-1MHz	33.77	PASS
Band7	10	20800	12	#0	QAM16	1MHz-5MHz	21.93	PASS
Band7	10	20800	12	#0	QAM16	5MHz-10MHz	18.50	PASS
Band7	10	20800	12	#0	QAM16	10MHz-15MHz	13.57	PASS
Band7	10	20800	12	#Max	QAM16	-1MHz-0MHz	33.38	PASS

Band7	10	20800	12	#Max	QAM16	-5MHz--1MHz	21.47	PASS
Band7	10	20800	12	#Max	QAM16	-10MHz--5MHz	18.15	PASS
Band7	10	20800	12	#Max	QAM16	-15MHz--10MHz	11.56	PASS
Band7	10	20800	12	#Max	QAM16	0MHz-1MHz	11.32	PASS
Band7	10	20800	12	#Max	QAM16	1MHz-5MHz	14.82	PASS
Band7	10	20800	12	#Max	QAM16	5MHz-10MHz	22.76	PASS
Band7	10	20800	12	#Max	QAM16	10MHz-15MHz	13.07	PASS
Band7	10	20800	50	#0	QAM16	-1MHz-0MHz	19.70	PASS
Band7	10	20800	50	#0	QAM16	-5MHz--1MHz	17.10	PASS
Band7	10	20800	50	#0	QAM16	-10MHz--5MHz	18.02	PASS
Band7	10	20800	50	#0	QAM16	-15MHz--10MHz	11.51	PASS
Band7	10	20800	50	#0	QAM16	0MHz-1MHz	20.93	PASS
Band7	10	20800	50	#0	QAM16	1MHz-5MHz	17.40	PASS
Band7	10	20800	50	#0	QAM16	5MHz-10MHz	17.88	PASS
Band7	10	20800	50	#0	QAM16	10MHz-15MHz	11.00	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	9.02	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	12.16	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	21.26	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	11.37	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	33.31	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	19.35	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	15.81	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	13.60	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	33.74	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	21.17	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	17.68	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	11.56	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	9.82	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	12.39	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	23.38	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	13.07	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	19.19	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	15.96	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	17.64	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	10.74	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	18.64	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	14.67	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	16.21	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	11.51	PASS
Band7	10	21100	12	#0	QAM16	-1MHz-0MHz	11.74	PASS
Band7	10	21100	12	#0	QAM16	-5MHz--1MHz	15.43	PASS
Band7	10	21100	12	#0	QAM16	-10MHz--5MHz	21.81	PASS
Band7	10	21100	12	#0	QAM16	-15MHz--10MHz	11.45	PASS
Band7	10	21100	12	#0	QAM16	0MHz-1MHz	33.42	PASS

Band7	10	21100	12	#0	QAM16	1MHz-5MHz	20.12	PASS
Band7	10	21100	12	#0	QAM16	5MHz-10MHz	16.89	PASS
Band7	10	21100	12	#0	QAM16	10MHz-15MHz	13.55	PASS
Band7	10	21100	12	#Max	QAM16	-1MHz-0MHz	33.73	PASS
Band7	10	21100	12	#Max	QAM16	-5MHz--1MHz	22.42	PASS
Band7	10	21100	12	#Max	QAM16	-10MHz--5MHz	19.06	PASS
Band7	10	21100	12	#Max	QAM16	-15MHz--10MHz	11.55	PASS
Band7	10	21100	12	#Max	QAM16	0MHz-1MHz	13.87	PASS
Band7	10	21100	12	#Max	QAM16	1MHz-5MHz	15.34	PASS
Band7	10	21100	12	#Max	QAM16	5MHz-10MHz	23.44	PASS
Band7	10	21100	12	#Max	QAM16	10MHz-15MHz	13.43	PASS
Band7	10	21100	50	#0	QAM16	-1MHz-0MHz	22.33	PASS
Band7	10	21100	50	#0	QAM16	-5MHz--1MHz	18.40	PASS
Band7	10	21100	50	#0	QAM16	-10MHz--5MHz	19.42	PASS
Band7	10	21100	50	#0	QAM16	-15MHz--10MHz	12.33	PASS
Band7	10	21100	50	#0	QAM16	0MHz-1MHz	20.97	PASS
Band7	10	21100	50	#0	QAM16	1MHz-5MHz	16.89	PASS
Band7	10	21100	50	#0	QAM16	5MHz-10MHz	18.01	PASS
Band7	10	21100	50	#0	QAM16	10MHz-15MHz	12.27	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	5.62	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	10.28	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	20.04	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	10.79	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	33.44	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	19.71	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	16.57	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	13.61	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	33.24	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	19.74	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	16.29	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	11.66	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	5.20	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	9.33	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	23.58	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	12.35	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	16.95	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	12.34	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	14.23	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	10.63	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	15.61	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	12.10	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	15.42	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	12.18	PASS
Band7	10	21400	12	#0	QAM16	-1MHz-0MHz	8.97	PASS

Band7	10	21400	12	#0	QAM16	-5MHz--1MHz	13.88	PASS
Band7	10	21400	12	#0	QAM16	-10MHz--5MHz	21.08	PASS
Band7	10	21400	12	#0	QAM16	-15MHz--10MHz	11.23	PASS
Band7	10	21400	12	#0	QAM16	0MHz-1MHz	33.60	PASS
Band7	10	21400	12	#0	QAM16	1MHz-5MHz	20.76	PASS
Band7	10	21400	12	#0	QAM16	5MHz-10MHz	17.88	PASS
Band7	10	21400	12	#0	QAM16	10MHz-15MHz	13.55	PASS
Band7	10	21400	12	#Max	QAM16	-1MHz-0MHz	33.88	PASS
Band7	10	21400	12	#Max	QAM16	-5MHz--1MHz	21.17	PASS
Band7	10	21400	12	#Max	QAM16	-10MHz--5MHz	17.72	PASS
Band7	10	21400	12	#Max	QAM16	-15MHz--10MHz	11.60	PASS
Band7	10	21400	12	#Max	QAM16	0MHz-1MHz	9.73	PASS
Band7	10	21400	12	#Max	QAM16	1MHz-5MHz	13.45	PASS
Band7	10	21400	12	#Max	QAM16	5MHz-10MHz	23.86	PASS
Band7	10	21400	12	#Max	QAM16	10MHz-15MHz	13.03	PASS
Band7	10	21400	50	#0	QAM16	-1MHz-0MHz	19.54	PASS
Band7	10	21400	50	#0	QAM16	-5MHz--1MHz	14.93	PASS
Band7	10	21400	50	#0	QAM16	-10MHz--5MHz	17.16	PASS
Band7	10	21400	50	#0	QAM16	-15MHz--10MHz	11.30	PASS
Band7	10	21400	50	#0	QAM16	0MHz-1MHz	17.01	PASS
Band7	10	21400	50	#0	QAM16	1MHz-5MHz	14.38	PASS
Band7	10	21400	50	#0	QAM16	5MHz-10MHz	17.50	PASS
Band7	10	21400	50	#0	QAM16	10MHz-15MHz	12.86	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	6.86	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	9.99	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	23.08	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	13.61	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	31.70	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	28.21	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	18.11	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	13.77	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	30.96	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	27.31	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	16.63	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	13.67	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	6.49	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	9.43	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	23.60	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	12.53	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	16.33	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	14.98	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	14.32	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	13.35	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	17.56	PASS

Band7	20	20850	100	#0	QPSK	1MHz-5MHz	16.34	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	14.75	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	10.88	PASS
Band7	20	20850	18	#0	QAM16	-1MHz-0MHz	8.93	PASS
Band7	20	20850	18	#0	QAM16	-5MHz--1MHz	12.99	PASS
Band7	20	20850	18	#0	QAM16	-20MHz--5MHz	23.28	PASS
Band7	20	20850	18	#0	QAM16	-25MHz--20MHz	13.56	PASS
Band7	20	20850	18	#0	QAM16	0MHz-1MHz	31.81	PASS
Band7	20	20850	18	#0	QAM16	1MHz-5MHz	28.14	PASS
Band7	20	20850	18	#0	QAM16	5MHz-20MHz	19.34	PASS
Band7	20	20850	18	#0	QAM16	20MHz-25MHz	13.81	PASS
Band7	20	20850	18	#Max	QAM16	-1MHz-0MHz	30.89	PASS
Band7	20	20850	18	#Max	QAM16	-5MHz--1MHz	27.35	PASS
Band7	20	20850	18	#Max	QAM16	-20MHz--5MHz	18.40	PASS
Band7	20	20850	18	#Max	QAM16	-25MHz--20MHz	13.71	PASS
Band7	20	20850	18	#Max	QAM16	0MHz-1MHz	10.14	PASS
Band7	20	20850	18	#Max	QAM16	1MHz-5MHz	13.08	PASS
Band7	20	20850	18	#Max	QAM16	5MHz-20MHz	23.71	PASS
Band7	20	20850	18	#Max	QAM16	20MHz-25MHz	13.11	PASS
Band7	20	20850	100	#0	QAM16	-1MHz-0MHz	19.39	PASS
Band7	20	20850	100	#0	QAM16	-5MHz--1MHz	18.78	PASS
Band7	20	20850	100	#0	QAM16	-20MHz--5MHz	17.71	PASS
Band7	20	20850	100	#0	QAM16	-25MHz--20MHz	14.33	PASS
Band7	20	20850	100	#0	QAM16	0MHz-1MHz	22.28	PASS
Band7	20	20850	100	#0	QAM16	1MHz-5MHz	19.94	PASS
Band7	20	20850	100	#0	QAM16	5MHz-20MHz	17.82	PASS
Band7	20	20850	100	#0	QAM16	20MHz-25MHz	11.36	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	6.88	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	10.25	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	22.95	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	13.01	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	31.28	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	27.99	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	16.69	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	13.70	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	31.28	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	27.43	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	18.95	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	13.74	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	10.58	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	13.50	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	24.24	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	13.49	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	19.65	PASS

Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	18.48	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	17.29	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	12.67	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	18.55	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	17.33	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	16.82	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	11.97	PASS
Band7	20	21100	18	#0	QAM16	-1MHz-0MHz	10.00	PASS
Band7	20	21100	18	#0	QAM16	-5MHz--1MHz	13.29	PASS
Band7	20	21100	18	#0	QAM16	-20MHz--5MHz	23.05	PASS
Band7	20	21100	18	#0	QAM16	-25MHz--20MHz	13.33	PASS
Band7	20	21100	18	#0	QAM16	0MHz-1MHz	31.43	PASS
Band7	20	21100	18	#0	QAM16	1MHz-5MHz	27.90	PASS
Band7	20	21100	18	#0	QAM16	5MHz-20MHz	18.31	PASS
Band7	20	21100	18	#0	QAM16	20MHz-25MHz	13.70	PASS
Band7	20	21100	18	#Max	QAM16	-1MHz-0MHz	31.48	PASS
Band7	20	21100	18	#Max	QAM16	-5MHz--1MHz	27.44	PASS
Band7	20	21100	18	#Max	QAM16	-20MHz--5MHz	19.94	PASS
Band7	20	21100	18	#Max	QAM16	-25MHz--20MHz	13.77	PASS
Band7	20	21100	18	#Max	QAM16	0MHz-1MHz	13.94	PASS
Band7	20	21100	18	#Max	QAM16	1MHz-5MHz	16.61	PASS
Band7	20	21100	18	#Max	QAM16	5MHz-20MHz	24.64	PASS
Band7	20	21100	18	#Max	QAM16	20MHz-25MHz	13.52	PASS
Band7	20	21100	100	#0	QAM16	-1MHz-0MHz	23.40	PASS
Band7	20	21100	100	#0	QAM16	-5MHz--1MHz	21.86	PASS
Band7	20	21100	100	#0	QAM16	-20MHz--5MHz	20.02	PASS
Band7	20	21100	100	#0	QAM16	-25MHz--20MHz	13.92	PASS
Band7	20	21100	100	#0	QAM16	0MHz-1MHz	21.61	PASS
Band7	20	21100	100	#0	QAM16	1MHz-5MHz	20.49	PASS
Band7	20	21100	100	#0	QAM16	5MHz-20MHz	19.35	PASS
Band7	20	21100	100	#0	QAM16	20MHz-25MHz	12.99	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	4.33	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	7.41	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	22.13	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	12.68	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	31.44	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	28.04	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	18.00	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	13.70	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	31.09	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	27.37	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	16.62	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	13.64	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	6.14	PASS

Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	9.03	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	23.67	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	13.63	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	13.62	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	12.55	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	11.19	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	12.40	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	13.64	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	12.76	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	13.63	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	13.33	PASS
Band7	20	21350	18	#0	QAM16	-1MHz-0MHz	8.48	PASS
Band7	20	21350	18	#0	QAM16	-5MHz--1MHz	11.13	PASS
Band7	20	21350	18	#0	QAM16	-20MHz--5MHz	22.50	PASS
Band7	20	21350	18	#0	QAM16	-25MHz--20MHz	13.32	PASS
Band7	20	21350	18	#0	QAM16	0MHz-1MHz	31.07	PASS
Band7	20	21350	18	#0	QAM16	1MHz-5MHz	28.03	PASS
Band7	20	21350	18	#0	QAM16	5MHz-20MHz	19.69	PASS
Band7	20	21350	18	#0	QAM16	20MHz-25MHz	13.78	PASS
Band7	20	21350	18	#Max	QAM16	-1MHz-0MHz	31.11	PASS
Band7	20	21350	18	#Max	QAM16	-5MHz--1MHz	27.45	PASS
Band7	20	21350	18	#Max	QAM16	-20MHz--5MHz	18.06	PASS
Band7	20	21350	18	#Max	QAM16	-25MHz--20MHz	13.68	PASS
Band7	20	21350	18	#Max	QAM16	0MHz-1MHz	10.26	PASS
Band7	20	21350	18	#Max	QAM16	1MHz-5MHz	13.07	PASS
Band7	20	21350	18	#Max	QAM16	5MHz-20MHz	24.42	PASS
Band7	20	21350	18	#Max	QAM16	20MHz-25MHz	13.64	PASS
Band7	20	21350	100	#0	QAM16	-1MHz-0MHz	17.90	PASS
Band7	20	21350	100	#0	QAM16	-5MHz--1MHz	15.89	PASS
Band7	20	21350	100	#0	QAM16	-20MHz--5MHz	14.20	PASS
Band7	20	21350	100	#0	QAM16	-25MHz--20MHz	13.01	PASS
Band7	20	21350	100	#0	QAM16	0MHz-1MHz	17.37	PASS
Band7	20	21350	100	#0	QAM16	1MHz-5MHz	15.76	PASS
Band7	20	21350	100	#0	QAM16	5MHz-20MHz	15.87	PASS
Band7	20	21350	100	#0	QAM16	20MHz-25MHz	13.92	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	17.74	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	26.08	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	12.35	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	19.18	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	25.96	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	12.20	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	21.22	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	26.25	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	12.23	PASS

Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	16.95	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	25.63	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	12.06	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	22.69	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	26.41	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	12.45	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	23.55	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	25.92	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	12.19	PASS
Band8	1.4	21457	5	#0	QAM16	-1MHz-0MHz	21.95	PASS
Band8	1.4	21457	5	#0	QAM16	-2.5MHz--1MHz	26.18	PASS
Band8	1.4	21457	5	#0	QAM16	-3.5MHz--2.5MHz	12.48	PASS
Band8	1.4	21457	5	#0	QAM16	0MHz-1MHz	22.05	PASS
Band8	1.4	21457	5	#0	QAM16	1MHz-2.5MHz	26.22	PASS
Band8	1.4	21457	5	#0	QAM16	2.5MHz-3.5MHz	12.31	PASS
Band8	1.4	21457	5	#Max	QAM16	-1MHz-0MHz	22.91	PASS
Band8	1.4	21457	5	#Max	QAM16	-2.5MHz--1MHz	26.43	PASS
Band8	1.4	21457	5	#Max	QAM16	-3.5MHz--2.5MHz	12.34	PASS
Band8	1.4	21457	5	#Max	QAM16	0MHz-1MHz	21.49	PASS
Band8	1.4	21457	5	#Max	QAM16	1MHz-2.5MHz	25.92	PASS
Band8	1.4	21457	5	#Max	QAM16	2.5MHz-3.5MHz	12.19	PASS
Band8	1.4	21457	6	#0	QAM16	-1MHz-0MHz	25.42	PASS
Band8	1.4	21457	6	#0	QAM16	-2.5MHz--1MHz	27.50	PASS
Band8	1.4	21457	6	#0	QAM16	-3.5MHz--2.5MHz	13.93	PASS
Band8	1.4	21457	6	#0	QAM16	0MHz-1MHz	26.90	PASS
Band8	1.4	21457	6	#0	QAM16	1MHz-2.5MHz	27.09	PASS
Band8	1.4	21457	6	#0	QAM16	2.5MHz-3.5MHz	13.70	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	17.61	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	25.45	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	12.11	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	18.13	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	25.94	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	12.24	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	19.49	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	25.93	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	11.97	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	17.54	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	25.59	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	12.12	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	21.62	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	25.34	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	12.02	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	21.69	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	25.30	PASS

Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	12.30	PASS
Band8	1.4	21625	5	#0	QAM16	-1MHz-0MHz	18.79	PASS
Band8	1.4	21625	5	#0	QAM16	-2.5MHz--1MHz	25.60	PASS
Band8	1.4	21625	5	#0	QAM16	-3.5MHz--2.5MHz	12.24	PASS
Band8	1.4	21625	5	#0	QAM16	0MHz-1MHz	21.62	PASS
Band8	1.4	21625	5	#0	QAM16	1MHz-2.5MHz	26.26	PASS
Band8	1.4	21625	5	#0	QAM16	2.5MHz-3.5MHz	12.33	PASS
Band8	1.4	21625	5	#Max	QAM16	-1MHz-0MHz	22.29	PASS
Band8	1.4	21625	5	#Max	QAM16	-2.5MHz--1MHz	26.06	PASS
Band8	1.4	21625	5	#Max	QAM16	-3.5MHz--2.5MHz	12.25	PASS
Band8	1.4	21625	5	#Max	QAM16	0MHz-1MHz	19.28	PASS
Band8	1.4	21625	5	#Max	QAM16	1MHz-2.5MHz	25.71	PASS
Band8	1.4	21625	5	#Max	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band8	1.4	21625	6	#0	QAM16	-1MHz-0MHz	28.12	PASS
Band8	1.4	21625	6	#0	QAM16	-2.5MHz--1MHz	26.97	PASS
Band8	1.4	21625	6	#0	QAM16	-3.5MHz--2.5MHz	13.72	PASS
Band8	1.4	21625	6	#0	QAM16	0MHz-1MHz	23.87	PASS
Band8	1.4	21625	6	#0	QAM16	1MHz-2.5MHz	26.83	PASS
Band8	1.4	21625	6	#0	QAM16	2.5MHz-3.5MHz	13.79	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	19.17	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	23.24	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	11.82	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	20.32	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	25.32	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	12.62	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	19.04	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	24.69	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	11.89	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	17.70	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	24.90	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	12.67	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	25.61	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	25.20	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	11.98	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	24.33	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	25.93	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	12.62	PASS
Band8	1.4	21793	5	#0	QAM16	-1MHz-0MHz	21.53	PASS
Band8	1.4	21793	5	#0	QAM16	-2.5MHz--1MHz	25.22	PASS
Band8	1.4	21793	5	#0	QAM16	-3.5MHz--2.5MHz	11.85	PASS
Band8	1.4	21793	5	#0	QAM16	0MHz-1MHz	25.78	PASS
Band8	1.4	21793	5	#0	QAM16	1MHz-2.5MHz	26.40	PASS
Band8	1.4	21793	5	#0	QAM16	2.5MHz-3.5MHz	12.66	PASS
Band8	1.4	21793	5	#Max	QAM16	-1MHz-0MHz	24.92	PASS

Band8	1.4	21793	5	#Max	QAM16	-2.5MHz--1MHz	25.82	PASS
Band8	1.4	21793	5	#Max	QAM16	-3.5MHz--2.5MHz	12.01	PASS
Band8	1.4	21793	5	#Max	QAM16	0MHz-1MHz	23.15	PASS
Band8	1.4	21793	5	#Max	QAM16	1MHz-2.5MHz	25.95	PASS
Band8	1.4	21793	5	#Max	QAM16	2.5MHz-3.5MHz	12.73	PASS
Band8	1.4	21793	6	#0	QAM16	-1MHz-0MHz	24.52	PASS
Band8	1.4	21793	6	#0	QAM16	-2.5MHz--1MHz	27.62	PASS
Band8	1.4	21793	6	#0	QAM16	-3.5MHz--2.5MHz	13.58	PASS
Band8	1.4	21793	6	#0	QAM16	0MHz-1MHz	26.99	PASS
Band8	1.4	21793	6	#0	QAM16	1MHz-2.5MHz	28.08	PASS
Band8	1.4	21793	6	#0	QAM16	2.5MHz-3.5MHz	14.44	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	9.03	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	22.65	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	24.90	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	12.75	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	31.31	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	19.50	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	25.08	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	13.20	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	33.09	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	21.60	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	24.93	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	12.76	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	8.80	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	23.02	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	24.67	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	13.00	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	19.04	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	20.78	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	24.82	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	12.76	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	17.72	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	20.60	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	24.32	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	12.63	PASS
Band8	5	21475	8	#0	QAM16	-1MHz-0MHz	10.57	PASS
Band8	5	21475	8	#0	QAM16	-5MHz--1MHz	24.73	PASS
Band8	5	21475	8	#0	QAM16	-6MHz--5MHz	25.00	PASS
Band8	5	21475	8	#0	QAM16	-10MHz--6MHz	12.86	PASS
Band8	5	21475	8	#0	QAM16	0MHz-1MHz	31.82	PASS
Band8	5	21475	8	#0	QAM16	1MHz-5MHz	20.74	PASS
Band8	5	21475	8	#0	QAM16	5MHz-6MHz	25.04	PASS
Band8	5	21475	8	#0	QAM16	6MHz-10MHz	13.08	PASS
Band8	5	21475	8	#Max	QAM16	-1MHz-0MHz	32.92	PASS

Band8	5	21475	8	#Max	QAM16	-5MHz--1MHz	22.66	PASS
Band8	5	21475	8	#Max	QAM16	-6MHz--5MHz	25.13	PASS
Band8	5	21475	8	#Max	QAM16	-10MHz--6MHz	12.68	PASS
Band8	5	21475	8	#Max	QAM16	0MHz-1MHz	12.49	PASS
Band8	5	21475	8	#Max	QAM16	1MHz-5MHz	24.66	PASS
Band8	5	21475	8	#Max	QAM16	5MHz-6MHz	24.78	PASS
Band8	5	21475	8	#Max	QAM16	6MHz-10MHz	13.03	PASS
Band8	5	21475	25	#0	QAM16	-1MHz-0MHz	18.51	PASS
Band8	5	21475	25	#0	QAM16	-5MHz--1MHz	23.94	PASS
Band8	5	21475	25	#0	QAM16	-6MHz--5MHz	26.65	PASS
Band8	5	21475	25	#0	QAM16	-10MHz--6MHz	14.57	PASS
Band8	5	21475	25	#0	QAM16	0MHz-1MHz	18.09	PASS
Band8	5	21475	25	#0	QAM16	1MHz-5MHz	23.20	PASS
Band8	5	21475	25	#0	QAM16	5MHz-6MHz	25.94	PASS
Band8	5	21475	25	#0	QAM16	6MHz-10MHz	14.46	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	10.64	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	19.18	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	24.40	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	12.62	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	31.43	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	19.94	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	24.94	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	13.06	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	32.30	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	20.59	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	24.78	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	12.60	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	10.18	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	22.35	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	24.51	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	12.88	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	18.66	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	18.15	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	24.31	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	12.54	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	16.87	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	19.38	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	23.95	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	12.46	PASS
Band8	5	21625	8	#0	QAM16	-1MHz-0MHz	12.13	PASS
Band8	5	21625	8	#0	QAM16	-5MHz--1MHz	21.59	PASS
Band8	5	21625	8	#0	QAM16	-6MHz--5MHz	24.54	PASS
Band8	5	21625	8	#0	QAM16	-10MHz--6MHz	12.62	PASS
Band8	5	21625	8	#0	QAM16	0MHz-1MHz	32.61	PASS

Band8	5	21625	8	#0	QAM16	1MHz-5MHz	21.28	PASS
Band8	5	21625	8	#0	QAM16	5MHz-6MHz	25.02	PASS
Band8	5	21625	8	#0	QAM16	6MHz-10MHz	13.09	PASS
Band8	5	21625	8	#Max	QAM16	-1MHz-0MHz	33.98	PASS
Band8	5	21625	8	#Max	QAM16	-5MHz--1MHz	21.63	PASS
Band8	5	21625	8	#Max	QAM16	-6MHz--5MHz	24.77	PASS
Band8	5	21625	8	#Max	QAM16	-10MHz--6MHz	12.65	PASS
Band8	5	21625	8	#Max	QAM16	0MHz-1MHz	14.61	PASS
Band8	5	21625	8	#Max	QAM16	1MHz-5MHz	23.48	PASS
Band8	5	21625	8	#Max	QAM16	5MHz-6MHz	24.59	PASS
Band8	5	21625	8	#Max	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21625	25	#0	QAM16	-1MHz-0MHz	17.13	PASS
Band8	5	21625	25	#0	QAM16	-5MHz--1MHz	20.60	PASS
Band8	5	21625	25	#0	QAM16	-6MHz--5MHz	26.04	PASS
Band8	5	21625	25	#0	QAM16	-10MHz--6MHz	14.30	PASS
Band8	5	21625	25	#0	QAM16	0MHz-1MHz	19.86	PASS
Band8	5	21625	25	#0	QAM16	1MHz-5MHz	20.71	PASS
Band8	5	21625	25	#0	QAM16	5MHz-6MHz	25.41	PASS
Band8	5	21625	25	#0	QAM16	6MHz-10MHz	14.24	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	9.04	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	20.51	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	24.06	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	12.50	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	33.19	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	21.91	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	13.09	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	31.29	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	19.48	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	24.68	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	12.52	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	9.89	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	19.63	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	25.11	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	13.07	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	18.02	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	17.76	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	23.48	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	11.68	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	17.95	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	22.55	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	25.14	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	13.10	PASS
Band8	5	21775	8	#0	QAM16	-1MHz-0MHz	13.66	PASS


Band8	5	21775	8	#0	QAM16	-5MHz--1MHz	23.20	PASS
Band8	5	21775	8	#0	QAM16	-6MHz--5MHz	24.46	PASS
Band8	5	21775	8	#0	QAM16	-10MHz--6MHz	12.58	PASS
Band8	5	21775	8	#0	QAM16	0MHz-1MHz	34.19	PASS
Band8	5	21775	8	#0	QAM16	1MHz-5MHz	22.91	PASS
Band8	5	21775	8	#0	QAM16	5MHz-6MHz	25.19	PASS
Band8	5	21775	8	#0	QAM16	6MHz-10MHz	13.08	PASS
Band8	5	21775	8	#Max	QAM16	-1MHz-0MHz	32.60	PASS
Band8	5	21775	8	#Max	QAM16	-5MHz--1MHz	20.60	PASS
Band8	5	21775	8	#Max	QAM16	-6MHz--5MHz	24.80	PASS
Band8	5	21775	8	#Max	QAM16	-10MHz--6MHz	12.62	PASS
Band8	5	21775	8	#Max	QAM16	0MHz-1MHz	13.24	PASS
Band8	5	21775	8	#Max	QAM16	1MHz-5MHz	23.77	PASS
Band8	5	21775	8	#Max	QAM16	5MHz-6MHz	25.19	PASS
Band8	5	21775	8	#Max	QAM16	6MHz-10MHz	13.00	PASS
Band8	5	21775	25	#0	QAM16	-1MHz-0MHz	22.26	PASS
Band8	5	21775	25	#0	QAM16	-5MHz--1MHz	20.28	PASS
Band8	5	21775	25	#0	QAM16	-6MHz--5MHz	25.19	PASS
Band8	5	21775	25	#0	QAM16	-10MHz--6MHz	13.72	PASS
Band8	5	21775	25	#0	QAM16	0MHz-1MHz	18.15	PASS
Band8	5	21775	25	#0	QAM16	1MHz-5MHz	24.18	PASS
Band8	5	21775	25	#0	QAM16	5MHz-6MHz	27.13	PASS
Band8	5	21775	25	#0	QAM16	6MHz-10MHz	14.97	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	14.12	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	20.47	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	24.36	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	11.21	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	32.86	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	21.75	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	18.17	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	13.07	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	33.00	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	24.86	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	22.45	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	11.19	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	9.08	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	15.06	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	24.83	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	12.76	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	21.14	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	21.13	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	23.15	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	11.31	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	18.82	PASS

Band8	10	21500	50	#0	QPSK	1MHz-5MHz	19.46	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	19.14	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	12.15	PASS
Band8	10	21500	12	#0	QAM16	-1MHz-0MHz	16.13	PASS
Band8	10	21500	12	#0	QAM16	-5MHz--1MHz	23.09	PASS
Band8	10	21500	12	#0	QAM16	-10MHz--5MHz	24.39	PASS
Band8	10	21500	12	#0	QAM16	-15MHz--10MHz	11.17	PASS
Band8	10	21500	12	#0	QAM16	0MHz-1MHz	33.21	PASS
Band8	10	21500	12	#0	QAM16	1MHz-5MHz	22.84	PASS
Band8	10	21500	12	#0	QAM16	5MHz-10MHz	19.34	PASS
Band8	10	21500	12	#0	QAM16	10MHz-15MHz	13.06	PASS
Band8	10	21500	12	#Max	QAM16	-1MHz-0MHz	33.40	PASS
Band8	10	21500	12	#Max	QAM16	-5MHz--1MHz	25.34	PASS
Band8	10	21500	12	#Max	QAM16	-10MHz--5MHz	22.76	PASS
Band8	10	21500	12	#Max	QAM16	-15MHz--10MHz	11.27	PASS
Band8	10	21500	12	#Max	QAM16	0MHz-1MHz	12.32	PASS
Band8	10	21500	12	#Max	QAM16	1MHz-5MHz	18.89	PASS
Band8	10	21500	12	#Max	QAM16	5MHz-10MHz	24.80	PASS
Band8	10	21500	12	#Max	QAM16	10MHz-15MHz	12.92	PASS
Band8	10	21500	50	#0	QAM16	-1MHz-0MHz	20.43	PASS
Band8	10	21500	50	#0	QAM16	-5MHz--1MHz	24.06	PASS
Band8	10	21500	50	#0	QAM16	-10MHz--5MHz	25.27	PASS
Band8	10	21500	50	#0	QAM16	-15MHz--10MHz	13.07	PASS
Band8	10	21500	50	#0	QAM16	0MHz-1MHz	20.80	PASS
Band8	10	21500	50	#0	QAM16	1MHz-5MHz	22.22	PASS
Band8	10	21500	50	#0	QAM16	5MHz-10MHz	21.90	PASS
Band8	10	21500	50	#0	QAM16	10MHz-15MHz	13.91	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	9.91	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	13.79	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	24.16	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	11.06	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	33.11	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	22.23	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	18.84	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	13.05	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	32.74	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	22.10	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	18.68	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	11.08	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	13.20	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	20.96	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	24.76	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	12.77	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	19.94	PASS


Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	18.57	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	18.03	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	10.96	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	21.89	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	20.53	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	20.97	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	12.27	PASS
Band8	10	21625	12	#0	QAM16	-1MHz-0MHz	11.65	PASS
Band8	10	21625	12	#0	QAM16	-5MHz--1MHz	18.05	PASS
Band8	10	21625	12	#0	QAM16	-10MHz--5MHz	24.20	PASS
Band8	10	21625	12	#0	QAM16	-15MHz--10MHz	11.09	PASS
Band8	10	21625	12	#0	QAM16	0MHz-1MHz	33.05	PASS
Band8	10	21625	12	#0	QAM16	1MHz-5MHz	23.11	PASS
Band8	10	21625	12	#0	QAM16	5MHz-10MHz	19.92	PASS
Band8	10	21625	12	#0	QAM16	10MHz-15MHz	13.09	PASS
Band8	10	21625	12	#Max	QAM16	-1MHz-0MHz	32.86	PASS
Band8	10	21625	12	#Max	QAM16	-5MHz--1MHz	23.17	PASS
Band8	10	21625	12	#Max	QAM16	-10MHz--5MHz	19.61	PASS
Band8	10	21625	12	#Max	QAM16	-15MHz--10MHz	11.17	PASS
Band8	10	21625	12	#Max	QAM16	0MHz-1MHz	14.51	PASS
Band8	10	21625	12	#Max	QAM16	1MHz-5MHz	22.97	PASS
Band8	10	21625	12	#Max	QAM16	5MHz-10MHz	24.74	PASS
Band8	10	21625	12	#Max	QAM16	10MHz-15MHz	12.85	PASS
Band8	10	21625	50	#0	QAM16	-1MHz-0MHz	21.30	PASS
Band8	10	21625	50	#0	QAM16	-5MHz--1MHz	20.76	PASS
Band8	10	21625	50	#0	QAM16	-10MHz--5MHz	20.96	PASS
Band8	10	21625	50	#0	QAM16	-15MHz--10MHz	12.82	PASS
Band8	10	21625	50	#0	QAM16	0MHz-1MHz	20.69	PASS
Band8	10	21625	50	#0	QAM16	1MHz-5MHz	21.77	PASS
Band8	10	21625	50	#0	QAM16	5MHz-10MHz	22.43	PASS
Band8	10	21625	50	#0	QAM16	10MHz-15MHz	13.92	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	10.60	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	16.66	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	24.07	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	10.91	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	33.17	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	26.01	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	24.92	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	12.96	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	31.56	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	22.00	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	18.75	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	11.07	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	15.33	PASS

Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	19.53	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	25.06	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	13.04	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	19.99	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	18.40	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	19.02	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	10.65	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	22.28	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	20.91	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	24.98	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#0	QAM16	-1MHz-0MHz	13.64	PASS
Band8	10	21750	12	#0	QAM16	-5MHz--1MHz	19.79	PASS
Band8	10	21750	12	#0	QAM16	-10MHz--5MHz	24.21	PASS
Band8	10	21750	12	#0	QAM16	-15MHz--10MHz	10.99	PASS
Band8	10	21750	12	#0	QAM16	0MHz-1MHz	33.76	PASS
Band8	10	21750	12	#0	QAM16	1MHz-5MHz	26.54	PASS
Band8	10	21750	12	#0	QAM16	5MHz-10MHz	24.91	PASS
Band8	10	21750	12	#0	QAM16	10MHz-15MHz	13.06	PASS
Band8	10	21750	12	#Max	QAM16	-1MHz-0MHz	32.35	PASS
Band8	10	21750	12	#Max	QAM16	-5MHz--1MHz	23.00	PASS
Band8	10	21750	12	#Max	QAM16	-10MHz--5MHz	19.73	PASS
Band8	10	21750	12	#Max	QAM16	-15MHz--10MHz	11.09	PASS
Band8	10	21750	12	#Max	QAM16	0MHz-1MHz	15.93	PASS
Band8	10	21750	12	#Max	QAM16	1MHz-5MHz	22.62	PASS
Band8	10	21750	12	#Max	QAM16	5MHz-10MHz	25.09	PASS
Band8	10	21750	12	#Max	QAM16	10MHz-15MHz	13.04	PASS
Band8	10	21750	50	#0	QAM16	-1MHz-0MHz	19.26	PASS
Band8	10	21750	50	#0	QAM16	-5MHz--1MHz	20.68	PASS
Band8	10	21750	50	#0	QAM16	-10MHz--5MHz	21.46	PASS
Band8	10	21750	50	#0	QAM16	-15MHz--10MHz	12.58	PASS
Band8	10	21750	50	#0	QAM16	0MHz-1MHz	21.72	PASS
Band8	10	21750	50	#0	QAM16	1MHz-5MHz	22.75	PASS
Band8	10	21750	50	#0	QAM16	5MHz-10MHz	26.93	PASS
Band8	10	21750	50	#0	QAM16	10MHz-15MHz	15.03	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0



Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.4 LTE Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.20	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.02	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-63.51	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-57.46	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1937.66	-55.50	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12667.13	-54.06	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.32	-73.43	-50	PASS
Band1	5	18025	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.33	-81.46	-50	PASS
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.34	-79.27	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.36	-82.08	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.91	-82.00	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.44	-79.89	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.55	-82.00	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.12	-82.23	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.34	-82.05	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025	1 MHz	2019.39	-81.21	-50	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.00	-79.69	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.10	-80.59	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-79.79	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.40	-80.46	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2110.99	-73.68	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.68	-82.35	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.43	-82.10	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1912.84	-52.59	-15.5	PASS
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.95	-49.23	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.55	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.08	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-63.50	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1937.50	-58.01	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1965.09	-56.82	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12623.25	-54.00	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2141.32	-73.18	-50	PASS

Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.13	-81.46	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.32	-79.24	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.59	-82.02	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.77	-81.91	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.32	-79.79	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	784.01	-81.92	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.32	-82.19	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1496.00	-82.09	-50	PASS
Band1	5	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.17	-81.08	-50	PASS
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.40	-79.67	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.90	-80.56	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-79.72	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.00	-80.39	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.05	-73.04	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.46	-82.29	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.89	-82.08	-50	PASS
Band1	5	18300	1	#0	QPSK	1895	5	1901.04	-54.05	-15.5	PASS

						MHz-1915 MHz	MHz				
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.45	-54.03	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.92	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.36	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-64.27	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-57.78	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1992.53	-57.42	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3950.63	-53.90	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.10	-73.32	-50	PASS
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.93	-81.41	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.18	-79.18	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.55	-82.00	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.35	-81.91	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.24	-79.78	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.47	-81.95	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.59	-82.08	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.92	-82.02	-50	PASS

Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.86	-81.10	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.65	-79.62	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.90	-80.51	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-79.66	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.80	-80.37	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2166.16	-73.38	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.82	-82.23	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.87	-82.01	-50	PASS
Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1912.06	-54.00	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.60	-53.97	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.54	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.56	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-64.51	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1885.16	-60.46	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	2649.83	-59.89	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12672.81	-53.95	-30	PASS
Band1	20	18100	1	#0	QPSK	2110	1	2112.04	-74.14	-50	PASS

						MHz-2170 MHz	MHz				
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.10	-81.41	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.16	-79.26	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.92	-81.97	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.11	-81.93	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-79.86	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.76	-81.89	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.47	-82.14	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.38	-82.01	-50	PASS
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.50	-81.12	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.00	-79.68	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2365.80	-80.61	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3588.80	-79.69	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.20	-80.49	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.80	-74.03	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.58	-82.27	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783	1	779.97	-82.12	-50	PASS

						MHz	MHz				
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1912.60	-49.66	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.96	-49.76	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.03	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.93	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-63.79	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1905.85	-50.70	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2659.13	-60.19	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12658.19	-54.01	-30	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.74	-71.50	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.90	-81.44	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.37	-79.22	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.89	-82.03	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.14	-81.87	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.32	-79.75	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.57	-81.90	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.37	-82.14	-50	PASS
Band1	20	18300	1	#0	QPSK	1452	1	1489.53	-82.04	-50	PASS

						MHz-1496 MHz	MHz				
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.46	-81.14	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.00	-79.68	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.10	-80.52	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-79.62	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.80	-80.33	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2147.35	-71.30	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.10	-82.23	-50	PASS
Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.49	-82.02	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1904.92	-52.98	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.64	-53.99	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.38	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.31	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-63.28	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-40.50	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2664.19	-60.31	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 MHz	1 MHz	12590.75	-53.99	-30	PASS

						GHz					
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2154.64	-70.78	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.20	-81.43	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.34	-79.18	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.67	-81.79	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.47	-81.87	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.84	-79.67	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.26	-81.90	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.61	-82.04	-50	PASS
Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.14	-81.99	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.36	-81.02	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.75	-79.58	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.50	-80.54	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.00	-79.63	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.20	-80.41	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2155.54	-70.61	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758	1	749.76	-82.24	-50	PASS

						MHz	MHz				
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.19	-82.02	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1906.82	-54.00	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1918.71	-53.96	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.09	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.40	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	789.77	-70.64	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-65.04	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1471.50	-63.86	-30	PASS
Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1664.70	-57.61	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12613.65	-60.48	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2142.64	-84.10	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.15	-84.82	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.84	-82.32	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.45	-85.12	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.96	-73.57	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-82.93	-50	PASS

Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.54	-85.24	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.60	-85.17	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.10	-84.66	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.92	-84.28	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-82.76	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.60	-83.70	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.81	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.80	-83.63	-50	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.36	-84.11	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.24	-85.46	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.14	-85.18	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	778.28	-85.21	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.59	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.82	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	834.50	-68.52	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	862.03	-69.37	-36	PASS
Band20	5	24300	1	#0	QPSK	1000	1	1434.00	-63.76	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1689.90	-55.11	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12652.80	-60.45	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.10	-84.11	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.40	-84.84	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.74	-82.31	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.32	-85.12	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.50	-71.82	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.60	-82.94	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.24	-85.28	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.96	-85.12	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.04	-80.53	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.30	-84.27	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.40	-82.76	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.80	-83.68	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-82.81	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3625.60	-83.64	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.69	-84.14	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.24	-85.35	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.97	-85.19	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	785.84	-85.15	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.41	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.60	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	840.06	-65.54	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	873.15	-72.39	-36	PASS
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1326.00	-63.86	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5811.90	-58.66	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12657.53	-60.41	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.84	-84.10	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.43	-84.77	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.38	-82.13	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.29	-85.12	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821 MHz	1	817.13	-76.69	-50	PASS

						MHz	MHz				
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-82.95	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.63	-85.25	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1453.50	-85.18	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.04	-82.99	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.71	-84.28	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.55	-82.79	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.60	-83.71	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.00	-82.84	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.80	-83.61	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.60	-84.14	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	758.00	-85.39	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.52	-85.23	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.77	-85.18	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.55	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.87	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	803.74	-71.11	-36	PASS

Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	995.82	-72.35	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1323.00	-63.83	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2499.00	-57.55	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12634.58	-60.54	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.76	-84.06	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.88	-84.73	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.93	-82.30	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.62	-85.11	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.34	-71.49	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.32	-82.92	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.70	-85.26	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.61	-85.20	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.26	-81.92	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.21	-84.29	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.30	-82.78	-50	PASS
Band20	20	24250	1	#0	QPSK	2300	1	2371.90	-83.68	-50	PASS

						MHz-2400 MHz	MHz				
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3589.20	-82.86	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.20	-83.61	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2150.86	-84.09	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.92	-85.40	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.58	-85.14	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.47	-85.15	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.12	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.53	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	804.73	-70.83	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	996.22	-72.66	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1497.50	-63.81	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1676.40	-52.25	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12669.00	-60.45	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.28	-84.09	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.63	-84.82	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.52	-82.31	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.81	-85.14	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.04	-71.79	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-82.87	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.56	-85.25	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.52	-85.12	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.02	-82.77	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.46	-84.25	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-82.74	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.00	-83.65	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.20	-82.77	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.20	-83.58	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.89	-84.13	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.12	-85.42	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	766.05	-85.19	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	785.00	-85.13	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.35	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30	10	0.17	-62.24	-36	PASS

						MHz	kHz				
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	802.52	-70.75	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	985.08	-72.63	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1290.50	-63.84	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1686.30	-56.52	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12656.85	-60.46	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.04	-84.03	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.63	-84.80	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.01	-81.98	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.87	-85.15	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.05	-71.45	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-82.95	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.78	-85.20	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.85	-85.13	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.00	-84.64	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.45	-84.28	-50	PASS

Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.25	-82.79	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.70	-83.66	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.80	-82.83	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.00	-83.63	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.49	-84.07	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.50	-85.42	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.78	-85.05	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	785.30	-85.09	-50	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.67	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.76	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-68.20	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-40.88	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-46.12	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-39.08	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.54	-81.78	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.13	-82.52	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.35	-80.08	-50	PASS

						MHz					
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.49	-82.49	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.88	-82.74	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.92	-80.73	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.39	-82.70	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.87	-82.90	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.08	-82.53	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.62	-81.14	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.82	-82.00	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-80.38	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2372.20	-81.38	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-76.04	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.60	-81.07	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.42	-81.72	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.14	-83.01	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.85	-82.81	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.57	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30	10	0.16	-61.40	-36	PASS

						MHz	kHz				
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-70.09	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-41.72	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-46.42	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3494.00	-40.03	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.96	-81.70	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.43	-76.01	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.03	-79.96	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.36	-82.59	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.94	-82.62	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.36	-80.60	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	803.00	-82.63	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.81	-82.77	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.80	-82.45	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.08	-77.64	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.72	-81.91	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.90	-80.30	-50	PASS

						MHz					
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.60	-81.24	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3492.40	-77.09	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.60	-81.28	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.01	-81.61	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.84	-82.95	-50	PASS
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.37	-82.62	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.37	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.71	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-67.28	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-41.71	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-47.22	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3567.94	-42.18	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.46	-81.62	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.25	-75.45	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.10	-79.76	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.22	-82.57	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821	1	792.92	-82.56	-50	PASS

						MHz	MHz				
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3566.16	-72.89	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.25	-82.59	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.12	-82.71	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.08	-82.71	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.88	-82.09	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.86	-81.83	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-80.26	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.00	-81.20	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3566.00	-77.81	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-81.16	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.85	-81.60	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.98	-82.84	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.68	-82.65	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.25	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.57	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-68.64	-36	PASS
Band3	5	19225	1	#0	QPSK	1000	1	1700.00	-53.00	-30	PASS

						MHz-1700.00 MHz	MHz				
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2650.44	-51.56	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-38.96	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.32	-81.60	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.40	-82.34	-50	PASS
Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.39	-79.91	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.57	-82.62	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.66	-82.55	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.60	-80.59	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	783.88	-82.65	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.05	-82.76	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.37	-82.76	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.94	-71.87	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.07	-81.86	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.60	-80.37	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2375.70	-81.32	-50	PASS

Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-78.41	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.00	-80.88	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.48	-81.73	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.62	-83.00	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.41	-82.79	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.35	-36	PASS
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.28	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-68.77	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-53.07	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2664.17	-51.47	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3490.75	-41.20	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.12	-81.66	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1843.70	-74.58	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.29	-79.80	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.67	-82.44	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.93	-82.60	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-80.38	-50	PASS

Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.23	-82.56	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.57	-82.71	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.00	-82.68	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.04	-72.54	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.10	-81.78	-50	PASS
Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.80	-80.30	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.10	-81.13	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3488.80	-80.25	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.40	-81.17	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.28	-81.57	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.92	-82.86	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	772.11	-82.62	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.77	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.86	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	786.31	-70.95	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-52.84	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2665.61	-51.39	-30	PASS

						MHz					
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3560.63	-43.77	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.76	-81.52	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.73	-74.77	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.12	-79.81	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.93	-82.34	-50	PASS
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.68	-82.48	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3558.96	-78.67	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.04	-82.46	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.27	-82.58	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.90	-82.52	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.86	-70.63	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.82	-81.68	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.55	-80.18	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.70	-81.12	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3558.80	-80.23	-50	PASS
Band3	5	19925	1	#0	QPSK	3600	1	3602.00	-81.11	-50	PASS

						MHz-3800 MHz	MHz				
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.84	-81.54	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.90	-82.81	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.61	-82.59	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.43	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.36	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	950.14	-70.95	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1675.41	-53.00	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	2668.00	-51.54	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3422.50	-39.86	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.22	-81.51	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.30	-79.45	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2633.72	-79.77	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.01	-82.57	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.37	-82.43	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-80.38	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.77	-82.55	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.15	-82.70	-50	PASS

						MHz					
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.98	-82.63	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.00	-69.22	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2025.00	-81.72	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.55	-80.14	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.90	-81.20	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-80.31	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.20	-80.95	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.52	-81.60	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.82	-82.80	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.96	-82.69	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.84	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.52	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	821.13	-70.91	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1702.53	-41.19	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2665.19	-51.40	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3476.94	-43.80	-30	PASS

Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.90	-81.56	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1850.68	-73.86	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2622.87	-79.17	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.46	-82.38	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.51	-82.49	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.24	-80.38	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.40	-82.55	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.80	-82.66	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.04	-82.60	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.50	-73.17	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.60	-81.69	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.65	-79.99	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.30	-81.10	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-80.25	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.80	-81.10	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.23	-81.58	-50	PASS

						MHz					
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.56	-82.80	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.20	-82.59	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.33	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.03	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	876.62	-70.79	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-45.66	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2669.78	-51.37	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3532.19	-44.87	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2150.02	-81.47	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.13	-76.49	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2643.66	-79.75	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.18	-82.41	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.48	-82.42	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.68	-80.35	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.02	-82.45	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.45	-82.55	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.66	-82.54	-50	PASS

Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.80	-75.98	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.76	-81.67	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.65	-80.08	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2375.40	-81.11	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-80.26	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.60	-81.01	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.91	-81.55	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.46	-82.79	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.46	-82.59	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.60	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.94	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	818.03	-69.67	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-52.54	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2517.43	-56.79	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-53.47	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2167.18	-79.55	-50	PASS
Band7	5	20775	1	#0	QPSK	1805	1	1874.00	-80.25	-50	PASS

						MHz-1880 MHz	MHz				
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.81	-77.82	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	936.76	-80.61	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.65	-80.52	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-78.32	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.27	-80.51	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.46	-80.61	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.53	-80.63	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.46	-72.73	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.10	-79.67	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.80	-79.17	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.40	-78.35	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.20	-78.98	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.76	-79.60	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.16	-80.82	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.42	-80.67	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.79	-51.23	1.6	PASS

						MHz					
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.46	-51.16	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2614.45	-78.16	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.73	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.63	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	810.37	-70.02	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-53.80	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2550.14	-57.61	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12648.44	-53.34	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.56	-79.56	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.28	-80.26	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2628.68	-77.62	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.92	-80.62	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.30	-80.42	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.04	-78.40	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.35	-80.52	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.57	-80.68	-50	PASS
Band7	5	21100	1	#0	QPSK	1452	1	1461.72	-80.56	-50	PASS

						MHz-1496 MHz	MHz				
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.96	-73.08	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.73	-79.73	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.20	-79.15	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.60	-78.32	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.00	-79.02	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.42	-79.59	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.20	-80.89	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.56	-80.69	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.93	-51.23	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.62	-51.17	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.20	-78.21	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.37	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-55.62	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	954.60	-69.74	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-49.41	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2582.45	-58.58	-30	PASS

						MHz					
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12627.31	-53.41	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.60	-79.59	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.43	-80.25	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2688.74	-74.88	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.22	-80.36	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.37	-80.54	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-78.35	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.72	-80.47	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.61	-80.73	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.52	-80.66	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.00	-72.79	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.64	-79.70	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.20	-79.07	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.80	-78.28	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.40	-78.98	-50	PASS
Band7	5	21425	1	#0	QPSK	2110	1	2135.83	-79.58	-50	PASS

						MHz-2200 MHz	MHz				
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.80	-80.81	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.91	-80.60	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-50.14	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2592.48	-51.16	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.58	-78.08	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.40	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-58.92	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	921.53	-70.00	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2466.15	-59.44	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2774.40	-59.03	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12650.06	-53.42	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.22	-79.53	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.85	-80.22	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2633.65	-77.71	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.29	-80.27	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.73	-80.53	-50	PASS
Band7	20	20850	1	#0	QPSK	3510	1	3587.92	-78.40	-50	PASS

						MHz-3590 MHz	MHz				
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.50	-80.53	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.00	-80.68	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.59	-80.61	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.92	-76.97	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.64	-79.74	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.50	-79.07	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3589.40	-78.31	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.80	-79.12	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.84	-79.57	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.98	-80.80	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.49	-80.67	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.33	-51.21	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.28	-51.14	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2615.85	-77.41	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.09	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30	10	0.16	-59.88	-36	PASS

						MHz	kHz				
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	835.88	-69.80	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-32.76	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2756.33	-59.21	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12661.44	-53.54	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2155.90	-79.56	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.53	-80.10	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.84	-75.90	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.43	-80.35	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.26	-80.44	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-78.35	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.81	-80.51	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.27	-80.66	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.04	-80.57	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.58	-80.10	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.07	-79.72	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.70	-79.06	-50	PASS

						MHz					
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-78.27	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.60	-79.05	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.73	-79.59	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.74	-80.83	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.70	-80.63	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.83	-51.19	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.76	-51.10	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2616.85	-78.18	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.31	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-60.49	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	800.76	-69.83	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-32.65	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2760.38	-59.17	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.13	-53.51	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.88	-79.55	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.70	-80.20	-50	PASS

Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2687.62	-75.08	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-80.50	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.91	-80.52	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-78.35	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.73	-80.49	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.93	-80.64	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.29	-80.61	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.64	-65.23	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.65	-79.72	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.80	-79.04	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-78.27	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.80	-78.99	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.46	-79.55	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.42	-80.81	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.95	-80.61	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.82	-51.17	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575	5	2592.84	-51.10	-15.5	PASS

						MHz-2595 MHz	MHz				
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.08	-78.17	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.78	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.91	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.12	-49.99	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.32	-51.06	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1463.00	-63.42	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1760.10	-50.45	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12647.40	-60.36	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.34	-83.69	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.70	-84.34	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.82	-81.93	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.88	-84.46	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.83	-84.54	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-82.47	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.72	-84.62	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.32	-84.83	-50	PASS

						MHz					
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.46	-84.75	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.68	-73.34	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.93	-83.74	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.45	-82.34	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.60	-83.26	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-82.43	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3634.40	-83.17	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2159.32	-83.67	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.18	-84.82	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	768.63	-84.72	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.70	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.12	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.91	-50.56	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-51.55	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1364.00	-63.43	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1794.30	-54.97	-30	PASS

						MHz					
Band8	1.4	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12659.55	-60.49	-30	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.20	-83.64	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.13	-84.33	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.90	-81.88	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.29	-82.52	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.64	-84.52	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3579.92	-82.51	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.32	-84.53	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.24	-84.80	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.85	-84.73	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.72	-79.77	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.42	-83.81	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.35	-82.35	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.90	-83.24	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-82.40	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600	1	3613.20	-83.20	-50	PASS

						MHz-3800 MHz	MHz				
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.59	-83.65	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.52	-84.91	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.18	-84.64	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.44	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.09	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.80	-49.16	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-54.99	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1461.00	-63.30	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1827.60	-44.09	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12597.45	-60.40	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2161.78	-83.64	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1826.15	-76.00	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.24	-81.89	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.16	-82.91	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.59	-84.55	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.32	-82.37	-50	PASS

Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.13	-84.55	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.51	-84.83	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1483.37	-84.74	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.68	-78.43	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.38	-83.89	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.50	-82.37	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.20	-83.23	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-82.36	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3627.40	-83.19	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.38	-83.66	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.36	-84.88	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	772.71	-84.67	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.36	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.21	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	869.75	-70.82	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	897.52	-69.13	-36	PASS
Band8	5	21475	1	#0	QPSK	1000	1	1478.00	-63.40	-30	PASS

						MHz-1500 MHz	MHz				
Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1761.00	-49.91	-30	PASS
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12608.93	-60.33	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.36	-83.64	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.63	-84.29	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.33	-81.90	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.82	-84.22	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.03	-84.55	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-82.42	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.18	-84.57	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.60	-84.81	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.22	-84.64	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.38	-81.74	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.26	-83.76	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.15	-82.27	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.30	-83.21	-50	PASS

Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-82.41	-50	PASS
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3637.40	-83.15	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.81	-83.65	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.22	-84.87	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.67	-84.67	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.16	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.62	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	885.00	-68.39	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.52	-69.55	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1469.50	-63.36	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1790.70	-53.51	-30	PASS
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12660.23	-60.44	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2115.52	-83.62	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.73	-84.27	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2630.71	-75.75	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	940.68	-79.42	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821	1	792.68	-84.52	-50	PASS

						MHz	MHz				
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3575.12	-82.57	-50	PASS
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.09	-84.57	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.84	-84.76	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.90	-84.70	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.96	-80.37	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.48	-83.78	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.30	-81.43	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.70	-83.21	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.20	-82.49	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.40	-83.16	-50	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.17	-83.67	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.92	-84.84	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	769.44	-84.68	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.34	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.77	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.57	-67.08	-36	PASS

Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	925.23	-72.29	-36	PASS
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1392.50	-63.38	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1820.40	-53.30	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12650.10	-60.43	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.70	-83.62	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1818.95	-83.44	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.32	-81.88	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	955.77	-76.21	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.22	-84.54	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-82.39	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	783.25	-84.58	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.49	-84.76	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1474.44	-84.74	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.98	-83.40	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.20	-83.77	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.10	-82.31	-50	PASS

						MHz					
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.60	-83.16	-50	PASS
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-82.39	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.00	-83.20	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.61	-83.58	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.30	-84.88	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.10	-84.60	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.56	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.74	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	860.16	-71.06	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	906.24	-70.95	-36	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1341.50	-63.34	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1761.00	-49.03	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12599.48	-60.50	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.24	-83.61	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.83	-84.22	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2674.32	-82.08	-50	PASS

						MHz					
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.14	-81.42	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.65	-84.52	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-82.44	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.87	-84.56	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.40	-84.79	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.04	-84.71	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.64	-77.85	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.58	-83.74	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.50	-82.35	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.80	-83.24	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-82.38	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.60	-83.05	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.84	-83.68	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.64	-84.87	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.59	-84.74	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.28	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30	10	0.16	-62.30	-36	PASS

						MHz	kHz				
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.47	-45.36	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	918.16	-71.96	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1445.50	-63.26	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1786.20	-51.40	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12628.50	-60.48	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.82	-83.63	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.73	-84.35	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.69	-81.87	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.21	-77.05	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.85	-84.59	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3556.24	-82.74	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.00	-84.53	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.09	-84.80	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.73	-84.72	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.84	-78.01	-50	PASS
Band8	10	21625	1	#0	QPSK	2010	1	2011.53	-83.83	-50	PASS


						MHz-2025 MHz	MHz				
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.15	-81.99	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.90	-83.20	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3420.20	-82.56	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.60	-83.18	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.51	-83.65	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.84	-84.86	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.22	-84.71	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.75	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.00	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	887.94	-44.14	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	934.20	-72.40	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1476.50	-63.36	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1811.40	-46.00	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12595.43	-60.39	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2150.56	-83.62	-50	PASS
Band8	10	21750	1	#0	QPSK	1805	1	1808.98	-83.10	-50	PASS

						MHz-1880 MHz	MHz				
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.01	-81.82	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	952.55	-73.84	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.52	-84.56	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.72	-82.43	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.79	-84.59	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.44	-84.79	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1453.72	-84.72	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.90	-83.96	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.20	-83.80	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.20	-82.35	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.80	-83.16	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.60	-82.40	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.80	-83.18	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.17	-83.62	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.56	-84.89	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783	1	768.90	-84.73	-50	PASS

						MHz	MHz				
--	--	--	--	--	--	-----	-----	--	--	--	--


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0


Conducted spurious emissions



Conducted spurious emissions




Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions



Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-50.83	-39	PASS
Band1	5	18300	25	#0	QPSK	-49.67	-39	PASS
Band1	5	18575	25	#0	QPSK	-50.13	-39	PASS
Band1	20	18100	100	#0	QPSK	-49.70	-39	PASS
Band1	20	18300	100	#0	QPSK	-49.04	-39	PASS
Band1	20	18500	100	#0	QPSK	-49.96	-39	PASS
Band20	5	24175	25	#0	QPSK	-51.55	-39	PASS
Band20	5	24300	25	#0	QPSK	-51.90	-39	PASS
Band20	5	24425	25	#0	QPSK	-51.68	-39	PASS
Band20	20	24250	100	#0	QPSK	-49.51	-39	PASS
Band20	20	24300	100	#0	QPSK	-51.39	-39	PASS
Band20	20	24350	100	#0	QPSK	-51.42	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-50.67	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-50.91	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-50.41	-39	PASS
Band3	5	19225	25	#0	QPSK	-50.29	-39	PASS
Band3	5	19575	25	#0	QPSK	-50.69	-39	PASS
Band3	5	19925	25	#0	QPSK	-50.41	-39	PASS
Band3	20	19300	100	#0	QPSK	-49.64	-39	PASS
Band3	20	19575	100	#0	QPSK	-50.22	-39	PASS
Band3	20	19850	100	#0	QPSK	-49.75	-39	PASS

Band7	5	20775	25	#0	QPSK	-50.72	-39	PASS
Band7	5	21100	25	#0	QPSK	-51.13	-39	PASS
Band7	5	21425	25	#0	QPSK	-50.83	-39	PASS
Band7	20	20850	100	#0	QPSK	-50.56	-39	PASS
Band7	20	21100	100	#0	QPSK	-50.34	-39	PASS
Band7	20	21350	100	#0	QPSK	-50.79	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-51.72	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-51.75	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-51.95	-39	PASS
Band8	5	21475	25	#0	QPSK	-51.02	-39	PASS
Band8	5	21625	25	#0	QPSK	-51.23	-39	PASS
Band8	5	21775	25	#0	QPSK	-51.50	-39	PASS
Band8	10	21500	50	#0	QPSK	-50.57	-39	PASS
Band8	10	21625	50	#0	QPSK	-50.80	-39	PASS
Band8	10	21750	50	#0	QPSK	-51.02	-39	PASS

Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS

Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS

Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS

Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS

Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS
-------	----	-------	----	------	-------	----------	-----	--------	----	------

Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	99.88	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	99.88	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference 1 Freq (MHz)	Interference 1 Level (dBm)	Interference 2 Freq (MHz)	Interference 2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band2	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS

0											
Band2 0	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS


Clause 4.2.10 LTE Receiver spurious emissions

Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	80.05	-91.02	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2112.33	-74.43	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-90.90	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	2147.58	-72.15	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-90.66	-57	PASS
Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2155.42	-71.22	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	802.41	-80.84	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	4806.02	-76.14	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000	100	802.22	-80.70	-57	PASS

				MHz	kHz				
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2532.40	-75.74	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	814.15	-80.83	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	4865.75	-75.08	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-85.82	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1822.50	-77.05	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-86.24	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1849.92	-76.96	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	79.96	-86.58	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1862.65	-76.58	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	32.04	-82.45	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2634.23	-73.52	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	32.04	-81.87	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2662.63	-75.55	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	32.04	-81.63	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2672.42	-75.41	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	934.04	-85.60	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	2438.40	-80.41	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	946.84	-85.18	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	2436.44	-81.63	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	951.02	-83.55	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	12678.52	-81.72	-47	PASS


Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	54.12	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	40.80	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	38.68	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	45.26	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	45.55	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	54.60	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	54.17	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	45.58	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	45.30	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	40.76	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	42.96	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	54.35	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	50.87	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	41.58	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	40.85	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	41.42	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	42.20	32.2	PASS

Band1	5	18025	25	#0	QPSK	U-ACLR2+	51.11	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2-	53.28	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	42.74	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR-	40.60	29.2	PASS
Band1	5	18025	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR+	45.17	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR+	45.42	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	53.61	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	53.28	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	45.68	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR-	45.42	29.2	PASS
Band1	5	18025	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR+	42.87	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR+	44.80	32.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2+	53.49	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	50.67	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	42.42	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR-	41.61	29.2	PASS
Band1	5	18025	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR+	41.92	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR+	42.67	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	50.90	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	53.68	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	42.74	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	40.53	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	46.79	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	47.12	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	54.06	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	53.79	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	47.43	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	47.05	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	38.93	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	41.16	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	53.87	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	50.81	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	42.91	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	42.23	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	42.14	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	42.86	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	50.80	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	52.25	35.2	PASS

Band1	5	18300	8	#0	QAM16	U-ACLR1-	43.71	32.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR-	41.82	29.2	PASS
Band1	5	18300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR+	45.15	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR+	45.44	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	52.57	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	52.31	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	46.33	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR-	45.99	29.2	PASS
Band1	5	18300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR+	40.73	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR+	42.83	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	52.55	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	51.44	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1-	41.99	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR-	41.16	29.2	PASS
Band1	5	18300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR+	41.07	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR+	41.87	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	51.44	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	53.91	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	46.60	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	44.04	29.2	PASS
Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	44.37	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	44.61	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	54.29	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	53.99	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	45.78	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	45.53	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	43.23	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	45.59	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.16	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	51.27	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	46.27	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	45.32	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	44.43	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	45.41	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	51.56	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	52.99	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	47.03	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR-	45.21	29.2	PASS

Band1	5	18575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR+	44.79	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR+	45.03	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	53.28	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	53.00	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	46.23	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR-	45.93	29.2	PASS
Band1	5	18575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR+	44.50	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR+	46.54	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	53.20	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	51.30	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	45.77	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR-	44.97	29.2	PASS
Band1	5	18575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR+	43.81	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR+	44.70	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	51.48	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	53.26	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	41.63	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	41.02	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	44.56	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR+	49.59	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	48.37	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	49.51	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	50.38	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	45.62	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	45.24	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	46.30	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	53.73	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	47.04	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	45.52	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	42.55	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	42.77	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	45.78	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	47.21	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	52.32	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	42.57	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR-	41.69	29.2	PASS
Band1	10	18050	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR+	44.70	29.2	PASS

Band1	10	18050	12	#0	QAM16	U-ACLR+	49.60	32.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2+	48.52	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	49.47	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	50.11	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR-	45.57	29.2	PASS
Band1	10	18050	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR+	44.69	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR+	45.97	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	52.78	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	47.26	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	45.05	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR-	42.27	29.2	PASS
Band1	10	18050	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR+	42.40	29.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR+	45.23	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	47.30	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	52.75	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	43.48	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	42.66	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	45.40	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	49.99	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	49.22	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	50.09	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	50.41	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	46.13	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	40.69	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	41.28	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	53.19	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	46.33	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	45.36	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	42.13	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	41.93	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	45.39	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	45.92	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	51.78	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	44.00	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR-	42.85	29.2	PASS
Band1	10	18300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR+	45.48	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR+	49.85	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	49.54	35.2	PASS

Band1	10	18300	12	#Max	QAM16	U-ACLR2-	49.76	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1-	50.32	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR-	45.96	29.2	PASS
Band1	10	18300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR+	41.21	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR+	42.07	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	52.27	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	46.55	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1-	43.61	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR-	41.08	29.2	PASS
Band1	10	18300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR+	40.79	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR+	43.32	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	46.22	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	53.43	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	46.41	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	45.23	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	44.55	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	49.61	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	48.38	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	49.67	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	50.60	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR-	45.84	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	44.88	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	45.93	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	54.04	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	48.86	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	47.22	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	44.34	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	43.89	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	46.55	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	48.89	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	52.59	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	46.03	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR-	44.72	29.2	PASS
Band1	10	18550	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR+	44.74	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR+	49.56	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	48.60	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	49.68	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	50.43	32.2	PASS

Band1	10	18550	12	#Max	QAM16	E-ACLR-	45.86	29.2	PASS
Band1	10	18550	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR+	44.88	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR+	46.08	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	53.08	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	48.14	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	45.94	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR-	43.18	29.2	PASS
Band1	10	18550	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR+	43.04	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR+	45.57	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	48.36	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	52.08	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	43.13	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	42.45	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	42.32	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	53.23	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	50.97	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	51.63	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	52.70	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	45.11	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR+	44.16	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	45.81	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	52.71	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	48.77	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	47.51	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	42.58	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	41.54	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	46.41	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	47.99	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	51.13	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	43.09	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR-	42.16	29.2	PASS
Band1	20	18100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR+	42.34	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR+	52.26	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	50.97	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	50.79	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	51.64	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR-	44.44	29.2	PASS
Band1	20	18100	18	#Max	QAM16	EUTRA	0.00	0	PASS

Band1	20	18100	18	#Max	QAM16	E-ACLR+	43.47	29.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR+	45.56	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	51.78	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	48.11	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	47.32	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR-	42.17	29.2	PASS
Band1	20	18100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR+	41.11	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR+	45.98	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	46.99	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	51.79	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	45.28	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	43.75	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	43.49	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	52.99	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	51.71	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	51.39	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	52.44	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	44.55	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	41.52	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	41.71	32.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2+	52.67	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	47.90	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	46.80	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	41.26	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	40.83	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	46.80	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	47.50	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	50.79	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	45.39	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR-	43.17	29.2	PASS
Band1	20	18300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR+	43.37	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR+	52.01	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	51.37	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	50.64	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	51.43	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR-	43.97	29.2	PASS
Band1	20	18300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR+	41.79	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR+	42.33	32.2	PASS

Band1	20	18300	18	#Max	QAM16	U-ACLR2+	51.78	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2-	46.86	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	45.59	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR-	40.79	29.2	PASS
Band1	20	18300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR+	40.13	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR+	45.36	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	46.31	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	52.22	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	42.08	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	41.51	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	44.54	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	53.64	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	52.37	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	51.45	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	53.00	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	43.98	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	44.41	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	45.91	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	53.19	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	48.15	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	47.63	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	41.43	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	42.65	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	47.56	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	48.92	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	51.24	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1-	42.15	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR-	41.48	29.2	PASS
Band1	20	18500	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR+	44.24	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR+	52.63	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	52.02	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	50.86	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	52.05	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR-	43.69	29.2	PASS
Band1	20	18500	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR+	43.78	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR+	45.62	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	52.33	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	46.41	35.2	PASS

Band1	20	18500	100	#0	QAM16	U-ACLR1-	45.93	32.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR-	40.34	29.2	PASS
Band1	20	18500	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR+	41.68	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR+	46.26	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	47.53	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	53.80	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	39.27	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	36.53	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	47.54	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	48.00	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.07	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	53.82	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	47.65	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	47.14	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	41.09	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	42.78	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	53.11	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	52.23	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	41.53	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	40.53	29.2	PASS
Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	40.89	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	41.84	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	49.27	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	52.87	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	41.10	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR-	38.47	29.2	PASS
Band20	5	24175	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR+	47.42	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR+	47.89	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	53.07	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	52.57	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	47.92	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR-	47.43	29.2	PASS
Band20	5	24175	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR+	41.12	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR+	43.20	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	52.27	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	52.55	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	42.08	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR-	41.04	29.2	PASS

Band20	5	24175	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR+	41.79	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR+	42.63	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	49.08	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	53.01	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	36.65	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	33.28	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	47.79	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	48.22	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	53.65	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	53.29	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	47.24	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	46.80	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	38.41	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	41.46	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	53.01	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	47.45	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	36.60	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	35.83	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	37.41	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR+	38.37	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	49.32	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2-	52.06	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1-	37.97	32.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR-	35.05	29.2	PASS
Band20	5	24300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR+	47.69	29.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR+	48.14	32.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2+	52.52	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2-	52.24	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1-	47.18	32.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR-	46.75	29.2	PASS
Band20	5	24300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR+	40.05	29.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR+	42.65	32.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2+	52.13	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2-	47.83	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1-	37.28	32.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR-	36.54	29.2	PASS
Band20	5	24300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR+	39.00	29.2	PASS

Band20	5	24300	25	#0	QAM16	U-ACLR+	39.89	32.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2+	49.50	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	52.95	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	38.61	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	35.73	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	46.67	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	47.05	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	53.50	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	53.19	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	46.49	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	46.10	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	38.01	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	40.92	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	53.15	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	47.22	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	37.32	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	36.58	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	39.04	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	39.91	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	50.94	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	52.09	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	40.48	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR-	37.94	29.2	PASS
Band20	5	24425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR+	46.48	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR+	46.83	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	52.46	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	52.10	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	46.68	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR-	46.27	29.2	PASS
Band20	5	24425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR+	40.81	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR+	43.21	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	52.20	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	47.47	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	37.36	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR-	36.65	29.2	PASS
Band20	5	24425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR+	40.40	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR+	41.24	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	51.28	35.2	PASS

Band20	10	24200	12	#0	QPSK	U-ACLR2-	52.87	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	40.57	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	39.92	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	46.76	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	51.03	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	50.73	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	52.57	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	51.48	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	47.97	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	41.09	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	41.81	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	52.57	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	50.35	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	41.93	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	40.72	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	37.97	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	40.42	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	43.68	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	51.99	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	41.36	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR-	40.60	29.2	PASS
Band20	10	24200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR+	46.34	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR+	50.61	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	50.23	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	51.70	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	50.95	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR-	47.35	29.2	PASS
Band20	10	24200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR+	40.66	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR+	41.47	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	51.96	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	51.26	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	42.38	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR-	41.30	29.2	PASS
Band20	10	24200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR+	37.61	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR+	39.53	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	44.56	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	52.25	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	36.28	32.2	PASS

Band20	10	24300	12	#0	QPSK	E-ACLR-	35.73	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	46.58	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	50.91	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	50.44	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	50.14	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	50.21	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	46.08	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	41.89	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	42.73	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	52.57	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	42.63	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	37.65	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	35.81	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	37.78	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	39.06	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	46.57	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	51.47	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	37.79	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR-	37.13	29.2	PASS
Band20	10	24300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR+	46.33	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR+	50.52	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	50.33	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	49.70	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	50.06	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR-	45.79	29.2	PASS
Band20	10	24300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR+	42.13	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR+	43.09	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	51.92	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	42.86	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	37.94	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR-	36.04	29.2	PASS
Band20	10	24300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR+	39.09	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR+	40.54	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	47.02	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	51.95	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	42.69	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	41.76	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS

Band20	10	24400	12	#0	QPSK	E-ACLR+	46.65	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	50.74	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	50.98	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	49.58	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	50.45	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	45.91	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	39.68	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	40.33	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.09	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	43.54	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	43.37	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	39.81	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	42.79	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	44.40	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	49.95	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	51.40	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	42.48	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR-	41.52	29.2	PASS
Band20	10	24400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR+	46.57	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR+	50.56	32.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2+	50.77	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	49.33	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	50.10	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR-	45.65	29.2	PASS
Band20	10	24400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR+	41.02	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR+	41.84	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	52.22	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	43.78	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	41.12	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR-	38.51	29.2	PASS
Band20	10	24400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR+	41.77	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR+	43.27	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	49.67	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	51.99	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	43.36	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	42.50	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	44.69	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	53.01	32.2	PASS

Band20	20	24250	18	#0	QPSK	U-ACLR2+	52.34	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	52.30	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	52.57	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	46.33	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	42.34	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	43.34	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	51.73	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	49.80	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	43.10	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	41.22	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	39.34	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	42.72	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	45.53	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	50.88	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	43.19	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR-	42.01	29.2	PASS
Band20	20	24250	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR+	44.06	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR+	51.84	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	51.60	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	51.29	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	51.50	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR-	45.27	29.2	PASS
Band20	20	24250	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR+	42.03	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR+	43.32	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	50.97	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	50.22	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1-	42.35	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR-	40.97	29.2	PASS
Band20	20	24250	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR+	39.60	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR+	42.94	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	45.97	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	50.56	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	43.03	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	41.88	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	45.74	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	52.98	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	52.58	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	51.65	35.2	PASS

Band20	20	24300	18	#Max	QPSK	U-ACLR1-	52.56	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	45.84	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	41.35	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	41.91	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	51.05	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	44.28	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	41.99	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	38.88	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	40.09	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	43.26	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	46.24	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	49.92	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1-	42.70	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR-	41.56	29.2	PASS
Band20	20	24300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR+	45.02	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR+	52.10	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	51.88	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	50.81	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	51.61	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR-	44.96	29.2	PASS
Band20	20	24300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR+	41.35	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR+	41.94	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	50.61	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	43.82	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	42.10	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR-	38.71	29.2	PASS
Band20	20	24300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR+	40.18	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR+	43.58	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	46.12	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	50.42	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	35.65	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	37.18	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	46.65	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	53.12	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.25	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	51.28	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	52.24	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	44.73	29.2	PASS

Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	41.01	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	40.00	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	52.55	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	42.51	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	41.31	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	36.69	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	39.74	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	41.84	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	46.68	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	49.79	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	36.66	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR-	37.88	29.2	PASS
Band20	20	24350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR+	45.60	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR+	52.10	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	52.24	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	50.47	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	51.20	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR-	44.03	29.2	PASS
Band20	20	24350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR+	41.65	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR+	41.76	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	51.59	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	43.00	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	41.10	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR-	37.00	29.2	PASS
Band20	20	24350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR+	40.12	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR+	42.30	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	46.83	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	40.57	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	34.18	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	36.41	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	43.15	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	43.85	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	37.08	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	33.15	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	40.05	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	42.39	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	39.00	29.2	PASS

Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	38.87	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	42.60	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	42.61	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR-	36.42	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR+	39.23	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR+	45.16	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	46.19	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR-	40.84	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR+	37.93	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR+	43.51	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	46.20	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR-	43.97	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR+	43.36	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR+	46.07	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	47.11	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	41.94	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	43.81	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	48.66	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	48.94	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	43.93	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	41.12	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	46.55	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	47.69	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	44.67	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	44.30	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	47.66	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	47.60	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR-	42.46	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR+	44.47	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR+	48.98	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	49.26	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR-	45.01	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR+	42.07	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR+	47.21	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	48.66	32.2	PASS

Band3	1.4	19575	6	#0	QAM16	E-ACLR-	45.95	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR+	45.97	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR+	48.43	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	46.09	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	39.75	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	43.06	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	48.56	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	48.45	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	42.62	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	39.69	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	46.07	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	47.12	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	43.06	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	42.78	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	46.87	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	47.92	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR-	42.79	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR+	45.54	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR+	49.08	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	49.27	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR-	46.11	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR+	42.41	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR+	47.57	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	47.89	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR-	44.38	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR+	43.51	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR+	47.37	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	53.29	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	40.02	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	37.45	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	46.41	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	46.75	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	53.82	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	53.55	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	47.10	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	46.77	29.2	PASS

Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	35.91	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	38.81	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	53.52	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	50.62	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	40.39	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	39.55	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	38.98	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	39.81	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	50.88	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	52.37	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	43.13	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR-	40.44	29.2	PASS
Band3	5	19225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR+	46.55	29.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR+	46.89	32.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2+	52.77	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	52.49	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	47.48	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR-	47.11	29.2	PASS
Band3	5	19225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR+	40.00	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR+	42.66	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	52.68	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	51.97	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	42.91	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR-	42.04	29.2	PASS
Band3	5	19225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR+	41.64	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR+	42.48	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	51.89	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	53.47	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	44.28	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	41.19	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	45.45	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	45.72	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	53.52	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	46.47	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	46.16	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	41.10	29.2	PASS

Band3	5	19575	8	#Max	QPSK	U-ACLR+	44.28	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	53.71	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.69	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	42.88	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	41.92	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	42.01	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	42.98	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.79	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	52.49	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	45.44	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR-	42.60	29.2	PASS
Band3	5	19575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR+	45.67	29.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR+	45.96	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	52.80	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2-	52.44	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1-	46.68	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR-	46.34	29.2	PASS
Band3	5	19575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR+	42.54	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR+	45.48	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	52.75	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	52.13	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	43.49	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR-	42.55	29.2	PASS
Band3	5	19575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR+	42.53	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR+	43.44	32.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2+	52.05	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	53.07	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	42.80	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	39.48	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	46.01	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	46.31	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	53.53	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	53.22	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	46.39	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	46.09	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	39.04	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	42.42	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	53.51	35.2	PASS

Band3	5	19925	25	#0	QPSK	U-ACLR2-	51.30	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	41.14	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	40.17	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	40.11	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	41.04	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	51.82	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	52.12	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	45.12	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR-	41.81	29.2	PASS
Band3	5	19925	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR+	45.60	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR+	45.88	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	52.55	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2-	52.14	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	46.08	32.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR-	45.76	29.2	PASS
Band3	5	19925	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR+	41.60	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR+	44.77	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	52.52	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	51.61	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	42.03	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR-	41.15	29.2	PASS
Band3	5	19925	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR+	40.74	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR+	41.61	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	52.37	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	52.84	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	39.08	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	38.49	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	44.76	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	49.51	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	48.65	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	49.95	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	50.76	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	46.16	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	39.18	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	39.82	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.34	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	45.47	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	41.07	32.2	PASS

Band3	10	19250	50	#0	QPSK	E-ACLR-	39.08	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	38.13	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	39.92	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	45.03	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	51.89	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	41.37	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR-	40.52	29.2	PASS
Band3	10	19250	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR+	44.86	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR+	49.57	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	48.73	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	49.75	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	50.39	32.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR-	45.96	29.2	PASS
Band3	10	19250	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR+	41.06	29.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR+	42.02	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	52.49	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	46.97	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	42.42	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR-	40.46	29.2	PASS
Band3	10	19250	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR+	39.76	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR+	41.49	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	46.99	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	52.90	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	42.41	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	41.51	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	44.71	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	49.65	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	48.40	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	49.39	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	50.28	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	45.59	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	41.84	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	42.79	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.45	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	47.86	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	42.54	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	40.70	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS

Band3	10	19575	50	#0	QPSK	E-ACLR+	40.96	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	42.84	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	48.10	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	51.99	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	43.83	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR-	42.61	29.2	PASS
Band3	10	19575	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR+	44.88	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR+	49.60	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	48.84	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	49.04	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	50.16	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR-	45.35	29.2	PASS
Band3	10	19575	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR+	42.45	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR+	43.68	32.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2+	52.56	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2-	48.81	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	43.24	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR-	41.45	29.2	PASS
Band3	10	19575	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR+	41.64	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR+	43.38	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	49.04	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	52.57	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	42.40	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	41.51	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	45.85	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	50.21	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	50.04	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	48.33	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	49.41	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	44.53	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	41.16	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	42.01	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	53.34	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	47.40	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	41.59	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	39.87	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	41.25	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	42.88	32.2	PASS

Band3	10	19900	50	#0	QPSK	U-ACLR2+	48.98	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	51.73	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	43.81	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR-	42.61	29.2	PASS
Band3	10	19900	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR+	45.44	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR+	49.75	32.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2+	49.64	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	48.42	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	49.38	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR-	44.65	29.2	PASS
Band3	10	19900	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR+	42.14	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR+	43.25	32.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2+	52.42	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	48.44	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1-	42.00	32.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR-	40.44	29.2	PASS
Band3	10	19900	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR+	41.44	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR+	42.95	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	49.66	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	51.77	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	39.69	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	40.57	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	44.02	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	53.19	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	52.02	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	51.78	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	52.74	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	45.20	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	41.70	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	41.00	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	52.84	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	46.29	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	44.45	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	39.93	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	39.21	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	43.23	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	45.25	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	50.83	35.2	PASS

Band3	20	19300	18	#0	QAM16	U-ACLR1-	41.36	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR-	41.55	29.2	PASS
Band3	20	19300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR+	43.75	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR+	52.19	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	51.67	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	50.86	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	51.65	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR-	44.50	29.2	PASS
Band3	20	19300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR+	42.54	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR+	42.86	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	51.93	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	47.61	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR1-	46.09	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR-	41.29	29.2	PASS
Band3	20	19300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR+	41.03	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR+	45.51	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	47.02	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	51.83	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	42.56	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	42.63	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	43.08	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	53.21	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	51.46	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	51.51	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	52.71	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	44.52	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	43.12	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	43.09	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	52.76	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	45.39	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	43.47	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	39.29	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	39.91	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	43.63	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	46.22	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	50.90	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	44.33	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR-	43.13	29.2	PASS

Band3	20	19575	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR+	43.03	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR+	52.16	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	51.37	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	50.78	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	51.71	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR-	44.08	29.2	PASS
Band3	20	19575	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR+	43.37	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR+	44.06	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	51.91	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	45.95	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	44.39	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR-	40.03	29.2	PASS
Band3	20	19575	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR+	40.53	29.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR+	44.39	32.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2+	46.47	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.63	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	44.04	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	43.49	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	46.64	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	53.26	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	53.05	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	50.92	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	52.26	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	43.87	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	42.39	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	41.90	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	52.97	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	45.75	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	43.96	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	39.92	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	42.61	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	45.69	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	49.09	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	50.59	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	44.68	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR-	43.21	29.2	PASS
Band3	20	19850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR+	45.69	29.2	PASS

Band3	20	19850	18	#0	QAM16	U-ACLR+	52.22	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	52.25	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	50.33	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	51.32	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR-	43.60	29.2	PASS
Band3	20	19850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR+	42.82	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR+	43.18	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	52.00	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	46.68	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	44.77	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR-	40.77	29.2	PASS
Band3	20	19850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR+	43.18	29.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR+	46.17	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	49.63	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	54.17	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	37.03	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	34.20	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	45.42	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	45.71	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	55.00	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	53.97	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	46.34	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	46.04	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	36.84	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	39.14	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	54.08	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	51.04	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	39.69	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	38.80	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	37.78	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	38.64	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	50.36	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	53.01	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	40.27	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR-	37.90	29.2	PASS
Band7	5	20775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR+	45.83	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR+	46.10	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	53.50	35.2	PASS

Band7	5	20775	8	#Max	QAM16	U-ACLR2-	53.07	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	46.47	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR-	46.17	29.2	PASS
Band7	5	20775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR+	39.07	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR+	40.91	32.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2+	53.24	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	51.46	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	41.41	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR-	40.49	29.2	PASS
Band7	5	20775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR+	39.39	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR+	40.24	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	50.85	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	53.41	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	39.85	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	37.21	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	44.37	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	44.60	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	53.99	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	53.72	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	45.73	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	45.44	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	37.21	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	39.77	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	53.79	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	51.17	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	41.11	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	40.22	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	38.98	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	39.81	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	50.54	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2-	52.53	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	40.84	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR-	38.61	29.2	PASS
Band7	5	21100	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR+	44.61	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR+	44.86	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	52.94	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	52.61	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	46.00	32.2	PASS

Band7	5	21100	8	#Max	QAM16	E-ACLR-	45.71	29.2	PASS
Band7	5	21100	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR+	38.54	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR+	40.83	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	52.84	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	51.90	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1-	42.07	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR-	41.11	29.2	PASS
Band7	5	21100	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR+	39.85	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR+	40.70	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	51.22	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	53.29	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	36.97	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	33.76	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	45.08	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	45.34	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	54.21	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	53.89	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	44.98	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	44.75	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	32.93	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	36.38	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	51.09	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	37.55	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	36.57	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	36.64	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	37.65	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	51.46	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	52.57	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1-	39.56	32.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR-	36.83	29.2	PASS
Band7	5	21425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR+	45.38	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR+	45.63	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	53.18	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	52.82	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	45.69	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR-	45.40	29.2	PASS
Band7	5	21425	8	#Max	QAM16	EUTRA	0.00	0	PASS

Band7	5	21425	8	#Max	QAM16	E-ACLR+	36.83	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR+	39.66	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	53.02	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	51.25	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	39.28	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR-	38.35	29.2	PASS
Band7	5	21425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR+	38.25	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR+	39.21	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	51.55	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	52.48	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	37.40	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	36.80	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	45.80	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	50.50	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	49.81	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	49.16	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	50.04	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	45.27	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	38.87	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	39.53	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	52.78	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	45.39	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	40.12	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	38.38	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	38.76	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	40.59	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	45.29	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	51.86	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1-	39.61	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR-	38.88	29.2	PASS
Band7	10	20800	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR+	45.80	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR+	50.42	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	49.76	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	49.33	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	49.96	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR-	45.41	29.2	PASS
Band7	10	20800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR+	40.36	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR+	41.27	32.2	PASS

Band7	10	20800	12	#Max	QAM16	U-ACLR2+	52.17	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	46.85	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	41.95	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR-	40.09	29.2	PASS
Band7	10	20800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR+	40.15	29.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR+	42.23	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	46.31	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	51.58	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	38.94	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	38.19	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	43.64	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	48.44	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	47.63	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	49.41	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	50.33	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	45.61	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	39.36	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	40.00	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.11	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	46.86	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	41.79	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	40.03	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	38.63	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	40.36	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	45.65	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	51.11	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	40.92	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR-	39.96	29.2	PASS
Band7	10	21100	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR+	43.91	29.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR+	48.56	32.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2+	48.13	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	49.41	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	50.42	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR-	45.69	29.2	PASS
Band7	10	21100	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR+	40.44	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR+	41.43	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	52.23	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	47.74	35.2	PASS

Band7	10	21100	50	#0	QAM16	U-ACLR1-	42.92	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR-	41.05	29.2	PASS
Band7	10	21100	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR+	39.67	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR+	41.48	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	46.53	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	50.82	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	36.88	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	36.18	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	44.26	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	48.86	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	48.52	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	48.25	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	49.44	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	44.52	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	35.88	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	36.45	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.51	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	45.26	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	38.40	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	36.96	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	36.88	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	38.03	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	46.59	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	50.52	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	38.85	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR-	37.96	29.2	PASS
Band7	10	21400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR+	44.43	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR+	48.95	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	48.66	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2-	48.57	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1-	49.73	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR-	44.88	29.2	PASS
Band7	10	21400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR+	38.37	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR+	39.06	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	52.61	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	46.43	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	39.49	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR-	38.09	29.2	PASS

Band7	10	21400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR+	37.84	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR+	38.99	32.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2+	47.32	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	52.51	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	38.28	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	39.70	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	44.36	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	54.10	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	52.65	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	50.73	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	52.98	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	42.96	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	39.36	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	37.57	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	52.81	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	43.08	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	40.63	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	37.32	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	37.65	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	41.85	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	43.60	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	51.51	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	39.74	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR-	40.73	29.2	PASS
Band7	20	20850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR+	44.13	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR+	53.08	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	52.26	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	50.38	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	51.91	32.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR-	42.99	29.2	PASS
Band7	20	20850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR+	40.91	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR+	39.86	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	52.02	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	45.22	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	43.17	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR-	39.47	29.2	PASS
Band7	20	20850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR+	39.31	29.2	PASS

Band7	20	20850	100	#0	QAM16	U-ACLR+	44.38	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	45.44	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	52.04	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	38.18	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	39.94	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	43.04	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	53.65	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	51.74	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	51.43	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	53.00	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	43.84	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	41.71	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	40.98	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	53.33	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	45.29	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	43.38	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	39.29	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	38.77	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	42.34	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	45.10	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	51.08	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	40.20	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR-	40.99	29.2	PASS
Band7	20	21100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR+	43.19	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR+	52.59	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	51.58	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	50.77	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	52.07	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR-	43.63	29.2	PASS
Band7	20	21100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR+	42.42	29.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR+	42.82	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	52.43	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	47.02	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	45.59	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR-	40.95	29.2	PASS
Band7	20	21100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR+	40.34	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR+	44.32	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	46.74	35.2	PASS

Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.59	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	35.50	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	37.57	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	43.94	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	53.68	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	52.04	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	50.59	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	53.17	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	42.74	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	39.06	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	36.97	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	53.55	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	39.50	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	37.93	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	34.16	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	35.75	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	38.13	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	42.09	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	50.78	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	37.75	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR-	39.34	29.2	PASS
Band7	20	21350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR+	43.94	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR+	52.65	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	51.88	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	50.29	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	52.12	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR-	42.72	29.2	PASS
Band7	20	21350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR+	40.89	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR+	39.68	32.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2+	52.70	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2-	41.59	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	39.95	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR-	36.14	29.2	PASS
Band7	20	21350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR+	37.47	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR+	39.93	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	43.94	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	47.55	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	39.69	29.2	PASS

Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	42.84	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	50.32	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	50.66	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	43.41	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	38.93	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	46.89	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	48.02	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	42.98	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	42.49	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	48.06	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	48.75	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR-	41.55	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR+	45.38	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR+	50.63	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	50.89	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR-	45.94	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR+	41.17	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR+	48.45	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	49.07	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR-	44.90	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR+	43.95	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR+	48.58	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	47.00	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	39.24	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	43.18	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	50.17	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	50.15	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	43.14	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	38.97	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	47.03	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	46.95	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	41.40	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	41.36	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	46.94	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	47.93	32.2	PASS

Band8	1.4	21625	5	#0	QAM16	E-ACLR-	40.93	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR+	44.10	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR+	50.33	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	50.37	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR-	44.66	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR+	40.49	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR+	47.59	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	48.48	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR-	44.49	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR+	44.30	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR+	48.24	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	46.27	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	41.35	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	43.89	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	48.93	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	48.13	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	43.13	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	40.35	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	46.40	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	47.85	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	45.13	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	45.06	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	48.44	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	49.07	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR-	46.17	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR+	48.38	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR+	50.35	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	49.91	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR-	48.98	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR+	46.63	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR+	49.75	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	50.08	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR-	48.52	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR+	49.28	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR+	51.07	32.2	PASS

Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.54	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	44.32	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	41.06	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	46.44	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	46.77	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	53.82	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	53.26	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	47.78	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	47.44	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	42.92	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	46.35	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	53.38	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.33	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	44.45	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	43.44	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	43.13	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	44.06	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	52.20	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	52.16	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	47.42	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR-	44.03	29.2	PASS
Band8	5	21475	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR+	46.64	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR+	47.00	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	52.40	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	52.32	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	47.83	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR-	47.45	29.2	PASS
Band8	5	21475	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR+	45.11	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR+	48.08	32.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2+	52.40	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2-	53.18	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	46.78	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR-	45.67	29.2	PASS
Band8	5	21475	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR+	45.25	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR+	46.21	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	53.02	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.02	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	42.49	32.2	PASS

Band8	5	21625	8	#0	QPSK	E-ACLR-	39.13	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	47.15	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	47.48	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	53.49	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	53.19	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	47.84	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	47.48	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	43.08	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	46.34	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.30	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	52.03	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	42.69	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	41.84	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	42.66	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	43.67	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	52.11	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	52.12	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	44.33	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR-	41.12	29.2	PASS
Band8	5	21625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR+	47.09	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR+	47.46	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	52.54	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	52.20	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	47.80	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR-	47.41	29.2	PASS
Band8	5	21625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR+	44.35	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR+	47.44	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	52.35	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	52.84	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1-	44.39	32.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR-	43.44	29.2	PASS
Band8	5	21625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR+	43.66	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR+	44.68	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	52.89	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	52.95	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	42.81	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	39.21	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS


Band8	5	21775	8	#0	QPSK	E-ACLR+	48.11	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	48.49	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	53.50	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.10	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	46.65	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	46.34	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	42.39	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	45.17	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	53.40	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.46	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	41.37	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	40.59	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	45.88	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	47.12	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	52.53	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	52.00	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	45.57	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR-	42.17	29.2	PASS
Band8	5	21775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR+	47.86	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR+	48.27	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	52.49	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	52.11	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	46.82	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR-	46.47	29.2	PASS
Band8	5	21775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR+	46.00	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR+	48.51	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	52.49	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	52.35	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	42.98	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR-	42.25	29.2	PASS
Band8	5	21775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR+	47.26	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR+	48.48	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	53.36	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	44.97	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	43.77	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	45.61	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	50.19	32.2	PASS

Band8	10	21500	12	#0	QPSK	U-ACLR2+	49.55	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	52.45	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	51.82	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	48.20	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	40.53	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	41.32	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	53.29	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.63	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	45.34	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	43.92	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	41.51	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	43.45	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	48.04	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	51.93	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1-	46.83	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR-	45.08	29.2	PASS
Band8	10	21500	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR+	45.44	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR+	49.93	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	49.33	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	51.50	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	50.86	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR-	47.27	29.2	PASS
Band8	10	21500	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR+	42.45	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR+	43.65	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	52.31	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	52.61	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	47.39	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR-	45.74	29.2	PASS
Band8	10	21500	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR+	43.41	29.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR+	45.32	32.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2+	50.10	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	52.70	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	39.61	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	38.90	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	46.04	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	50.49	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	49.91	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	49.55	35.2	PASS


Band8	10	21625	12	#Max	QPSK	U-ACLR1-	50.38	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	45.78	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	45.21	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	46.63	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	53.33	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	47.46	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	42.28	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	40.38	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	42.51	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	44.39	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	49.08	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	51.68	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	42.18	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR-	41.13	29.2	PASS
Band8	10	21625	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR+	45.87	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR+	50.12	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	49.93	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	49.28	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	50.31	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR-	45.62	29.2	PASS
Band8	10	21625	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR+	45.69	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR+	47.60	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	52.36	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	49.30	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	43.74	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR-	41.94	29.2	PASS
Band8	10	21625	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR+	43.59	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR+	45.42	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	50.15	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	52.72	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	42.90	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	41.98	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	48.93	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	52.14	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	53.51	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	49.61	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	50.18	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	45.73	29.2	PASS

Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	45.61	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	47.04	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	53.45	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	47.95	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	42.37	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	40.64	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	44.04	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	45.24	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	52.54	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	51.73	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	44.87	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR-	43.55	29.2	PASS
Band8	10	21750	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR+	48.14	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR+	51.48	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	52.52	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	49.33	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	49.84	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR-	45.50	29.2	PASS
Band8	10	21750	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR+	46.22	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR+	48.11	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	52.58	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	49.22	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	43.58	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR-	41.92	29.2	PASS
Band8	10	21750	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR+	44.99	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR+	46.18	32.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2+	53.33	35.2	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0



Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0



Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max



Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	99.77	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	99.89	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	100.00	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	99.78	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	99.78	95	PASS