

### Clause 4.2.2 LTE Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	22.96	20.3	25.7	PASS
Band1	5	18025	8	#0	QPSK	22.93	20.3	25.7	PASS
Band1	5	18025	25	#0	QPSK	21.78	20.3	25.7	PASS
Band1	5	18025	1	#0	QAM16	21.80	20.3	25.7	PASS
Band1	5	18025	8	#0	QAM16	21.95	20.3	25.7	PASS
Band1	5	18025	25	#0	QAM16	20.74	20.3	25.7	PASS
Band1	5	18300	1	#0	QPSK	22.72	20.3	25.7	PASS
Band1	5	18300	8	#0	QPSK	22.78	20.3	25.7	PASS
Band1	5	18300	25	#0	QPSK	21.91	20.3	25.7	PASS
Band1	5	18300	1	#0	QAM16	21.82	20.3	25.7	PASS
Band1	5	18300	8	#0	QAM16	21.99	20.3	25.7	PASS
Band1	5	18300	25	#0	QAM16	21.10	20.3	25.7	PASS
Band1	5	18575	1	#0	QPSK	22.84	20.3	25.7	PASS
Band1	5	18575	8	#0	QPSK	22.85	20.3	25.7	PASS
Band1	5	18575	25	#0	QPSK	21.85	20.3	25.7	PASS
Band1	5	18575	1	#0	QAM16	21.55	20.3	25.7	PASS
Band1	5	18575	8	#0	QAM16	22.10	20.3	25.7	PASS
Band1	5	18575	25	#0	QAM16	21.42	20.3	25.7	PASS
Band1	20	18100	1	#0	QPSK	23.13	20.3	25.7	PASS
Band1	20	18100	18	#0	QPSK	22.76	20.3	25.7	PASS
Band1	20	18100	100	#0	QPSK	21.73	20.3	25.7	PASS
Band1	20	18100	1	#0	QAM16	21.86	20.3	25.7	PASS
Band1	20	18100	18	#0	QAM16	21.97	20.3	25.7	PASS
Band1	20	18100	100	#0	QAM16	20.86	20.3	25.7	PASS
Band1	20	18300	1	#0	QPSK	22.91	20.3	25.7	PASS
Band1	20	18300	18	#0	QPSK	22.84	20.3	25.7	PASS
Band1	20	18300	100	#0	QPSK	21.90	20.3	25.7	PASS
Band1	20	18300	1	#0	QAM16	21.47	20.3	25.7	PASS
Band1	20	18300	18	#0	QAM16	21.99	20.3	25.7	PASS
Band1	20	18300	100	#0	QAM16	21.27	20.3	25.7	PASS
Band1	20	18500	1	#0	QPSK	23.01	20.3	25.7	PASS
Band1	20	18500	18	#0	QPSK	22.94	20.3	25.7	PASS
Band1	20	18500	100	#0	QPSK	21.98	20.3	25.7	PASS
Band1	20	18500	1	#0	QAM16	21.96	20.3	25.7	PASS
Band1	20	18500	18	#0	QAM16	22.22	20.3	25.7	PASS
Band1	20	18500	100	#0	QAM16	20.97	20.3	25.7	PASS
Band20	5	24175	1	#0	QPSK	22.46	18.8	25.7	PASS
Band20	5	24175	8	#0	QPSK	22.42	18.8	25.7	PASS
Band20	5	24175	25	#0	QPSK	21.53	20.3	25.7	PASS
Band20	5	24175	1	#0	QAM16	21.55	18.8	25.7	PASS

Band20	5	24175	8	#0	QAM16	21.43	18.8	25.7	PASS
Band20	5	24175	25	#0	QAM16	20.31	20.3	25.7	PASS
Band20	5	24300	1	#0	QPSK	22.45	20.3	25.7	PASS
Band20	5	24300	8	#0	QPSK	22.53	20.3	25.7	PASS
Band20	5	24300	25	#0	QPSK	21.40	20.3	25.7	PASS
Band20	5	24300	1	#0	QAM16	21.70	20.3	25.7	PASS
Band20	5	24300	8	#0	QAM16	21.82	20.3	25.7	PASS
Band20	5	24300	25	#0	QAM16	20.76	20.3	25.7	PASS
Band20	5	24425	1	#0	QPSK	22.56	20.3	25.7	PASS
Band20	5	24425	8	#0	QPSK	22.62	20.3	25.7	PASS
Band20	5	24425	25	#0	QPSK	21.64	20.3	25.7	PASS
Band20	5	24425	1	#0	QAM16	21.15	20.3	25.7	PASS
Band20	5	24425	8	#0	QAM16	21.78	20.3	25.7	PASS
Band20	5	24425	25	#0	QAM16	20.51	20.3	25.7	PASS
Band20	20	24250	1	#0	QPSK	22.46	18.8	25.7	PASS
Band20	20	24250	18	#0	QPSK	22.47	18.8	25.7	PASS
Band20	20	24250	100	#0	QPSK	21.88	20.3	25.7	PASS
Band20	20	24250	1	#0	QAM16	21.28	18.8	25.7	PASS
Band20	20	24250	18	#0	QAM16	21.35	18.8	25.7	PASS
Band20	20	24250	100	#0	QAM16	20.89	20.3	25.7	PASS
Band20	20	24300	1	#0	QPSK	22.46	20.3	25.7	PASS
Band20	20	24300	18	#0	QPSK	22.33	20.3	25.7	PASS
Band20	20	24300	100	#0	QPSK	21.45	20.3	25.7	PASS
Band20	20	24300	1	#0	QAM16	21.35	20.3	25.7	PASS
Band20	20	24300	18	#0	QAM16	21.53	20.3	25.7	PASS
Band20	20	24300	100	#0	QAM16	20.84	20.3	25.7	PASS
Band20	20	24350	1	#0	QPSK	22.64	20.3	25.7	PASS
Band20	20	24350	18	#0	QPSK	22.56	20.3	25.7	PASS
Band20	20	24350	100	#0	QPSK	21.46	20.3	25.7	PASS
Band20	20	24350	1	#0	QAM16	21.10	20.3	25.7	PASS
Band20	20	24350	18	#0	QAM16	21.80	20.3	25.7	PASS
Band20	20	24350	100	#0	QAM16	20.92	20.3	25.7	PASS
Band3	1.4	19207	1	#0	QPSK	23.01	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QPSK	22.93	18.8	25.7	PASS
Band3	1.4	19207	6	#0	QPSK	21.87	18.8	25.7	PASS
Band3	1.4	19207	1	#0	QAM16	22.26	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QAM16	22.11	18.8	25.7	PASS
Band3	1.4	19207	6	#0	QAM16	20.88	18.8	25.7	PASS
Band3	1.4	19575	1	#0	QPSK	22.95	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QPSK	22.94	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QPSK	22.00	20.3	25.7	PASS
Band3	1.4	19575	1	#0	QAM16	22.71	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QAM16	22.23	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QAM16	20.92	20.3	25.7	PASS

Band3	1.4	19943	1	#0	QPSK	22.82	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QPSK	22.89	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QPSK	21.85	18.8	25.7	PASS
Band3	1.4	19943	1	#0	QAM16	22.03	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QAM16	22.04	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QAM16	21.16	18.8	25.7	PASS
Band3	5	19225	1	#0	QPSK	22.84	18.8	25.7	PASS
Band3	5	19225	8	#0	QPSK	22.88	18.8	25.7	PASS
Band3	5	19225	25	#0	QPSK	21.91	20.3	25.7	PASS
Band3	5	19225	1	#0	QAM16	21.61	18.8	25.7	PASS
Band3	5	19225	8	#0	QAM16	22.12	18.8	25.7	PASS
Band3	5	19225	25	#0	QAM16	21.07	20.3	25.7	PASS
Band3	5	19575	1	#0	QPSK	22.95	20.3	25.7	PASS
Band3	5	19575	8	#0	QPSK	22.97	20.3	25.7	PASS
Band3	5	19575	25	#0	QPSK	21.88	20.3	25.7	PASS
Band3	5	19575	1	#0	QAM16	21.81	20.3	25.7	PASS
Band3	5	19575	8	#0	QAM16	22.11	20.3	25.7	PASS
Band3	5	19575	25	#0	QAM16	20.98	20.3	25.7	PASS
Band3	5	19925	1	#0	QPSK	22.84	20.3	25.7	PASS
Band3	5	19925	8	#0	QPSK	22.88	20.3	25.7	PASS
Band3	5	19925	25	#0	QPSK	21.98	20.3	25.7	PASS
Band3	5	19925	1	#0	QAM16	21.88	20.3	25.7	PASS
Band3	5	19925	8	#0	QAM16	22.05	20.3	25.7	PASS
Band3	5	19925	25	#0	QAM16	20.81	20.3	25.7	PASS
Band3	20	19300	1	#0	QPSK	23.05	18.8	25.7	PASS
Band3	20	19300	18	#0	QPSK	22.91	18.8	25.7	PASS
Band3	20	19300	100	#0	QPSK	21.96	20.3	25.7	PASS
Band3	20	19300	1	#0	QAM16	22.10	18.8	25.7	PASS
Band3	20	19300	18	#0	QAM16	21.94	18.8	25.7	PASS
Band3	20	19300	100	#0	QAM16	20.96	20.3	25.7	PASS
Band3	20	19575	1	#0	QPSK	23.03	20.3	25.7	PASS
Band3	20	19575	18	#0	QPSK	22.90	20.3	25.7	PASS
Band3	20	19575	100	#0	QPSK	21.85	20.3	25.7	PASS
Band3	20	19575	1	#0	QAM16	22.12	20.3	25.7	PASS
Band3	20	19575	18	#0	QAM16	22.07	20.3	25.7	PASS
Band3	20	19575	100	#0	QAM16	21.04	20.3	25.7	PASS
Band3	20	19850	1	#0	QPSK	23.25	20.3	25.7	PASS
Band3	20	19850	18	#0	QPSK	23.20	20.3	25.7	PASS
Band3	20	19850	100	#0	QPSK	22.09	20.3	25.7	PASS
Band3	20	19850	1	#0	QAM16	21.98	20.3	25.7	PASS
Band3	20	19850	18	#0	QAM16	22.23	20.3	25.7	PASS
Band3	20	19850	100	#0	QAM16	21.15	20.3	25.7	PASS
Band7	5	20775	1	#0	QPSK	22.60	18.8	25.7	PASS
Band7	5	20775	8	#0	QPSK	22.63	18.8	25.7	PASS

Band7	5	20775	25	#0	QPSK	21.65	20.3	25.7	PASS
Band7	5	20775	1	#0	QAM16	21.29	18.8	25.7	PASS
Band7	5	20775	8	#0	QAM16	21.87	18.8	25.7	PASS
Band7	5	20775	25	#0	QAM16	20.81	20.3	25.7	PASS
Band7	5	21100	1	#0	QPSK	22.52	20.3	25.7	PASS
Band7	5	21100	8	#0	QPSK	22.65	20.3	25.7	PASS
Band7	5	21100	25	#0	QPSK	21.65	20.3	25.7	PASS
Band7	5	21100	1	#0	QAM16	21.70	20.3	25.7	PASS
Band7	5	21100	8	#0	QAM16	21.84	20.3	25.7	PASS
Band7	5	21100	25	#0	QAM16	20.77	20.3	25.7	PASS
Band7	5	21425	1	#0	QPSK	22.60	20.3	25.7	PASS
Band7	5	21425	8	#0	QPSK	22.72	20.3	25.7	PASS
Band7	5	21425	25	#0	QPSK	21.83	20.3	25.7	PASS
Band7	5	21425	1	#0	QAM16	21.65	20.3	25.7	PASS
Band7	5	21425	8	#0	QAM16	21.96	20.3	25.7	PASS
Band7	5	21425	25	#0	QAM16	20.82	20.3	25.7	PASS
Band7	20	20850	1	#0	QPSK	22.59	18.8	25.7	PASS
Band7	20	20850	18	#0	QPSK	22.59	18.8	25.7	PASS
Band7	20	20850	100	#0	QPSK	21.53	20.3	25.7	PASS
Band7	20	20850	1	#0	QAM16	21.49	18.8	25.7	PASS
Band7	20	20850	18	#0	QAM16	21.67	18.8	25.7	PASS
Band7	20	20850	100	#0	QAM16	20.70	20.3	25.7	PASS
Band7	20	21100	1	#0	QPSK	22.93	20.3	25.7	PASS
Band7	20	21100	18	#0	QPSK	22.59	20.3	25.7	PASS
Band7	20	21100	100	#0	QPSK	21.60	20.3	25.7	PASS
Band7	20	21100	1	#0	QAM16	21.61	20.3	25.7	PASS
Band7	20	21100	18	#0	QAM16	21.64	20.3	25.7	PASS
Band7	20	21100	100	#0	QAM16	20.69	20.3	25.7	PASS
Band7	20	21350	1	#0	QPSK	22.96	20.3	25.7	PASS
Band7	20	21350	18	#0	QPSK	22.70	20.3	25.7	PASS
Band7	20	21350	100	#0	QPSK	21.85	20.3	25.7	PASS
Band7	20	21350	1	#0	QAM16	21.60	20.3	25.7	PASS
Band7	20	21350	18	#0	QAM16	21.82	20.3	25.7	PASS
Band7	20	21350	100	#0	QAM16	21.00	20.3	25.7	PASS
Band8	1.4	21457	1	#0	QPSK	22.68	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QPSK	22.54	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QPSK	21.49	18.8	25.7	PASS
Band8	1.4	21457	1	#0	QAM16	21.95	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QAM16	21.63	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QAM16	21.04	18.8	25.7	PASS
Band8	1.4	21625	1	#0	QPSK	22.53	20.3	25.7	PASS
Band8	1.4	21625	5	#0	QPSK	22.57	20.3	25.7	PASS
Band8	1.4	21625	6	#0	QPSK	21.60	20.3	25.7	PASS
Band8	1.4	21625	1	#0	QAM16	22.23	20.3	25.7	PASS



Band8	1.4	21625	5	#0	QAM16	21.88	20.3	25.7	PASS
Band8	1.4	21625	6	#0	QAM16	20.59	20.3	25.7	PASS
Band8	1.4	21793	1	#0	QPSK	22.50	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QPSK	22.46	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QPSK	21.45	18.8	25.7	PASS
Band8	1.4	21793	1	#0	QAM16	21.68	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QAM16	21.51	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QAM16	21.18	18.8	25.7	PASS
Band8	5	21475	1	#0	QPSK	22.51	18.8	25.7	PASS
Band8	5	21475	8	#0	QPSK	22.47	18.8	25.7	PASS
Band8	5	21475	25	#0	QPSK	21.47	20.3	25.7	PASS
Band8	5	21475	1	#0	QAM16	21.12	18.8	25.7	PASS
Band8	5	21475	8	#0	QAM16	21.71	18.8	25.7	PASS
Band8	5	21475	25	#0	QAM16	21.11	20.3	25.7	PASS
Band8	5	21625	1	#0	QPSK	22.66	20.3	25.7	PASS
Band8	5	21625	8	#0	QPSK	22.65	20.3	25.7	PASS
Band8	5	21625	25	#0	QPSK	21.51	20.3	25.7	PASS
Band8	5	21625	1	#0	QAM16	21.74	20.3	25.7	PASS
Band8	5	21625	8	#0	QAM16	21.62	20.3	25.7	PASS
Band8	5	21625	25	#0	QAM16	20.56	20.3	25.7	PASS
Band8	5	21775	1	#0	QPSK	22.40	20.3	25.7	PASS
Band8	5	21775	8	#0	QPSK	22.45	20.3	25.7	PASS
Band8	5	21775	25	#0	QPSK	21.48	20.3	25.7	PASS
Band8	5	21775	1	#0	QAM16	21.38	20.3	25.7	PASS
Band8	5	21775	8	#0	QAM16	21.55	20.3	25.7	PASS
Band8	5	21775	25	#0	QAM16	20.36	20.3	25.7	PASS
Band8	10	21500	1	#0	QPSK	22.58	18.8	25.7	PASS
Band8	10	21500	12	#0	QPSK	22.52	18.8	25.7	PASS
Band8	10	21500	50	#0	QPSK	21.50	20.3	25.7	PASS
Band8	10	21500	1	#0	QAM16	21.51	18.8	25.7	PASS
Band8	10	21500	12	#0	QAM16	21.53	18.8	25.7	PASS
Band8	10	21500	50	#0	QAM16	21.09	20.3	25.7	PASS
Band8	10	21625	1	#0	QPSK	22.73	20.3	25.7	PASS
Band8	10	21625	12	#0	QPSK	22.62	20.3	25.7	PASS
Band8	10	21625	50	#0	QPSK	21.60	20.3	25.7	PASS
Band8	10	21625	1	#0	QAM16	21.61	20.3	25.7	PASS
Band8	10	21625	12	#0	QAM16	21.58	20.3	25.7	PASS
Band8	10	21625	50	#0	QAM16	20.67	20.3	25.7	PASS
Band8	10	21750	1	#0	QPSK	22.54	20.3	25.7	PASS
Band8	10	21750	12	#0	QPSK	22.58	20.3	25.7	PASS
Band8	10	21750	50	#0	QPSK	21.45	20.3	25.7	PASS
Band8	10	21750	1	#0	QAM16	21.04	20.3	25.7	PASS
Band8	10	21750	12	#0	QAM16	22.06	20.3	25.7	PASS
Band8	10	21750	50	#0	QAM16	20.53	20.3	25.7	PASS

### Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	14.27	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	20.73	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	24.68	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	12.84	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	28.02	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	23.15	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	25.14	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	13.17	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	29.62	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	23.20	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.98	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	12.79	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	13.98	PASS
Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	20.11	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	24.67	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	12.95	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	21.45	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	19.90	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	24.46	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	12.43	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	22.58	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	18.49	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	24.21	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	12.39	PASS
Band1	5	18025	8	#0	QAM16	-1MHz-0MHz	17.40	PASS
Band1	5	18025	8	#0	QAM16	-5MHz--1MHz	22.64	PASS
Band1	5	18025	8	#0	QAM16	-6MHz--5MHz	24.78	PASS
Band1	5	18025	8	#0	QAM16	-10MHz--6MHz	12.83	PASS
Band1	5	18025	8	#0	QAM16	0MHz-1MHz	29.05	PASS
Band1	5	18025	8	#0	QAM16	1MHz-5MHz	24.33	PASS
Band1	5	18025	8	#0	QAM16	5MHz-6MHz	25.28	PASS
Band1	5	18025	8	#0	QAM16	6MHz-10MHz	13.15	PASS
Band1	5	18025	8	#Max	QAM16	-1MHz-0MHz	31.01	PASS
Band1	5	18025	8	#Max	QAM16	-5MHz--1MHz	24.46	PASS
Band1	5	18025	8	#Max	QAM16	-6MHz--5MHz	25.20	PASS
Band1	5	18025	8	#Max	QAM16	-10MHz--6MHz	12.88	PASS
Band1	5	18025	8	#Max	QAM16	0MHz-1MHz	17.58	PASS
Band1	5	18025	8	#Max	QAM16	1MHz-5MHz	22.96	PASS
Band1	5	18025	8	#Max	QAM16	5MHz-6MHz	24.88	PASS
Band1	5	18025	8	#Max	QAM16	6MHz-10MHz	13.12	PASS
Band1	5	18025	25	#0	QAM16	-1MHz-0MHz	23.26	PASS

Band1	5	18025	25	#0	QAM16	-5MHz--1MHz	22.70	PASS
Band1	5	18025	25	#0	QAM16	-6MHz--5MHz	26.03	PASS
Band1	5	18025	25	#0	QAM16	-10MHz--6MHz	14.12	PASS
Band1	5	18025	25	#0	QAM16	0MHz-1MHz	24.76	PASS
Band1	5	18025	25	#0	QAM16	1MHz-5MHz	21.33	PASS
Band1	5	18025	25	#0	QAM16	5MHz-6MHz	25.62	PASS
Band1	5	18025	25	#0	QAM16	6MHz-10MHz	13.92	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	18.87	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	22.29	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	24.63	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	12.64	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	29.56	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	24.24	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	25.11	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	13.09	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	28.52	PASS
Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	22.80	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	24.93	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	12.72	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	17.03	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	23.47	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	24.73	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	12.96	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	23.92	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	22.97	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	24.27	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	12.03	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	23.05	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	22.76	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	24.43	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	12.39	PASS
Band1	5	18300	8	#0	QAM16	-1MHz-0MHz	19.39	PASS
Band1	5	18300	8	#0	QAM16	-5MHz--1MHz	23.20	PASS
Band1	5	18300	8	#0	QAM16	-6MHz--5MHz	24.68	PASS
Band1	5	18300	8	#0	QAM16	-10MHz--6MHz	12.64	PASS
Band1	5	18300	8	#0	QAM16	0MHz-1MHz	30.36	PASS
Band1	5	18300	8	#0	QAM16	1MHz-5MHz	25.27	PASS
Band1	5	18300	8	#0	QAM16	5MHz-6MHz	25.16	PASS
Band1	5	18300	8	#0	QAM16	6MHz-10MHz	13.12	PASS
Band1	5	18300	8	#Max	QAM16	-1MHz-0MHz	29.58	PASS
Band1	5	18300	8	#Max	QAM16	-5MHz--1MHz	23.94	PASS
Band1	5	18300	8	#Max	QAM16	-6MHz--5MHz	24.97	PASS
Band1	5	18300	8	#Max	QAM16	-10MHz--6MHz	12.65	PASS
Band1	5	18300	8	#Max	QAM16	0MHz-1MHz	20.42	PASS

Band1	5	18300	8	#Max	QAM16	1MHz-5MHz	24.24	PASS
Band1	5	18300	8	#Max	QAM16	5MHz-6MHz	24.82	PASS
Band1	5	18300	8	#Max	QAM16	6MHz-10MHz	12.93	PASS
Band1	5	18300	25	#0	QAM16	-1MHz-0MHz	22.86	PASS
Band1	5	18300	25	#0	QAM16	-5MHz--1MHz	23.33	PASS
Band1	5	18300	25	#0	QAM16	-6MHz--5MHz	24.11	PASS
Band1	5	18300	25	#0	QAM16	-10MHz--6MHz	12.10	PASS
Band1	5	18300	25	#0	QAM16	0MHz-1MHz	24.28	PASS
Band1	5	18300	25	#0	QAM16	1MHz-5MHz	22.80	PASS
Band1	5	18300	25	#0	QAM16	5MHz-6MHz	24.21	PASS
Band1	5	18300	25	#0	QAM16	6MHz-10MHz	12.38	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	12.14	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	19.90	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	25.14	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	13.25	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	29.81	PASS
Band1	5	18575	8	#0	QPSK	1MHz-5MHz	25.05	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	25.73	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	13.61	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	28.86	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	23.73	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	25.56	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	13.31	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	11.55	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	19.05	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	25.11	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	13.51	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	21.10	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	17.18	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	24.71	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	12.67	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	20.72	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	16.85	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	24.66	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	12.82	PASS
Band1	5	18575	8	#0	QAM16	-1MHz-0MHz	17.51	PASS
Band1	5	18575	8	#0	QAM16	-5MHz--1MHz	22.43	PASS
Band1	5	18575	8	#0	QAM16	-6MHz--5MHz	25.37	PASS
Band1	5	18575	8	#0	QAM16	-10MHz--6MHz	13.27	PASS
Band1	5	18575	8	#0	QAM16	0MHz-1MHz	29.59	PASS
Band1	5	18575	8	#0	QAM16	1MHz-5MHz	26.22	PASS
Band1	5	18575	8	#0	QAM16	5MHz-6MHz	25.67	PASS
Band1	5	18575	8	#0	QAM16	6MHz-10MHz	13.69	PASS
Band1	5	18575	8	#Max	QAM16	-1MHz-0MHz	29.53	PASS

Band1	5	18575	8	#Max	QAM16	-5MHz--1MHz	25.19	PASS
Band1	5	18575	8	#Max	QAM16	-6MHz--5MHz	25.50	PASS
Band1	5	18575	8	#Max	QAM16	-10MHz--6MHz	13.27	PASS
Band1	5	18575	8	#Max	QAM16	0MHz-1MHz	16.62	PASS
Band1	5	18575	8	#Max	QAM16	1MHz-5MHz	22.47	PASS
Band1	5	18575	8	#Max	QAM16	5MHz-6MHz	25.40	PASS
Band1	5	18575	8	#Max	QAM16	6MHz-10MHz	13.58	PASS
Band1	5	18575	25	#0	QAM16	-1MHz-0MHz	24.30	PASS
Band1	5	18575	25	#0	QAM16	-5MHz--1MHz	18.09	PASS
Band1	5	18575	25	#0	QAM16	-6MHz--5MHz	25.00	PASS
Band1	5	18575	25	#0	QAM16	-10MHz--6MHz	13.45	PASS
Band1	5	18575	25	#0	QAM16	0MHz-1MHz	22.63	PASS
Band1	5	18575	25	#0	QAM16	1MHz-5MHz	17.57	PASS
Band1	5	18575	25	#0	QAM16	5MHz-6MHz	25.00	PASS
Band1	5	18575	25	#0	QAM16	6MHz-10MHz	13.60	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	14.84	PASS
Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	18.77	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	23.92	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	11.18	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	30.88	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	25.44	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	22.12	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	13.13	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	31.98	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	25.51	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	22.25	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	11.38	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	12.46	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	17.00	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	23.95	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	12.99	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	24.22	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	21.01	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	21.14	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	11.16	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	21.56	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	19.26	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	19.32	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	12.41	PASS
Band1	10	18050	12	#0	QAM16	-1MHz-0MHz	16.21	PASS
Band1	10	18050	12	#0	QAM16	-5MHz--1MHz	20.98	PASS
Band1	10	18050	12	#0	QAM16	-10MHz--5MHz	24.36	PASS
Band1	10	18050	12	#0	QAM16	-15MHz--10MHz	11.36	PASS
Band1	10	18050	12	#0	QAM16	0MHz-1MHz	29.60	PASS

Band1	10	18050	12	#0	QAM16	1MHz-5MHz	26.23	PASS
Band1	10	18050	12	#0	QAM16	5MHz-10MHz	23.16	PASS
Band1	10	18050	12	#0	QAM16	10MHz-15MHz	13.15	PASS
Band1	10	18050	12	#Max	QAM16	-1MHz-0MHz	31.64	PASS
Band1	10	18050	12	#Max	QAM16	-5MHz--1MHz	26.56	PASS
Band1	10	18050	12	#Max	QAM16	-10MHz--5MHz	23.39	PASS
Band1	10	18050	12	#Max	QAM16	-15MHz--10MHz	11.32	PASS
Band1	10	18050	12	#Max	QAM16	0MHz-1MHz	15.93	PASS
Band1	10	18050	12	#Max	QAM16	1MHz-5MHz	19.99	PASS
Band1	10	18050	12	#Max	QAM16	5MHz-10MHz	24.63	PASS
Band1	10	18050	12	#Max	QAM16	10MHz-15MHz	13.05	PASS
Band1	10	18050	50	#0	QAM16	-1MHz-0MHz	24.57	PASS
Band1	10	18050	50	#0	QAM16	-5MHz--1MHz	21.35	PASS
Band1	10	18050	50	#0	QAM16	-10MHz--5MHz	21.71	PASS
Band1	10	18050	50	#0	QAM16	-15MHz--10MHz	11.24	PASS
Band1	10	18050	50	#0	QAM16	0MHz-1MHz	22.18	PASS
Band1	10	18050	50	#0	QAM16	1MHz-5MHz	19.53	PASS
Band1	10	18050	50	#0	QAM16	5MHz-10MHz	20.29	PASS
Band1	10	18050	50	#0	QAM16	10MHz-15MHz	12.13	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	17.45	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	19.47	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	23.89	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	11.28	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	30.67	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	26.07	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	22.98	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	13.08	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	30.46	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	24.43	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	21.31	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	11.20	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	16.83	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	20.77	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	24.42	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	12.85	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	24.16	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	23.35	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	21.94	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	11.00	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	24.28	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	23.37	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	22.16	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	12.70	PASS
Band1	10	18300	12	#0	QAM16	-1MHz-0MHz	17.83	PASS

Band1	10	18300	12	#0	QAM16	-5MHz--1MHz	22.34	PASS
Band1	10	18300	12	#0	QAM16	-10MHz--5MHz	24.26	PASS
Band1	10	18300	12	#0	QAM16	-15MHz--10MHz	11.26	PASS
Band1	10	18300	12	#0	QAM16	0MHz-1MHz	30.09	PASS
Band1	10	18300	12	#0	QAM16	1MHz-5MHz	26.89	PASS
Band1	10	18300	12	#0	QAM16	5MHz-10MHz	23.86	PASS
Band1	10	18300	12	#0	QAM16	10MHz-15MHz	13.01	PASS
Band1	10	18300	12	#Max	QAM16	-1MHz-0MHz	29.02	PASS
Band1	10	18300	12	#Max	QAM16	-5MHz--1MHz	25.66	PASS
Band1	10	18300	12	#Max	QAM16	-10MHz--5MHz	22.31	PASS
Band1	10	18300	12	#Max	QAM16	-15MHz--10MHz	11.27	PASS
Band1	10	18300	12	#Max	QAM16	0MHz-1MHz	18.78	PASS
Band1	10	18300	12	#Max	QAM16	1MHz-5MHz	23.29	PASS
Band1	10	18300	12	#Max	QAM16	5MHz-10MHz	24.85	PASS
Band1	10	18300	12	#Max	QAM16	10MHz-15MHz	12.92	PASS
Band1	10	18300	50	#0	QAM16	-1MHz-0MHz	23.10	PASS
Band1	10	18300	50	#0	QAM16	-5MHz--1MHz	23.45	PASS
Band1	10	18300	50	#0	QAM16	-10MHz--5MHz	22.35	PASS
Band1	10	18300	50	#0	QAM16	-15MHz--10MHz	11.01	PASS
Band1	10	18300	50	#0	QAM16	0MHz-1MHz	24.31	PASS
Band1	10	18300	50	#0	QAM16	1MHz-5MHz	23.25	PASS
Band1	10	18300	50	#0	QAM16	5MHz-10MHz	22.59	PASS
Band1	10	18300	50	#0	QAM16	10MHz-15MHz	12.61	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	13.56	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	18.57	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	24.14	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.72	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	29.99	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	26.69	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	23.59	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	13.66	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	30.52	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	25.47	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	22.36	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.74	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	13.24	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	16.93	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	24.87	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	13.51	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	24.01	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	20.21	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	20.29	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	11.60	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	23.63	PASS



Band1	10	18550	50	#0	QPSK	1MHz-5MHz	19.89	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	20.32	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	13.12	PASS
Band1	10	18550	12	#0	QAM16	-1MHz-0MHz	17.71	PASS
Band1	10	18550	12	#0	QAM16	-5MHz--1MHz	21.52	PASS
Band1	10	18550	12	#0	QAM16	-10MHz--5MHz	24.82	PASS
Band1	10	18550	12	#0	QAM16	-15MHz--10MHz	11.70	PASS
Band1	10	18550	12	#0	QAM16	0MHz-1MHz	31.74	PASS
Band1	10	18550	12	#0	QAM16	1MHz-5MHz	27.65	PASS
Band1	10	18550	12	#0	QAM16	5MHz-10MHz	24.51	PASS
Band1	10	18550	12	#0	QAM16	10MHz-15MHz	13.73	PASS
Band1	10	18550	12	#Max	QAM16	-1MHz-0MHz	31.52	PASS
Band1	10	18550	12	#Max	QAM16	-5MHz--1MHz	26.59	PASS
Band1	10	18550	12	#Max	QAM16	-10MHz--5MHz	23.33	PASS
Band1	10	18550	12	#Max	QAM16	-15MHz--10MHz	11.76	PASS
Band1	10	18550	12	#Max	QAM16	0MHz-1MHz	15.92	PASS
Band1	10	18550	12	#Max	QAM16	1MHz-5MHz	19.89	PASS
Band1	10	18550	12	#Max	QAM16	5MHz-10MHz	25.06	PASS
Band1	10	18550	12	#Max	QAM16	10MHz-15MHz	13.59	PASS
Band1	10	18550	50	#0	QAM16	-1MHz-0MHz	23.70	PASS
Band1	10	18550	50	#0	QAM16	-5MHz--1MHz	21.35	PASS
Band1	10	18550	50	#0	QAM16	-10MHz--5MHz	22.11	PASS
Band1	10	18550	50	#0	QAM16	-15MHz--10MHz	12.41	PASS
Band1	10	18550	50	#0	QAM16	0MHz-1MHz	22.23	PASS
Band1	10	18550	50	#0	QAM16	1MHz-5MHz	20.96	PASS
Band1	10	18550	50	#0	QAM16	5MHz-10MHz	21.42	PASS
Band1	10	18550	50	#0	QAM16	10MHz-15MHz	14.04	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	13.75	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	17.84	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	23.07	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	13.46	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	29.44	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	27.96	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	22.65	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	13.30	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	29.93	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	27.41	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	22.62	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	13.55	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	14.62	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	18.01	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	23.83	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	13.27	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	25.12	PASS



Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	23.10	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	21.16	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	13.40	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	23.32	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	22.48	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	20.54	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	12.84	PASS
Band1	20	18100	18	#0	QAM16	-1MHz-0MHz	16.50	PASS
Band1	20	18100	18	#0	QAM16	-5MHz--1MHz	20.14	PASS
Band1	20	18100	18	#0	QAM16	-20MHz--5MHz	23.16	PASS
Band1	20	18100	18	#0	QAM16	-25MHz--20MHz	13.50	PASS
Band1	20	18100	18	#0	QAM16	0MHz-1MHz	30.39	PASS
Band1	20	18100	18	#0	QAM16	1MHz-5MHz	27.92	PASS
Band1	20	18100	18	#0	QAM16	5MHz-20MHz	23.41	PASS
Band1	20	18100	18	#0	QAM16	20MHz-25MHz	13.35	PASS
Band1	20	18100	18	#Max	QAM16	-1MHz-0MHz	30.72	PASS
Band1	20	18100	18	#Max	QAM16	-5MHz--1MHz	27.46	PASS
Band1	20	18100	18	#Max	QAM16	-20MHz--5MHz	23.20	PASS
Band1	20	18100	18	#Max	QAM16	-25MHz--20MHz	13.63	PASS
Band1	20	18100	18	#Max	QAM16	0MHz-1MHz	16.69	PASS
Band1	20	18100	18	#Max	QAM16	1MHz-5MHz	20.26	PASS
Band1	20	18100	18	#Max	QAM16	5MHz-20MHz	23.99	PASS
Band1	20	18100	18	#Max	QAM16	20MHz-25MHz	13.24	PASS
Band1	20	18100	100	#0	QAM16	-1MHz-0MHz	26.58	PASS
Band1	20	18100	100	#0	QAM16	-5MHz--1MHz	25.82	PASS
Band1	20	18100	100	#0	QAM16	-20MHz--5MHz	23.49	PASS
Band1	20	18100	100	#0	QAM16	-25MHz--20MHz	14.56	PASS
Band1	20	18100	100	#0	QAM16	0MHz-1MHz	25.22	PASS
Band1	20	18100	100	#0	QAM16	1MHz-5MHz	25.03	PASS
Band1	20	18100	100	#0	QAM16	5MHz-20MHz	23.01	PASS
Band1	20	18100	100	#0	QAM16	20MHz-25MHz	14.57	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	16.75	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	18.41	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	22.77	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	13.31	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	31.00	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	28.00	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	23.61	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	14.03	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	30.58	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	27.20	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	22.04	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	13.42	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	17.46	PASS

Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	20.64	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	23.66	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	13.88	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	26.32	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	24.18	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	21.34	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	13.04	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	26.05	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	24.46	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	22.33	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	13.60	PASS
Band1	20	18300	18	#0	QAM16	-1MHz-0MHz	18.15	PASS
Band1	20	18300	18	#0	QAM16	-5MHz--1MHz	20.48	PASS
Band1	20	18300	18	#0	QAM16	-20MHz--5MHz	22.94	PASS
Band1	20	18300	18	#0	QAM16	-25MHz--20MHz	13.36	PASS
Band1	20	18300	18	#0	QAM16	0MHz-1MHz	30.58	PASS
Band1	20	18300	18	#0	QAM16	1MHz-5MHz	27.92	PASS
Band1	20	18300	18	#0	QAM16	5MHz-20MHz	24.21	PASS
Band1	20	18300	18	#0	QAM16	20MHz-25MHz	14.03	PASS
Band1	20	18300	18	#Max	QAM16	-1MHz-0MHz	29.78	PASS
Band1	20	18300	18	#Max	QAM16	-5MHz--1MHz	27.19	PASS
Band1	20	18300	18	#Max	QAM16	-20MHz--5MHz	22.50	PASS
Band1	20	18300	18	#Max	QAM16	-25MHz--20MHz	13.41	PASS
Band1	20	18300	18	#Max	QAM16	0MHz-1MHz	17.37	PASS
Band1	20	18300	18	#Max	QAM16	1MHz-5MHz	22.66	PASS
Band1	20	18300	18	#Max	QAM16	5MHz-20MHz	23.91	PASS
Band1	20	18300	18	#Max	QAM16	20MHz-25MHz	13.80	PASS
Band1	20	18300	100	#0	QAM16	-1MHz-0MHz	26.94	PASS
Band1	20	18300	100	#0	QAM16	-5MHz--1MHz	24.52	PASS
Band1	20	18300	100	#0	QAM16	-20MHz--5MHz	21.63	PASS
Band1	20	18300	100	#0	QAM16	-25MHz--20MHz	13.06	PASS
Band1	20	18300	100	#0	QAM16	0MHz-1MHz	25.55	PASS
Band1	20	18300	100	#0	QAM16	1MHz-5MHz	24.63	PASS
Band1	20	18300	100	#0	QAM16	5MHz-20MHz	22.31	PASS
Band1	20	18300	100	#0	QAM16	20MHz-25MHz	13.57	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	18.79	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	20.32	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	23.57	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	25.14	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	25.78	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	24.05	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	13.78	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	25.20	PASS

Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	25.50	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	22.70	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	13.37	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	13.87	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	15.53	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	24.74	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	13.74	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	22.86	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	21.79	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	20.70	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	13.06	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	23.66	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	22.07	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	20.79	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	13.62	PASS
Band1	20	18500	18	#0	QAM16	-1MHz-0MHz	19.72	PASS
Band1	20	18500	18	#0	QAM16	-5MHz--1MHz	22.28	PASS
Band1	20	18500	18	#0	QAM16	-20MHz--5MHz	23.51	PASS
Band1	20	18500	18	#0	QAM16	-25MHz--20MHz	13.23	PASS
Band1	20	18500	18	#0	QAM16	0MHz-1MHz	25.28	PASS
Band1	20	18500	18	#0	QAM16	1MHz-5MHz	26.08	PASS
Band1	20	18500	18	#0	QAM16	5MHz-20MHz	24.55	PASS
Band1	20	18500	18	#0	QAM16	20MHz-25MHz	13.87	PASS
Band1	20	18500	18	#Max	QAM16	-1MHz-0MHz	26.49	PASS
Band1	20	18500	18	#Max	QAM16	-5MHz--1MHz	26.02	PASS
Band1	20	18500	18	#Max	QAM16	-20MHz--5MHz	23.28	PASS
Band1	20	18500	18	#Max	QAM16	-25MHz--20MHz	13.41	PASS
Band1	20	18500	18	#Max	QAM16	0MHz-1MHz	15.56	PASS
Band1	20	18500	18	#Max	QAM16	1MHz-5MHz	18.48	PASS
Band1	20	18500	18	#Max	QAM16	5MHz-20MHz	24.99	PASS
Band1	20	18500	18	#Max	QAM16	20MHz-25MHz	13.79	PASS
Band1	20	18500	100	#0	QAM16	-1MHz-0MHz	24.76	PASS
Band1	20	18500	100	#0	QAM16	-5MHz--1MHz	23.74	PASS
Band1	20	18500	100	#0	QAM16	-20MHz--5MHz	21.92	PASS
Band1	20	18500	100	#0	QAM16	-25MHz--20MHz	14.59	PASS
Band1	20	18500	100	#0	QAM16	0MHz-1MHz	23.36	PASS
Band1	20	18500	100	#0	QAM16	1MHz-5MHz	23.42	PASS
Band1	20	18500	100	#0	QAM16	5MHz-20MHz	21.84	PASS
Band1	20	18500	100	#0	QAM16	20MHz-25MHz	14.77	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	15.83	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	20.58	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	24.97	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	13.00	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	28.89	PASS

Band20	5	24175	8	#0	QPSK	1MHz-5MHz	24.54	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	25.37	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	13.31	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	29.06	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	25.60	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	25.38	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	13.10	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	15.75	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	19.36	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	24.28	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	12.76	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	21.07	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	17.06	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	24.28	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	12.96	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	21.75	PASS
Band20	5	24175	25	#0	QPSK	1MHz-5MHz	16.85	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	21.73	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	10.58	PASS
Band20	5	24175	8	#0	QAM16	-1MHz-0MHz	16.91	PASS
Band20	5	24175	8	#0	QAM16	-5MHz--1MHz	22.81	PASS
Band20	5	24175	8	#0	QAM16	-6MHz--5MHz	25.24	PASS
Band20	5	24175	8	#0	QAM16	-10MHz--6MHz	13.03	PASS
Band20	5	24175	8	#0	QAM16	0MHz-1MHz	30.35	PASS
Band20	5	24175	8	#0	QAM16	1MHz-5MHz	24.38	PASS
Band20	5	24175	8	#0	QAM16	5MHz-6MHz	25.41	PASS
Band20	5	24175	8	#0	QAM16	6MHz-10MHz	13.35	PASS
Band20	5	24175	8	#Max	QAM16	-1MHz-0MHz	30.08	PASS
Band20	5	24175	8	#Max	QAM16	-5MHz--1MHz	25.45	PASS
Band20	5	24175	8	#Max	QAM16	-6MHz--5MHz	25.43	PASS
Band20	5	24175	8	#Max	QAM16	-10MHz--6MHz	13.06	PASS
Band20	5	24175	8	#Max	QAM16	0MHz-1MHz	17.88	PASS
Band20	5	24175	8	#Max	QAM16	1MHz-5MHz	20.96	PASS
Band20	5	24175	8	#Max	QAM16	5MHz-6MHz	24.73	PASS
Band20	5	24175	8	#Max	QAM16	6MHz-10MHz	12.99	PASS
Band20	5	24175	25	#0	QAM16	-1MHz-0MHz	22.06	PASS
Band20	5	24175	25	#0	QAM16	-5MHz--1MHz	18.85	PASS
Band20	5	24175	25	#0	QAM16	-6MHz--5MHz	25.66	PASS
Band20	5	24175	25	#0	QAM16	-10MHz--6MHz	14.70	PASS
Band20	5	24175	25	#0	QAM16	0MHz-1MHz	21.71	PASS
Band20	5	24175	25	#0	QAM16	1MHz-5MHz	17.21	PASS
Band20	5	24175	25	#0	QAM16	5MHz-6MHz	22.70	PASS
Band20	5	24175	25	#0	QAM16	6MHz-10MHz	12.34	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	13.02	PASS

Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	15.96	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	24.54	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	12.80	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	29.87	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	25.68	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	25.31	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	13.26	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	27.33	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	24.40	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	25.05	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	12.97	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	15.71	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	19.33	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	24.69	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	12.96	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	20.89	PASS
Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	16.09	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	21.53	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	9.66	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	21.63	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	17.00	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	22.77	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	10.99	PASS
Band20	5	24300	8	#0	QAM16	-1MHz-0MHz	12.91	PASS
Band20	5	24300	8	#0	QAM16	-5MHz--1MHz	16.74	PASS
Band20	5	24300	8	#0	QAM16	-6MHz--5MHz	24.60	PASS
Band20	5	24300	8	#0	QAM16	-10MHz--6MHz	12.87	PASS
Band20	5	24300	8	#0	QAM16	0MHz-1MHz	30.61	PASS
Band20	5	24300	8	#0	QAM16	1MHz-5MHz	25.22	PASS
Band20	5	24300	8	#0	QAM16	5MHz-6MHz	25.33	PASS
Band20	5	24300	8	#0	QAM16	6MHz-10MHz	13.32	PASS
Band20	5	24300	8	#Max	QAM16	-1MHz-0MHz	28.24	PASS
Band20	5	24300	8	#Max	QAM16	-5MHz--1MHz	24.22	PASS
Band20	5	24300	8	#Max	QAM16	-6MHz--5MHz	25.20	PASS
Band20	5	24300	8	#Max	QAM16	-10MHz--6MHz	12.89	PASS
Band20	5	24300	8	#Max	QAM16	0MHz-1MHz	18.24	PASS
Band20	5	24300	8	#Max	QAM16	1MHz-5MHz	20.82	PASS
Band20	5	24300	8	#Max	QAM16	5MHz-6MHz	24.75	PASS
Band20	5	24300	8	#Max	QAM16	6MHz-10MHz	13.17	PASS
Band20	5	24300	25	#0	QAM16	-1MHz-0MHz	19.62	PASS
Band20	5	24300	25	#0	QAM16	-5MHz--1MHz	16.21	PASS
Band20	5	24300	25	#0	QAM16	-6MHz--5MHz	21.74	PASS
Band20	5	24300	25	#0	QAM16	-10MHz--6MHz	10.79	PASS
Band20	5	24300	25	#0	QAM16	0MHz-1MHz	22.41	PASS

Band20	5	24300	25	#0	QAM16	1MHz-5MHz	17.14	PASS
Band20	5	24300	25	#0	QAM16	5MHz-6MHz	23.07	PASS
Band20	5	24300	25	#0	QAM16	6MHz-10MHz	11.97	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	12.57	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	17.35	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	24.58	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	12.77	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	31.23	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	25.60	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	25.26	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	13.30	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	27.79	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	24.25	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	25.08	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	12.85	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	20.08	PASS
Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	19.21	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	25.01	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	13.14	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	22.77	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	18.19	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	22.01	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	9.55	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	23.15	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	17.81	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	24.43	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	12.90	PASS
Band20	5	24425	8	#0	QAM16	-1MHz-0MHz	17.50	PASS
Band20	5	24425	8	#0	QAM16	-5MHz--1MHz	20.53	PASS
Band20	5	24425	8	#0	QAM16	-6MHz--5MHz	24.93	PASS
Band20	5	24425	8	#0	QAM16	-10MHz--6MHz	12.95	PASS
Band20	5	24425	8	#0	QAM16	0MHz-1MHz	31.28	PASS
Band20	5	24425	8	#0	QAM16	1MHz-5MHz	25.12	PASS
Band20	5	24425	8	#0	QAM16	5MHz-6MHz	25.24	PASS
Band20	5	24425	8	#0	QAM16	6MHz-10MHz	13.25	PASS
Band20	5	24425	8	#Max	QAM16	-1MHz-0MHz	28.34	PASS
Band20	5	24425	8	#Max	QAM16	-5MHz--1MHz	24.64	PASS
Band20	5	24425	8	#Max	QAM16	-6MHz--5MHz	25.13	PASS
Band20	5	24425	8	#Max	QAM16	-10MHz--6MHz	12.86	PASS
Band20	5	24425	8	#Max	QAM16	0MHz-1MHz	19.20	PASS
Band20	5	24425	8	#Max	QAM16	1MHz-5MHz	20.99	PASS
Band20	5	24425	8	#Max	QAM16	5MHz-6MHz	25.10	PASS
Band20	5	24425	8	#Max	QAM16	6MHz-10MHz	13.27	PASS
Band20	5	24425	25	#0	QAM16	-1MHz-0MHz	25.99	PASS

Band20	5	24425	25	#0	QAM16	-5MHz--1MHz	19.41	PASS
Band20	5	24425	25	#0	QAM16	-6MHz--5MHz	22.51	PASS
Band20	5	24425	25	#0	QAM16	-10MHz--6MHz	11.15	PASS
Band20	5	24425	25	#0	QAM16	0MHz-1MHz	24.35	PASS
Band20	5	24425	25	#0	QAM16	1MHz-5MHz	18.81	PASS
Band20	5	24425	25	#0	QAM16	5MHz-6MHz	25.96	PASS
Band20	5	24425	25	#0	QAM16	6MHz-10MHz	14.67	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	16.50	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	18.54	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	24.33	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	11.62	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	29.86	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	25.90	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	22.64	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	13.31	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	31.90	PASS
Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	27.21	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	24.02	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	11.46	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	13.53	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	19.38	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	24.28	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	13.22	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	22.30	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	19.45	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	20.68	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	11.53	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	20.64	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	21.18	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	20.79	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	11.92	PASS
Band20	10	24200	12	#0	QAM16	-1MHz-0MHz	16.57	PASS
Band20	10	24200	12	#0	QAM16	-5MHz--1MHz	20.12	PASS
Band20	10	24200	12	#0	QAM16	-10MHz--5MHz	24.68	PASS
Band20	10	24200	12	#0	QAM16	-15MHz--10MHz	11.67	PASS
Band20	10	24200	12	#0	QAM16	0MHz-1MHz	29.07	PASS
Band20	10	24200	12	#0	QAM16	1MHz-5MHz	25.37	PASS
Band20	10	24200	12	#0	QAM16	5MHz-10MHz	22.19	PASS
Band20	10	24200	12	#0	QAM16	10MHz-15MHz	13.36	PASS
Band20	10	24200	12	#Max	QAM16	-1MHz-0MHz	31.59	PASS
Band20	10	24200	12	#Max	QAM16	-5MHz--1MHz	26.84	PASS
Band20	10	24200	12	#Max	QAM16	-10MHz--5MHz	23.74	PASS
Band20	10	24200	12	#Max	QAM16	-15MHz--10MHz	11.55	PASS
Band20	10	24200	12	#Max	QAM16	0MHz-1MHz	15.17	PASS



Band20	10	24200	12	#Max	QAM16	1MHz-5MHz	20.18	PASS
Band20	10	24200	12	#Max	QAM16	5MHz-10MHz	24.48	PASS
Band20	10	24200	12	#Max	QAM16	10MHz-15MHz	13.23	PASS
Band20	10	24200	50	#0	QAM16	-1MHz-0MHz	22.82	PASS
Band20	10	24200	50	#0	QAM16	-5MHz--1MHz	20.18	PASS
Band20	10	24200	50	#0	QAM16	-10MHz--5MHz	21.51	PASS
Band20	10	24200	50	#0	QAM16	-15MHz--10MHz	12.56	PASS
Band20	10	24200	50	#0	QAM16	0MHz-1MHz	21.41	PASS
Band20	10	24200	50	#0	QAM16	1MHz-5MHz	21.49	PASS
Band20	10	24200	50	#0	QAM16	5MHz-10MHz	21.45	PASS
Band20	10	24200	50	#0	QAM16	10MHz-15MHz	12.66	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	13.77	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	14.59	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	23.82	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	11.56	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	31.80	PASS
Band20	10	24300	12	#0	QPSK	1MHz-5MHz	26.05	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	22.81	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	13.22	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	29.11	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	25.66	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	22.68	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	11.58	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	17.44	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	17.59	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	23.14	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	12.99	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	22.23	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	19.38	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	19.73	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	10.51	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	22.07	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	17.99	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	15.62	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	11.62	PASS
Band20	10	24300	12	#0	QAM16	-1MHz-0MHz	16.94	PASS
Band20	10	24300	12	#0	QAM16	-5MHz--1MHz	18.32	PASS
Band20	10	24300	12	#0	QAM16	-10MHz--5MHz	24.27	PASS
Band20	10	24300	12	#0	QAM16	-15MHz--10MHz	11.47	PASS
Band20	10	24300	12	#0	QAM16	0MHz-1MHz	31.57	PASS
Band20	10	24300	12	#0	QAM16	1MHz-5MHz	25.15	PASS
Band20	10	24300	12	#0	QAM16	5MHz-10MHz	21.99	PASS
Band20	10	24300	12	#0	QAM16	10MHz-15MHz	13.25	PASS
Band20	10	24300	12	#Max	QAM16	-1MHz-0MHz	28.33	PASS



Band20	10	24300	12	#Max	QAM16	-5MHz--1MHz	25.23	PASS
Band20	10	24300	12	#Max	QAM16	-10MHz--5MHz	21.96	PASS
Band20	10	24300	12	#Max	QAM16	-15MHz--10MHz	11.55	PASS
Band20	10	24300	12	#Max	QAM16	0MHz-1MHz	16.15	PASS
Band20	10	24300	12	#Max	QAM16	1MHz-5MHz	19.31	PASS
Band20	10	24300	12	#Max	QAM16	5MHz-10MHz	23.96	PASS
Band20	10	24300	12	#Max	QAM16	10MHz-15MHz	13.12	PASS
Band20	10	24300	50	#0	QAM16	-1MHz-0MHz	21.22	PASS
Band20	10	24300	50	#0	QAM16	-5MHz--1MHz	18.70	PASS
Band20	10	24300	50	#0	QAM16	-10MHz--5MHz	20.06	PASS
Band20	10	24300	50	#0	QAM16	-15MHz--10MHz	10.85	PASS
Band20	10	24300	50	#0	QAM16	0MHz-1MHz	21.42	PASS
Band20	10	24300	50	#0	QAM16	1MHz-5MHz	17.71	PASS
Band20	10	24300	50	#0	QAM16	5MHz-10MHz	16.17	PASS
Band20	10	24300	50	#0	QAM16	10MHz-15MHz	11.75	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	18.66	PASS
Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	19.61	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	24.09	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	11.47	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	31.16	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	26.65	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	24.20	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	13.33	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	29.87	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	26.11	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	22.72	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	11.37	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	18.63	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	18.89	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	24.84	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	13.16	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	26.18	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	23.06	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	22.32	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	10.80	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	24.48	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	20.12	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	21.43	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	13.19	PASS
Band20	10	24400	12	#0	QAM16	-1MHz-0MHz	19.73	PASS
Band20	10	24400	12	#0	QAM16	-5MHz--1MHz	20.62	PASS
Band20	10	24400	12	#0	QAM16	-10MHz--5MHz	24.33	PASS
Band20	10	24400	12	#0	QAM16	-15MHz--10MHz	11.44	PASS
Band20	10	24400	12	#0	QAM16	0MHz-1MHz	31.86	PASS

Band20	10	24400	12	#0	QAM16	1MHz-5MHz	26.52	PASS
Band20	10	24400	12	#0	QAM16	5MHz-10MHz	24.05	PASS
Band20	10	24400	12	#0	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24400	12	#Max	QAM16	-1MHz-0MHz	32.00	PASS
Band20	10	24400	12	#Max	QAM16	-5MHz--1MHz	25.66	PASS
Band20	10	24400	12	#Max	QAM16	-10MHz--5MHz	22.19	PASS
Band20	10	24400	12	#Max	QAM16	-15MHz--10MHz	11.46	PASS
Band20	10	24400	12	#Max	QAM16	0MHz-1MHz	19.67	PASS
Band20	10	24400	12	#Max	QAM16	1MHz-5MHz	20.10	PASS
Band20	10	24400	12	#Max	QAM16	5MHz-10MHz	25.01	PASS
Band20	10	24400	12	#Max	QAM16	10MHz-15MHz	13.21	PASS
Band20	10	24400	50	#0	QAM16	-1MHz-0MHz	25.46	PASS
Band20	10	24400	50	#0	QAM16	-5MHz--1MHz	23.21	PASS
Band20	10	24400	50	#0	QAM16	-10MHz--5MHz	22.37	PASS
Band20	10	24400	50	#0	QAM16	-15MHz--10MHz	11.55	PASS
Band20	10	24400	50	#0	QAM16	0MHz-1MHz	23.97	PASS
Band20	10	24400	50	#0	QAM16	1MHz-5MHz	20.75	PASS
Band20	10	24400	50	#0	QAM16	5MHz-10MHz	22.32	PASS
Band20	10	24400	50	#0	QAM16	10MHz-15MHz	14.16	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	14.93	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	17.03	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	23.44	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	13.56	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	30.15	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	28.05	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	23.59	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	13.42	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	29.78	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	27.60	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	23.54	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	13.63	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	17.40	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	17.84	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	22.21	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	13.21	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	24.38	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	21.72	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	21.75	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	13.48	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	20.25	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	18.34	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	15.84	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	13.30	PASS
Band20	20	24250	18	#0	QAM16	-1MHz-0MHz	15.32	PASS

Band20	20	24250	18	#0	QAM16	-5MHz--1MHz	18.14	PASS
Band20	20	24250	18	#0	QAM16	-20MHz--5MHz	23.43	PASS
Band20	20	24250	18	#0	QAM16	-25MHz--20MHz	13.51	PASS
Band20	20	24250	18	#0	QAM16	0MHz-1MHz	30.72	PASS
Band20	20	24250	18	#0	QAM16	1MHz-5MHz	28.21	PASS
Band20	20	24250	18	#0	QAM16	5MHz-20MHz	23.29	PASS
Band20	20	24250	18	#0	QAM16	20MHz-25MHz	13.39	PASS
Band20	20	24250	18	#Max	QAM16	-1MHz-0MHz	30.68	PASS
Band20	20	24250	18	#Max	QAM16	-5MHz--1MHz	27.69	PASS
Band20	20	24250	18	#Max	QAM16	-20MHz--5MHz	23.49	PASS
Band20	20	24250	18	#Max	QAM16	-25MHz--20MHz	13.63	PASS
Band20	20	24250	18	#Max	QAM16	0MHz-1MHz	17.72	PASS
Band20	20	24250	18	#Max	QAM16	1MHz-5MHz	18.62	PASS
Band20	20	24250	18	#Max	QAM16	5MHz-20MHz	22.40	PASS
Band20	20	24250	18	#Max	QAM16	20MHz-25MHz	13.32	PASS
Band20	20	24250	100	#0	QAM16	-1MHz-0MHz	23.52	PASS
Band20	20	24250	100	#0	QAM16	-5MHz--1MHz	22.71	PASS
Band20	20	24250	100	#0	QAM16	-20MHz--5MHz	22.64	PASS
Band20	20	24250	100	#0	QAM16	-25MHz--20MHz	14.64	PASS
Band20	20	24250	100	#0	QAM16	0MHz-1MHz	21.51	PASS
Band20	20	24250	100	#0	QAM16	1MHz-5MHz	19.24	PASS
Band20	20	24250	100	#0	QAM16	5MHz-20MHz	16.71	PASS
Band20	20	24250	100	#0	QAM16	20MHz-25MHz	15.19	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	20.87	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	20.41	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	23.29	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	13.43	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	30.91	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	27.91	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	24.41	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	13.38	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	31.03	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	27.54	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	22.83	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	13.54	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	16.45	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	19.46	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	23.80	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	13.32	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	23.70	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	22.45	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	19.98	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	19.84	PASS

Band20	20	24300	100	#0	QPSK	1MHz-5MHz	19.54	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	18.22	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	13.22	PASS
Band20	20	24300	18	#0	QAM16	-1MHz-0MHz	20.85	PASS
Band20	20	24300	18	#0	QAM16	-5MHz--1MHz	21.95	PASS
Band20	20	24300	18	#0	QAM16	-20MHz--5MHz	23.34	PASS
Band20	20	24300	18	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band20	20	24300	18	#0	QAM16	0MHz-1MHz	30.23	PASS
Band20	20	24300	18	#0	QAM16	1MHz-5MHz	27.98	PASS
Band20	20	24300	18	#0	QAM16	5MHz-20MHz	24.51	PASS
Band20	20	24300	18	#0	QAM16	20MHz-25MHz	13.36	PASS
Band20	20	24300	18	#Max	QAM16	-1MHz-0MHz	30.87	PASS
Band20	20	24300	18	#Max	QAM16	-5MHz--1MHz	27.49	PASS
Band20	20	24300	18	#Max	QAM16	-20MHz--5MHz	22.57	PASS
Band20	20	24300	18	#Max	QAM16	-25MHz--20MHz	13.60	PASS
Band20	20	24300	18	#Max	QAM16	0MHz-1MHz	17.35	PASS
Band20	20	24300	18	#Max	QAM16	1MHz-5MHz	22.28	PASS
Band20	20	24300	18	#Max	QAM16	5MHz-20MHz	24.22	PASS
Band20	20	24300	18	#Max	QAM16	20MHz-25MHz	13.18	PASS
Band20	20	24300	100	#0	QAM16	-1MHz-0MHz	24.44	PASS
Band20	20	24300	100	#0	QAM16	-5MHz--1MHz	22.91	PASS
Band20	20	24300	100	#0	QAM16	-20MHz--5MHz	20.54	PASS
Band20	20	24300	100	#0	QAM16	-25MHz--20MHz	14.56	PASS
Band20	20	24300	100	#0	QAM16	0MHz-1MHz	21.31	PASS
Band20	20	24300	100	#0	QAM16	1MHz-5MHz	20.16	PASS
Band20	20	24300	100	#0	QAM16	5MHz-20MHz	18.86	PASS
Band20	20	24300	100	#0	QAM16	20MHz-25MHz	15.13	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	10.81	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	13.25	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	22.34	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	31.45	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	28.15	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	25.13	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	13.36	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	29.74	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	27.38	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	22.52	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	13.59	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	17.03	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	17.64	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	24.62	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	13.23	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	22.41	PASS

Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	20.53	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	20.48	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	13.43	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	22.99	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	21.77	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	23.20	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	13.21	PASS
Band20	20	24350	18	#0	QAM16	-1MHz-0MHz	12.08	PASS
Band20	20	24350	18	#0	QAM16	-5MHz--1MHz	14.73	PASS
Band20	20	24350	18	#0	QAM16	-20MHz--5MHz	22.37	PASS
Band20	20	24350	18	#0	QAM16	-25MHz--20MHz	13.51	PASS
Band20	20	24350	18	#0	QAM16	0MHz-1MHz	31.40	PASS
Band20	20	24350	18	#0	QAM16	1MHz-5MHz	28.23	PASS
Band20	20	24350	18	#0	QAM16	5MHz-20MHz	25.20	PASS
Band20	20	24350	18	#0	QAM16	20MHz-25MHz	13.29	PASS
Band20	20	24350	18	#Max	QAM16	-1MHz-0MHz	30.23	PASS
Band20	20	24350	18	#Max	QAM16	-5MHz--1MHz	27.40	PASS
Band20	20	24350	18	#Max	QAM16	-20MHz--5MHz	22.06	PASS
Band20	20	24350	18	#Max	QAM16	-25MHz--20MHz	13.55	PASS
Band20	20	24350	18	#Max	QAM16	0MHz-1MHz	17.52	PASS
Band20	20	24350	18	#Max	QAM16	1MHz-5MHz	19.31	PASS
Band20	20	24350	18	#Max	QAM16	5MHz-20MHz	24.74	PASS
Band20	20	24350	18	#Max	QAM16	20MHz-25MHz	13.16	PASS
Band20	20	24350	100	#0	QAM16	-1MHz-0MHz	21.94	PASS
Band20	20	24350	100	#0	QAM16	-5MHz--1MHz	20.54	PASS
Band20	20	24350	100	#0	QAM16	-20MHz--5MHz	20.37	PASS
Band20	20	24350	100	#0	QAM16	-25MHz--20MHz	14.55	PASS
Band20	20	24350	100	#0	QAM16	0MHz-1MHz	23.16	PASS
Band20	20	24350	100	#0	QAM16	1MHz-5MHz	21.80	PASS
Band20	20	24350	100	#0	QAM16	5MHz-20MHz	23.19	PASS
Band20	20	24350	100	#0	QAM16	20MHz-25MHz	15.06	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	14.90	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	20.33	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	12.57	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	15.97	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	21.40	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	12.72	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	17.49	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	22.15	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	12.74	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	15.26	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	19.74	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	12.72	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	24.35	PASS

Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	20.71	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	12.50	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	23.47	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	20.92	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	12.65	PASS
Band3	1.4	19207	5	#0	QAM16	-1MHz-0MHz	17.84	PASS
Band3	1.4	19207	5	#0	QAM16	-2.5MHz--1MHz	21.15	PASS
Band3	1.4	19207	5	#0	QAM16	-3.5MHz--2.5MHz	12.95	PASS
Band3	1.4	19207	5	#0	QAM16	0MHz-1MHz	20.68	PASS
Band3	1.4	19207	5	#0	QAM16	1MHz-2.5MHz	22.78	PASS
Band3	1.4	19207	5	#0	QAM16	2.5MHz-3.5MHz	12.97	PASS
Band3	1.4	19207	5	#Max	QAM16	-1MHz-0MHz	18.95	PASS
Band3	1.4	19207	5	#Max	QAM16	-2.5MHz--1MHz	23.14	PASS
Band3	1.4	19207	5	#Max	QAM16	-3.5MHz--2.5MHz	13.06	PASS
Band3	1.4	19207	5	#Max	QAM16	0MHz-1MHz	17.90	PASS
Band3	1.4	19207	5	#Max	QAM16	1MHz-2.5MHz	20.65	PASS
Band3	1.4	19207	5	#Max	QAM16	2.5MHz-3.5MHz	12.84	PASS
Band3	1.4	19207	6	#0	QAM16	-1MHz-0MHz	24.87	PASS
Band3	1.4	19207	6	#0	QAM16	-2.5MHz--1MHz	22.10	PASS
Band3	1.4	19207	6	#0	QAM16	-3.5MHz--2.5MHz	13.80	PASS
Band3	1.4	19207	6	#0	QAM16	0MHz-1MHz	24.36	PASS
Band3	1.4	19207	6	#0	QAM16	1MHz-2.5MHz	22.08	PASS
Band3	1.4	19207	6	#0	QAM16	2.5MHz-3.5MHz	13.63	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	17.73	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	21.31	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	12.71	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	19.46	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	22.74	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	12.78	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	18.68	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	23.10	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	12.80	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	18.47	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	21.09	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	12.80	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	24.44	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	20.59	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	12.52	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	23.61	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	20.65	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	12.62	PASS
Band3	1.4	19575	5	#0	QAM16	-1MHz-0MHz	17.21	PASS
Band3	1.4	19575	5	#0	QAM16	-2.5MHz--1MHz	21.47	PASS
Band3	1.4	19575	5	#0	QAM16	-3.5MHz--2.5MHz	13.03	PASS

Band3	1.4	19575	5	#0	QAM16	0MHz-1MHz	19.70	PASS
Band3	1.4	19575	5	#0	QAM16	1MHz-2.5MHz	23.51	PASS
Band3	1.4	19575	5	#0	QAM16	2.5MHz-3.5MHz	12.96	PASS
Band3	1.4	19575	5	#Max	QAM16	-1MHz-0MHz	18.89	PASS
Band3	1.4	19575	5	#Max	QAM16	-2.5MHz--1MHz	23.56	PASS
Band3	1.4	19575	5	#Max	QAM16	-3.5MHz--2.5MHz	13.07	PASS
Band3	1.4	19575	5	#Max	QAM16	0MHz-1MHz	17.70	PASS
Band3	1.4	19575	5	#Max	QAM16	1MHz-2.5MHz	21.35	PASS
Band3	1.4	19575	5	#Max	QAM16	2.5MHz-3.5MHz	12.95	PASS
Band3	1.4	19575	6	#0	QAM16	-1MHz-0MHz	24.50	PASS
Band3	1.4	19575	6	#0	QAM16	-2.5MHz--1MHz	23.18	PASS
Band3	1.4	19575	6	#0	QAM16	-3.5MHz--2.5MHz	13.93	PASS
Band3	1.4	19575	6	#0	QAM16	0MHz-1MHz	24.16	PASS
Band3	1.4	19575	6	#0	QAM16	1MHz-2.5MHz	22.97	PASS
Band3	1.4	19575	6	#0	QAM16	2.5MHz-3.5MHz	13.72	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	18.33	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	21.41	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	12.42	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	20.37	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	23.43	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	12.47	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	19.46	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	23.18	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	12.43	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	18.84	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	21.64	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	12.38	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	24.46	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	21.73	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	12.26	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	25.10	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	21.88	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	12.43	PASS
Band3	1.4	19943	5	#0	QAM16	-1MHz-0MHz	20.64	PASS
Band3	1.4	19943	5	#0	QAM16	-2.5MHz--1MHz	23.59	PASS
Band3	1.4	19943	5	#0	QAM16	-3.5MHz--2.5MHz	12.74	PASS
Band3	1.4	19943	5	#0	QAM16	0MHz-1MHz	23.41	PASS
Band3	1.4	19943	5	#0	QAM16	1MHz-2.5MHz	24.64	PASS
Band3	1.4	19943	5	#0	QAM16	2.5MHz-3.5MHz	13.01	PASS
Band3	1.4	19943	5	#Max	QAM16	-1MHz-0MHz	22.75	PASS
Band3	1.4	19943	5	#Max	QAM16	-2.5MHz--1MHz	24.70	PASS
Band3	1.4	19943	5	#Max	QAM16	-3.5MHz--2.5MHz	12.95	PASS
Band3	1.4	19943	5	#Max	QAM16	0MHz-1MHz	21.62	PASS
Band3	1.4	19943	5	#Max	QAM16	1MHz-2.5MHz	23.22	PASS



Band3	1.4	19943	5	#Max	QAM16	2.5MHz-3.5MHz	12.77	PASS
Band3	1.4	19943	6	#0	QAM16	-1MHz-0MHz	24.29	PASS
Band3	1.4	19943	6	#0	QAM16	-2.5MHz--1MHz	22.96	PASS
Band3	1.4	19943	6	#0	QAM16	-3.5MHz--2.5MHz	14.10	PASS
Band3	1.4	19943	6	#0	QAM16	0MHz-1MHz	25.21	PASS
Band3	1.4	19943	6	#0	QAM16	1MHz-2.5MHz	22.90	PASS
Band3	1.4	19943	6	#0	QAM16	2.5MHz-3.5MHz	14.27	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	11.94	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	14.25	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	23.39	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	12.37	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	28.30	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	22.14	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	25.19	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	13.19	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	29.24	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	21.77	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	25.06	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	12.77	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	11.14	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	13.10	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	23.00	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	12.20	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	19.50	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	15.98	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	21.76	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	11.29	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	21.21	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	15.47	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	21.36	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	10.81	PASS
Band3	5	19225	8	#0	QAM16	-1MHz-0MHz	16.97	PASS
Band3	5	19225	8	#0	QAM16	-5MHz--1MHz	16.50	PASS
Band3	5	19225	8	#0	QAM16	-6MHz--5MHz	23.64	PASS
Band3	5	19225	8	#0	QAM16	-10MHz--6MHz	12.48	PASS
Band3	5	19225	8	#0	QAM16	0MHz-1MHz	29.81	PASS
Band3	5	19225	8	#0	QAM16	1MHz-5MHz	22.93	PASS
Band3	5	19225	8	#0	QAM16	5MHz-6MHz	25.22	PASS
Band3	5	19225	8	#0	QAM16	6MHz-10MHz	13.18	PASS
Band3	5	19225	8	#Max	QAM16	-1MHz-0MHz	30.40	PASS
Band3	5	19225	8	#Max	QAM16	-5MHz--1MHz	22.88	PASS
Band3	5	19225	8	#Max	QAM16	-6MHz--5MHz	25.17	PASS
Band3	5	19225	8	#Max	QAM16	-10MHz--6MHz	12.86	PASS
Band3	5	19225	8	#Max	QAM16	0MHz-1MHz	15.17	PASS



Band3	5	19225	8	#Max	QAM16	1MHz-5MHz	15.92	PASS
Band3	5	19225	8	#Max	QAM16	5MHz-6MHz	23.67	PASS
Band3	5	19225	8	#Max	QAM16	6MHz-10MHz	12.52	PASS
Band3	5	19225	25	#0	QAM16	-1MHz-0MHz	22.26	PASS
Band3	5	19225	25	#0	QAM16	-5MHz--1MHz	17.69	PASS
Band3	5	19225	25	#0	QAM16	-6MHz--5MHz	23.39	PASS
Band3	5	19225	25	#0	QAM16	-10MHz--6MHz	12.61	PASS
Band3	5	19225	25	#0	QAM16	0MHz-1MHz	22.96	PASS
Band3	5	19225	25	#0	QAM16	1MHz-5MHz	17.26	PASS
Band3	5	19225	25	#0	QAM16	5MHz-6MHz	22.65	PASS
Band3	5	19225	25	#0	QAM16	6MHz-10MHz	12.35	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	13.76	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	14.28	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	23.85	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	12.69	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	29.08	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	21.79	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	25.22	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	13.25	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	28.72	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	21.11	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	25.07	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.87	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	13.77	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	14.86	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	23.50	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	12.53	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	22.98	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	18.11	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	21.82	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	11.75	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	21.29	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	18.69	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	22.03	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	11.86	PASS
Band3	5	19575	8	#0	QAM16	-1MHz-0MHz	14.73	PASS
Band3	5	19575	8	#0	QAM16	-5MHz--1MHz	16.45	PASS
Band3	5	19575	8	#0	QAM16	-6MHz--5MHz	24.19	PASS
Band3	5	19575	8	#0	QAM16	-10MHz--6MHz	12.72	PASS
Band3	5	19575	8	#0	QAM16	0MHz-1MHz	29.48	PASS
Band3	5	19575	8	#0	QAM16	1MHz-5MHz	22.80	PASS
Band3	5	19575	8	#0	QAM16	5MHz-6MHz	25.30	PASS
Band3	5	19575	8	#0	QAM16	6MHz-10MHz	13.35	PASS
Band3	5	19575	8	#Max	QAM16	-1MHz-0MHz	28.92	PASS

Band3	5	19575	8	#Max	QAM16	-5MHz--1MHz	22.60	PASS
Band3	5	19575	8	#Max	QAM16	-6MHz--5MHz	25.09	PASS
Band3	5	19575	8	#Max	QAM16	-10MHz--6MHz	12.89	PASS
Band3	5	19575	8	#Max	QAM16	0MHz-1MHz	16.98	PASS
Band3	5	19575	8	#Max	QAM16	1MHz-5MHz	17.23	PASS
Band3	5	19575	8	#Max	QAM16	5MHz-6MHz	23.82	PASS
Band3	5	19575	8	#Max	QAM16	6MHz-10MHz	12.61	PASS
Band3	5	19575	25	#0	QAM16	-1MHz-0MHz	21.41	PASS
Band3	5	19575	25	#0	QAM16	-5MHz--1MHz	18.76	PASS
Band3	5	19575	25	#0	QAM16	-6MHz--5MHz	23.68	PASS
Band3	5	19575	25	#0	QAM16	-10MHz--6MHz	12.84	PASS
Band3	5	19575	25	#0	QAM16	0MHz-1MHz	22.61	PASS
Band3	5	19575	25	#0	QAM16	1MHz-5MHz	19.11	PASS
Band3	5	19575	25	#0	QAM16	5MHz-6MHz	23.47	PASS
Band3	5	19575	25	#0	QAM16	6MHz-10MHz	13.16	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	9.17	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	13.18	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	23.14	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	12.34	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	30.20	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	21.13	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	13.25	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	29.46	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	18.99	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	24.97	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	12.78	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	13.07	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	15.09	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	22.80	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	12.47	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	21.19	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	16.00	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	21.49	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	11.01	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	22.23	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	17.57	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	22.93	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	12.28	PASS
Band3	5	19925	8	#0	QAM16	-1MHz-0MHz	15.91	PASS
Band3	5	19925	8	#0	QAM16	-5MHz--1MHz	16.76	PASS
Band3	5	19925	8	#0	QAM16	-6MHz--5MHz	23.86	PASS
Band3	5	19925	8	#0	QAM16	-10MHz--6MHz	12.42	PASS
Band3	5	19925	8	#0	QAM16	0MHz-1MHz	30.57	PASS

Band3	5	19925	8	#0	QAM16	1MHz-5MHz	22.16	PASS
Band3	5	19925	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band3	5	19925	8	#0	QAM16	6MHz-10MHz	13.26	PASS
Band3	5	19925	8	#Max	QAM16	-1MHz-0MHz	29.39	PASS
Band3	5	19925	8	#Max	QAM16	-5MHz--1MHz	20.21	PASS
Band3	5	19925	8	#Max	QAM16	-6MHz--5MHz	24.93	PASS
Band3	5	19925	8	#Max	QAM16	-10MHz--6MHz	12.76	PASS
Band3	5	19925	8	#Max	QAM16	0MHz-1MHz	18.38	PASS
Band3	5	19925	8	#Max	QAM16	1MHz-5MHz	18.87	PASS
Band3	5	19925	8	#Max	QAM16	5MHz-6MHz	23.69	PASS
Band3	5	19925	8	#Max	QAM16	6MHz-10MHz	12.74	PASS
Band3	5	19925	25	#0	QAM16	-1MHz-0MHz	23.94	PASS
Band3	5	19925	25	#0	QAM16	-5MHz--1MHz	17.32	PASS
Band3	5	19925	25	#0	QAM16	-6MHz--5MHz	22.45	PASS
Band3	5	19925	25	#0	QAM16	-10MHz--6MHz	12.30	PASS
Band3	5	19925	25	#0	QAM16	0MHz-1MHz	22.78	PASS
Band3	5	19925	25	#0	QAM16	1MHz-5MHz	19.01	PASS
Band3	5	19925	25	#0	QAM16	5MHz-6MHz	24.28	PASS
Band3	5	19925	25	#0	QAM16	6MHz-10MHz	13.82	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	11.35	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	12.03	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	23.91	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	11.17	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	30.94	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	24.14	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	20.91	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	13.27	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	31.76	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	24.35	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	21.14	PASS
Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	11.43	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	8.83	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	10.46	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	23.38	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	11.86	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	20.91	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	16.23	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	16.57	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	10.48	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	18.82	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	15.01	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	14.30	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	9.45	PASS
Band3	10	19250	12	#0	QAM16	-1MHz-0MHz	12.70	PASS

Band3	10	19250	12	#0	QAM16	-5MHz--1MHz	14.99	PASS
Band3	10	19250	12	#0	QAM16	-10MHz--5MHz	24.33	PASS
Band3	10	19250	12	#0	QAM16	-15MHz--10MHz	11.17	PASS
Band3	10	19250	12	#0	QAM16	0MHz-1MHz	29.66	PASS
Band3	10	19250	12	#0	QAM16	1MHz-5MHz	25.06	PASS
Band3	10	19250	12	#0	QAM16	5MHz-10MHz	21.84	PASS
Band3	10	19250	12	#0	QAM16	10MHz-15MHz	13.27	PASS
Band3	10	19250	12	#Max	QAM16	-1MHz-0MHz	31.13	PASS
Band3	10	19250	12	#Max	QAM16	-5MHz--1MHz	25.47	PASS
Band3	10	19250	12	#Max	QAM16	-10MHz--5MHz	22.19	PASS
Band3	10	19250	12	#Max	QAM16	-15MHz--10MHz	11.42	PASS
Band3	10	19250	12	#Max	QAM16	0MHz-1MHz	11.35	PASS
Band3	10	19250	12	#Max	QAM16	1MHz-5MHz	13.64	PASS
Band3	10	19250	12	#Max	QAM16	5MHz-10MHz	24.29	PASS
Band3	10	19250	12	#Max	QAM16	10MHz-15MHz	12.33	PASS
Band3	10	19250	50	#0	QAM16	-1MHz-0MHz	22.77	PASS
Band3	10	19250	50	#0	QAM16	-5MHz--1MHz	19.24	PASS
Band3	10	19250	50	#0	QAM16	-10MHz--5MHz	18.76	PASS
Band3	10	19250	50	#0	QAM16	-15MHz--10MHz	12.14	PASS
Band3	10	19250	50	#0	QAM16	0MHz-1MHz	21.11	PASS
Band3	10	19250	50	#0	QAM16	1MHz-5MHz	17.78	PASS
Band3	10	19250	50	#0	QAM16	5MHz-10MHz	17.17	PASS
Band3	10	19250	50	#0	QAM16	10MHz-15MHz	10.50	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	12.44	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	12.05	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	24.22	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	11.08	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	30.42	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	23.94	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	20.63	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	13.33	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	30.51	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	24.02	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	20.71	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	11.40	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	15.58	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	13.89	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	24.36	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	12.29	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	24.98	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	20.22	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	18.18	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	10.37	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	24.32	PASS

Band3	10	19575	50	#0	QPSK	1MHz-5MHz	20.81	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	18.27	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	10.90	PASS
Band3	10	19575	12	#0	QAM16	-1MHz-0MHz	14.27	PASS
Band3	10	19575	12	#0	QAM16	-5MHz--1MHz	15.43	PASS
Band3	10	19575	12	#0	QAM16	-10MHz--5MHz	24.32	PASS
Band3	10	19575	12	#0	QAM16	-15MHz--10MHz	11.20	PASS
Band3	10	19575	12	#0	QAM16	0MHz-1MHz	30.51	PASS
Band3	10	19575	12	#0	QAM16	1MHz-5MHz	24.77	PASS
Band3	10	19575	12	#0	QAM16	5MHz-10MHz	21.67	PASS
Band3	10	19575	12	#0	QAM16	10MHz-15MHz	13.39	PASS
Band3	10	19575	12	#Max	QAM16	-1MHz-0MHz	29.32	PASS
Band3	10	19575	12	#Max	QAM16	-5MHz--1MHz	24.86	PASS
Band3	10	19575	12	#Max	QAM16	-10MHz--5MHz	21.48	PASS
Band3	10	19575	12	#Max	QAM16	-15MHz--10MHz	11.44	PASS
Band3	10	19575	12	#Max	QAM16	0MHz-1MHz	15.47	PASS
Band3	10	19575	12	#Max	QAM16	1MHz-5MHz	16.77	PASS
Band3	10	19575	12	#Max	QAM16	5MHz-10MHz	24.77	PASS
Band3	10	19575	12	#Max	QAM16	10MHz-15MHz	12.66	PASS
Band3	10	19575	50	#0	QAM16	-1MHz-0MHz	22.99	PASS
Band3	10	19575	50	#0	QAM16	-5MHz--1MHz	20.08	PASS
Band3	10	19575	50	#0	QAM16	-10MHz--5MHz	19.30	PASS
Band3	10	19575	50	#0	QAM16	-15MHz--10MHz	11.35	PASS
Band3	10	19575	50	#0	QAM16	0MHz-1MHz	22.78	PASS
Band3	10	19575	50	#0	QAM16	1MHz-5MHz	20.58	PASS
Band3	10	19575	50	#0	QAM16	5MHz-10MHz	19.55	PASS
Band3	10	19575	50	#0	QAM16	10MHz-15MHz	11.87	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	4.85	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	8.42	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	23.55	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	10.91	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	30.38	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	24.15	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	21.28	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	13.25	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	29.67	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	21.15	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	17.95	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	11.45	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	14.04	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	14.28	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	24.39	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	13.18	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	20.36	PASS

Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	15.26	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	14.16	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	9.28	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	22.10	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	18.03	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	18.86	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	13.01	PASS
Band3	10	19900	12	#0	QAM16	-1MHz-0MHz	8.37	PASS
Band3	10	19900	12	#0	QAM16	-5MHz--1MHz	11.80	PASS
Band3	10	19900	12	#0	QAM16	-10MHz--5MHz	24.08	PASS
Band3	10	19900	12	#0	QAM16	-15MHz--10MHz	11.11	PASS
Band3	10	19900	12	#0	QAM16	0MHz-1MHz	32.07	PASS
Band3	10	19900	12	#0	QAM16	1MHz-5MHz	25.03	PASS
Band3	10	19900	12	#0	QAM16	5MHz-10MHz	22.19	PASS
Band3	10	19900	12	#0	QAM16	10MHz-15MHz	13.26	PASS
Band3	10	19900	12	#Max	QAM16	-1MHz-0MHz	31.26	PASS
Band3	10	19900	12	#Max	QAM16	-5MHz--1MHz	22.25	PASS
Band3	10	19900	12	#Max	QAM16	-10MHz--5MHz	18.80	PASS
Band3	10	19900	12	#Max	QAM16	-15MHz--10MHz	11.35	PASS
Band3	10	19900	12	#Max	QAM16	0MHz-1MHz	16.17	PASS
Band3	10	19900	12	#Max	QAM16	1MHz-5MHz	17.01	PASS
Band3	10	19900	12	#Max	QAM16	5MHz-10MHz	24.66	PASS
Band3	10	19900	12	#Max	QAM16	10MHz-15MHz	13.14	PASS
Band3	10	19900	50	#0	QAM16	-1MHz-0MHz	18.55	PASS
Band3	10	19900	50	#0	QAM16	-5MHz--1MHz	14.30	PASS
Band3	10	19900	50	#0	QAM16	-10MHz--5MHz	14.71	PASS
Band3	10	19900	50	#0	QAM16	-15MHz--10MHz	8.93	PASS
Band3	10	19900	50	#0	QAM16	0MHz-1MHz	20.14	PASS
Band3	10	19900	50	#0	QAM16	1MHz-5MHz	17.08	PASS
Band3	10	19900	50	#0	QAM16	5MHz-10MHz	18.58	PASS
Band3	10	19900	50	#0	QAM16	10MHz-15MHz	12.94	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	9.84	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	11.98	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	23.05	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	13.27	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	29.65	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	28.02	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	21.71	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	13.55	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	28.78	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	27.44	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	22.01	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	13.52	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	8.42	PASS

Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	10.76	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	23.01	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	13.06	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	20.26	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	18.71	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	17.22	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	12.58	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	19.90	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	17.76	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	15.50	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	10.90	PASS
Band3	20	19300	18	#0	QAM16	-1MHz-0MHz	11.53	PASS
Band3	20	19300	18	#0	QAM16	-5MHz--1MHz	14.07	PASS
Band3	20	19300	18	#0	QAM16	-20MHz--5MHz	23.19	PASS
Band3	20	19300	18	#0	QAM16	-25MHz--20MHz	13.27	PASS
Band3	20	19300	18	#0	QAM16	0MHz-1MHz	30.64	PASS
Band3	20	19300	18	#0	QAM16	1MHz-5MHz	28.10	PASS
Band3	20	19300	18	#0	QAM16	5MHz-20MHz	22.28	PASS
Band3	20	19300	18	#0	QAM16	20MHz-25MHz	13.48	PASS
Band3	20	19300	18	#Max	QAM16	-1MHz-0MHz	30.90	PASS
Band3	20	19300	18	#Max	QAM16	-5MHz--1MHz	27.54	PASS
Band3	20	19300	18	#Max	QAM16	-20MHz--5MHz	22.51	PASS
Band3	20	19300	18	#Max	QAM16	-25MHz--20MHz	13.57	PASS
Band3	20	19300	18	#Max	QAM16	0MHz-1MHz	10.97	PASS
Band3	20	19300	18	#Max	QAM16	1MHz-5MHz	13.17	PASS
Band3	20	19300	18	#Max	QAM16	5MHz-20MHz	24.16	PASS
Band3	20	19300	18	#Max	QAM16	20MHz-25MHz	13.13	PASS
Band3	20	19300	100	#0	QAM16	-1MHz-0MHz	21.45	PASS
Band3	20	19300	100	#0	QAM16	-5MHz--1MHz	21.07	PASS
Band3	20	19300	100	#0	QAM16	-20MHz--5MHz	19.62	PASS
Band3	20	19300	100	#0	QAM16	-25MHz--20MHz	13.64	PASS
Band3	20	19300	100	#0	QAM16	0MHz-1MHz	21.57	PASS
Band3	20	19300	100	#0	QAM16	1MHz-5MHz	20.02	PASS
Band3	20	19300	100	#0	QAM16	5MHz-20MHz	17.78	PASS
Band3	20	19300	100	#0	QAM16	20MHz-25MHz	11.72	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	10.95	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	11.88	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	22.42	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	13.19	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.68	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	28.15	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	21.60	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	13.53	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	30.46	PASS



Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	27.43	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	21.74	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	13.55	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	14.34	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	14.58	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	23.38	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	13.18	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	21.94	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	20.87	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	18.60	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	11.96	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	22.98	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	21.50	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	19.42	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	11.93	PASS
Band3	20	19575	18	#0	QAM16	-1MHz-0MHz	11.95	PASS
Band3	20	19575	18	#0	QAM16	-5MHz--1MHz	13.51	PASS
Band3	20	19575	18	#0	QAM16	-20MHz--5MHz	22.98	PASS
Band3	20	19575	18	#0	QAM16	-25MHz--20MHz	13.18	PASS
Band3	20	19575	18	#0	QAM16	0MHz-1MHz	30.24	PASS
Band3	20	19575	18	#0	QAM16	1MHz-5MHz	28.13	PASS
Band3	20	19575	18	#0	QAM16	5MHz-20MHz	22.24	PASS
Band3	20	19575	18	#0	QAM16	20MHz-25MHz	13.45	PASS
Band3	20	19575	18	#Max	QAM16	-1MHz-0MHz	30.25	PASS
Band3	20	19575	18	#Max	QAM16	-5MHz--1MHz	27.44	PASS
Band3	20	19575	18	#Max	QAM16	-20MHz--5MHz	22.37	PASS
Band3	20	19575	18	#Max	QAM16	-25MHz--20MHz	13.54	PASS
Band3	20	19575	18	#Max	QAM16	0MHz-1MHz	14.12	PASS
Band3	20	19575	18	#Max	QAM16	1MHz-5MHz	16.08	PASS
Band3	20	19575	18	#Max	QAM16	5MHz-20MHz	24.01	PASS
Band3	20	19575	18	#Max	QAM16	20MHz-25MHz	13.21	PASS
Band3	20	19575	100	#0	QAM16	-1MHz-0MHz	23.48	PASS
Band3	20	19575	100	#0	QAM16	-5MHz--1MHz	22.02	PASS
Band3	20	19575	100	#0	QAM16	-20MHz--5MHz	19.80	PASS
Band3	20	19575	100	#0	QAM16	-25MHz--20MHz	13.12	PASS
Band3	20	19575	100	#0	QAM16	0MHz-1MHz	23.44	PASS
Band3	20	19575	100	#0	QAM16	1MHz-5MHz	22.28	PASS
Band3	20	19575	100	#0	QAM16	5MHz-20MHz	20.19	PASS
Band3	20	19575	100	#0	QAM16	20MHz-25MHz	13.04	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	7.07	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	9.37	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	21.94	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	13.06	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	31.39	PASS



Band3	20	19850	18	#0	QPSK	1MHz-5MHz	28.10	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	24.75	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	13.38	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	30.08	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	27.32	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	19.25	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	13.37	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	13.12	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	14.26	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	23.88	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	13.28	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	15.79	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	14.97	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	13.40	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	10.98	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	18.98	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	17.57	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	16.43	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	13.35	PASS
Band3	20	19850	18	#0	QAM16	-1MHz-0MHz	9.48	PASS
Band3	20	19850	18	#0	QAM16	-5MHz--1MHz	11.86	PASS
Band3	20	19850	18	#0	QAM16	-20MHz--5MHz	22.92	PASS
Band3	20	19850	18	#0	QAM16	-25MHz--20MHz	13.11	PASS
Band3	20	19850	18	#0	QAM16	0MHz-1MHz	31.18	PASS
Band3	20	19850	18	#0	QAM16	1MHz-5MHz	28.23	PASS
Band3	20	19850	18	#0	QAM16	5MHz-20MHz	24.94	PASS
Band3	20	19850	18	#0	QAM16	20MHz-25MHz	13.46	PASS
Band3	20	19850	18	#Max	QAM16	-1MHz-0MHz	30.34	PASS
Band3	20	19850	18	#Max	QAM16	-5MHz--1MHz	27.38	PASS
Band3	20	19850	18	#Max	QAM16	-20MHz--5MHz	20.58	PASS
Band3	20	19850	18	#Max	QAM16	-25MHz--20MHz	13.43	PASS
Band3	20	19850	18	#Max	QAM16	0MHz-1MHz	15.84	PASS
Band3	20	19850	18	#Max	QAM16	1MHz-5MHz	16.70	PASS
Band3	20	19850	18	#Max	QAM16	5MHz-20MHz	24.62	PASS
Band3	20	19850	18	#Max	QAM16	20MHz-25MHz	13.32	PASS
Band3	20	19850	100	#0	QAM16	-1MHz-0MHz	18.85	PASS
Band3	20	19850	100	#0	QAM16	-5MHz--1MHz	17.07	PASS
Band3	20	19850	100	#0	QAM16	-20MHz--5MHz	15.44	PASS
Band3	20	19850	100	#0	QAM16	-25MHz--20MHz	12.05	PASS
Band3	20	19850	100	#0	QAM16	0MHz-1MHz	20.95	PASS
Band3	20	19850	100	#0	QAM16	1MHz-5MHz	19.71	PASS
Band3	20	19850	100	#0	QAM16	5MHz-20MHz	18.73	PASS
Band3	20	19850	100	#0	QAM16	20MHz-25MHz	15.15	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	16.04	PASS

Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	18.89	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	25.18	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	13.00	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	28.40	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	26.41	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	25.32	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	13.40	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	29.99	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	26.95	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	25.33	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	12.98	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	15.67	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	19.88	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	25.39	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	13.39	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	21.83	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	20.23	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	23.94	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	12.43	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	23.33	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	21.08	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	23.99	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	12.41	PASS
Band7	5	20775	8	#0	QAM16	-1MHz-0MHz	17.89	PASS
Band7	5	20775	8	#0	QAM16	-5MHz--1MHz	20.36	PASS
Band7	5	20775	8	#0	QAM16	-6MHz--5MHz	25.25	PASS
Band7	5	20775	8	#0	QAM16	-10MHz--6MHz	13.01	PASS
Band7	5	20775	8	#0	QAM16	0MHz-1MHz	29.17	PASS
Band7	5	20775	8	#0	QAM16	1MHz-5MHz	26.03	PASS
Band7	5	20775	8	#0	QAM16	5MHz-6MHz	25.46	PASS
Band7	5	20775	8	#0	QAM16	6MHz-10MHz	13.44	PASS
Band7	5	20775	8	#Max	QAM16	-1MHz-0MHz	30.24	PASS
Band7	5	20775	8	#Max	QAM16	-5MHz--1MHz	26.17	PASS
Band7	5	20775	8	#Max	QAM16	-6MHz--5MHz	25.36	PASS
Band7	5	20775	8	#Max	QAM16	-10MHz--6MHz	13.00	PASS
Band7	5	20775	8	#Max	QAM16	0MHz-1MHz	18.23	PASS
Band7	5	20775	8	#Max	QAM16	1MHz-5MHz	21.40	PASS
Band7	5	20775	8	#Max	QAM16	5MHz-6MHz	25.47	PASS
Band7	5	20775	8	#Max	QAM16	6MHz-10MHz	13.47	PASS
Band7	5	20775	25	#0	QAM16	-1MHz-0MHz	23.23	PASS
Band7	5	20775	25	#0	QAM16	-5MHz--1MHz	19.89	PASS
Band7	5	20775	25	#0	QAM16	-6MHz--5MHz	25.62	PASS
Band7	5	20775	25	#0	QAM16	-10MHz--6MHz	14.25	PASS
Band7	5	20775	25	#0	QAM16	0MHz-1MHz	23.76	PASS

Band7	5	20775	25	#0	QAM16	1MHz-5MHz	21.31	PASS
Band7	5	20775	25	#0	QAM16	5MHz-6MHz	25.51	PASS
Band7	5	20775	25	#0	QAM16	6MHz-10MHz	14.29	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	17.46	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	18.44	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	25.14	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	12.90	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	29.33	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	27.08	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	25.48	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	13.40	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	28.64	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	27.49	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	25.24	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	12.93	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	17.38	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	20.04	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	25.36	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	13.40	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	21.87	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	17.87	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	23.96	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	12.27	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	23.06	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	20.12	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	23.86	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	12.14	PASS
Band7	5	21100	8	#0	QAM16	-1MHz-0MHz	17.91	PASS
Band7	5	21100	8	#0	QAM16	-5MHz--1MHz	19.89	PASS
Band7	5	21100	8	#0	QAM16	-6MHz--5MHz	25.28	PASS
Band7	5	21100	8	#0	QAM16	-10MHz--6MHz	13.04	PASS
Band7	5	21100	8	#0	QAM16	0MHz-1MHz	29.95	PASS
Band7	5	21100	8	#0	QAM16	1MHz-5MHz	27.40	PASS
Band7	5	21100	8	#0	QAM16	5MHz-6MHz	25.42	PASS
Band7	5	21100	8	#0	QAM16	6MHz-10MHz	13.45	PASS
Band7	5	21100	8	#Max	QAM16	-1MHz-0MHz	29.89	PASS
Band7	5	21100	8	#Max	QAM16	-5MHz--1MHz	27.45	PASS
Band7	5	21100	8	#Max	QAM16	-6MHz--5MHz	25.29	PASS
Band7	5	21100	8	#Max	QAM16	-10MHz--6MHz	12.96	PASS
Band7	5	21100	8	#Max	QAM16	0MHz-1MHz	19.41	PASS
Band7	5	21100	8	#Max	QAM16	1MHz-5MHz	21.33	PASS
Band7	5	21100	8	#Max	QAM16	5MHz-6MHz	25.34	PASS
Band7	5	21100	8	#Max	QAM16	6MHz-10MHz	13.30	PASS
Band7	5	21100	25	#0	QAM16	-1MHz-0MHz	21.02	PASS

Band7	5	21100	25	#0	QAM16	-5MHz--1MHz	18.19	PASS
Band7	5	21100	25	#0	QAM16	-6MHz--5MHz	25.53	PASS
Band7	5	21100	25	#0	QAM16	-10MHz--6MHz	14.01	PASS
Band7	5	21100	25	#0	QAM16	0MHz-1MHz	22.75	PASS
Band7	5	21100	25	#0	QAM16	1MHz-5MHz	19.98	PASS
Band7	5	21100	25	#0	QAM16	5MHz-6MHz	25.21	PASS
Band7	5	21100	25	#0	QAM16	6MHz-10MHz	14.08	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	16.12	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	17.49	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	25.10	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	12.94	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	30.09	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	26.57	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	25.29	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	13.34	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	28.66	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	27.16	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	25.22	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	13.00	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	15.10	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	17.52	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	25.17	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	13.32	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	21.69	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	18.04	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	23.23	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	11.66	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	22.20	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	19.57	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	22.68	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	11.36	PASS
Band7	5	21425	8	#0	QAM16	-1MHz-0MHz	17.83	PASS
Band7	5	21425	8	#0	QAM16	-5MHz--1MHz	19.48	PASS
Band7	5	21425	8	#0	QAM16	-6MHz--5MHz	25.08	PASS
Band7	5	21425	8	#0	QAM16	-10MHz--6MHz	12.93	PASS
Band7	5	21425	8	#0	QAM16	0MHz-1MHz	29.39	PASS
Band7	5	21425	8	#0	QAM16	1MHz-5MHz	27.12	PASS
Band7	5	21425	8	#0	QAM16	5MHz-6MHz	25.36	PASS
Band7	5	21425	8	#0	QAM16	6MHz-10MHz	13.41	PASS
Band7	5	21425	8	#Max	QAM16	-1MHz-0MHz	30.18	PASS
Band7	5	21425	8	#Max	QAM16	-5MHz--1MHz	27.67	PASS
Band7	5	21425	8	#Max	QAM16	-6MHz--5MHz	25.26	PASS
Band7	5	21425	8	#Max	QAM16	-10MHz--6MHz	12.96	PASS
Band7	5	21425	8	#Max	QAM16	0MHz-1MHz	17.99	PASS

Band7	5	21425	8	#Max	QAM16	1MHz-5MHz	20.14	PASS
Band7	5	21425	8	#Max	QAM16	5MHz-6MHz	25.27	PASS
Band7	5	21425	8	#Max	QAM16	6MHz-10MHz	13.37	PASS
Band7	5	21425	25	#0	QAM16	-1MHz-0MHz	24.02	PASS
Band7	5	21425	25	#0	QAM16	-5MHz--1MHz	18.35	PASS
Band7	5	21425	25	#0	QAM16	-6MHz--5MHz	24.05	PASS
Band7	5	21425	25	#0	QAM16	-10MHz--6MHz	13.07	PASS
Band7	5	21425	25	#0	QAM16	0MHz-1MHz	23.45	PASS
Band7	5	21425	25	#0	QAM16	1MHz-5MHz	19.44	PASS
Band7	5	21425	25	#0	QAM16	5MHz-6MHz	23.79	PASS
Band7	5	21425	25	#0	QAM16	6MHz-10MHz	12.58	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	18.22	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	18.02	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	24.44	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	11.49	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	31.80	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	27.17	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	24.24	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	13.45	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	31.65	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	27.37	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	24.13	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	11.50	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	17.14	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	18.80	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	24.87	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	13.47	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	24.05	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	21.57	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	20.42	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	11.38	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	22.66	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	22.84	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	21.16	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	12.82	PASS
Band7	10	20800	12	#0	QAM16	-1MHz-0MHz	18.06	PASS
Band7	10	20800	12	#0	QAM16	-5MHz--1MHz	20.18	PASS
Band7	10	20800	12	#0	QAM16	-10MHz--5MHz	24.54	PASS
Band7	10	20800	12	#0	QAM16	-15MHz--10MHz	11.59	PASS
Band7	10	20800	12	#0	QAM16	0MHz-1MHz	30.16	PASS
Band7	10	20800	12	#0	QAM16	1MHz-5MHz	26.30	PASS
Band7	10	20800	12	#0	QAM16	5MHz-10MHz	23.19	PASS
Band7	10	20800	12	#0	QAM16	10MHz-15MHz	13.45	PASS
Band7	10	20800	12	#Max	QAM16	-1MHz-0MHz	31.14	PASS

Band7	10	20800	12	#Max	QAM16	-5MHz--1MHz	26.48	PASS
Band7	10	20800	12	#Max	QAM16	-10MHz--5MHz	23.16	PASS
Band7	10	20800	12	#Max	QAM16	-15MHz--10MHz	11.54	PASS
Band7	10	20800	12	#Max	QAM16	0MHz-1MHz	18.77	PASS
Band7	10	20800	12	#Max	QAM16	1MHz-5MHz	20.89	PASS
Band7	10	20800	12	#Max	QAM16	5MHz-10MHz	25.06	PASS
Band7	10	20800	12	#Max	QAM16	10MHz-15MHz	13.51	PASS
Band7	10	20800	50	#0	QAM16	-1MHz-0MHz	24.55	PASS
Band7	10	20800	50	#0	QAM16	-5MHz--1MHz	21.88	PASS
Band7	10	20800	50	#0	QAM16	-10MHz--5MHz	21.48	PASS
Band7	10	20800	50	#0	QAM16	-15MHz--10MHz	13.19	PASS
Band7	10	20800	50	#0	QAM16	0MHz-1MHz	23.13	PASS
Band7	10	20800	50	#0	QAM16	1MHz-5MHz	23.37	PASS
Band7	10	20800	50	#0	QAM16	5MHz-10MHz	22.48	PASS
Band7	10	20800	50	#0	QAM16	10MHz-15MHz	14.43	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	16.83	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	18.08	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	23.71	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	11.46	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	30.61	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	27.59	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	24.95	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	13.44	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	31.11	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	27.62	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	24.57	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	11.39	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	18.06	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	18.82	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	24.70	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	13.42	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	22.64	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	19.59	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	18.29	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	11.17	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	24.19	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	22.01	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	20.33	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	12.53	PASS
Band7	10	21100	12	#0	QAM16	-1MHz-0MHz	17.10	PASS
Band7	10	21100	12	#0	QAM16	-5MHz--1MHz	20.03	PASS
Band7	10	21100	12	#0	QAM16	-10MHz--5MHz	24.02	PASS
Band7	10	21100	12	#0	QAM16	-15MHz--10MHz	11.51	PASS
Band7	10	21100	12	#0	QAM16	0MHz-1MHz	30.08	PASS

Band7	10	21100	12	#0	QAM16	1MHz-5MHz	27.44	PASS
Band7	10	21100	12	#0	QAM16	5MHz-10MHz	24.67	PASS
Band7	10	21100	12	#0	QAM16	10MHz-15MHz	13.42	PASS
Band7	10	21100	12	#Max	QAM16	-1MHz-0MHz	29.94	PASS
Band7	10	21100	12	#Max	QAM16	-5MHz--1MHz	27.26	PASS
Band7	10	21100	12	#Max	QAM16	-10MHz--5MHz	23.88	PASS
Band7	10	21100	12	#Max	QAM16	-15MHz--10MHz	11.46	PASS
Band7	10	21100	12	#Max	QAM16	0MHz-1MHz	17.52	PASS
Band7	10	21100	12	#Max	QAM16	1MHz-5MHz	21.27	PASS
Band7	10	21100	12	#Max	QAM16	5MHz-10MHz	25.00	PASS
Band7	10	21100	12	#Max	QAM16	10MHz-15MHz	13.43	PASS
Band7	10	21100	50	#0	QAM16	-1MHz-0MHz	22.79	PASS
Band7	10	21100	50	#0	QAM16	-5MHz--1MHz	19.86	PASS
Band7	10	21100	50	#0	QAM16	-10MHz--5MHz	19.69	PASS
Band7	10	21100	50	#0	QAM16	-15MHz--10MHz	13.01	PASS
Band7	10	21100	50	#0	QAM16	0MHz-1MHz	23.59	PASS
Band7	10	21100	50	#0	QAM16	1MHz-5MHz	21.95	PASS
Band7	10	21100	50	#0	QAM16	5MHz-10MHz	21.77	PASS
Band7	10	21100	50	#0	QAM16	10MHz-15MHz	14.10	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	15.70	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	16.86	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	23.32	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	11.47	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	29.75	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	27.45	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	24.64	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	13.47	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	30.28	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	27.73	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	24.73	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	11.53	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	17.45	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	17.44	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	24.65	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	13.43	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	22.51	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	19.10	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	17.83	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	11.18	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	24.46	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	21.95	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	20.25	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	12.44	PASS
Band7	10	21400	12	#0	QAM16	-1MHz-0MHz	17.61	PASS



Band7	10	21400	12	#0	QAM16	-5MHz--1MHz	18.92	PASS
Band7	10	21400	12	#0	QAM16	-10MHz--5MHz	23.83	PASS
Band7	10	21400	12	#0	QAM16	-15MHz--10MHz	11.50	PASS
Band7	10	21400	12	#0	QAM16	0MHz-1MHz	31.51	PASS
Band7	10	21400	12	#0	QAM16	1MHz-5MHz	27.57	PASS
Band7	10	21400	12	#0	QAM16	5MHz-10MHz	24.65	PASS
Band7	10	21400	12	#0	QAM16	10MHz-15MHz	13.42	PASS
Band7	10	21400	12	#Max	QAM16	-1MHz-0MHz	31.65	PASS
Band7	10	21400	12	#Max	QAM16	-5MHz--1MHz	27.72	PASS
Band7	10	21400	12	#Max	QAM16	-10MHz--5MHz	24.55	PASS
Band7	10	21400	12	#Max	QAM16	-15MHz--10MHz	11.50	PASS
Band7	10	21400	12	#Max	QAM16	0MHz-1MHz	18.22	PASS
Band7	10	21400	12	#Max	QAM16	1MHz-5MHz	19.91	PASS
Band7	10	21400	12	#Max	QAM16	5MHz-10MHz	24.79	PASS
Band7	10	21400	12	#Max	QAM16	10MHz-15MHz	13.42	PASS
Band7	10	21400	50	#0	QAM16	-1MHz-0MHz	22.42	PASS
Band7	10	21400	50	#0	QAM16	-5MHz--1MHz	19.34	PASS
Band7	10	21400	50	#0	QAM16	-10MHz--5MHz	18.37	PASS
Band7	10	21400	50	#0	QAM16	-15MHz--10MHz	12.17	PASS
Band7	10	21400	50	#0	QAM16	0MHz-1MHz	22.67	PASS
Band7	10	21400	50	#0	QAM16	1MHz-5MHz	21.89	PASS
Band7	10	21400	50	#0	QAM16	5MHz-10MHz	20.87	PASS
Band7	10	21400	50	#0	QAM16	10MHz-15MHz	13.07	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	17.51	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	17.97	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	23.38	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	30.82	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	27.92	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	25.04	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	13.75	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	29.68	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	27.41	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	23.10	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	13.55	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	19.05	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	20.58	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	24.39	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	13.58	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	23.08	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	22.03	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	21.22	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	13.60	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	25.79	PASS

Band7	20	20850	100	#0	QPSK	1MHz-5MHz	24.65	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	22.96	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	13.30	PASS
Band7	20	20850	18	#0	QAM16	-1MHz-0MHz	17.57	PASS
Band7	20	20850	18	#0	QAM16	-5MHz--1MHz	18.74	PASS
Band7	20	20850	18	#0	QAM16	-20MHz--5MHz	23.32	PASS
Band7	20	20850	18	#0	QAM16	-25MHz--20MHz	13.58	PASS
Band7	20	20850	18	#0	QAM16	0MHz-1MHz	31.25	PASS
Band7	20	20850	18	#0	QAM16	1MHz-5MHz	27.91	PASS
Band7	20	20850	18	#0	QAM16	5MHz-20MHz	24.56	PASS
Band7	20	20850	18	#0	QAM16	20MHz-25MHz	13.76	PASS
Band7	20	20850	18	#Max	QAM16	-1MHz-0MHz	30.79	PASS
Band7	20	20850	18	#Max	QAM16	-5MHz--1MHz	27.37	PASS
Band7	20	20850	18	#Max	QAM16	-20MHz--5MHz	22.72	PASS
Band7	20	20850	18	#Max	QAM16	-25MHz--20MHz	13.54	PASS
Band7	20	20850	18	#Max	QAM16	0MHz-1MHz	19.30	PASS
Band7	20	20850	18	#Max	QAM16	1MHz-5MHz	21.62	PASS
Band7	20	20850	18	#Max	QAM16	5MHz-20MHz	24.58	PASS
Band7	20	20850	18	#Max	QAM16	20MHz-25MHz	13.64	PASS
Band7	20	20850	100	#0	QAM16	-1MHz-0MHz	23.44	PASS
Band7	20	20850	100	#0	QAM16	-5MHz--1MHz	22.57	PASS
Band7	20	20850	100	#0	QAM16	-20MHz--5MHz	21.74	PASS
Band7	20	20850	100	#0	QAM16	-25MHz--20MHz	15.45	PASS
Band7	20	20850	100	#0	QAM16	0MHz-1MHz	25.73	PASS
Band7	20	20850	100	#0	QAM16	1MHz-5MHz	25.69	PASS
Band7	20	20850	100	#0	QAM16	5MHz-20MHz	23.90	PASS
Band7	20	20850	100	#0	QAM16	20MHz-25MHz	15.03	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	16.86	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	16.86	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	23.11	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	13.47	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	31.08	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	27.84	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	22.67	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	13.73	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	31.05	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	27.32	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	22.55	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	13.57	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	18.34	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	19.92	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	24.68	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	13.58	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	21.21	PASS

Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	19.89	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	18.19	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	13.29	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	24.67	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	24.27	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	22.62	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	13.02	PASS
Band7	20	21100	18	#0	QAM16	-1MHz-0MHz	16.39	PASS
Band7	20	21100	18	#0	QAM16	-5MHz--1MHz	18.17	PASS
Band7	20	21100	18	#0	QAM16	-20MHz--5MHz	23.25	PASS
Band7	20	21100	18	#0	QAM16	-25MHz--20MHz	13.52	PASS
Band7	20	21100	18	#0	QAM16	0MHz-1MHz	30.45	PASS
Band7	20	21100	18	#0	QAM16	1MHz-5MHz	27.88	PASS
Band7	20	21100	18	#0	QAM16	5MHz-20MHz	22.97	PASS
Band7	20	21100	18	#0	QAM16	20MHz-25MHz	13.70	PASS
Band7	20	21100	18	#Max	QAM16	-1MHz-0MHz	31.06	PASS
Band7	20	21100	18	#Max	QAM16	-5MHz--1MHz	27.24	PASS
Band7	20	21100	18	#Max	QAM16	-20MHz--5MHz	22.60	PASS
Band7	20	21100	18	#Max	QAM16	-25MHz--20MHz	13.63	PASS
Band7	20	21100	18	#Max	QAM16	0MHz-1MHz	18.68	PASS
Band7	20	21100	18	#Max	QAM16	1MHz-5MHz	21.65	PASS
Band7	20	21100	18	#Max	QAM16	5MHz-20MHz	24.89	PASS
Band7	20	21100	18	#Max	QAM16	20MHz-25MHz	13.55	PASS
Band7	20	21100	100	#0	QAM16	-1MHz-0MHz	21.78	PASS
Band7	20	21100	100	#0	QAM16	-5MHz--1MHz	20.65	PASS
Band7	20	21100	100	#0	QAM16	-20MHz--5MHz	19.23	PASS
Band7	20	21100	100	#0	QAM16	-25MHz--20MHz	14.94	PASS
Band7	20	21100	100	#0	QAM16	0MHz-1MHz	24.86	PASS
Band7	20	21100	100	#0	QAM16	1MHz-5MHz	24.91	PASS
Band7	20	21100	100	#0	QAM16	5MHz-20MHz	23.66	PASS
Band7	20	21100	100	#0	QAM16	20MHz-25MHz	14.70	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	16.52	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	16.77	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	22.93	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	31.12	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	27.92	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	24.93	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	13.69	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	30.16	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	27.37	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	23.35	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	13.65	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	17.88	PASS

Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	17.45	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	23.74	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	13.60	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	19.78	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	18.94	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	17.63	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	13.18	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	24.90	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	23.97	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	22.15	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	13.27	PASS
Band7	20	21350	18	#0	QAM16	-1MHz-0MHz	15.88	PASS
Band7	20	21350	18	#0	QAM16	-5MHz--1MHz	18.21	PASS
Band7	20	21350	18	#0	QAM16	-20MHz--5MHz	23.20	PASS
Band7	20	21350	18	#0	QAM16	-25MHz--20MHz	13.47	PASS
Band7	20	21350	18	#0	QAM16	0MHz-1MHz	31.03	PASS
Band7	20	21350	18	#0	QAM16	1MHz-5MHz	27.89	PASS
Band7	20	21350	18	#0	QAM16	5MHz-20MHz	24.92	PASS
Band7	20	21350	18	#0	QAM16	20MHz-25MHz	13.70	PASS
Band7	20	21350	18	#Max	QAM16	-1MHz-0MHz	30.92	PASS
Band7	20	21350	18	#Max	QAM16	-5MHz--1MHz	27.33	PASS
Band7	20	21350	18	#Max	QAM16	-20MHz--5MHz	23.03	PASS
Band7	20	21350	18	#Max	QAM16	-25MHz--20MHz	13.59	PASS
Band7	20	21350	18	#Max	QAM16	0MHz-1MHz	18.61	PASS
Band7	20	21350	18	#Max	QAM16	1MHz-5MHz	19.67	PASS
Band7	20	21350	18	#Max	QAM16	5MHz-20MHz	24.11	PASS
Band7	20	21350	18	#Max	QAM16	20MHz-25MHz	13.58	PASS
Band7	20	21350	100	#0	QAM16	-1MHz-0MHz	20.76	PASS
Band7	20	21350	100	#0	QAM16	-5MHz--1MHz	19.88	PASS
Band7	20	21350	100	#0	QAM16	-20MHz--5MHz	18.21	PASS
Band7	20	21350	100	#0	QAM16	-25MHz--20MHz	14.17	PASS
Band7	20	21350	100	#0	QAM16	0MHz-1MHz	24.41	PASS
Band7	20	21350	100	#0	QAM16	1MHz-5MHz	24.42	PASS
Band7	20	21350	100	#0	QAM16	5MHz-20MHz	22.65	PASS
Band7	20	21350	100	#0	QAM16	20MHz-25MHz	14.35	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	26.60	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	23.97	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	12.66	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	28.59	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	24.72	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	12.71	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	27.68	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	25.06	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	12.82	PASS

Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	27.42	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	23.83	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	12.63	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	30.28	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	25.37	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	12.66	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	31.12	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	25.94	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	12.42	PASS
Band8	1.4	21457	5	#0	QAM16	-1MHz-0MHz	27.36	PASS
Band8	1.4	21457	5	#0	QAM16	-2.5MHz--1MHz	25.23	PASS
Band8	1.4	21457	5	#0	QAM16	-3.5MHz--2.5MHz	12.92	PASS
Band8	1.4	21457	5	#0	QAM16	0MHz-1MHz	30.36	PASS
Band8	1.4	21457	5	#0	QAM16	1MHz-2.5MHz	25.86	PASS
Band8	1.4	21457	5	#0	QAM16	2.5MHz-3.5MHz	12.72	PASS
Band8	1.4	21457	5	#Max	QAM16	-1MHz-0MHz	29.34	PASS
Band8	1.4	21457	5	#Max	QAM16	-2.5MHz--1MHz	25.90	PASS
Band8	1.4	21457	5	#Max	QAM16	-3.5MHz--2.5MHz	12.93	PASS
Band8	1.4	21457	5	#Max	QAM16	0MHz-1MHz	28.22	PASS
Band8	1.4	21457	5	#Max	QAM16	1MHz-2.5MHz	25.05	PASS
Band8	1.4	21457	5	#Max	QAM16	2.5MHz-3.5MHz	12.71	PASS
Band8	1.4	21457	6	#0	QAM16	-1MHz-0MHz	29.34	PASS
Band8	1.4	21457	6	#0	QAM16	-2.5MHz--1MHz	26.00	PASS
Band8	1.4	21457	6	#0	QAM16	-3.5MHz--2.5MHz	13.70	PASS
Band8	1.4	21457	6	#0	QAM16	0MHz-1MHz	30.29	PASS
Band8	1.4	21457	6	#0	QAM16	1MHz-2.5MHz	25.74	PASS
Band8	1.4	21457	6	#0	QAM16	2.5MHz-3.5MHz	13.35	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	18.14	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	20.96	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	11.81	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	18.91	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	23.55	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	12.52	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	19.81	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	22.51	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	11.89	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	18.86	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	21.96	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	12.53	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	23.23	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	21.46	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	11.32	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	22.49	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	23.73	PASS

Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	12.28	PASS
Band8	1.4	21625	5	#0	QAM16	-1MHz-0MHz	18.21	PASS
Band8	1.4	21625	5	#0	QAM16	-2.5MHz--1MHz	22.16	PASS
Band8	1.4	21625	5	#0	QAM16	-3.5MHz--2.5MHz	12.33	PASS
Band8	1.4	21625	5	#0	QAM16	0MHz-1MHz	21.32	PASS
Band8	1.4	21625	5	#0	QAM16	1MHz-2.5MHz	24.46	PASS
Band8	1.4	21625	5	#0	QAM16	2.5MHz-3.5MHz	12.66	PASS
Band8	1.4	21625	5	#Max	QAM16	-1MHz-0MHz	20.54	PASS
Band8	1.4	21625	5	#Max	QAM16	-2.5MHz--1MHz	23.49	PASS
Band8	1.4	21625	5	#Max	QAM16	-3.5MHz--2.5MHz	12.33	PASS
Band8	1.4	21625	5	#Max	QAM16	0MHz-1MHz	19.96	PASS
Band8	1.4	21625	5	#Max	QAM16	1MHz-2.5MHz	23.35	PASS
Band8	1.4	21625	5	#Max	QAM16	2.5MHz-3.5MHz	12.63	PASS
Band8	1.4	21625	6	#0	QAM16	-1MHz-0MHz	24.63	PASS
Band8	1.4	21625	6	#0	QAM16	-2.5MHz--1MHz	23.73	PASS
Band8	1.4	21625	6	#0	QAM16	-3.5MHz--2.5MHz	13.60	PASS
Band8	1.4	21625	6	#0	QAM16	0MHz-1MHz	24.74	PASS
Band8	1.4	21625	6	#0	QAM16	1MHz-2.5MHz	25.29	PASS
Band8	1.4	21625	6	#0	QAM16	2.5MHz-3.5MHz	14.29	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	19.71	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	22.97	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	11.95	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	27.05	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	24.58	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	12.39	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	19.90	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	23.62	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	11.87	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	25.25	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	23.19	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	12.26	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	25.80	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	23.43	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	11.72	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	30.89	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	24.33	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	12.34	PASS
Band8	1.4	21793	5	#0	QAM16	-1MHz-0MHz	25.25	PASS
Band8	1.4	21793	5	#0	QAM16	-2.5MHz--1MHz	24.29	PASS
Band8	1.4	21793	5	#0	QAM16	-3.5MHz--2.5MHz	12.28	PASS
Band8	1.4	21793	5	#0	QAM16	0MHz-1MHz	31.17	PASS
Band8	1.4	21793	5	#0	QAM16	1MHz-2.5MHz	25.83	PASS
Band8	1.4	21793	5	#0	QAM16	2.5MHz-3.5MHz	12.74	PASS
Band8	1.4	21793	5	#Max	QAM16	-1MHz-0MHz	26.51	PASS

Band8	1.4	21793	5	#Max	QAM16	-2.5MHz--1MHz	24.82	PASS
Band8	1.4	21793	5	#Max	QAM16	-3.5MHz--2.5MHz	12.32	PASS
Band8	1.4	21793	5	#Max	QAM16	0MHz-1MHz	30.35	PASS
Band8	1.4	21793	5	#Max	QAM16	1MHz-2.5MHz	25.05	PASS
Band8	1.4	21793	5	#Max	QAM16	2.5MHz-3.5MHz	12.56	PASS
Band8	1.4	21793	6	#0	QAM16	-1MHz-0MHz	26.65	PASS
Band8	1.4	21793	6	#0	QAM16	-2.5MHz--1MHz	24.42	PASS
Band8	1.4	21793	6	#0	QAM16	-3.5MHz--2.5MHz	13.33	PASS
Band8	1.4	21793	6	#0	QAM16	0MHz-1MHz	31.46	PASS
Band8	1.4	21793	6	#0	QAM16	1MHz-2.5MHz	25.58	PASS
Band8	1.4	21793	6	#0	QAM16	2.5MHz-3.5MHz	14.00	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	17.06	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	22.43	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	24.92	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	12.71	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	29.50	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	25.69	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	25.12	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	13.03	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	29.15	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	25.49	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	24.91	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	12.66	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	16.74	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	21.42	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	24.58	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	12.76	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	22.89	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	22.69	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	24.80	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	12.66	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	23.27	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	19.21	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	22.67	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	10.92	PASS
Band8	5	21475	8	#0	QAM16	-1MHz-0MHz	17.76	PASS
Band8	5	21475	8	#0	QAM16	-5MHz--1MHz	24.29	PASS
Band8	5	21475	8	#0	QAM16	-6MHz--5MHz	24.84	PASS
Band8	5	21475	8	#0	QAM16	-10MHz--6MHz	12.76	PASS
Band8	5	21475	8	#0	QAM16	0MHz-1MHz	30.67	PASS
Band8	5	21475	8	#0	QAM16	1MHz-5MHz	25.20	PASS
Band8	5	21475	8	#0	QAM16	5MHz-6MHz	25.01	PASS
Band8	5	21475	8	#0	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21475	8	#Max	QAM16	-1MHz-0MHz	30.28	PASS



Band8	5	21475	8	#Max	QAM16	-5MHz--1MHz	26.02	PASS
Band8	5	21475	8	#Max	QAM16	-6MHz--5MHz	25.12	PASS
Band8	5	21475	8	#Max	QAM16	-10MHz--6MHz	12.75	PASS
Band8	5	21475	8	#Max	QAM16	0MHz-1MHz	19.24	PASS
Band8	5	21475	8	#Max	QAM16	1MHz-5MHz	22.49	PASS
Band8	5	21475	8	#Max	QAM16	5MHz-6MHz	24.57	PASS
Band8	5	21475	8	#Max	QAM16	6MHz-10MHz	12.84	PASS
Band8	5	21475	25	#0	QAM16	-1MHz-0MHz	22.87	PASS
Band8	5	21475	25	#0	QAM16	-5MHz--1MHz	22.53	PASS
Band8	5	21475	25	#0	QAM16	-6MHz--5MHz	25.78	PASS
Band8	5	21475	25	#0	QAM16	-10MHz--6MHz	13.79	PASS
Band8	5	21475	25	#0	QAM16	0MHz-1MHz	23.42	PASS
Band8	5	21475	25	#0	QAM16	1MHz-5MHz	18.82	PASS
Band8	5	21475	25	#0	QAM16	5MHz-6MHz	22.60	PASS
Band8	5	21475	25	#0	QAM16	6MHz-10MHz	11.52	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	14.73	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	18.13	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	24.27	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	12.51	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	30.98	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	26.43	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	25.03	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	12.99	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	27.64	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	23.31	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	24.74	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	12.59	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	15.38	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	19.52	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	24.58	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	12.81	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	21.14	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	18.00	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	22.46	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	10.41	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	22.38	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	17.64	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	23.82	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	11.84	PASS
Band8	5	21625	8	#0	QAM16	-1MHz-0MHz	15.85	PASS
Band8	5	21625	8	#0	QAM16	-5MHz--1MHz	19.71	PASS
Band8	5	21625	8	#0	QAM16	-6MHz--5MHz	24.33	PASS
Band8	5	21625	8	#0	QAM16	-10MHz--6MHz	12.62	PASS
Band8	5	21625	8	#0	QAM16	0MHz-1MHz	31.97	PASS

Band8	5	21625	8	#0	QAM16	1MHz-5MHz	25.57	PASS
Band8	5	21625	8	#0	QAM16	5MHz-6MHz	25.13	PASS
Band8	5	21625	8	#0	QAM16	6MHz-10MHz	13.03	PASS
Band8	5	21625	8	#Max	QAM16	-1MHz-0MHz	27.92	PASS
Band8	5	21625	8	#Max	QAM16	-5MHz--1MHz	23.36	PASS
Band8	5	21625	8	#Max	QAM16	-6MHz--5MHz	24.78	PASS
Band8	5	21625	8	#Max	QAM16	-10MHz--6MHz	12.62	PASS
Band8	5	21625	8	#Max	QAM16	0MHz-1MHz	18.33	PASS
Band8	5	21625	8	#Max	QAM16	1MHz-5MHz	21.41	PASS
Band8	5	21625	8	#Max	QAM16	5MHz-6MHz	24.81	PASS
Band8	5	21625	8	#Max	QAM16	6MHz-10MHz	12.89	PASS
Band8	5	21625	25	#0	QAM16	-1MHz-0MHz	20.47	PASS
Band8	5	21625	25	#0	QAM16	-5MHz--1MHz	19.21	PASS
Band8	5	21625	25	#0	QAM16	-6MHz--5MHz	23.60	PASS
Band8	5	21625	25	#0	QAM16	-10MHz--6MHz	12.16	PASS
Band8	5	21625	25	#0	QAM16	0MHz-1MHz	23.36	PASS
Band8	5	21625	25	#0	QAM16	1MHz-5MHz	18.46	PASS
Band8	5	21625	25	#0	QAM16	5MHz-6MHz	25.20	PASS
Band8	5	21625	25	#0	QAM16	6MHz-10MHz	13.70	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	16.02	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	22.21	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	24.49	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	12.49	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	31.22	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	25.66	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	25.02	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	12.99	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	28.96	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	22.96	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	24.80	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	12.47	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	18.28	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	21.42	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	24.96	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	13.00	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	24.29	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	23.59	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	24.13	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	11.96	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	25.32	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	23.12	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	24.98	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	12.97	PASS
Band8	5	21775	8	#0	QAM16	-1MHz-0MHz	21.19	PASS


Band8	5	21775	8	#0	QAM16	-5MHz--1MHz	24.76	PASS
Band8	5	21775	8	#0	QAM16	-6MHz--5MHz	24.72	PASS
Band8	5	21775	8	#0	QAM16	-10MHz--6MHz	12.51	PASS
Band8	5	21775	8	#0	QAM16	0MHz-1MHz	31.28	PASS
Band8	5	21775	8	#0	QAM16	1MHz-5MHz	26.18	PASS
Band8	5	21775	8	#0	QAM16	5MHz-6MHz	25.05	PASS
Band8	5	21775	8	#0	QAM16	6MHz-10MHz	13.00	PASS
Band8	5	21775	8	#Max	QAM16	-1MHz-0MHz	29.63	PASS
Band8	5	21775	8	#Max	QAM16	-5MHz--1MHz	24.64	PASS
Band8	5	21775	8	#Max	QAM16	-6MHz--5MHz	24.84	PASS
Band8	5	21775	8	#Max	QAM16	-10MHz--6MHz	12.51	PASS
Band8	5	21775	8	#Max	QAM16	0MHz-1MHz	20.24	PASS
Band8	5	21775	8	#Max	QAM16	1MHz-5MHz	24.47	PASS
Band8	5	21775	8	#Max	QAM16	5MHz-6MHz	25.01	PASS
Band8	5	21775	8	#Max	QAM16	6MHz-10MHz	12.98	PASS
Band8	5	21775	25	#0	QAM16	-1MHz-0MHz	28.01	PASS
Band8	5	21775	25	#0	QAM16	-5MHz--1MHz	24.98	PASS
Band8	5	21775	25	#0	QAM16	-6MHz--5MHz	25.54	PASS
Band8	5	21775	25	#0	QAM16	-10MHz--6MHz	13.91	PASS
Band8	5	21775	25	#0	QAM16	0MHz-1MHz	26.27	PASS
Band8	5	21775	25	#0	QAM16	1MHz-5MHz	24.06	PASS
Band8	5	21775	25	#0	QAM16	5MHz-6MHz	26.65	PASS
Band8	5	21775	25	#0	QAM16	6MHz-10MHz	14.96	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	18.86	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	21.25	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	24.32	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	11.22	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	29.78	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	25.37	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	22.19	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	13.01	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	31.27	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	27.38	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	24.30	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	11.15	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	16.73	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	23.26	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	24.25	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	12.95	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	25.16	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	23.89	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	24.15	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	11.25	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	21.33	PASS

Band8	10	21500	50	#0	QPSK	1MHz-5MHz	21.81	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	21.78	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	12.37	PASS
Band8	10	21500	12	#0	QAM16	-1MHz-0MHz	18.38	PASS
Band8	10	21500	12	#0	QAM16	-5MHz--1MHz	22.45	PASS
Band8	10	21500	12	#0	QAM16	-10MHz--5MHz	24.28	PASS
Band8	10	21500	12	#0	QAM16	-15MHz--10MHz	11.08	PASS
Band8	10	21500	12	#0	QAM16	0MHz-1MHz	29.52	PASS
Band8	10	21500	12	#0	QAM16	1MHz-5MHz	25.08	PASS
Band8	10	21500	12	#0	QAM16	5MHz-10MHz	21.89	PASS
Band8	10	21500	12	#0	QAM16	10MHz-15MHz	13.02	PASS
Band8	10	21500	12	#Max	QAM16	-1MHz-0MHz	31.12	PASS
Band8	10	21500	12	#Max	QAM16	-5MHz--1MHz	27.10	PASS
Band8	10	21500	12	#Max	QAM16	-10MHz--5MHz	24.26	PASS
Band8	10	21500	12	#Max	QAM16	-15MHz--10MHz	11.20	PASS
Band8	10	21500	12	#Max	QAM16	0MHz-1MHz	18.86	PASS
Band8	10	21500	12	#Max	QAM16	1MHz-5MHz	24.51	PASS
Band8	10	21500	12	#Max	QAM16	5MHz-10MHz	24.56	PASS
Band8	10	21500	12	#Max	QAM16	10MHz-15MHz	12.99	PASS
Band8	10	21500	50	#0	QAM16	-1MHz-0MHz	24.42	PASS
Band8	10	21500	50	#0	QAM16	-5MHz--1MHz	24.85	PASS
Band8	10	21500	50	#0	QAM16	-10MHz--5MHz	25.51	PASS
Band8	10	21500	50	#0	QAM16	-15MHz--10MHz	13.05	PASS
Band8	10	21500	50	#0	QAM16	0MHz-1MHz	22.31	PASS
Band8	10	21500	50	#0	QAM16	1MHz-5MHz	22.24	PASS
Band8	10	21500	50	#0	QAM16	5MHz-10MHz	22.23	PASS
Band8	10	21500	50	#0	QAM16	10MHz-15MHz	13.70	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	15.51	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	16.30	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	23.87	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	11.05	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	32.05	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	26.53	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	23.19	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	12.95	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	28.49	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	23.23	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	20.05	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	11.06	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	17.53	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	18.22	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	24.30	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	12.52	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	23.44	PASS


Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	20.63	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	21.88	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	10.14	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	22.88	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	18.95	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	16.35	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	11.24	PASS
Band8	10	21625	12	#0	QAM16	-1MHz-0MHz	17.49	PASS
Band8	10	21625	12	#0	QAM16	-5MHz--1MHz	19.50	PASS
Band8	10	21625	12	#0	QAM16	-10MHz--5MHz	24.12	PASS
Band8	10	21625	12	#0	QAM16	-15MHz--10MHz	11.06	PASS
Band8	10	21625	12	#0	QAM16	0MHz-1MHz	31.68	PASS
Band8	10	21625	12	#0	QAM16	1MHz-5MHz	26.16	PASS
Band8	10	21625	12	#0	QAM16	5MHz-10MHz	22.91	PASS
Band8	10	21625	12	#0	QAM16	10MHz-15MHz	12.99	PASS
Band8	10	21625	12	#Max	QAM16	-1MHz-0MHz	27.21	PASS
Band8	10	21625	12	#Max	QAM16	-5MHz--1MHz	24.03	PASS
Band8	10	21625	12	#Max	QAM16	-10MHz--5MHz	20.98	PASS
Band8	10	21625	12	#Max	QAM16	-15MHz--10MHz	11.17	PASS
Band8	10	21625	12	#Max	QAM16	0MHz-1MHz	16.20	PASS
Band8	10	21625	12	#Max	QAM16	1MHz-5MHz	20.33	PASS
Band8	10	21625	12	#Max	QAM16	5MHz-10MHz	24.48	PASS
Band8	10	21625	12	#Max	QAM16	10MHz-15MHz	12.62	PASS
Band8	10	21625	50	#0	QAM16	-1MHz-0MHz	22.70	PASS
Band8	10	21625	50	#0	QAM16	-5MHz--1MHz	22.17	PASS
Band8	10	21625	50	#0	QAM16	-10MHz--5MHz	23.18	PASS
Band8	10	21625	50	#0	QAM16	-15MHz--10MHz	11.79	PASS
Band8	10	21625	50	#0	QAM16	0MHz-1MHz	22.78	PASS
Band8	10	21625	50	#0	QAM16	1MHz-5MHz	19.43	PASS
Band8	10	21625	50	#0	QAM16	5MHz-10MHz	17.41	PASS
Band8	10	21625	50	#0	QAM16	10MHz-15MHz	12.07	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	16.97	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	20.27	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	23.90	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	10.80	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	30.24	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	26.21	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	24.12	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	30.81	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	25.18	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	21.52	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	11.04	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	20.67	PASS

Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	22.01	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	24.95	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	13.00	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	26.89	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	25.06	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	22.77	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	10.85	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	26.70	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	25.47	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	24.02	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	12.94	PASS
Band8	10	21750	12	#0	QAM16	-1MHz-0MHz	18.63	PASS
Band8	10	21750	12	#0	QAM16	-5MHz--1MHz	21.10	PASS
Band8	10	21750	12	#0	QAM16	-10MHz--5MHz	23.97	PASS
Band8	10	21750	12	#0	QAM16	-15MHz--10MHz	10.85	PASS
Band8	10	21750	12	#0	QAM16	0MHz-1MHz	31.83	PASS
Band8	10	21750	12	#0	QAM16	1MHz-5MHz	25.93	PASS
Band8	10	21750	12	#0	QAM16	5MHz-10MHz	23.71	PASS
Band8	10	21750	12	#0	QAM16	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#Max	QAM16	-1MHz-0MHz	31.56	PASS
Band8	10	21750	12	#Max	QAM16	-5MHz--1MHz	24.92	PASS
Band8	10	21750	12	#Max	QAM16	-10MHz--5MHz	21.45	PASS
Band8	10	21750	12	#Max	QAM16	-15MHz--10MHz	11.13	PASS
Band8	10	21750	12	#Max	QAM16	0MHz-1MHz	21.79	PASS
Band8	10	21750	12	#Max	QAM16	1MHz-5MHz	23.85	PASS
Band8	10	21750	12	#Max	QAM16	5MHz-10MHz	24.98	PASS
Band8	10	21750	12	#Max	QAM16	10MHz-15MHz	12.88	PASS
Band8	10	21750	50	#0	QAM16	-1MHz-0MHz	26.00	PASS
Band8	10	21750	50	#0	QAM16	-5MHz--1MHz	26.23	PASS
Band8	10	21750	50	#0	QAM16	-10MHz--5MHz	24.68	PASS
Band8	10	21750	50	#0	QAM16	-15MHz--10MHz	12.76	PASS
Band8	10	21750	50	#0	QAM16	0MHz-1MHz	25.39	PASS
Band8	10	21750	50	#0	QAM16	1MHz-5MHz	26.54	PASS
Band8	10	21750	50	#0	QAM16	5MHz-10MHz	25.70	PASS
Band8	10	21750	50	#0	QAM16	10MHz-15MHz	14.91	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0







Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max







Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0







Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0







Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max







Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0







Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0







Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max







Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0



Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0







Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0







Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0







Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max







Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0






Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0







Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0






Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max







Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0







Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0



Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max







Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0







Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.4 LTE Transmitter Spurious Emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.23	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.72	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-63.28	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-54.11	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1937.66	-52.32	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-44.03	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.38	-75.26	-50	PASS
Band1	5	18025	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.05	-79.36	-50	PASS
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.15	-79.05	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.86	-80.62	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.62	-81.89	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-79.80	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.61	-81.94	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.30	-82.14	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.24	-81.99	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025	1 MHz	2013.33	-81.03	-50	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.90	-79.60	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.90	-80.53	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.61	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.60	-80.43	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.34	-75.35	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.84	-82.24	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.83	-82.07	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1913.28	-51.92	-15.5	PASS
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.76	-48.41	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.58	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.42	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-61.60	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1937.50	-51.94	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1965.09	-52.48	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3895.38	-46.60	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2141.50	-75.42	-50	PASS

Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.35	-79.88	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.02	-79.07	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.79	-80.97	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.05	-81.92	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.12	-79.73	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.89	-81.92	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.26	-82.12	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.72	-81.96	-50	PASS
Band1	5	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.43	-80.98	-50	PASS
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.70	-79.61	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.20	-80.55	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-79.61	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.80	-80.37	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.41	-75.48	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.56	-82.17	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.78	-82.02	-50	PASS
Band1	5	18300	1	#0	QPSK	1895	5	1913.64	-53.95	-15.5	PASS

						MHz-1915 MHz	MHz				
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.07	-53.96	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.91	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.13	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-62.08	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-52.35	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1992.53	-53.79	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3950.63	-43.13	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.28	-72.53	-50	PASS
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1852.40	-80.07	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.58	-79.12	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.59	-80.91	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.27	-81.85	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.48	-79.75	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.86	-81.86	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.23	-82.03	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.41	-81.98	-50	PASS

Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.19	-80.63	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.00	-79.61	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.50	-80.48	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.63	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.20	-80.36	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2166.34	-72.64	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.24	-82.25	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.60	-81.95	-50	PASS
Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1901.72	-53.98	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.31	-53.93	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.08	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.43	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-63.32	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1885.16	-59.77	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	1990.88	-50.68	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-43.80	-30	PASS
Band1	20	18100	1	#0	QPSK	2110	1	2126.68	-74.99	-50	PASS

						MHz-2170 MHz	MHz				
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.20	-78.92	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.95	-79.22	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.48	-81.01	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.35	-81.89	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.60	-79.77	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.43	-81.96	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.33	-82.08	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.63	-82.03	-50	PASS
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.50	-81.11	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.95	-79.66	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.60	-80.53	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-79.71	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.00	-80.41	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.83	-75.05	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.36	-82.28	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783	1	766.02	-82.04	-50	PASS

						MHz	MHz				
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1912.92	-48.02	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.02	-49.34	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.11	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.86	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-62.23	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1904.94	-49.53	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2469.66	-57.97	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-42.82	-30	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.50	-73.63	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.45	-77.07	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.13	-79.18	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.31	-81.50	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.07	-81.91	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-79.77	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.91	-81.76	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.09	-82.07	-50	PASS
Band1	20	18300	1	#0	QPSK	1452	1	1483.28	-82.02	-50	PASS

						MHz-1496 MHz	MHz				
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.65	-79.33	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2607.60	-79.53	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.90	-80.50	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-79.73	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.20	-80.37	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.07	-73.61	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.98	-82.18	-50	PASS
Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	771.24	-81.91	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.58	-51.82	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.15	-53.81	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.98	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.86	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-60.40	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-43.60	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2633.51	-60.28	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 MHz	1 MHz	3922.19	-41.43	-30	PASS



						GHz					
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2162.80	-72.47	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.60	-79.96	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.53	-79.14	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.56	-80.96	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.87	-81.88	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.08	-79.75	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.66	-81.88	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.46	-81.99	-50	PASS
Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.03	-81.98	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.23	-80.25	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.80	-79.62	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.50	-80.49	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-79.65	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.20	-80.39	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2160.85	-72.53	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758	1	757.70	-82.07	-50	PASS

						MHz	MHz				
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.00	-81.96	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1898.16	-53.92	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.47	-53.91	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.33	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.98	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	601.90	-70.84	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	847.77	-65.15	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1468.00	-63.90	-30	PASS
Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2469.30	-55.86	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12656.85	-60.51	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.42	-84.07	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.48	-84.43	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.94	-82.36	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.52	-82.97	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.17	-76.34	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-82.98	-50	PASS

Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.65	-85.36	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.36	-85.28	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.24	-84.43	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.39	-84.35	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.35	-82.88	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.20	-83.75	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-82.94	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.00	-83.65	-50	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.72	-84.21	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.46	-85.51	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.85	-85.27	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.56	-85.25	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.81	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.81	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	833.94	-65.85	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	860.20	-64.00	-36	PASS
Band20	5	24300	1	#0	QPSK	1000	1	1459.50	-63.93	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	4224.30	-58.67	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.68	-60.51	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.72	-84.19	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.23	-84.18	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.06	-82.42	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.70	-83.52	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.77	-77.44	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-83.02	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.23	-85.37	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.90	-85.31	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.46	-84.77	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.78	-84.33	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.20	-82.86	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.50	-83.75	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-82.83	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.60	-83.67	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.14	-83.99	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.70	-85.49	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.24	-85.28	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	784.61	-85.27	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.37	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.16	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.35	-65.86	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	887.62	-72.50	-36	PASS
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1341.00	-63.93	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	4286.40	-56.40	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12623.10	-60.53	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.16	-84.10	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.03	-84.57	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.58	-82.43	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.38	-82.52	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821	1	819.38	-81.86	-50	PASS

						MHz	MHz				
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.08	-83.06	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.15	-85.35	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.98	-85.30	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.84	-84.70	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.74	-84.35	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.55	-82.85	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2373.30	-83.79	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-82.97	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.80	-83.67	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.58	-84.22	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.36	-85.47	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.05	-85.29	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.12	-85.25	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.32	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.22	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	535.21	-71.16	-36	PASS

Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	991.27	-72.73	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1337.00	-63.94	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2475.60	-57.68	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.83	-60.48	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.76	-84.18	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.78	-84.32	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2668.51	-82.46	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.73	-84.29	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.25	-76.00	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-83.04	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.92	-85.35	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.74	-85.30	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.42	-84.80	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.66	-84.31	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-82.93	-50	PASS
Band20	20	24250	1	#0	QPSK	2300	1	2383.00	-83.82	-50	PASS

						MHz-2400 MHz	MHz				
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.80	-82.98	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.00	-83.65	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.84	-84.14	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.28	-85.55	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.33	-84.26	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	765.32	-84.21	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.33	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.86	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	799.88	-70.66	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	997.29	-72.54	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1471.00	-63.97	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5827.20	-58.58	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12659.55	-60.55	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.18	-83.99	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.33	-84.76	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.92	-82.41	-50	PASS



						MHz					
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.77	-83.14	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.68	-72.52	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-83.07	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.16	-85.38	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.10	-85.28	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.78	-84.83	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.81	-84.37	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.80	-82.91	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.00	-83.77	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-83.02	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.00	-83.68	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2115.58	-84.20	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.28	-85.48	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	766.08	-84.63	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	766.28	-84.56	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.21	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30	10	0.16	-61.80	-36	PASS

						MHz	kHz				
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	811.65	-71.02	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	998.08	-72.77	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1493.00	-63.93	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	4215.30	-58.20	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12648.08	-60.60	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.82	-84.16	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.30	-84.62	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.06	-82.51	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.77	-83.50	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.51	-74.75	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.32	-83.08	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.52	-85.34	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.37	-85.23	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.78	-84.81	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.06	-84.39	-50	PASS

Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.25	-82.90	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.40	-83.79	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.40	-82.92	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.20	-83.63	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.19	-84.06	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.66	-85.52	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.52	-85.21	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	773.21	-85.14	-50	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.13	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.43	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	804.45	-71.06	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-43.03	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-48.07	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-44.85	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.72	-81.64	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.68	-82.10	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.33	-79.86	-50	PASS

						MHz					
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.00	-81.05	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.47	-82.56	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-80.35	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.78	-82.60	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.85	-82.77	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.30	-82.67	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.78	-82.10	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.81	-81.80	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.00	-80.34	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.90	-81.19	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-77.27	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3624.80	-81.02	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.74	-81.48	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.18	-82.95	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.64	-82.68	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.33	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30	10	0.16	-60.51	-36	PASS

						MHz	kHz				
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	951.50	-70.77	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-43.39	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-47.68	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3494.00	-49.20	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2117.50	-81.54	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.28	-78.30	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.90	-79.79	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.93	-81.25	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.02	-82.47	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.12	-80.47	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.35	-82.56	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.28	-82.77	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.73	-82.68	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.80	-82.12	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.41	-81.74	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.05	-80.26	-50	PASS

						MHz					
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2378.80	-81.17	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3492.40	-80.25	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.60	-80.98	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.10	-81.18	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.60	-82.87	-50	PASS
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.69	-82.67	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.91	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.10	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	897.47	-70.86	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-43.67	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.89	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3567.94	-48.82	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2118.34	-81.45	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.33	-81.17	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.37	-79.74	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.87	-81.45	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821	1	793.25	-82.46	-50	PASS

						MHz	MHz				
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3566.16	-77.87	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.15	-82.44	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.04	-82.69	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1463.04	-82.58	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.74	-82.11	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.85	-81.67	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.20	-80.21	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.10	-81.08	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3566.00	-80.13	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3600.60	-80.93	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.20	-81.41	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.50	-82.84	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.22	-82.66	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.34	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.42	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	823.85	-70.66	-36	PASS
Band3	5	19225	1	#0	QPSK	1000	1	1700.00	-50.49	-30	PASS

						MHz-1700.00 MHz	MHz				
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	1727.13	-50.07	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3420.88	-44.21	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2117.62	-81.48	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1866.65	-82.08	-50	PASS
Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.04	-79.86	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.76	-81.59	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.71	-82.57	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-80.40	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.91	-82.57	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.26	-82.77	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.96	-82.62	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.48	-82.20	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.22	-81.74	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.90	-80.22	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.40	-81.18	-50	PASS



Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-80.08	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.00	-80.95	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.39	-81.47	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.48	-82.95	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.55	-82.75	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.03	-36	PASS
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.20	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	817.35	-71.04	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-49.83	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	1763.10	-49.94	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3490.75	-48.83	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.24	-81.59	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1841.00	-77.03	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.27	-79.68	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.63	-81.16	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	814.01	-82.46	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.92	-80.42	-50	PASS

Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.63	-82.56	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.94	-82.69	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.62	-82.55	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.56	-82.04	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.29	-81.73	-50	PASS
Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-80.22	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2370.60	-81.13	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-80.19	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3624.40	-80.95	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.98	-81.60	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.72	-82.84	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.43	-82.65	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.12	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.06	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	989.72	-70.96	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-49.62	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2656.58	-51.40	-30	PASS

						MHz					
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3560.63	-49.00	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.74	-81.27	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-78.79	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.03	-79.73	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.84	-80.48	-50	PASS
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.61	-82.40	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.36	-80.29	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.98	-82.49	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.01	-82.64	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.38	-82.55	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.92	-76.64	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.22	-81.67	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-80.19	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2370.60	-81.12	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-80.29	-50	PASS
Band3	5	19925	1	#0	QPSK	3600	1	3626.80	-80.85	-50	PASS

						MHz-3800 MHz	MHz				
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.82	-81.34	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.10	-82.77	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.59	-82.52	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.11	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.50	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	816.38	-70.95	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1675.41	-52.80	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1772.64	-42.40	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3422.50	-44.91	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2119.96	-81.56	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.30	-80.33	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.22	-79.79	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.32	-81.51	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.74	-82.52	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.88	-80.41	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.66	-82.52	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.06	-82.63	-50	PASS

						MHz					
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.70	-82.63	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.28	-82.09	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.16	-81.76	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.15	-80.26	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.80	-81.20	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3404.40	-79.73	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.20	-80.96	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.47	-81.53	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	741.86	-82.86	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.83	-82.65	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.16	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.46	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	812.11	-71.01	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-36.64	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2667.22	-51.27	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3476.94	-48.13	-30	PASS

Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.16	-81.49	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1835.08	-75.97	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.18	-79.71	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.42	-80.84	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.09	-82.46	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-80.42	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.90	-82.44	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.40	-82.64	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.33	-82.60	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.06	-82.10	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.73	-81.72	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.15	-80.19	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.20	-81.09	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-80.23	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.80	-80.94	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.02	-81.58	-50	PASS

						MHz					
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.80	-82.83	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.66	-82.66	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.29	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.26	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	841.60	-70.89	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-33.08	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2669.78	-51.36	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3532.19	-49.25	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.04	-81.32	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1866.73	-74.35	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.34	-79.76	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.73	-80.95	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.66	-82.44	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.56	-80.33	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.00	-82.47	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.63	-82.64	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.52	-82.56	-50	PASS

Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.64	-77.89	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.74	-81.68	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.40	-80.16	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.90	-81.07	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-80.25	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-80.84	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.62	-81.44	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.10	-82.78	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.64	-82.56	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.91	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.75	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	799.79	-69.86	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-54.15	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2515.40	-54.21	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5000.38	-50.31	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.70	-79.52	-50	PASS
Band7	5	20775	1	#0	QPSK	1805	1	1879.18	-80.24	-50	PASS



						MHz-1880 MHz	MHz				
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.79	-77.89	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.24	-80.48	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.92	-80.57	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-78.55	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.61	-80.61	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.49	-80.78	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.72	-80.77	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.44	-80.27	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.91	-79.82	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2400.00	-78.32	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-78.41	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3634.00	-79.10	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.33	-79.63	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.62	-80.98	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.99	-80.74	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.17	-51.30	1.6	PASS

						MHz					
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.22	-51.22	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2615.35	-78.31	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.59	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.46	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	824.33	-69.93	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-53.00	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2547.88	-53.60	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	10131.31	-48.32	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.72	-79.51	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.68	-80.29	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.47	-76.90	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.66	-80.42	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.03	-80.63	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.12	-78.56	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.41	-80.62	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.24	-80.83	-50	PASS
Band7	5	21100	1	#0	QPSK	1452	1	1468.90	-80.76	-50	PASS

						MHz-1496 MHz	MHz				
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.96	-80.22	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.12	-79.84	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2400.00	-78.54	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-78.28	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.20	-79.13	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.73	-79.32	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.78	-80.95	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.00	-80.74	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.11	-51.29	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.30	-51.23	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.55	-78.25	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.68	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-55.92	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	815.31	-69.99	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-52.79	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2580.35	-54.79	-30	PASS

						MHz					
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5130.38	-48.73	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2119.06	-79.59	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.18	-80.39	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2689.16	-77.62	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-80.27	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.12	-80.61	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-78.50	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.21	-80.63	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.04	-80.83	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.86	-80.68	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.20	-80.12	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.01	-79.82	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2400.00	-78.28	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-78.43	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.80	-79.06	-50	PASS
Band7	5	21425	1	#0	QPSK	2110	1	2127.01	-79.60	-50	PASS

						MHz-2200 MHz	MHz				
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.22	-80.98	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.04	-80.77	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-49.69	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.62	-51.24	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2616.38	-78.23	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.18	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.69	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	902.03	-70.05	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2410.10	-59.56	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2570.78	-49.05	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5002.00	-50.22	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.22	-79.58	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.80	-80.27	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2631.62	-77.76	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.39	-80.59	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.69	-80.63	-50	PASS
Band7	20	20850	1	#0	QPSK	3510	1	3587.60	-78.48	-50	PASS

						MHz-3590 MHz	MHz				
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	784.15	-80.61	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.21	-80.74	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.52	-80.73	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.02	-80.26	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.88	-79.81	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.80	-78.55	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-78.37	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.40	-79.08	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.38	-79.54	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.72	-80.90	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.96	-80.73	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.15	-51.31	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2591.88	-51.20	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.65	-78.13	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.79	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30	10	0.17	-60.77	-36	PASS

						MHz	kHz				
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	806.49	-69.88	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-52.92	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2570.36	-57.66	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	10104.50	-49.32	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.26	-79.62	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.23	-80.27	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.84	-76.28	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.01	-80.40	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	815.93	-80.50	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.56	-78.41	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.69	-80.65	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.72	-80.81	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.98	-80.72	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.98	-80.21	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.09	-79.87	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2400.00	-78.03	-50	PASS

						MHz					
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-78.25	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.40	-79.05	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.37	-79.50	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	741.92	-80.87	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.52	-80.57	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.75	-51.25	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.74	-51.26	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.20	-78.31	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.52	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.66	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	817.35	-69.90	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2525.00	-54.17	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2757.34	-59.23	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	10204.44	-46.45	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.40	-79.41	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.55	-80.25	-50	PASS



Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2672.08	-73.40	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-80.36	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.18	-80.62	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.20	-78.42	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.34	-80.56	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.95	-80.77	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.44	-80.69	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.60	-80.17	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.71	-79.74	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.90	-78.45	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-78.35	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.80	-79.06	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.33	-79.57	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.10	-80.97	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.57	-80.63	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.64	-51.28	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575	5	2594.24	-51.21	-15.5	PASS

						MHz-2595 MHz	MHz				
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.40	-78.30	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.53	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.52	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.03	-62.11	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.43	-61.85	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1484.50	-63.38	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2641.20	-56.37	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.83	-60.51	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.80	-83.67	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.08	-84.31	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.03	-81.97	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.93	-83.52	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	810.92	-84.39	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.48	-82.56	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	765.65	-83.97	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.74	-84.59	-50	PASS

						MHz					
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.11	-84.80	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.26	-84.33	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.95	-83.89	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.40	-81.91	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.80	-83.32	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-82.52	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.20	-83.14	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.42	-83.71	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	740.78	-82.52	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.54	-83.86	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.11	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.68	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	894.00	-59.08	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-62.35	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1498.00	-63.47	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	3588.00	-55.40	-30	PASS

						MHz					
Band8	1.4	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12632.55	-60.41	-30	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.12	-83.72	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.20	-84.36	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.13	-81.93	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.43	-79.25	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.48	-84.57	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3579.68	-82.74	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.55	-83.85	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.04	-84.82	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.37	-84.79	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.66	-84.33	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.37	-83.84	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.40	-82.22	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.10	-83.28	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-82.43	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600	1	3649.40	-83.13	-50	PASS

						MHz-3800 MHz	MHz				
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.36	-83.72	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.56	-84.71	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.54	-83.91	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.98	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.60	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.80	-59.13	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-61.74	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1469.50	-63.48	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2471.10	-55.55	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12646.73	-60.45	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.34	-83.75	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1826.15	-83.75	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.94	-82.02	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.16	-81.14	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.47	-84.54	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.76	-82.50	-50	PASS

Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	770.20	-82.32	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.25	-84.92	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.04	-84.77	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.66	-84.32	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.87	-83.81	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.90	-81.10	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.80	-83.30	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-82.43	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.80	-83.12	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.92	-83.73	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.66	-84.77	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.16	-82.18	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.49	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.01	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	861.94	-70.71	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	895.74	-64.08	-36	PASS
Band8	5	21475	1	#0	QPSK	1000	1	1490.50	-63.48	-30	PASS

						MHz-1500 MHz	MHz				
Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2641.20	-55.87	-30	PASS
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12633.23	-60.39	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.84	-83.73	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.60	-84.36	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.12	-82.02	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-83.66	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.80	-84.09	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-82.51	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.95	-84.16	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.59	-84.88	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.56	-84.80	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.84	-84.29	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.79	-83.85	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.45	-82.27	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.70	-83.27	-50	PASS

Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.20	-82.45	-50	PASS
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.80	-83.13	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.56	-83.73	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.46	-83.27	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	757.53	-83.46	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.16	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.34	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.74	-65.30	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	910.72	-64.29	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1496.00	-63.45	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2686.20	-55.82	-30	PASS
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12654.15	-60.37	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.86	-83.75	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.78	-84.17	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2632.53	-80.81	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	941.21	-77.54	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821	1	798.44	-84.24	-50	PASS



						MHz	MHz				
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3573.76	-82.76	-50	PASS
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	772.58	-82.98	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.83	-84.86	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.31	-84.79	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.22	-84.29	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.75	-83.89	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-82.31	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.90	-83.30	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3422.20	-82.64	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.60	-83.10	-50	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2125.12	-83.74	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.88	-84.52	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	772.41	-82.77	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.57	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.65	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	897.39	-65.58	-36	PASS

Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	925.68	-72.50	-36	PASS
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1335.00	-63.41	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	3641.10	-54.53	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12662.93	-60.41	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.60	-83.69	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.95	-84.32	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.40	-81.99	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.09	-80.67	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.68	-84.21	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-82.46	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.57	-83.36	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.43	-84.85	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.33	-84.84	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.38	-84.28	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.80	-83.85	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-82.38	-50	PASS

						MHz					
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.40	-83.28	-50	PASS
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-82.45	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3600.20	-83.02	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.54	-83.75	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	738.02	-84.85	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.97	-84.38	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.18	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.94	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	819.24	-70.95	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	915.83	-67.99	-36	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1348.50	-63.51	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2472.90	-54.37	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12621.75	-60.48	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.24	-83.74	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.00	-84.44	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2674.18	-82.18	-50	PASS

						MHz					
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.79	-81.87	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.95	-84.14	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-82.57	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	758.05	-81.33	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.63	-84.83	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.40	-84.86	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.74	-84.30	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.54	-83.92	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-82.41	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.60	-83.33	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-82.40	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3627.20	-83.21	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2124.13	-83.73	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-80.37	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	757.77	-80.36	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.70	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30	10	0.16	-62.68	-36	PASS

						MHz	kHz				
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.38	-53.62	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	917.67	-69.96	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1328.00	-63.44	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2679.00	-53.17	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12592.73	-60.50	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.06	-83.74	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.90	-84.30	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.03	-82.01	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	939.67	-76.77	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.59	-84.21	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3563.36	-82.82	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	770.20	-79.86	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.34	-84.85	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.23	-84.84	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.20	-84.28	-50	PASS
Band8	10	21625	1	#0	QPSK	2010	1	2018.82	-83.89	-50	PASS


						MHz-2025 MHz	MHz				
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.40	-82.39	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.20	-83.22	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3404.80	-82.64	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.80	-83.24	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.51	-83.74	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.14	-84.43	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.28	-79.84	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.56	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.78	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	887.94	-42.39	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	931.96	-72.33	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1478.50	-63.45	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2716.80	-55.03	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12633.23	-60.41	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.42	-83.75	-50	PASS
Band8	10	21750	1	#0	QPSK	1805	1	1865.68	-84.30	-50	PASS

						MHz-1880 MHz	MHz				
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.71	-81.96	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	951.29	-77.96	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.74	-84.22	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-82.60	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	782.71	-79.27	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.20	-84.90	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.25	-84.85	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.40	-84.25	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.76	-83.92	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.30	-80.70	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.70	-83.33	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-82.41	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.80	-83.20	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.97	-83.78	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	738.04	-84.65	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783	1	782.58	-79.38	-50	PASS

						MHz	MHz				
--	--	--	--	--	--	-----	-----	--	--	--	--

Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0


### Conducted spurious emissions



Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0




### Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0


### Conducted spurious emissions




### Conducted spurious emissions




### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

### Conducted spurious emissions




### Conducted spurious emissions






### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

### Conducted spurious emissions




### Conducted spurious emissions






### Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

### Conducted spurious emissions



### Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-42.78	-39	PASS
Band1	5	18300	25	#0	QPSK	-42.44	-39	PASS
Band1	5	18575	25	#0	QPSK	-42.84	-39	PASS
Band1	20	18100	100	#0	QPSK	-43.01	-39	PASS
Band1	20	18300	100	#0	QPSK	-42.26	-39	PASS
Band1	20	18500	100	#0	QPSK	-42.35	-39	PASS
Band20	5	24175	25	#0	QPSK	-43.61	-39	PASS
Band20	5	24300	25	#0	QPSK	-42.18	-39	PASS
Band20	5	24425	25	#0	QPSK	-43.14	-39	PASS
Band20	20	24250	100	#0	QPSK	-44.05	-39	PASS
Band20	20	24300	100	#0	QPSK	-41.46	-39	PASS
Band20	20	24350	100	#0	QPSK	-42.88	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-43.11	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-42.61	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-43.01	-39	PASS
Band3	5	19225	25	#0	QPSK	-42.89	-39	PASS
Band3	5	19575	25	#0	QPSK	-42.60	-39	PASS
Band3	5	19925	25	#0	QPSK	-42.81	-39	PASS
Band3	20	19300	100	#0	QPSK	-43.22	-39	PASS
Band3	20	19575	100	#0	QPSK	-42.22	-39	PASS
Band3	20	19850	100	#0	QPSK	-42.13	-39	PASS

Band7	5	20775	25	#0	QPSK	-43.83	-39	PASS
Band7	5	21100	25	#0	QPSK	-43.97	-39	PASS
Band7	5	21425	25	#0	QPSK	-43.47	-39	PASS
Band7	20	20850	100	#0	QPSK	-43.15	-39	PASS
Band7	20	21100	100	#0	QPSK	-43.60	-39	PASS
Band7	20	21350	100	#0	QPSK	-43.06	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-42.93	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-43.95	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-44.30	-39	PASS
Band8	5	21475	25	#0	QPSK	-43.66	-39	PASS
Band8	5	21625	25	#0	QPSK	-43.80	-39	PASS
Band8	5	21775	25	#0	QPSK	-43.60	-39	PASS
Band8	10	21500	50	#0	QPSK	-43.17	-39	PASS
Band8	10	21625	50	#0	QPSK	-43.36	-39	PASS
Band8	10	21750	50	#0	QPSK	-43.62	-39	PASS

#### Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS

Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS

Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS

Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	99.89	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	99.89	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	99.88	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	99.82	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	99.42	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	99.88	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	99.77	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	99.82	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	96.85	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	98.19	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	96.49	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	98.60	95	PASS



Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	98.95	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	96.73	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	99.59	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	95.67	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	99.94	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	99.36	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	98.65	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	98.13	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	95.04	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	99.82	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	99.01	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	99.59	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	99.94	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	99.18	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	99.24	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	99.12	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	99.94	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	99.42	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	95.56	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	98.86	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	97.72	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	96.96	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	97.95	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	98.83	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	99.68	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	99.89	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	99.89	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	99.48	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	98.45	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	98.78	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	98.44	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	99.32	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	97.98	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	98.99	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	99.33	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	99.33	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	97.77	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	99.44	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	99.22	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	99.89	95	PASS

Band8	10	21625	50	QPSK	Case2	970.0125	-44	99.67	95	PASS
-------	----	-------	----	------	-------	----------	-----	-------	----	------

#### Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	99.11	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

#### Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

#### Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference 1 Freq (MHz)	Interference 1 Level (dBm)	Interference 2 Freq (MHz)	Interference 2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band2	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS

0											
Band2 0	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS


#### Clause 4.2.10 LTE Receiver spurious emissions

Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	946.36	-82.37	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2124.08	-73.36	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	944.13	-81.37	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	2131.92	-76.57	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	879.43	-84.64	-57	PASS
Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2167.17	-77.36	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	64.05	-83.34	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	2402.17	-62.67	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000	100	64.05	-83.60	-57	PASS

				MHz	kHz				
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2424.69	-67.89	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	64.05	-83.93	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2459.94	-67.28	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-90.50	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1807.81	-77.68	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	945.00	-91.38	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1835.23	-77.16	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	879.53	-91.20	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1866.56	-74.71	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	945.00	-84.93	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2636.19	-73.71	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	944.90	-86.96	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2437.42	-75.63	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-89.59	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	5360.23	-78.30	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	928.90	-82.76	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	12638.38	-81.68	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	945.00	-89.22	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	12637.40	-81.69	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	951.50	-87.77	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	12625.65	-81.63	-47	PASS


Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

**Conducted spurious emissions**




Band20 QPSK BW=20MHz Channel=24250

**Conducted spurious emissions**




Band20 QPSK BW=20MHz Channel=24350

**Conducted spurious emissions**




Band20 QPSK BW=20MHz Channel=24300

**Conducted spurious emissions**




Band3 QPSK BW=20MHz Channel=19300

**Conducted spurious emissions**



Band3 QPSK BW=20MHz Channel=19575


**Conducted spurious emissions**






Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

**Conducted spurious emissions**




Band7 QPSK BW=20MHz Channel=21350

**Conducted spurious emissions**




Band8 QPSK BW=10MHz Channel=21625

**Conducted spurious emissions**




Band8 QPSK BW=10MHz Channel=21500

**Conducted spurious emissions**



Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	53.73	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	46.22	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	43.70	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	49.87	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	50.39	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	54.00	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	53.65	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	50.20	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	49.73	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	41.92	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	44.78	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	53.70	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	52.21	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	45.54	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	44.72	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	43.31	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	44.09	32.2	PASS

Band1	5	18025	25	#0	QPSK	U-ACLR2+	52.22	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2-	52.74	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	47.77	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR-	45.49	29.2	PASS
Band1	5	18025	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR+	49.87	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR+	50.39	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	53.02	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	52.74	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	50.32	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR-	49.81	29.2	PASS
Band1	5	18025	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR+	44.28	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR+	46.99	32.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2+	52.88	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	52.29	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	47.11	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR-	46.32	29.2	PASS
Band1	5	18025	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR+	44.73	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR+	45.60	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	52.18	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	53.58	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	47.29	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	44.80	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	50.90	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	51.45	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	53.96	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	53.68	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	49.99	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	49.54	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	45.17	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	47.81	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	53.82	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	51.96	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	48.14	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	47.41	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	47.26	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	48.04	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	52.25	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	52.63	35.2	PASS

Band1	5	18300	8	#0	QAM16	U-ACLR1-	47.93	32.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR-	45.85	29.2	PASS
Band1	5	18300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR+	50.67	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR+	51.27	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	53.00	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	52.67	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	50.20	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR-	49.67	29.2	PASS
Band1	5	18300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR+	46.38	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR+	48.55	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	52.82	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	51.35	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1-	47.65	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR-	46.86	29.2	PASS
Band1	5	18300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR+	46.50	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR+	47.32	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	51.66	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	54.12	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	43.52	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	40.37	29.2	PASS
Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	51.26	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	51.86	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	54.58	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	54.19	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	50.72	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	50.21	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	39.37	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	42.78	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.30	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	52.67	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	42.71	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	41.83	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	41.38	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	42.26	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	52.93	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	53.15	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	46.51	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR-	43.73	29.2	PASS

Band1	5	18575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR+	51.10	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR+	51.74	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	53.44	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	53.11	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	50.98	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR-	50.44	29.2	PASS
Band1	5	18575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR+	42.85	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR+	45.87	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	53.28	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	51.99	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	42.86	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR-	42.00	29.2	PASS
Band1	5	18575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR+	41.62	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR+	42.44	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	52.28	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	53.28	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	44.68	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	43.58	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	48.76	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR+	52.64	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	52.76	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	52.12	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	52.61	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	48.44	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	42.37	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	43.34	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	53.40	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	49.85	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	45.40	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	43.39	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	41.67	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	43.62	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	48.22	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	52.45	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	45.97	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR-	44.53	29.2	PASS
Band1	10	18050	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR+	48.38	29.2	PASS

Band1	10	18050	12	#0	QAM16	U-ACLR+	52.26	32.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2+	52.24	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	51.67	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	52.19	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR-	48.06	29.2	PASS
Band1	10	18050	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR+	43.35	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR+	44.61	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	52.79	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	49.65	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	44.48	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR-	42.69	29.2	PASS
Band1	10	18050	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR+	40.90	29.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR+	42.56	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	48.43	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	53.14	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	45.88	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	44.61	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	49.19	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	53.01	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	53.07	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	51.39	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	52.00	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	47.72	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	45.43	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	46.89	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	53.49	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	50.57	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	47.64	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	45.12	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	45.35	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	47.68	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	51.10	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	52.34	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	47.03	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR-	45.29	29.2	PASS
Band1	10	18300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR+	48.71	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR+	52.48	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	52.58	35.2	PASS



Band1	10	18300	12	#Max	QAM16	U-ACLR2-	51.11	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1-	51.85	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR-	47.57	29.2	PASS
Band1	10	18300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR+	45.90	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR+	47.85	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	52.73	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	50.18	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1-	46.84	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR-	44.45	29.2	PASS
Band1	10	18300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR+	44.65	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR+	46.82	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	50.65	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	53.49	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	45.20	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	44.06	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	49.70	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	53.45	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	53.64	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	52.33	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	52.82	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR-	48.62	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	42.09	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	42.94	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	54.16	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	49.74	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	44.92	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	42.99	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	42.69	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	44.52	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	49.74	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	52.83	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	45.97	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR-	44.59	29.2	PASS
Band1	10	18550	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR+	49.34	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR+	53.01	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	53.24	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	51.96	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	52.49	32.2	PASS

Band1	10	18550	12	#Max	QAM16	E-ACLR-	48.33	29.2	PASS
Band1	10	18550	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR+	43.44	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR+	44.60	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	53.23	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	50.32	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	44.91	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR-	43.14	29.2	PASS
Band1	10	18550	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR+	42.77	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR+	44.45	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	50.25	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	52.09	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	44.99	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	44.17	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	46.32	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	53.74	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	53.34	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	52.44	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	53.30	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	46.40	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR+	44.29	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	45.00	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	53.02	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	48.41	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	47.03	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	42.61	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	41.71	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	46.32	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	47.76	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	51.20	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	45.91	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR-	44.11	29.2	PASS
Band1	20	18100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR+	45.58	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR+	52.75	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	52.50	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	51.45	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	52.22	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR-	45.52	29.2	PASS
Band1	20	18100	18	#Max	QAM16	EUTRA	0.00	0	PASS

Band1	20	18100	18	#Max	QAM16	E-ACLR+	44.32	29.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR+	46.27	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	52.16	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	49.22	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	48.15	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR-	43.42	29.2	PASS
Band1	20	18100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR+	42.87	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR+	47.38	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	48.87	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	52.00	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	45.47	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	44.26	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	46.83	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	53.79	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	53.47	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	52.08	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	53.16	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	45.84	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	45.39	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	46.98	32.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2+	52.95	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	48.42	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	47.79	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	42.67	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	43.32	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	48.19	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	49.36	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	51.26	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	46.34	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR-	44.19	29.2	PASS
Band1	20	18300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR+	46.29	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR+	53.04	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	52.86	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	51.55	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	52.47	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR-	45.38	29.2	PASS
Band1	20	18300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR+	45.34	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR+	47.93	32.2	PASS

Band1	20	18300	18	#Max	QAM16	U-ACLR2+	52.42	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2-	48.34	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	47.85	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR-	42.56	29.2	PASS
Band1	20	18300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR+	43.26	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR+	48.16	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	49.35	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	52.70	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	46.48	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	44.99	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	46.84	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	51.98	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	54.18	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	52.73	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	51.62	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	45.95	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	43.29	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	42.64	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	53.81	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	47.71	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	46.21	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	41.82	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	42.08	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	46.26	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	47.97	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	51.88	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1-	47.30	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR-	44.77	29.2	PASS
Band1	20	18500	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR+	46.17	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR+	51.42	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	53.41	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	52.04	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	51.09	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR-	45.42	29.2	PASS
Band1	20	18500	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR+	43.94	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR+	44.22	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	53.13	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	48.57	35.2	PASS

Band1	20	18500	100	#0	QAM16	U-ACLR1-	47.06	32.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR-	42.73	29.2	PASS
Band1	20	18500	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR+	42.70	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR+	46.73	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	48.72	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	53.42	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	47.13	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	45.39	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	50.65	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	51.20	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	53.61	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	53.36	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	51.79	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	51.08	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	42.50	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	44.68	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	53.12	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	52.27	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	44.45	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	43.30	29.2	PASS
Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	39.96	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	40.75	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	50.50	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	52.28	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	48.96	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR-	47.57	29.2	PASS
Band20	5	24175	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR+	48.83	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR+	49.28	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	52.53	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	52.00	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	50.21	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR-	49.64	29.2	PASS
Band20	5	24175	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR+	42.06	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR+	44.79	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	52.09	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	53.06	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	45.43	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR-	44.36	29.2	PASS

Band20	5	24175	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR+	39.90	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR+	40.67	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	51.31	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	53.07	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	41.56	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	38.92	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	50.97	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	51.64	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	53.43	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	53.20	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	50.80	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	50.08	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	41.66	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	44.31	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	53.29	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	49.42	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	42.33	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	41.53	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	41.32	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR+	42.17	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	50.83	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2-	52.53	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1-	41.29	32.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR-	38.67	29.2	PASS
Band20	5	24300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR+	50.02	29.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR+	50.57	32.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2+	52.87	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2-	52.15	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1-	49.45	32.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR-	48.86	29.2	PASS
Band20	5	24300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR+	42.03	29.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR+	44.67	32.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2+	52.22	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2-	49.79	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1-	41.71	32.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR-	40.93	29.2	PASS
Band20	5	24300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR+	40.95	29.2	PASS

Band20	5	24300	25	#0	QAM16	U-ACLR+	41.83	32.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2+	51.00	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	53.17	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	43.39	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	40.93	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	51.23	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	51.90	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	53.62	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	53.27	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	51.18	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	50.40	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	43.14	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	45.21	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	53.55	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	49.78	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	44.31	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	43.49	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	42.05	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	42.76	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	52.47	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	52.22	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	46.52	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR-	44.37	29.2	PASS
Band20	5	24425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR+	49.94	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR+	50.47	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	52.62	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	52.28	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	50.06	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR-	49.47	29.2	PASS
Band20	5	24425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR+	43.58	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR+	45.94	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	52.52	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	50.17	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	44.41	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR-	43.69	29.2	PASS
Band20	5	24425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR+	42.52	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR+	43.17	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	53.15	35.2	PASS



Band20	10	24200	12	#0	QPSK	U-ACLR2-	52.97	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	45.88	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	44.57	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	48.45	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	52.37	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	52.42	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	52.80	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	52.78	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	48.95	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	45.02	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	46.51	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	52.88	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	51.87	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	44.81	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	43.34	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	43.48	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	45.44	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	49.70	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	52.11	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	45.91	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR-	44.39	29.2	PASS
Band20	10	24200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR+	47.10	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR+	51.17	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	51.13	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	52.25	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	52.22	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR-	48.35	29.2	PASS
Band20	10	24200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR+	44.53	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR+	46.04	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	52.57	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	51.82	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	44.65	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR-	43.20	29.2	PASS
Band20	10	24200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR+	43.11	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR+	45.02	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	49.64	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	52.61	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	41.62	32.2	PASS



Band20	10	24300	12	#0	QPSK	E-ACLR-	40.78	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	48.46	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	52.50	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	52.34	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	51.86	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	52.14	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	48.11	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	42.92	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	44.06	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	52.59	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	48.21	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	44.67	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	42.44	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	39.18	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	41.70	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	45.22	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	51.67	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	43.64	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR-	42.40	29.2	PASS
Band20	10	24300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR+	47.07	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR+	51.22	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	51.03	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	50.56	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	51.30	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR-	46.90	29.2	PASS
Band20	10	24300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR+	42.85	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR+	44.13	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	51.96	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	47.85	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	43.42	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR-	41.45	29.2	PASS
Band20	10	24300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR+	38.97	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR+	41.13	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	45.82	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	52.50	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	46.55	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	45.03	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS

Band20	10	24400	12	#0	QPSK	E-ACLR+	49.05	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	52.51	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	53.27	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	52.08	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	52.68	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	48.52	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	44.27	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	45.38	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.51	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	49.90	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	47.57	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	44.90	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	43.32	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	44.96	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	51.00	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	52.06	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	46.43	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR-	44.79	29.2	PASS
Band20	10	24400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR+	48.44	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR+	52.02	32.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2+	52.61	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	50.58	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	51.61	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR-	47.11	29.2	PASS
Band20	10	24400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR+	44.06	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR+	45.44	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	52.49	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	49.87	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	47.24	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR-	44.69	29.2	PASS
Band20	10	24400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR+	43.28	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR+	44.71	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	51.81	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	52.24	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	44.61	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	43.73	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	46.35	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	53.33	32.2	PASS

Band20	20	24250	18	#0	QPSK	U-ACLR2+	53.20	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	52.26	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	52.79	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	46.28	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	43.07	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	44.33	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	52.22	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	51.21	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	46.74	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	43.65	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	38.42	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	43.20	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	44.28	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	51.30	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	44.53	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR-	43.33	29.2	PASS
Band20	20	24250	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR+	45.19	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR+	52.47	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	52.28	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	51.26	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	51.85	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR-	45.31	29.2	PASS
Band20	20	24250	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR+	42.56	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR+	43.86	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	51.44	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	51.25	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1-	46.89	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR-	43.79	29.2	PASS
Band20	20	24250	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR+	38.51	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR+	42.90	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	44.35	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	52.04	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	47.51	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	44.56	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	46.44	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	53.26	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	52.89	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	51.99	35.2	PASS

Band20	20	24300	18	#Max	QPSK	U-ACLR1-	52.92	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	46.21	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	45.17	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	48.11	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	52.40	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	48.28	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	46.78	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	42.59	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	40.09	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	43.70	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	45.25	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	51.20	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1-	47.31	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR-	44.11	29.2	PASS
Band20	20	24300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR+	45.66	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR+	52.48	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	52.15	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	51.14	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	52.07	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR-	45.32	29.2	PASS
Band20	20	24300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR+	44.80	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR+	48.64	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	51.95	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	48.05	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	46.41	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR-	42.48	29.2	PASS
Band20	20	24300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR+	40.23	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR+	43.77	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	45.17	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	51.21	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	40.61	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	41.03	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	46.86	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	53.50	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.56	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	52.17	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	53.00	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	45.86	29.2	PASS

Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	43.79	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	44.42	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	53.49	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	47.85	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	44.96	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	41.46	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	43.38	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	46.14	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	51.24	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	50.67	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	41.28	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR-	41.47	29.2	PASS
Band20	20	24350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR+	46.10	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR+	52.78	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	52.76	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	51.12	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	52.16	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR-	44.59	29.2	PASS
Band20	20	24350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR+	43.74	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR+	45.13	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	52.57	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	47.59	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	44.68	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR-	41.35	29.2	PASS
Band20	20	24350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR+	43.48	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR+	45.84	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	51.33	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	42.91	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	38.13	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	39.82	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	45.35	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	45.49	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	39.89	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	37.57	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	42.46	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	44.43	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	42.39	29.2	PASS

Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	42.61	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	44.51	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	44.22	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR-	39.49	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR+	41.24	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR+	46.12	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	46.54	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR-	41.68	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR+	39.59	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR+	43.84	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	45.85	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR-	43.31	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR+	42.98	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR+	45.70	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	43.92	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	39.29	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	41.33	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	46.32	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	46.21	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	41.20	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	39.63	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	43.96	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	44.79	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	42.61	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	42.74	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	44.83	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	44.92	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR-	40.30	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR+	42.23	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR+	46.96	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	47.32	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR-	42.87	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR+	40.51	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR+	44.81	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	46.64	32.2	PASS

Band3	1.4	19575	6	#0	QAM16	E-ACLR-	43.56	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR+	43.53	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR+	46.58	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	44.40	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	40.40	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	42.44	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	47.03	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	46.50	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	41.42	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	40.12	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	44.36	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	45.43	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	43.59	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	44.06	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	45.77	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	46.22	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR-	42.55	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR+	44.33	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR+	48.15	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	48.02	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR-	43.81	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR+	42.51	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR+	46.28	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	46.38	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR-	43.86	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR+	44.19	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR+	46.48	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	52.99	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	41.62	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	39.61	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	48.82	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	49.27	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	53.73	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	53.47	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	49.18	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	48.74	29.2	PASS



Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	37.75	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	40.05	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	53.01	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	51.39	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	41.60	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	40.90	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	40.19	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	40.85	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	51.14	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	52.37	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	42.69	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR-	40.70	29.2	PASS
Band3	5	19225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR+	48.96	29.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR+	49.38	32.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2+	52.97	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	52.69	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	49.22	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR-	48.80	29.2	PASS
Band3	5	19225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR+	39.76	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR+	41.89	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	52.48	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	51.85	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	42.48	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR-	41.70	29.2	PASS
Band3	5	19225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR+	41.08	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR+	41.78	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	51.64	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	53.27	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	42.04	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	40.08	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	49.01	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	49.41	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	54.01	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	53.74	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	48.94	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	48.56	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	40.66	29.2	PASS



Band3	5	19575	8	#Max	QPSK	U-ACLR+	42.61	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	53.59	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.60	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	43.96	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	43.26	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	43.66	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	44.36	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.90	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	52.45	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	42.85	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR-	40.88	29.2	PASS
Band3	5	19575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR+	48.78	29.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR+	49.24	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	52.97	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2-	52.79	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1-	48.89	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR-	48.47	29.2	PASS
Band3	5	19575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR+	41.53	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR+	43.64	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	52.71	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	52.43	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	43.64	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR-	42.85	29.2	PASS
Band3	5	19575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR+	43.07	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR+	43.85	32.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2+	52.65	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	53.05	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	39.91	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	37.49	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	48.07	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	48.43	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	53.35	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	46.76	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	46.47	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	40.59	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	42.64	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	53.17	35.2	PASS

Band3	5	19925	25	#0	QPSK	U-ACLR2-	51.25	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	41.98	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	41.29	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	43.20	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	43.89	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	52.17	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	52.16	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	42.56	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR-	40.51	29.2	PASS
Band3	5	19925	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR+	48.22	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR+	48.60	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	52.83	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2-	52.30	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	47.01	32.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR-	46.70	29.2	PASS
Band3	5	19925	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR+	43.25	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR+	45.13	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	52.32	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	51.73	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	42.09	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR-	41.37	29.2	PASS
Band3	5	19925	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR+	43.15	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR+	43.94	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	52.89	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	52.87	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	40.66	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	40.03	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	47.67	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	51.76	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	51.70	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	51.46	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	52.07	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	47.77	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	37.87	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	38.44	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.11	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	45.26	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	41.72	32.2	PASS

Band3	10	19250	50	#0	QPSK	E-ACLR-	39.50	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	37.84	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	40.24	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	43.17	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	52.14	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	41.89	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR-	41.03	29.2	PASS
Band3	10	19250	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR+	47.45	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR+	51.52	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	51.37	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	51.21	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	51.75	32.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR-	47.53	29.2	PASS
Band3	10	19250	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR+	39.56	29.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR+	40.33	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	52.44	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	47.10	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	43.41	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR-	41.17	29.2	PASS
Band3	10	19250	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR+	39.66	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR+	42.01	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	45.27	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	53.04	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	40.85	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	40.24	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	47.62	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	51.87	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	51.50	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	51.09	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	51.84	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	47.38	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	42.00	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	42.75	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.43	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	46.52	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	45.21	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	42.15	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS

Band3	10	19575	50	#0	QPSK	E-ACLR+	42.57	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	45.74	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	46.83	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	52.20	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	42.55	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR-	41.62	29.2	PASS
Band3	10	19575	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR+	47.46	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR+	51.50	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	51.47	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	50.86	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	51.70	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR-	47.28	29.2	PASS
Band3	10	19575	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR+	43.05	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR+	44.11	32.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2+	52.71	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2-	47.25	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	44.56	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR-	41.99	29.2	PASS
Band3	10	19575	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR+	42.27	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR+	44.91	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	47.47	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	52.76	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	36.47	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	35.94	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	47.89	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	51.95	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	51.99	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	49.07	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	50.19	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	45.34	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	42.26	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	43.04	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	53.54	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	43.41	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	41.10	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	38.42	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	42.15	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	44.22	32.2	PASS

Band3	10	19900	50	#0	QPSK	U-ACLR2+	48.40	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	52.01	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	38.16	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR-	37.53	29.2	PASS
Band3	10	19900	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR+	47.65	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR+	51.63	32.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2+	51.68	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	49.02	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	50.09	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR-	45.34	29.2	PASS
Band3	10	19900	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR+	43.04	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR+	44.06	32.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2+	52.72	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	43.59	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1-	38.98	32.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR-	37.04	29.2	PASS
Band3	10	19900	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR+	40.41	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR+	42.01	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	47.97	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.24	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	40.38	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	40.82	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	45.83	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	53.72	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	53.22	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	52.30	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	53.27	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	45.95	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	39.92	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	39.04	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	53.18	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	45.68	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	43.89	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	39.70	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	37.80	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	42.86	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	43.95	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	51.25	35.2	PASS

Band3	20	19300	18	#0	QAM16	U-ACLR1-	41.48	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR-	41.39	29.2	PASS
Band3	20	19300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR+	45.16	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR+	52.76	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	52.43	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	51.38	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	52.21	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR-	45.17	29.2	PASS
Band3	20	19300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR+	40.89	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR+	40.65	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	52.36	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	47.03	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR1-	45.43	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR-	40.98	29.2	PASS
Band3	20	19300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR+	39.29	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR+	44.39	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	45.47	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	52.00	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	39.98	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	40.45	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	45.79	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	53.76	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	53.15	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	52.16	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	53.28	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	45.60	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	42.31	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	42.62	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	53.00	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	46.44	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	45.63	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	40.41	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	40.68	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	46.17	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	47.20	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	51.29	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	40.95	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR-	40.98	29.2	PASS

Band3	20	19575	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR+	45.39	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR+	53.03	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	52.66	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	51.53	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	52.49	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR-	45.14	29.2	PASS
Band3	20	19575	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR+	42.53	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR+	43.27	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	52.41	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	47.08	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	46.26	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR-	41.16	29.2	PASS
Band3	20	19575	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR+	41.45	29.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR+	46.52	32.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2+	47.69	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.96	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	37.57	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	38.94	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	47.29	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	53.99	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	53.91	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	51.47	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	53.02	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	44.24	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	42.47	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	42.56	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	53.46	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	42.03	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	40.60	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	36.21	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	40.31	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	42.98	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	46.40	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	51.28	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	39.29	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR-	40.23	29.2	PASS
Band3	20	19850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR+	46.32	29.2	PASS



Band3	20	19850	18	#0	QAM16	U-ACLR+	53.06	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	52.96	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	51.01	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	52.33	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR-	44.05	29.2	PASS
Band3	20	19850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR+	42.87	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR+	43.55	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	52.74	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	43.82	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	41.96	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR-	37.86	29.2	PASS
Band3	20	19850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR+	41.64	29.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR+	44.32	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	47.97	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	53.40	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	46.43	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	45.07	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	51.58	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	52.28	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	53.75	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	53.50	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	52.89	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	52.15	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	45.43	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	46.83	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	53.77	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	51.92	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	45.23	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	44.38	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	45.09	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	45.82	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	52.10	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	52.40	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	46.87	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR-	45.22	29.2	PASS
Band7	5	20775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR+	50.31	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR+	50.91	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	52.70	35.2	PASS



Band7	5	20775	8	#Max	QAM16	U-ACLR2-	52.49	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	51.22	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR-	50.60	29.2	PASS
Band7	5	20775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR+	46.13	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR+	47.74	32.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2+	52.85	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	53.03	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	45.04	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR-	44.25	29.2	PASS
Band7	5	20775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR+	45.23	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR+	46.01	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	53.19	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	53.32	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	45.52	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	43.71	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	52.10	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	52.84	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	53.72	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	53.40	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	52.97	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	52.16	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	45.52	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	47.04	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	51.72	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	43.57	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	42.72	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	44.42	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	45.18	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	51.88	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2-	52.59	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	45.70	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR-	43.62	29.2	PASS
Band7	5	21100	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR+	51.48	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR+	52.24	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	52.94	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	52.57	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	52.22	32.2	PASS

Band7	5	21100	8	#Max	QAM16	E-ACLR-	51.46	29.2	PASS
Band7	5	21100	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR+	45.37	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR+	47.13	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	52.85	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	52.79	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1-	43.42	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR-	42.59	29.2	PASS
Band7	5	21100	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR+	44.13	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR+	44.94	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	52.81	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	53.46	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	44.82	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	43.35	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	51.84	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	52.56	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	53.69	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	53.08	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	52.31	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	42.64	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	44.45	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	53.92	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	51.73	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	43.65	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	42.84	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	43.97	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	44.66	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	51.62	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	52.56	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1-	45.49	32.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR-	43.51	29.2	PASS
Band7	5	21425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR+	51.35	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR+	52.07	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	53.01	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	52.66	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	52.44	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR-	51.68	29.2	PASS
Band7	5	21425	8	#Max	QAM16	EUTRA	0.00	0	PASS

Band7	5	21425	8	#Max	QAM16	E-ACLR+	44.53	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR+	46.14	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	52.95	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	51.97	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	43.44	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR-	42.64	29.2	PASS
Band7	5	21425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR+	43.74	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR+	44.50	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	51.99	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	53.02	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	45.97	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	44.74	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	49.19	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	52.77	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	53.21	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	52.70	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	52.87	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	48.99	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	45.46	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	46.74	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	53.53	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	48.92	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	46.68	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	43.94	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	44.49	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	47.27	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	49.39	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	52.15	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1-	46.26	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR-	44.67	29.2	PASS
Band7	10	20800	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR+	47.99	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR+	51.81	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	51.97	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	51.59	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	51.93	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR-	47.90	29.2	PASS
Band7	10	20800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR+	45.46	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR+	47.03	32.2	PASS

Band7	10	20800	12	#Max	QAM16	U-ACLR2+	52.87	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	50.05	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	46.28	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR-	44.03	29.2	PASS
Band7	10	20800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR+	44.93	29.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR+	47.28	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	50.67	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	52.71	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	45.18	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	43.93	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	49.53	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	52.98	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	53.54	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	53.25	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	53.32	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	49.60	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	45.22	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	46.48	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	47.92	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	44.57	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	42.15	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	44.01	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	46.90	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	48.83	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	51.94	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	45.73	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR-	44.21	29.2	PASS
Band7	10	21100	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR+	48.60	29.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR+	52.06	32.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2+	52.62	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	51.85	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	52.19	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR-	48.24	29.2	PASS
Band7	10	21100	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR+	45.68	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR+	47.33	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	52.74	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	48.59	35.2	PASS

Band7	10	21100	50	#0	QAM16	U-ACLR1-	44.06	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR-	41.98	29.2	PASS
Band7	10	21100	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR+	43.88	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR+	46.24	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	49.64	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	53.05	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	44.73	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	43.64	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	49.78	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	53.27	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	53.82	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	53.44	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	53.53	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	49.79	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	43.96	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	44.94	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.76	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	47.34	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	44.45	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	41.86	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	44.07	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	47.19	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	48.33	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	52.26	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	45.08	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR-	43.71	29.2	PASS
Band7	10	21400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR+	48.94	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR+	52.44	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	52.93	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2-	52.41	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1-	52.49	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR-	48.74	29.2	PASS
Band7	10	21400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR+	44.67	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR+	46.04	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	52.88	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	47.99	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	43.55	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR-	41.43	29.2	PASS

Band7	10	21400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR+	43.62	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR+	46.07	32.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2+	49.10	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	52.02	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	45.81	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	43.91	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	46.85	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	53.55	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	53.44	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	52.27	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	53.04	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	46.16	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	45.35	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	47.96	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	53.39	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	48.75	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	46.88	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	42.51	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	43.82	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	49.25	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	50.35	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	51.14	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	45.62	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR-	43.53	29.2	PASS
Band7	20	20850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR+	45.87	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR+	52.64	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	52.57	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	51.20	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	52.01	32.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR-	44.91	29.2	PASS
Band7	20	20850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR+	44.87	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR+	48.05	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	52.36	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	48.60	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	46.53	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR-	42.59	29.2	PASS
Band7	20	20850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR+	44.42	29.2	PASS

Band7	20	20850	100	#0	QAM16	U-ACLR+	49.53	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	50.82	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	52.13	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	44.72	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	43.56	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	46.83	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	53.63	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	52.98	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	51.93	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	53.13	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	46.10	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	45.08	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	47.47	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	53.55	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	46.07	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	44.76	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	40.10	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	43.53	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	48.96	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	50.40	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	51.42	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	44.85	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR-	43.44	29.2	PASS
Band7	20	21100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR+	46.04	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR+	52.79	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	52.27	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	51.17	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	52.44	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR-	45.04	29.2	PASS
Band7	20	21100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR+	45.06	29.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR+	47.94	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	52.95	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	46.15	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	44.68	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR-	40.39	29.2	PASS
Band7	20	21100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR+	43.90	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR+	48.91	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	50.37	35.2	PASS



Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.98	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	44.76	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	43.57	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	47.18	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	53.73	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	53.74	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	52.41	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	53.19	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	46.53	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	43.89	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	45.31	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	53.08	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	45.63	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	39.82	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	43.55	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	48.87	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	50.18	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	51.24	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	44.77	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR-	43.39	29.2	PASS
Band7	20	21350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR+	46.26	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR+	52.92	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	52.83	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	51.50	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	52.27	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR-	45.34	29.2	PASS
Band7	20	21350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR+	44.09	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR+	46.22	32.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2+	52.37	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2-	45.48	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	43.75	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR-	39.77	29.2	PASS
Band7	20	21350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR+	43.34	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR+	48.25	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	49.71	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	49.12	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	47.52	29.2	PASS



Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	50.06	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	50.81	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	49.96	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	48.17	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	48.49	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	49.71	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	50.02	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	49.60	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	49.54	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	49.66	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	49.70	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR-	48.71	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR+	50.72	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR+	50.58	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	50.32	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR-	50.05	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR+	49.14	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR+	49.74	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	49.59	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR-	48.91	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR+	49.04	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR+	49.20	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	45.18	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	40.55	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	44.19	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	48.34	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	46.93	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	43.24	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	41.11	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	46.28	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	46.61	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	43.31	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	44.13	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	47.65	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	45.79	32.2	PASS

Band8	1.4	21625	5	#0	QAM16	E-ACLR-	41.22	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR+	45.13	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR+	48.78	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	47.72	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR-	44.26	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR+	42.39	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR+	47.06	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	47.79	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR-	44.41	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR+	45.60	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR+	48.87	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	47.34	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	42.92	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	48.47	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	49.95	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	48.79	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	44.91	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	46.06	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	48.62	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	48.00	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	46.68	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	49.98	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	49.43	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	48.88	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR-	46.97	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR+	50.97	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR+	50.33	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	49.44	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR-	48.37	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR+	49.85	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR+	49.78	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	48.97	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR-	47.75	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR+	50.50	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR+	50.29	32.2	PASS

Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.16	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	49.14	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	47.72	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	51.04	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	51.60	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	53.26	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	53.05	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	51.45	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	50.84	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	46.15	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	47.79	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	52.92	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.07	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	48.39	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	47.35	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	43.20	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	43.86	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	50.88	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	52.30	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	49.36	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR-	47.71	29.2	PASS
Band8	5	21475	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR+	50.03	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR+	50.57	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	52.54	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	52.14	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	50.92	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR-	50.32	29.2	PASS
Band8	5	21475	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR+	45.38	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR+	47.42	32.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2+	52.19	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2-	52.67	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	48.26	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR-	47.32	29.2	PASS
Band8	5	21475	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR+	42.96	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR+	43.66	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	51.22	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	44.14	32.2	PASS

Band8	5	21625	8	#0	QPSK	E-ACLR-	41.63	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	51.54	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	52.20	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	53.30	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	52.96	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	49.95	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	49.40	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	43.00	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	45.54	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.23	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	50.19	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	44.09	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	43.21	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	42.52	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	43.33	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	51.42	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	51.91	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	44.66	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR-	42.28	29.2	PASS
Band8	5	21625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR+	50.21	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR+	50.79	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	52.44	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	52.14	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	49.14	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR-	48.64	29.2	PASS
Band8	5	21625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR+	43.10	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR+	45.80	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	52.29	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	51.03	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1-	44.55	32.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR-	43.68	29.2	PASS
Band8	5	21625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR+	42.71	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR+	43.52	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	52.39	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	52.85	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	48.09	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	46.02	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS

Band8	5	21775	8	#0	QPSK	E-ACLR+	51.23	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	51.84	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	53.34	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	52.80	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	49.57	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	49.09	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	45.59	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	47.58	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	53.18	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.37	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	48.57	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	47.76	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	47.65	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	48.27	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	52.24	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	51.91	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	49.38	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR-	47.87	29.2	PASS
Band8	5	21775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR+	50.31	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR+	50.90	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	52.37	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	51.84	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	49.67	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR-	49.14	29.2	PASS
Band8	5	21775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR+	47.73	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR+	49.24	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	52.22	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	52.15	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	49.46	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR-	48.64	29.2	PASS
Band8	5	21775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR+	48.15	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR+	48.79	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	53.22	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	48.47	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	46.58	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	48.16	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	52.13	32.2	PASS

Band8	10	21500	12	#0	QPSK	U-ACLR2+	52.11	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	52.75	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	52.97	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	49.09	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	47.31	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	49.54	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	53.00	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.68	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	49.24	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	46.63	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	44.58	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	47.08	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	49.78	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	51.85	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1-	48.13	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR-	45.98	29.2	PASS
Band8	10	21500	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR+	47.05	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR+	51.14	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	51.02	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	51.74	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	51.93	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR-	48.06	29.2	PASS
Band8	10	21500	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR+	46.89	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR+	49.38	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	52.15	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	53.03	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	49.57	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR-	47.33	29.2	PASS
Band8	10	21500	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR+	44.69	29.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR+	46.88	32.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2+	50.64	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	52.61	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	43.50	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	42.54	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	48.88	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	52.90	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	52.58	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	50.60	35.2	PASS


Band8	10	21625	12	#Max	QPSK	U-ACLR1-	51.04	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	46.69	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	44.35	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	45.61	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	52.80	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	49.71	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	45.77	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	43.71	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	40.72	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	43.55	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	45.90	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	51.64	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	45.25	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR-	43.77	29.2	PASS
Band8	10	21625	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR+	47.68	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR+	51.72	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	51.44	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	49.92	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	50.59	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR-	46.16	29.2	PASS
Band8	10	21625	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR+	44.44	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR+	45.93	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	52.08	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	49.97	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	46.42	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR-	44.26	29.2	PASS
Band8	10	21625	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR+	40.77	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR+	43.31	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	46.57	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	52.37	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	47.75	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	45.95	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	48.97	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	52.51	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	53.19	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	51.19	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	52.08	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	47.64	29.2	PASS




Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	46.78	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	48.64	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	53.21	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	50.49	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	49.74	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	46.44	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	47.12	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	49.77	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	52.27	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	52.04	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	47.23	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR-	45.45	29.2	PASS
Band8	10	21750	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR+	48.43	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR+	51.99	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	52.69	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	50.28	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	51.18	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR-	46.77	29.2	PASS
Band8	10	21750	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR+	46.72	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR+	49.07	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	52.28	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	51.15	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	49.80	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR-	46.75	29.2	PASS
Band8	10	21750	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR+	47.51	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR+	49.92	32.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2+	53.11	35.2	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0







Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max






Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0







Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0





Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max







Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0



Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0





Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0






Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0



Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max







Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0







Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0






Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max






Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0



Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0





Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0







Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max






Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0






Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max



Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0



Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max







Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max



Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0






Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.12 LTE Receiver Reference Sensitivity Level



Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	99.55	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	100.00	95	PASS
Band3	5	19225	25	QPSK	-97	96.99	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	98.86	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	96.44	95	PASS
Band7	5	20775	25	QPSK	-98	99.99	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	95.56	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	97.95	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	95.49	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	100.00	95	PASS