

### Clause 4.2.2 LTE Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	23.42	21	25	PASS
Band1	5	18025	8	#0	QPSK	23.48	21	25	PASS
Band1	5	18025	25	#0	QPSK	22.33	21	25	PASS
Band1	5	18300	1	#0	QPSK	23.26	21	25	PASS
Band1	5	18300	8	#0	QPSK	23.26	21	25	PASS
Band1	5	18300	25	#0	QPSK	22.27	21	25	PASS
Band1	5	18575	1	#0	QPSK	22.84	21	25	PASS
Band1	5	18575	8	#0	QPSK	22.93	21	25	PASS
Band1	5	18575	25	#0	QPSK	22.03	21	25	PASS
Band1	20	18100	1	#0	QPSK	23.41	21	25	PASS
Band1	20	18100	18	#0	QPSK	23.37	21	25	PASS
Band1	20	18100	100	#0	QPSK	22.29	21	25	PASS
Band1	20	18300	1	#0	QPSK	23.34	21	25	PASS
Band1	20	18300	18	#0	QPSK	23.19	21	25	PASS
Band1	20	18300	100	#0	QPSK	22.35	21	25	PASS
Band1	20	18500	1	#0	QPSK	23.25	21	25	PASS
Band1	20	18500	18	#0	QPSK	23.11	21	25	PASS
Band1	20	18500	100	#0	QPSK	22.03	21	25	PASS
Band20	5	24175	1	#0	QPSK	23.08	19.5	25	PASS
Band20	5	24175	8	#0	QPSK	23.02	19.5	25	PASS
Band20	5	24175	25	#0	QPSK	22.07	21	25	PASS
Band20	5	24300	1	#0	QPSK	23.19	21	25	PASS
Band20	5	24300	8	#0	QPSK	23.05	21	25	PASS
Band20	5	24300	25	#0	QPSK	22.03	21	25	PASS
Band20	5	24425	1	#0	QPSK	22.91	21	25	PASS
Band20	5	24425	8	#0	QPSK	22.93	21	25	PASS
Band20	5	24425	25	#0	QPSK	22.36	21	25	PASS
Band20	20	24250	1	#0	QPSK	22.97	19.5	25	PASS
Band20	20	24250	18	#0	QPSK	23.18	19.5	25	PASS
Band20	20	24250	100	#0	QPSK	22.57	21	25	PASS
Band20	20	24300	1	#0	QPSK	23.21	21	25	PASS
Band20	20	24300	18	#0	QPSK	23.15	21	25	PASS
Band20	20	24300	100	#0	QPSK	21.95	21	25	PASS
Band20	20	24350	1	#0	QPSK	23.29	21	25	PASS
Band20	20	24350	18	#0	QPSK	23.02	21	25	PASS
Band20	20	24350	100	#0	QPSK	22.01	21	25	PASS
Band28	3	27225	1	#0	QPSK	22.73	20.5	25	PASS
Band28	3	27225	4	#0	QPSK	22.74	20.5	25	PASS
Band28	3	27225	15	#0	QPSK	22.15	20.5	25	PASS
Band28	3	27375	1	#0	QPSK	23.00	20.5	25	PASS

Band28	3	27375	4	#0	QPSK	23.01	20.5	25	PASS
Band28	3	27375	15	#0	QPSK	21.91	20.5	25	PASS
Band28	3	27525	1	#0	QPSK	23.30	20.5	25	PASS
Band28	3	27525	4	#0	QPSK	23.20	20.5	25	PASS
Band28	3	27525	15	#0	QPSK	22.53	20.5	25	PASS
Band28	5	27235	1	#0	QPSK	22.59	20.5	25	PASS
Band28	5	27235	8	#0	QPSK	22.70	20.5	25	PASS
Band28	5	27235	25	#0	QPSK	22.13	20.5	25	PASS
Band28	5	27375	1	#0	QPSK	22.87	20.5	25	PASS
Band28	5	27375	8	#0	QPSK	22.85	20.5	25	PASS
Band28	5	27375	25	#0	QPSK	21.94	20.5	25	PASS
Band28	5	27515	1	#0	QPSK	22.92	20.5	25	PASS
Band28	5	27515	8	#0	QPSK	23.17	20.5	25	PASS
Band28	5	27515	25	#0	QPSK	22.12	20.5	25	PASS
Band28	20	27310	1	#0	QPSK	22.52	20.5	25	PASS
Band28	20	27310	18	#0	QPSK	22.54	20.5	25	PASS
Band28	20	27310	100	#0	QPSK	21.90	20.5	25	PASS
Band28	20	27375	1	#0	QPSK	22.80	20.5	25	PASS
Band28	20	27375	18	#0	QPSK	22.78	20.5	25	PASS
Band28	20	27375	100	#0	QPSK	22.02	20.5	25	PASS
Band28	20	27440	1	#0	QPSK	23.48	20.5	25	PASS
Band28	20	27440	18	#0	QPSK	22.94	20.5	25	PASS
Band28	20	27440	100	#0	QPSK	21.98	20.5	25	PASS
Band3	1.4	19207	1	#0	QPSK	23.57	19.5	25	PASS
Band3	1.4	19207	5	#0	QPSK	23.57	19.5	25	PASS
Band3	1.4	19207	6	#0	QPSK	22.47	19.5	25	PASS
Band3	1.4	19575	1	#0	QPSK	23.25	21	25	PASS
Band3	1.4	19575	5	#0	QPSK	23.20	21	25	PASS
Band3	1.4	19575	6	#0	QPSK	22.23	21	25	PASS
Band3	1.4	19943	1	#0	QPSK	22.31	19.5	25	PASS
Band3	1.4	19943	5	#0	QPSK	22.36	19.5	25	PASS
Band3	1.4	19943	6	#0	QPSK	21.39	19.5	25	PASS
Band3	5	19225	1	#0	QPSK	23.47	19.5	25	PASS
Band3	5	19225	8	#0	QPSK	23.53	19.5	25	PASS
Band3	5	19225	25	#0	QPSK	22.51	21	25	PASS
Band3	5	19575	1	#0	QPSK	23.09	21	25	PASS
Band3	5	19575	8	#0	QPSK	23.23	21	25	PASS
Band3	5	19575	25	#0	QPSK	22.19	21	25	PASS
Band3	5	19925	1	#0	QPSK	22.24	21	25	PASS
Band3	5	19925	8	#0	QPSK	22.47	21	25	PASS
Band3	5	19925	25	#0	QPSK	21.39	21	25	PASS
Band3	20	19300	1	#0	QPSK	23.48	19.5	25	PASS
Band3	20	19300	18	#0	QPSK	23.47	19.5	25	PASS
Band3	20	19300	100	#0	QPSK	22.50	21	25	PASS

Band3	20	19575	1	#0	QPSK	23.24	21	25	PASS
Band3	20	19575	18	#0	QPSK	23.14	21	25	PASS
Band3	20	19575	100	#0	QPSK	22.27	21	25	PASS
Band3	20	19850	1	#0	QPSK	23.24	21	25	PASS
Band3	20	19850	18	#0	QPSK	23.20	21	25	PASS
Band3	20	19850	100	#0	QPSK	21.82	21	25	PASS
Band7	5	20775	1	#0	QPSK	24.60	19.5	25	PASS
Band7	5	20775	8	#0	QPSK	24.64	19.5	25	PASS
Band7	5	20775	25	#0	QPSK	23.58	21	25	PASS
Band7	5	21100	1	#0	QPSK	24.77	21	25	PASS
Band7	5	21100	8	#0	QPSK	24.72	21	25	PASS
Band7	5	21100	25	#0	QPSK	23.68	21	25	PASS
Band7	5	21425	1	#0	QPSK	24.36	21	25	PASS
Band7	5	21425	8	#0	QPSK	24.60	21	25	PASS
Band7	5	21425	25	#0	QPSK	23.66	21	25	PASS
Band7	20	20850	1	#0	QPSK	24.63	19.5	25	PASS
Band7	20	20850	18	#0	QPSK	24.58	19.5	25	PASS
Band7	20	20850	100	#0	QPSK	23.74	21	25	PASS
Band7	20	21100	1	#0	QPSK	24.73	21	25	PASS
Band7	20	21100	18	#0	QPSK	24.78	21	25	PASS
Band7	20	21100	100	#0	QPSK	23.68	21	25	PASS
Band7	20	21350	1	#0	QPSK	24.69	21	25	PASS
Band7	20	21350	18	#0	QPSK	24.52	21	25	PASS
Band7	20	21350	100	#0	QPSK	23.59	21	25	PASS
Band8	1.4	21457	1	#0	QPSK	24.23	19.5	25	PASS
Band8	1.4	21457	5	#0	QPSK	24.12	19.5	25	PASS
Band8	1.4	21457	6	#0	QPSK	23.04	19.5	25	PASS
Band8	1.4	21625	1	#0	QPSK	24.09	21	25	PASS
Band8	1.4	21625	5	#0	QPSK	23.96	21	25	PASS
Band8	1.4	21625	6	#0	QPSK	23.04	21	25	PASS
Band8	1.4	21793	1	#0	QPSK	24.16	19.5	25	PASS
Band8	1.4	21793	5	#0	QPSK	23.95	19.5	25	PASS
Band8	1.4	21793	6	#0	QPSK	22.99	19.5	25	PASS
Band8	5	21475	1	#0	QPSK	24.03	19.5	25	PASS
Band8	5	21475	8	#0	QPSK	24.01	19.5	25	PASS
Band8	5	21475	25	#0	QPSK	23.35	21	25	PASS
Band8	5	21625	1	#0	QPSK	24.01	21	25	PASS
Band8	5	21625	8	#0	QPSK	23.94	21	25	PASS
Band8	5	21625	25	#0	QPSK	23.07	21	25	PASS
Band8	5	21775	1	#0	QPSK	24.00	21	25	PASS
Band8	5	21775	8	#0	QPSK	24.08	21	25	PASS
Band8	5	21775	25	#0	QPSK	23.01	21	25	PASS
Band8	10	21500	1	#0	QPSK	24.11	19.5	25	PASS
Band8	10	21500	12	#0	QPSK	24.20	19.5	25	PASS

Band8	10	21500	50	#0	QPSK	23.07	21	25	PASS
Band8	10	21625	1	#0	QPSK	23.99	21	25	PASS
Band8	10	21625	12	#0	QPSK	24.09	21	25	PASS
Band8	10	21625	50	#0	QPSK	23.11	21	25	PASS
Band8	10	21750	1	#0	QPSK	23.83	21	25	PASS
Band8	10	21750	12	#0	QPSK	23.95	21	25	PASS
Band8	10	21750	50	#0	QPSK	22.98	21	25	PASS

#### Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	10.61	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	12.19	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	23.54	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	11.87	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	26.07	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	24.39	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	24.12	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	12.04	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	26.08	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	24.01	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.04	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	11.88	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	12.77	PASS
Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	13.07	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	23.56	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	11.97	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	21.06	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	16.17	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	19.16	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	8.34	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	18.55	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	15.63	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	19.17	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	7.96	PASS
Band1	5	18025	8	#0	16QAM	-1MHz-0MHz	10.53	PASS
Band1	5	18025	8	#0	16QAM	-5MHz--1MHz	13.78	PASS
Band1	5	18025	8	#0	16QAM	-6MHz--5MHz	23.69	PASS
Band1	5	18025	8	#0	16QAM	-10MHz--6MHz	11.89	PASS
Band1	5	18025	8	#0	16QAM	0MHz-1MHz	26.41	PASS
Band1	5	18025	8	#0	16QAM	1MHz-5MHz	25.03	PASS
Band1	5	18025	8	#0	16QAM	5MHz-6MHz	24.14	PASS
Band1	5	18025	8	#0	16QAM	6MHz-10MHz	12.11	PASS
Band1	5	18025	8	#Max	16QAM	-1MHz-0MHz	26.22	PASS
Band1	5	18025	8	#Max	16QAM	-5MHz--1MHz	24.25	PASS



Band1	5	18025	8	#Max	16QAM	-6MHz--5MHz	24.14	PASS
Band1	5	18025	8	#Max	16QAM	-10MHz--6MHz	11.92	PASS
Band1	5	18025	8	#Max	16QAM	0MHz-1MHz	13.23	PASS
Band1	5	18025	8	#Max	16QAM	1MHz-5MHz	14.65	PASS
Band1	5	18025	8	#Max	16QAM	5MHz-6MHz	23.66	PASS
Band1	5	18025	8	#Max	16QAM	6MHz-10MHz	12.07	PASS
Band1	5	18025	25	#0	16QAM	-1MHz-0MHz	20.20	PASS
Band1	5	18025	25	#0	16QAM	-5MHz--1MHz	16.69	PASS
Band1	5	18025	25	#0	16QAM	-6MHz--5MHz	20.10	PASS
Band1	5	18025	25	#0	16QAM	-10MHz--6MHz	9.07	PASS
Band1	5	18025	25	#0	16QAM	0MHz-1MHz	21.04	PASS
Band1	5	18025	25	#0	16QAM	1MHz-5MHz	15.76	PASS
Band1	5	18025	25	#0	16QAM	5MHz-6MHz	19.34	PASS
Band1	5	18025	25	#0	16QAM	6MHz-10MHz	8.57	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	4.28	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	12.15	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	23.30	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	11.57	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	26.71	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	24.50	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	23.98	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	11.90	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	26.82	PASS
Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	24.06	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	23.90	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	11.76	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	4.56	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	11.37	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	23.37	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	11.84	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	15.14	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	9.07	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	19.51	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	8.40	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	14.73	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	9.17	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	19.68	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	8.21	PASS
Band1	5	18300	8	#0	16QAM	-1MHz-0MHz	9.03	PASS
Band1	5	18300	8	#0	16QAM	-5MHz--1MHz	14.67	PASS
Band1	5	18300	8	#0	16QAM	-6MHz--5MHz	23.69	PASS
Band1	5	18300	8	#0	16QAM	-10MHz--6MHz	11.63	PASS
Band1	5	18300	8	#0	16QAM	0MHz-1MHz	26.50	PASS
Band1	5	18300	8	#0	16QAM	1MHz-5MHz	25.54	PASS

Band1	5	18300	8	#0	16QAM	5MHz-6MHz	23.87	PASS
Band1	5	18300	8	#0	16QAM	6MHz-10MHz	11.96	PASS
Band1	5	18300	8	#Max	16QAM	-1MHz-0MHz	26.04	PASS
Band1	5	18300	8	#Max	16QAM	-5MHz--1MHz	25.09	PASS
Band1	5	18300	8	#Max	16QAM	-6MHz--5MHz	23.84	PASS
Band1	5	18300	8	#Max	16QAM	-10MHz--6MHz	11.76	PASS
Band1	5	18300	8	#Max	16QAM	0MHz-1MHz	9.12	PASS
Band1	5	18300	8	#Max	16QAM	1MHz-5MHz	14.48	PASS
Band1	5	18300	8	#Max	16QAM	5MHz-6MHz	23.68	PASS
Band1	5	18300	8	#Max	16QAM	6MHz-10MHz	11.80	PASS
Band1	5	18300	25	#0	16QAM	-1MHz-0MHz	16.97	PASS
Band1	5	18300	25	#0	16QAM	-5MHz--1MHz	10.80	PASS
Band1	5	18300	25	#0	16QAM	-6MHz--5MHz	19.64	PASS
Band1	5	18300	25	#0	16QAM	-10MHz--6MHz	8.69	PASS
Band1	5	18300	25	#0	16QAM	0MHz-1MHz	16.07	PASS
Band1	5	18300	25	#0	16QAM	1MHz-5MHz	10.86	PASS
Band1	5	18300	25	#0	16QAM	5MHz-6MHz	19.81	PASS
Band1	5	18300	25	#0	16QAM	6MHz-10MHz	8.82	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	10.48	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	13.84	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	23.66	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	12.16	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	25.88	PASS
Band1	5	18575	8	#0	QPSK	1MHz-5MHz	25.22	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	24.49	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	12.49	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	26.05	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	24.49	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	24.36	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	12.29	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	6.92	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	11.62	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	23.84	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	12.36	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	17.45	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	12.98	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	19.19	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	7.84	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	18.33	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	12.59	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	19.74	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	8.75	PASS
Band1	5	18575	8	#0	16QAM	-1MHz-0MHz	13.84	PASS
Band1	5	18575	8	#0	16QAM	-5MHz--1MHz	16.32	PASS

Band1	5	18575	8	#0	16QAM	-6MHz--5MHz	24.07	PASS
Band1	5	18575	8	#0	16QAM	-10MHz--6MHz	12.23	PASS
Band1	5	18575	8	#0	16QAM	0MHz-1MHz	26.81	PASS
Band1	5	18575	8	#0	16QAM	1MHz-5MHz	26.07	PASS
Band1	5	18575	8	#0	16QAM	5MHz-6MHz	24.59	PASS
Band1	5	18575	8	#0	16QAM	6MHz-10MHz	12.56	PASS
Band1	5	18575	8	#Max	16QAM	-1MHz-0MHz	27.71	PASS
Band1	5	18575	8	#Max	16QAM	-5MHz--1MHz	25.56	PASS
Band1	5	18575	8	#Max	16QAM	-6MHz--5MHz	24.49	PASS
Band1	5	18575	8	#Max	16QAM	-10MHz--6MHz	12.32	PASS
Band1	5	18575	8	#Max	16QAM	0MHz-1MHz	10.30	PASS
Band1	5	18575	8	#Max	16QAM	1MHz-5MHz	14.86	PASS
Band1	5	18575	8	#Max	16QAM	5MHz-6MHz	24.19	PASS
Band1	5	18575	8	#Max	16QAM	6MHz-10MHz	12.39	PASS
Band1	5	18575	25	#0	16QAM	-1MHz-0MHz	19.00	PASS
Band1	5	18575	25	#0	16QAM	-5MHz--1MHz	14.86	PASS
Band1	5	18575	25	#0	16QAM	-6MHz--5MHz	19.93	PASS
Band1	5	18575	25	#0	16QAM	-10MHz--6MHz	8.64	PASS
Band1	5	18575	25	#0	16QAM	0MHz-1MHz	20.12	PASS
Band1	5	18575	25	#0	16QAM	1MHz-5MHz	14.30	PASS
Band1	5	18575	25	#0	16QAM	5MHz-6MHz	20.36	PASS
Band1	5	18575	25	#0	16QAM	6MHz-10MHz	9.14	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	9.15	PASS
Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	9.64	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	21.70	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	10.81	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	28.11	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	26.16	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	23.51	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	12.00	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	29.06	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	25.36	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	22.36	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	10.81	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	12.73	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	13.83	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	21.64	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	11.91	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	22.28	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	18.87	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	17.44	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	9.01	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	19.35	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	16.86	PASS

Band1	10	18050	50	#0	QPSK	5MHz-10MHz	15.46	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	8.36	PASS
Band1	10	18050	12	#0	16QAM	-1MHz-0MHz	10.56	PASS
Band1	10	18050	12	#0	16QAM	-5MHz--1MHz	12.94	PASS
Band1	10	18050	12	#0	16QAM	-10MHz--5MHz	22.53	PASS
Band1	10	18050	12	#0	16QAM	-15MHz--10MHz	10.77	PASS
Band1	10	18050	12	#0	16QAM	0MHz-1MHz	27.48	PASS
Band1	10	18050	12	#0	16QAM	1MHz-5MHz	26.65	PASS
Band1	10	18050	12	#0	16QAM	5MHz-10MHz	23.68	PASS
Band1	10	18050	12	#0	16QAM	10MHz-15MHz	12.06	PASS
Band1	10	18050	12	#Max	16QAM	-1MHz-0MHz	28.59	PASS
Band1	10	18050	12	#Max	16QAM	-5MHz--1MHz	25.66	PASS
Band1	10	18050	12	#Max	16QAM	-10MHz--5MHz	22.65	PASS
Band1	10	18050	12	#Max	16QAM	-15MHz--10MHz	10.80	PASS
Band1	10	18050	12	#Max	16QAM	0MHz-1MHz	13.75	PASS
Band1	10	18050	12	#Max	16QAM	1MHz-5MHz	15.56	PASS
Band1	10	18050	12	#Max	16QAM	5MHz-10MHz	22.79	PASS
Band1	10	18050	12	#Max	16QAM	10MHz-15MHz	11.89	PASS
Band1	10	18050	50	#0	16QAM	-1MHz-0MHz	22.75	PASS
Band1	10	18050	50	#0	16QAM	-5MHz--1MHz	19.13	PASS
Band1	10	18050	50	#0	16QAM	-10MHz--5MHz	17.85	PASS
Band1	10	18050	50	#0	16QAM	-15MHz--10MHz	9.20	PASS
Band1	10	18050	50	#0	16QAM	0MHz-1MHz	20.19	PASS
Band1	10	18050	50	#0	16QAM	1MHz-5MHz	17.12	PASS
Band1	10	18050	50	#0	16QAM	5MHz-10MHz	16.09	PASS
Band1	10	18050	50	#0	16QAM	10MHz-15MHz	8.54	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	6.44	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	8.69	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	20.61	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	10.59	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	28.72	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	26.37	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	23.63	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	11.85	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	27.79	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	25.75	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	22.69	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	10.68	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	4.65	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	8.05	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	20.49	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	11.68	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	14.63	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	10.43	PASS

Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	11.20	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	7.88	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	14.80	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	11.19	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	11.51	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	8.44	PASS
Band1	10	18300	12	#0	16QAM	-1MHz-0MHz	9.29	PASS
Band1	10	18300	12	#0	16QAM	-5MHz--1MHz	12.50	PASS
Band1	10	18300	12	#0	16QAM	-10MHz--5MHz	21.68	PASS
Band1	10	18300	12	#0	16QAM	-15MHz--10MHz	10.58	PASS
Band1	10	18300	12	#0	16QAM	0MHz-1MHz	27.14	PASS
Band1	10	18300	12	#0	16QAM	1MHz-5MHz	26.49	PASS
Band1	10	18300	12	#0	16QAM	5MHz-10MHz	23.81	PASS
Band1	10	18300	12	#0	16QAM	10MHz-15MHz	11.87	PASS
Band1	10	18300	12	#Max	16QAM	-1MHz-0MHz	26.95	PASS
Band1	10	18300	12	#Max	16QAM	-5MHz--1MHz	26.28	PASS
Band1	10	18300	12	#Max	16QAM	-10MHz--5MHz	23.20	PASS
Band1	10	18300	12	#Max	16QAM	-15MHz--10MHz	10.68	PASS
Band1	10	18300	12	#Max	16QAM	0MHz-1MHz	8.37	PASS
Band1	10	18300	12	#Max	16QAM	1MHz-5MHz	11.56	PASS
Band1	10	18300	12	#Max	16QAM	5MHz-10MHz	21.90	PASS
Band1	10	18300	12	#Max	16QAM	10MHz-15MHz	11.75	PASS
Band1	10	18300	50	#0	16QAM	-1MHz-0MHz	16.53	PASS
Band1	10	18300	50	#0	16QAM	-5MHz--1MHz	12.58	PASS
Band1	10	18300	50	#0	16QAM	-10MHz--5MHz	13.47	PASS
Band1	10	18300	50	#0	16QAM	-15MHz--10MHz	8.82	PASS
Band1	10	18300	50	#0	16QAM	0MHz-1MHz	17.06	PASS
Band1	10	18300	50	#0	16QAM	1MHz-5MHz	12.96	PASS
Band1	10	18300	50	#0	16QAM	5MHz-10MHz	14.05	PASS
Band1	10	18300	50	#0	16QAM	10MHz-15MHz	9.16	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	13.54	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	14.36	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	22.00	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.13	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	27.99	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	26.94	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	24.28	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	12.48	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	27.35	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	26.39	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	23.47	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.11	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	6.37	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	8.97	PASS

Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	21.71	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	12.36	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	21.17	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	17.91	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	17.55	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	8.56	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	19.84	PASS
Band1	10	18550	50	#0	QPSK	1MHz-5MHz	16.11	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	15.51	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	9.48	PASS
Band1	10	18550	12	#0	16QAM	-1MHz-0MHz	15.19	PASS
Band1	10	18550	12	#0	16QAM	-5MHz--1MHz	15.67	PASS
Band1	10	18550	12	#0	16QAM	-10MHz--5MHz	22.95	PASS
Band1	10	18550	12	#0	16QAM	-15MHz--10MHz	11.13	PASS
Band1	10	18550	12	#0	16QAM	0MHz-1MHz	30.07	PASS
Band1	10	18550	12	#0	16QAM	1MHz-5MHz	27.00	PASS
Band1	10	18550	12	#0	16QAM	5MHz-10MHz	24.29	PASS
Band1	10	18550	12	#0	16QAM	10MHz-15MHz	12.35	PASS
Band1	10	18550	12	#Max	16QAM	-1MHz-0MHz	30.06	PASS
Band1	10	18550	12	#Max	16QAM	-5MHz--1MHz	26.90	PASS
Band1	10	18550	12	#Max	16QAM	-10MHz--5MHz	23.75	PASS
Band1	10	18550	12	#Max	16QAM	-15MHz--10MHz	11.24	PASS
Band1	10	18550	12	#Max	16QAM	0MHz-1MHz	9.83	PASS
Band1	10	18550	12	#Max	16QAM	1MHz-5MHz	12.36	PASS
Band1	10	18550	12	#Max	16QAM	5MHz-10MHz	22.45	PASS
Band1	10	18550	12	#Max	16QAM	10MHz-15MHz	12.34	PASS
Band1	10	18550	50	#0	16QAM	-1MHz-0MHz	22.11	PASS
Band1	10	18550	50	#0	16QAM	-5MHz--1MHz	18.00	PASS
Band1	10	18550	50	#0	16QAM	-10MHz--5MHz	17.96	PASS
Band1	10	18550	50	#0	16QAM	-15MHz--10MHz	9.03	PASS
Band1	10	18550	50	#0	16QAM	0MHz-1MHz	20.44	PASS
Band1	10	18550	50	#0	16QAM	1MHz-5MHz	16.61	PASS
Band1	10	18550	50	#0	16QAM	5MHz-10MHz	16.59	PASS
Band1	10	18550	50	#0	16QAM	10MHz-15MHz	10.11	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	10.24	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	11.86	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	20.30	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	12.58	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	26.49	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	26.44	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	23.10	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	11.99	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	28.01	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	26.41	PASS



Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	22.45	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	12.56	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	12.02	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	13.23	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	20.52	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	12.09	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	23.00	PASS
Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	21.56	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	19.09	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	12.24	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	17.83	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	17.12	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	14.54	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	10.53	PASS
Band1	20	18100	18	#0	16QAM	-1MHz-0MHz	12.25	PASS
Band1	20	18100	18	#0	16QAM	-5MHz--1MHz	14.24	PASS
Band1	20	18100	18	#0	16QAM	-20MHz--5MHz	20.95	PASS
Band1	20	18100	18	#0	16QAM	-25MHz--20MHz	12.46	PASS
Band1	20	18100	18	#0	16QAM	0MHz-1MHz	28.45	PASS
Band1	20	18100	18	#0	16QAM	1MHz-5MHz	26.71	PASS
Band1	20	18100	18	#0	16QAM	5MHz-20MHz	23.25	PASS
Band1	20	18100	18	#0	16QAM	20MHz-25MHz	12.03	PASS
Band1	20	18100	18	#Max	16QAM	-1MHz-0MHz	29.16	PASS
Band1	20	18100	18	#Max	16QAM	-5MHz--1MHz	26.57	PASS
Band1	20	18100	18	#Max	16QAM	-20MHz--5MHz	22.60	PASS
Band1	20	18100	18	#Max	16QAM	-25MHz--20MHz	12.59	PASS
Band1	20	18100	18	#Max	16QAM	0MHz-1MHz	13.48	PASS
Band1	20	18100	18	#Max	16QAM	1MHz-5MHz	15.08	PASS
Band1	20	18100	18	#Max	16QAM	5MHz-20MHz	20.90	PASS
Band1	20	18100	18	#Max	16QAM	20MHz-25MHz	12.08	PASS
Band1	20	18100	100	#0	16QAM	-1MHz-0MHz	21.47	PASS
Band1	20	18100	100	#0	16QAM	-5MHz--1MHz	21.86	PASS
Band1	20	18100	100	#0	16QAM	-20MHz--5MHz	19.38	PASS
Band1	20	18100	100	#0	16QAM	-25MHz--20MHz	12.36	PASS
Band1	20	18100	100	#0	16QAM	0MHz-1MHz	18.93	PASS
Band1	20	18100	100	#0	16QAM	1MHz-5MHz	17.78	PASS
Band1	20	18100	100	#0	16QAM	5MHz-20MHz	15.53	PASS
Band1	20	18100	100	#0	16QAM	20MHz-25MHz	10.58	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	8.97	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	11.09	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	20.03	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	12.23	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	28.98	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	26.60	PASS



Band1	20	18300	18	#0	QPSK	5MHz-20MHz	23.39	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	12.80	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	27.34	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	26.00	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	22.27	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	12.31	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	5.95	PASS
Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	8.90	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	19.52	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	12.66	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	16.00	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	14.53	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	13.36	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	10.16	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	17.66	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	16.06	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	14.81	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	9.87	PASS
Band1	20	18300	18	#0	16QAM	-1MHz-0MHz	11.80	PASS
Band1	20	18300	18	#0	16QAM	-5MHz--1MHz	13.88	PASS
Band1	20	18300	18	#0	16QAM	-20MHz--5MHz	20.63	PASS
Band1	20	18300	18	#0	16QAM	-25MHz--20MHz	12.18	PASS
Band1	20	18300	18	#0	16QAM	0MHz-1MHz	29.01	PASS
Band1	20	18300	18	#0	16QAM	1MHz-5MHz	26.62	PASS
Band1	20	18300	18	#0	16QAM	5MHz-20MHz	23.42	PASS
Band1	20	18300	18	#0	16QAM	20MHz-25MHz	12.71	PASS
Band1	20	18300	18	#Max	16QAM	-1MHz-0MHz	29.12	PASS
Band1	20	18300	18	#Max	16QAM	-5MHz--1MHz	26.25	PASS
Band1	20	18300	18	#Max	16QAM	-20MHz--5MHz	22.47	PASS
Band1	20	18300	18	#Max	16QAM	-25MHz--20MHz	12.29	PASS
Band1	20	18300	18	#Max	16QAM	0MHz-1MHz	8.60	PASS
Band1	20	18300	18	#Max	16QAM	1MHz-5MHz	11.77	PASS
Band1	20	18300	18	#Max	16QAM	5MHz-20MHz	20.79	PASS
Band1	20	18300	18	#Max	16QAM	20MHz-25MHz	12.73	PASS
Band1	20	18300	100	#0	16QAM	-1MHz-0MHz	17.96	PASS
Band1	20	18300	100	#0	16QAM	-5MHz--1MHz	16.56	PASS
Band1	20	18300	100	#0	16QAM	-20MHz--5MHz	15.04	PASS
Band1	20	18300	100	#0	16QAM	-25MHz--20MHz	10.79	PASS
Band1	20	18300	100	#0	16QAM	0MHz-1MHz	19.45	PASS
Band1	20	18300	100	#0	16QAM	1MHz-5MHz	17.40	PASS
Band1	20	18300	100	#0	16QAM	5MHz-20MHz	15.63	PASS
Band1	20	18300	100	#0	16QAM	20MHz-25MHz	10.60	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	9.73	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	10.95	PASS

Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	19.77	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	11.99	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	23.20	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	23.41	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	23.13	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	12.53	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	23.61	PASS
Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	23.92	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	22.12	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	12.15	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	7.52	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	9.84	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	19.98	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	12.59	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	21.63	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	19.75	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	17.29	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	9.56	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	19.59	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	17.83	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	15.97	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	11.65	PASS
Band1	20	18500	18	#0	16QAM	-1MHz-0MHz	10.71	PASS
Band1	20	18500	18	#0	16QAM	-5MHz--1MHz	13.02	PASS
Band1	20	18500	18	#0	16QAM	-20MHz--5MHz	20.30	PASS
Band1	20	18500	18	#0	16QAM	-25MHz--20MHz	12.12	PASS
Band1	20	18500	18	#0	16QAM	0MHz-1MHz	23.46	PASS
Band1	20	18500	18	#0	16QAM	1MHz-5MHz	23.81	PASS
Band1	20	18500	18	#0	16QAM	5MHz-20MHz	23.20	PASS
Band1	20	18500	18	#0	16QAM	20MHz-25MHz	12.54	PASS
Band1	20	18500	18	#Max	16QAM	-1MHz-0MHz	25.17	PASS
Band1	20	18500	18	#Max	16QAM	-5MHz--1MHz	24.20	PASS
Band1	20	18500	18	#Max	16QAM	-20MHz--5MHz	22.21	PASS
Band1	20	18500	18	#Max	16QAM	-25MHz--20MHz	12.14	PASS
Band1	20	18500	18	#Max	16QAM	0MHz-1MHz	10.22	PASS
Band1	20	18500	18	#Max	16QAM	1MHz-5MHz	12.58	PASS
Band1	20	18500	18	#Max	16QAM	5MHz-20MHz	20.99	PASS
Band1	20	18500	18	#Max	16QAM	20MHz-25MHz	12.61	PASS
Band1	20	18500	100	#0	16QAM	-1MHz-0MHz	21.18	PASS
Band1	20	18500	100	#0	16QAM	-5MHz--1MHz	19.87	PASS
Band1	20	18500	100	#0	16QAM	-20MHz--5MHz	17.62	PASS
Band1	20	18500	100	#0	16QAM	-25MHz--20MHz	9.81	PASS
Band1	20	18500	100	#0	16QAM	0MHz-1MHz	19.48	PASS
Band1	20	18500	100	#0	16QAM	1MHz-5MHz	18.35	PASS

Band1	20	18500	100	#0	16QAM	5MHz-20MHz	16.15	PASS
Band1	20	18500	100	#0	16QAM	20MHz-25MHz	11.91	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	10.51	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	13.84	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	23.91	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	11.72	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	26.06	PASS
Band20	5	24175	8	#0	QPSK	1MHz-5MHz	22.45	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	23.89	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	11.98	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	27.68	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	23.88	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	24.00	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	11.69	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	12.09	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	15.54	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	22.30	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	11.07	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	18.87	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	16.67	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	23.75	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	11.76	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	19.92	PASS
Band20	5	24175	25	#0	QPSK	1MHz-5MHz	16.56	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	21.08	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	10.51	PASS
Band20	5	24175	8	#0	16QAM	-1MHz-0MHz	15.34	PASS
Band20	5	24175	8	#0	16QAM	-5MHz--1MHz	17.82	PASS
Band20	5	24175	8	#0	16QAM	-6MHz--5MHz	23.82	PASS
Band20	5	24175	8	#0	16QAM	-10MHz--6MHz	11.71	PASS
Band20	5	24175	8	#0	16QAM	0MHz-1MHz	27.33	PASS
Band20	5	24175	8	#0	16QAM	1MHz-5MHz	21.63	PASS
Band20	5	24175	8	#0	16QAM	5MHz-6MHz	24.00	PASS
Band20	5	24175	8	#0	16QAM	6MHz-10MHz	11.93	PASS
Band20	5	24175	8	#Max	16QAM	-1MHz-0MHz	29.15	PASS
Band20	5	24175	8	#Max	16QAM	-5MHz--1MHz	23.35	PASS
Band20	5	24175	8	#Max	16QAM	-6MHz--5MHz	23.98	PASS
Band20	5	24175	8	#Max	16QAM	-10MHz--6MHz	11.72	PASS
Band20	5	24175	8	#Max	16QAM	0MHz-1MHz	16.15	PASS
Band20	5	24175	8	#Max	16QAM	1MHz-5MHz	18.96	PASS
Band20	5	24175	8	#Max	16QAM	5MHz-6MHz	22.91	PASS
Band20	5	24175	8	#Max	16QAM	6MHz-10MHz	11.54	PASS
Band20	5	24175	25	#0	16QAM	-1MHz-0MHz	21.75	PASS
Band20	5	24175	25	#0	16QAM	-5MHz--1MHz	18.74	PASS

Band20	5	24175	25	#0	16QAM	-6MHz--5MHz	23.88	PASS
Band20	5	24175	25	#0	16QAM	-10MHz--6MHz	11.69	PASS
Band20	5	24175	25	#0	16QAM	0MHz-1MHz	22.29	PASS
Band20	5	24175	25	#0	16QAM	1MHz-5MHz	19.06	PASS
Band20	5	24175	25	#0	16QAM	5MHz-6MHz	21.97	PASS
Band20	5	24175	25	#0	16QAM	6MHz-10MHz	10.76	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	10.85	PASS
Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	12.54	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	22.72	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	11.29	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	26.61	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	22.69	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	23.92	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	11.89	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	26.34	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	23.20	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	23.83	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	11.69	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	11.38	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	14.59	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	22.29	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	11.43	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	21.23	PASS
Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	16.57	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	21.13	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	10.57	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	19.41	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	17.61	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	21.37	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	10.75	PASS
Band20	5	24300	8	#0	16QAM	-1MHz-0MHz	11.42	PASS
Band20	5	24300	8	#0	16QAM	-5MHz--1MHz	14.77	PASS
Band20	5	24300	8	#0	16QAM	-6MHz--5MHz	22.83	PASS
Band20	5	24300	8	#0	16QAM	-10MHz--6MHz	11.38	PASS
Band20	5	24300	8	#0	16QAM	0MHz-1MHz	27.29	PASS
Band20	5	24300	8	#0	16QAM	1MHz-5MHz	21.62	PASS
Band20	5	24300	8	#0	16QAM	5MHz-6MHz	24.03	PASS
Band20	5	24300	8	#0	16QAM	6MHz-10MHz	11.94	PASS
Band20	5	24300	8	#Max	16QAM	-1MHz-0MHz	26.58	PASS
Band20	5	24300	8	#Max	16QAM	-5MHz--1MHz	22.12	PASS
Band20	5	24300	8	#Max	16QAM	-6MHz--5MHz	23.89	PASS
Band20	5	24300	8	#Max	16QAM	-10MHz--6MHz	11.68	PASS
Band20	5	24300	8	#Max	16QAM	0MHz-1MHz	14.69	PASS
Band20	5	24300	8	#Max	16QAM	1MHz-5MHz	16.71	PASS

Band20	5	24300	8	#Max	16QAM	5MHz-6MHz	22.54	PASS
Band20	5	24300	8	#Max	16QAM	6MHz-10MHz	11.27	PASS
Band20	5	24300	25	#0	16QAM	-1MHz-0MHz	19.05	PASS
Band20	5	24300	25	#0	16QAM	-5MHz--1MHz	17.60	PASS
Band20	5	24300	25	#0	16QAM	-6MHz--5MHz	22.13	PASS
Band20	5	24300	25	#0	16QAM	-10MHz--6MHz	10.80	PASS
Band20	5	24300	25	#0	16QAM	0MHz-1MHz	20.88	PASS
Band20	5	24300	25	#0	16QAM	1MHz-5MHz	18.59	PASS
Band20	5	24300	25	#0	16QAM	5MHz-6MHz	21.82	PASS
Band20	5	24300	25	#0	16QAM	6MHz-10MHz	10.91	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	9.58	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	12.43	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	22.69	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	11.32	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	28.33	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	23.15	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	23.85	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	11.91	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	27.05	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	23.04	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	23.72	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	11.61	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	10.30	PASS
Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	13.45	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	22.22	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	11.40	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	20.96	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	16.79	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	20.54	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	10.04	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	20.70	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	17.09	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	21.65	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	10.96	PASS
Band20	5	24425	8	#0	16QAM	-1MHz-0MHz	15.40	PASS
Band20	5	24425	8	#0	16QAM	-5MHz--1MHz	15.96	PASS
Band20	5	24425	8	#0	16QAM	-6MHz--5MHz	23.03	PASS
Band20	5	24425	8	#0	16QAM	-10MHz--6MHz	11.35	PASS
Band20	5	24425	8	#0	16QAM	0MHz-1MHz	27.91	PASS
Band20	5	24425	8	#0	16QAM	1MHz-5MHz	22.75	PASS
Band20	5	24425	8	#0	16QAM	5MHz-6MHz	23.95	PASS
Band20	5	24425	8	#0	16QAM	6MHz-10MHz	11.81	PASS
Band20	5	24425	8	#Max	16QAM	-1MHz-0MHz	27.82	PASS
Band20	5	24425	8	#Max	16QAM	-5MHz--1MHz	22.69	PASS

Band20	5	24425	8	#Max	16QAM	-6MHz--5MHz	23.82	PASS
Band20	5	24425	8	#Max	16QAM	-10MHz--6MHz	11.56	PASS
Band20	5	24425	8	#Max	16QAM	0MHz-1MHz	15.89	PASS
Band20	5	24425	8	#Max	16QAM	1MHz-5MHz	17.96	PASS
Band20	5	24425	8	#Max	16QAM	5MHz-6MHz	22.82	PASS
Band20	5	24425	8	#Max	16QAM	6MHz-10MHz	11.59	PASS
Band20	5	24425	25	#0	16QAM	-1MHz-0MHz	23.84	PASS
Band20	5	24425	25	#0	16QAM	-5MHz--1MHz	18.37	PASS
Band20	5	24425	25	#0	16QAM	-6MHz--5MHz	21.35	PASS
Band20	5	24425	25	#0	16QAM	-10MHz--6MHz	10.39	PASS
Band20	5	24425	25	#0	16QAM	0MHz-1MHz	21.38	PASS
Band20	5	24425	25	#0	16QAM	1MHz-5MHz	18.86	PASS
Band20	5	24425	25	#0	16QAM	5MHz-6MHz	22.02	PASS
Band20	5	24425	25	#0	16QAM	6MHz-10MHz	11.21	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	11.98	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	12.73	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	23.48	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	10.66	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	29.24	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	22.93	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	19.54	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	11.80	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	29.27	PASS
Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	25.76	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	23.41	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	10.66	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	6.99	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	9.15	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	21.37	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	10.86	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	21.85	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	18.48	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	22.50	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	10.62	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	18.52	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	16.31	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	15.53	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	8.84	PASS
Band20	10	24200	12	#0	16QAM	-1MHz-0MHz	12.08	PASS
Band20	10	24200	12	#0	16QAM	-5MHz--1MHz	15.60	PASS
Band20	10	24200	12	#0	16QAM	-10MHz--5MHz	23.46	PASS
Band20	10	24200	12	#0	16QAM	-15MHz--10MHz	10.60	PASS
Band20	10	24200	12	#0	16QAM	0MHz-1MHz	27.74	PASS
Band20	10	24200	12	#0	16QAM	1MHz-5MHz	22.41	PASS



Band20	10	24200	12	#0	16QAM	5MHz-10MHz	19.03	PASS
Band20	10	24200	12	#0	16QAM	10MHz-15MHz	11.86	PASS
Band20	10	24200	12	#Max	16QAM	-1MHz-0MHz	28.98	PASS
Band20	10	24200	12	#Max	16QAM	-5MHz--1MHz	25.56	PASS
Band20	10	24200	12	#Max	16QAM	-10MHz--5MHz	23.25	PASS
Band20	10	24200	12	#Max	16QAM	-15MHz--10MHz	10.58	PASS
Band20	10	24200	12	#Max	16QAM	0MHz-1MHz	9.76	PASS
Band20	10	24200	12	#Max	16QAM	1MHz-5MHz	13.10	PASS
Band20	10	24200	12	#Max	16QAM	5MHz-10MHz	22.48	PASS
Band20	10	24200	12	#Max	16QAM	10MHz-15MHz	11.09	PASS
Band20	10	24200	50	#0	16QAM	-1MHz-0MHz	23.51	PASS
Band20	10	24200	50	#0	16QAM	-5MHz--1MHz	20.28	PASS
Band20	10	24200	50	#0	16QAM	-10MHz--5MHz	23.05	PASS
Band20	10	24200	50	#0	16QAM	-15MHz--10MHz	10.49	PASS
Band20	10	24200	50	#0	16QAM	0MHz-1MHz	20.33	PASS
Band20	10	24200	50	#0	16QAM	1MHz-5MHz	18.65	PASS
Band20	10	24200	50	#0	16QAM	5MHz-10MHz	17.59	PASS
Band20	10	24200	50	#0	16QAM	10MHz-15MHz	9.49	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	9.86	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	10.10	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	22.36	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	10.53	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	28.67	PASS
Band20	10	24300	12	#0	QPSK	1MHz-5MHz	23.44	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	20.22	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	11.86	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	28.92	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	23.75	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	20.44	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	10.61	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	13.09	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	13.13	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	22.61	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	10.81	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	21.47	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	17.46	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	16.72	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	9.55	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	21.52	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	18.49	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	17.94	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	9.91	PASS
Band20	10	24300	12	#0	16QAM	-1MHz-0MHz	11.98	PASS
Band20	10	24300	12	#0	16QAM	-5MHz--1MHz	13.78	PASS



Band20	10	24300	12	#0	16QAM	-10MHz--5MHz	23.15	PASS
Band20	10	24300	12	#0	16QAM	-15MHz--10MHz	10.56	PASS
Band20	10	24300	12	#0	16QAM	0MHz-1MHz	28.25	PASS
Band20	10	24300	12	#0	16QAM	1MHz-5MHz	22.73	PASS
Band20	10	24300	12	#0	16QAM	5MHz-10MHz	19.67	PASS
Band20	10	24300	12	#0	16QAM	10MHz-15MHz	11.83	PASS
Band20	10	24300	12	#Max	16QAM	-1MHz-0MHz	27.36	PASS
Band20	10	24300	12	#Max	16QAM	-5MHz--1MHz	23.06	PASS
Band20	10	24300	12	#Max	16QAM	-10MHz--5MHz	19.60	PASS
Band20	10	24300	12	#Max	16QAM	-15MHz--10MHz	10.70	PASS
Band20	10	24300	12	#Max	16QAM	0MHz-1MHz	13.96	PASS
Band20	10	24300	12	#Max	16QAM	1MHz-5MHz	16.28	PASS
Band20	10	24300	12	#Max	16QAM	5MHz-10MHz	23.14	PASS
Band20	10	24300	12	#Max	16QAM	10MHz-15MHz	11.09	PASS
Band20	10	24300	50	#0	16QAM	-1MHz-0MHz	21.12	PASS
Band20	10	24300	50	#0	16QAM	-5MHz--1MHz	19.03	PASS
Band20	10	24300	50	#0	16QAM	-10MHz--5MHz	18.96	PASS
Band20	10	24300	50	#0	16QAM	-15MHz--10MHz	9.93	PASS
Band20	10	24300	50	#0	16QAM	0MHz-1MHz	22.25	PASS
Band20	10	24300	50	#0	16QAM	1MHz-5MHz	19.94	PASS
Band20	10	24300	50	#0	16QAM	5MHz-10MHz	19.48	PASS
Band20	10	24300	50	#0	16QAM	10MHz-15MHz	10.49	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	10.50	PASS
Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	11.99	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	22.47	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	10.36	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	28.28	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	24.32	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	21.39	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	11.75	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	27.53	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	23.90	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	20.47	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	10.56	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	10.87	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	12.55	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	22.95	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	11.79	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	23.02	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	19.60	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	18.11	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	9.28	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	22.87	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	19.14	PASS

Band20	10	24400	50	#0	QPSK	5MHz-10MHz	18.90	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	11.78	PASS
Band20	10	24400	12	#0	16QAM	-1MHz-0MHz	12.65	PASS
Band20	10	24400	12	#0	16QAM	-5MHz--1MHz	14.24	PASS
Band20	10	24400	12	#0	16QAM	-10MHz--5MHz	22.92	PASS
Band20	10	24400	12	#0	16QAM	-15MHz--10MHz	10.37	PASS
Band20	10	24400	12	#0	16QAM	0MHz-1MHz	30.00	PASS
Band20	10	24400	12	#0	16QAM	1MHz-5MHz	23.50	PASS
Band20	10	24400	12	#0	16QAM	5MHz-10MHz	20.46	PASS
Band20	10	24400	12	#0	16QAM	10MHz-15MHz	11.82	PASS
Band20	10	24400	12	#Max	16QAM	-1MHz-0MHz	29.89	PASS
Band20	10	24400	12	#Max	16QAM	-5MHz--1MHz	23.34	PASS
Band20	10	24400	12	#Max	16QAM	-10MHz--5MHz	19.95	PASS
Band20	10	24400	12	#Max	16QAM	-15MHz--10MHz	10.47	PASS
Band20	10	24400	12	#Max	16QAM	0MHz-1MHz	13.90	PASS
Band20	10	24400	12	#Max	16QAM	1MHz-5MHz	15.64	PASS
Band20	10	24400	12	#Max	16QAM	5MHz-10MHz	23.06	PASS
Band20	10	24400	12	#Max	16QAM	10MHz-15MHz	11.72	PASS
Band20	10	24400	50	#0	16QAM	-1MHz-0MHz	21.42	PASS
Band20	10	24400	50	#0	16QAM	-5MHz--1MHz	18.86	PASS
Band20	10	24400	50	#0	16QAM	-10MHz--5MHz	18.44	PASS
Band20	10	24400	50	#0	16QAM	-15MHz--10MHz	9.76	PASS
Band20	10	24400	50	#0	16QAM	0MHz-1MHz	20.58	PASS
Band20	10	24400	50	#0	16QAM	1MHz-5MHz	18.94	PASS
Band20	10	24400	50	#0	16QAM	5MHz-10MHz	19.20	PASS
Band20	10	24400	50	#0	16QAM	10MHz-15MHz	11.85	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	12.14	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	13.96	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	22.54	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	12.23	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	28.14	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	26.74	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	21.27	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	12.01	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	28.20	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	26.46	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	22.67	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	12.25	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	11.76	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	13.63	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	22.04	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	11.97	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	22.85	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	21.01	PASS

Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	22.63	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	12.16	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	20.97	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	19.46	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	17.38	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	11.93	PASS
Band20	20	24250	18	#0	16QAM	-1MHz-0MHz	12.96	PASS
Band20	20	24250	18	#0	16QAM	-5MHz--1MHz	15.26	PASS
Band20	20	24250	18	#0	16QAM	-20MHz--5MHz	22.64	PASS
Band20	20	24250	18	#0	16QAM	-25MHz--20MHz	12.19	PASS
Band20	20	24250	18	#0	16QAM	0MHz-1MHz	28.74	PASS
Band20	20	24250	18	#0	16QAM	1MHz-5MHz	26.79	PASS
Band20	20	24250	18	#0	16QAM	5MHz-20MHz	20.42	PASS
Band20	20	24250	18	#0	16QAM	20MHz-25MHz	11.98	PASS
Band20	20	24250	18	#Max	16QAM	-1MHz-0MHz	29.34	PASS
Band20	20	24250	18	#Max	16QAM	-5MHz--1MHz	26.57	PASS
Band20	20	24250	18	#Max	16QAM	-20MHz--5MHz	22.68	PASS
Band20	20	24250	18	#Max	16QAM	-25MHz--20MHz	12.29	PASS
Band20	20	24250	18	#Max	16QAM	0MHz-1MHz	13.36	PASS
Band20	20	24250	18	#Max	16QAM	1MHz-5MHz	15.36	PASS
Band20	20	24250	18	#Max	16QAM	5MHz-20MHz	22.23	PASS
Band20	20	24250	18	#Max	16QAM	20MHz-25MHz	11.94	PASS
Band20	20	24250	100	#0	16QAM	-1MHz-0MHz	21.99	PASS
Band20	20	24250	100	#0	16QAM	-5MHz--1MHz	22.59	PASS
Band20	20	24250	100	#0	16QAM	-20MHz--5MHz	22.55	PASS
Band20	20	24250	100	#0	16QAM	-25MHz--20MHz	12.14	PASS
Band20	20	24250	100	#0	16QAM	0MHz-1MHz	21.75	PASS
Band20	20	24250	100	#0	16QAM	1MHz-5MHz	21.48	PASS
Band20	20	24250	100	#0	16QAM	5MHz-20MHz	19.04	PASS
Band20	20	24250	100	#0	16QAM	20MHz-25MHz	12.04	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	9.54	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	11.15	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	21.89	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	12.20	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	29.65	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	26.21	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	21.91	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	11.94	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	28.88	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	25.87	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	22.05	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	12.20	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	9.95	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	12.19	PASS

Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	22.35	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	11.90	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	20.37	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	18.92	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	17.66	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	12.16	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	20.50	PASS
Band20	20	24300	100	#0	QPSK	1MHz-5MHz	18.56	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	17.31	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	11.89	PASS
Band20	20	24300	18	#0	16QAM	-1MHz-0MHz	12.14	PASS
Band20	20	24300	18	#0	16QAM	-5MHz--1MHz	14.09	PASS
Band20	20	24300	18	#0	16QAM	-20MHz--5MHz	22.30	PASS
Band20	20	24300	18	#0	16QAM	-25MHz--20MHz	12.19	PASS
Band20	20	24300	18	#0	16QAM	0MHz-1MHz	29.40	PASS
Band20	20	24300	18	#0	16QAM	1MHz-5MHz	26.24	PASS
Band20	20	24300	18	#0	16QAM	5MHz-20MHz	21.30	PASS
Band20	20	24300	18	#0	16QAM	20MHz-25MHz	11.88	PASS
Band20	20	24300	18	#Max	16QAM	-1MHz-0MHz	29.13	PASS
Band20	20	24300	18	#Max	16QAM	-5MHz--1MHz	26.09	PASS
Band20	20	24300	18	#Max	16QAM	-20MHz--5MHz	22.01	PASS
Band20	20	24300	18	#Max	16QAM	-25MHz--20MHz	12.29	PASS
Band20	20	24300	18	#Max	16QAM	0MHz-1MHz	12.33	PASS
Band20	20	24300	18	#Max	16QAM	1MHz-5MHz	15.62	PASS
Band20	20	24300	18	#Max	16QAM	5MHz-20MHz	22.84	PASS
Band20	20	24300	18	#Max	16QAM	20MHz-25MHz	11.90	PASS
Band20	20	24300	100	#0	16QAM	-1MHz-0MHz	22.77	PASS
Band20	20	24300	100	#0	16QAM	-5MHz--1MHz	21.71	PASS
Band20	20	24300	100	#0	16QAM	-20MHz--5MHz	20.05	PASS
Band20	20	24300	100	#0	16QAM	-25MHz--20MHz	12.17	PASS
Band20	20	24300	100	#0	16QAM	0MHz-1MHz	22.59	PASS
Band20	20	24300	100	#0	16QAM	1MHz-5MHz	21.72	PASS
Band20	20	24300	100	#0	16QAM	5MHz-20MHz	19.84	PASS
Band20	20	24300	100	#0	16QAM	20MHz-25MHz	11.83	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	8.77	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	10.26	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	21.22	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	12.20	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	29.09	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	26.77	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	23.66	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	11.91	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	28.78	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	26.29	PASS

Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	21.20	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	12.23	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	11.03	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	12.02	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	22.46	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	11.80	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	19.99	PASS
Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	18.57	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	16.79	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	12.14	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	21.46	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	19.61	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	18.55	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	11.91	PASS
Band20	20	24350	18	#0	16QAM	-1MHz-0MHz	9.96	PASS
Band20	20	24350	18	#0	16QAM	-5MHz--1MHz	12.61	PASS
Band20	20	24350	18	#0	16QAM	-20MHz--5MHz	21.69	PASS
Band20	20	24350	18	#0	16QAM	-25MHz--20MHz	12.17	PASS
Band20	20	24350	18	#0	16QAM	0MHz-1MHz	28.55	PASS
Band20	20	24350	18	#0	16QAM	1MHz-5MHz	26.72	PASS
Band20	20	24350	18	#0	16QAM	5MHz-20MHz	23.62	PASS
Band20	20	24350	18	#0	16QAM	20MHz-25MHz	11.82	PASS
Band20	20	24350	18	#Max	16QAM	-1MHz-0MHz	28.93	PASS
Band20	20	24350	18	#Max	16QAM	-5MHz--1MHz	26.29	PASS
Band20	20	24350	18	#Max	16QAM	-20MHz--5MHz	20.41	PASS
Band20	20	24350	18	#Max	16QAM	-25MHz--20MHz	12.15	PASS
Band20	20	24350	18	#Max	16QAM	0MHz-1MHz	12.71	PASS
Band20	20	24350	18	#Max	16QAM	1MHz-5MHz	14.54	PASS
Band20	20	24350	18	#Max	16QAM	5MHz-20MHz	22.80	PASS
Band20	20	24350	18	#Max	16QAM	20MHz-25MHz	11.83	PASS
Band20	20	24350	100	#0	16QAM	-1MHz-0MHz	20.98	PASS
Band20	20	24350	100	#0	16QAM	-5MHz--1MHz	19.95	PASS
Band20	20	24350	100	#0	16QAM	-20MHz--5MHz	17.92	PASS
Band20	20	24350	100	#0	16QAM	-25MHz--20MHz	12.21	PASS
Band20	20	24350	100	#0	16QAM	0MHz-1MHz	21.68	PASS
Band20	20	24350	100	#0	16QAM	1MHz-5MHz	20.88	PASS
Band20	20	24350	100	#0	16QAM	5MHz-20MHz	19.75	PASS
Band20	20	24350	100	#0	16QAM	20MHz-25MHz	11.79	PASS
Band28	3	27225	4	#0	QPSK	-1MHz-0MHz	11.81	PASS
Band28	3	27225	4	#0	QPSK	-5MHz--1MHz	23.97	PASS
Band28	3	27225	4	#0	QPSK	-6MHz--5MHz	11.87	PASS
Band28	3	27225	4	#0	QPSK	0MHz-1MHz	21.08	PASS
Band28	3	27225	4	#0	QPSK	1MHz-5MHz	16.77	PASS
Band28	3	27225	4	#0	QPSK	5MHz-6MHz	11.85	PASS

Band28	3	27225	4	#Max	QPSK	-1MHz-0MHz	11.70	PASS
Band28	3	27225	4	#Max	QPSK	-5MHz--1MHz	23.98	PASS
Band28	3	27225	4	#Max	QPSK	-6MHz--5MHz	11.85	PASS
Band28	3	27225	4	#Max	QPSK	0MHz-1MHz	21.20	PASS
Band28	3	27225	4	#Max	QPSK	1MHz-5MHz	16.90	PASS
Band28	3	27225	4	#Max	QPSK	5MHz-6MHz	11.88	PASS
Band28	3	27225	15	#0	QPSK	-1MHz-0MHz	11.75	PASS
Band28	3	27225	15	#0	QPSK	-5MHz--1MHz	24.08	PASS
Band28	3	27225	15	#0	QPSK	-6MHz--5MHz	11.76	PASS
Band28	3	27225	15	#0	QPSK	0MHz-1MHz	21.21	PASS
Band28	3	27225	15	#0	QPSK	1MHz-5MHz	16.96	PASS
Band28	3	27225	15	#0	QPSK	5MHz-6MHz	11.79	PASS
Band28	3	27225	4	#0	16QAM	-1MHz-0MHz	11.77	PASS
Band28	3	27225	4	#0	16QAM	-5MHz--1MHz	24.19	PASS
Band28	3	27225	4	#0	16QAM	-6MHz--5MHz	11.79	PASS
Band28	3	27225	4	#0	16QAM	0MHz-1MHz	21.17	PASS
Band28	3	27225	4	#0	16QAM	1MHz-5MHz	16.94	PASS
Band28	3	27225	4	#0	16QAM	5MHz-6MHz	11.83	PASS
Band28	3	27225	4	#Max	16QAM	-1MHz-0MHz	11.80	PASS
Band28	3	27225	4	#Max	16QAM	-5MHz--1MHz	24.05	PASS
Band28	3	27225	4	#Max	16QAM	-6MHz--5MHz	11.82	PASS
Band28	3	27225	4	#Max	16QAM	0MHz-1MHz	21.13	PASS
Band28	3	27225	4	#Max	16QAM	1MHz-5MHz	16.90	PASS
Band28	3	27225	4	#Max	16QAM	5MHz-6MHz	11.79	PASS
Band28	3	27225	15	#0	16QAM	-1MHz-0MHz	11.74	PASS
Band28	3	27225	15	#0	16QAM	-5MHz--1MHz	24.20	PASS
Band28	3	27225	15	#0	16QAM	-6MHz--5MHz	11.82	PASS
Band28	3	27225	15	#0	16QAM	0MHz-1MHz	21.11	PASS
Band28	3	27225	15	#0	16QAM	1MHz-5MHz	16.98	PASS
Band28	3	27225	15	#0	16QAM	5MHz-6MHz	11.90	PASS
Band28	3	27375	4	#0	QPSK	-1MHz-0MHz	16.07	PASS
Band28	3	27375	4	#0	QPSK	-5MHz--1MHz	21.08	PASS
Band28	3	27375	4	#0	QPSK	-6MHz--5MHz	12.07	PASS
Band28	3	27375	4	#0	QPSK	0MHz-1MHz	17.40	PASS
Band28	3	27375	4	#0	QPSK	1MHz-5MHz	20.57	PASS
Band28	3	27375	4	#0	QPSK	5MHz-6MHz	12.29	PASS
Band28	3	27375	4	#Max	QPSK	-1MHz-0MHz	16.17	PASS
Band28	3	27375	4	#Max	QPSK	-5MHz--1MHz	21.02	PASS
Band28	3	27375	4	#Max	QPSK	-6MHz--5MHz	12.08	PASS
Band28	3	27375	4	#Max	QPSK	0MHz-1MHz	17.37	PASS
Band28	3	27375	4	#Max	QPSK	1MHz-5MHz	20.61	PASS
Band28	3	27375	4	#Max	QPSK	5MHz-6MHz	12.23	PASS
Band28	3	27375	15	#0	QPSK	-1MHz-0MHz	16.13	PASS
Band28	3	27375	15	#0	QPSK	-5MHz--1MHz	21.08	PASS



Band28	3	27375	15	#0	QPSK	-6MHz--5MHz	12.07	PASS
Band28	3	27375	15	#0	QPSK	0MHz-1MHz	17.40	PASS
Band28	3	27375	15	#0	QPSK	1MHz-5MHz	20.53	PASS
Band28	3	27375	15	#0	QPSK	5MHz-6MHz	12.25	PASS
Band28	3	27375	4	#0	16QAM	-1MHz-0MHz	16.15	PASS
Band28	3	27375	4	#0	16QAM	-5MHz--1MHz	21.01	PASS
Band28	3	27375	4	#0	16QAM	-6MHz--5MHz	12.11	PASS
Band28	3	27375	4	#0	16QAM	0MHz-1MHz	17.42	PASS
Band28	3	27375	4	#0	16QAM	1MHz-5MHz	20.56	PASS
Band28	3	27375	4	#0	16QAM	5MHz-6MHz	12.18	PASS
Band28	3	27375	4	#Max	16QAM	-1MHz-0MHz	16.18	PASS
Band28	3	27375	4	#Max	16QAM	-5MHz--1MHz	21.02	PASS
Band28	3	27375	4	#Max	16QAM	-6MHz--5MHz	12.16	PASS
Band28	3	27375	4	#Max	16QAM	0MHz-1MHz	17.37	PASS
Band28	3	27375	4	#Max	16QAM	1MHz-5MHz	20.53	PASS
Band28	3	27375	4	#Max	16QAM	5MHz-6MHz	12.27	PASS
Band28	3	27375	15	#0	16QAM	-1MHz-0MHz	16.27	PASS
Band28	3	27375	15	#0	16QAM	-5MHz--1MHz	20.96	PASS
Band28	3	27375	15	#0	16QAM	-6MHz--5MHz	12.12	PASS
Band28	3	27375	15	#0	16QAM	0MHz-1MHz	17.30	PASS
Band28	3	27375	15	#0	16QAM	1MHz-5MHz	20.56	PASS
Band28	3	27375	15	#0	16QAM	5MHz-6MHz	12.12	PASS
Band28	3	27525	4	#0	QPSK	-1MHz-0MHz	20.40	PASS
Band28	3	27525	4	#0	QPSK	-5MHz--1MHz	21.88	PASS
Band28	3	27525	4	#0	QPSK	-6MHz--5MHz	11.49	PASS
Band28	3	27525	4	#0	QPSK	0MHz-1MHz	17.95	PASS
Band28	3	27525	4	#0	QPSK	1MHz-5MHz	21.38	PASS
Band28	3	27525	4	#0	QPSK	5MHz-6MHz	11.58	PASS
Band28	3	27525	4	#Max	QPSK	-1MHz-0MHz	20.29	PASS
Band28	3	27525	4	#Max	QPSK	-5MHz--1MHz	21.86	PASS
Band28	3	27525	4	#Max	QPSK	-6MHz--5MHz	11.55	PASS
Band28	3	27525	4	#Max	QPSK	0MHz-1MHz	17.92	PASS
Band28	3	27525	4	#Max	QPSK	1MHz-5MHz	21.33	PASS
Band28	3	27525	4	#Max	QPSK	5MHz-6MHz	11.59	PASS
Band28	3	27525	15	#0	QPSK	-1MHz-0MHz	20.42	PASS
Band28	3	27525	15	#0	QPSK	-5MHz--1MHz	21.86	PASS
Band28	3	27525	15	#0	QPSK	-6MHz--5MHz	11.52	PASS
Band28	3	27525	15	#0	QPSK	0MHz-1MHz	17.85	PASS
Band28	3	27525	15	#0	QPSK	1MHz-5MHz	21.31	PASS
Band28	3	27525	15	#0	QPSK	5MHz-6MHz	11.60	PASS
Band28	3	27525	4	#0	16QAM	-1MHz-0MHz	20.41	PASS
Band28	3	27525	4	#0	16QAM	-5MHz--1MHz	21.88	PASS
Band28	3	27525	4	#0	16QAM	-6MHz--5MHz	11.62	PASS
Band28	3	27525	4	#0	16QAM	0MHz-1MHz	17.96	PASS



Band28	3	27525	4	#0	16QAM	1MHz-5MHz	21.35	PASS
Band28	3	27525	4	#0	16QAM	5MHz-6MHz	11.61	PASS
Band28	3	27525	4	#Max	16QAM	-1MHz-0MHz	20.45	PASS
Band28	3	27525	4	#Max	16QAM	-5MHz--1MHz	21.86	PASS
Band28	3	27525	4	#Max	16QAM	-6MHz--5MHz	11.55	PASS
Band28	3	27525	4	#Max	16QAM	0MHz-1MHz	17.88	PASS
Band28	3	27525	4	#Max	16QAM	1MHz-5MHz	21.37	PASS
Band28	3	27525	4	#Max	16QAM	5MHz-6MHz	11.59	PASS
Band28	3	27525	15	#0	16QAM	-1MHz-0MHz	20.38	PASS
Band28	3	27525	15	#0	16QAM	-5MHz--1MHz	21.89	PASS
Band28	3	27525	15	#0	16QAM	-6MHz--5MHz	11.62	PASS
Band28	3	27525	15	#0	16QAM	0MHz-1MHz	17.89	PASS
Band28	3	27525	15	#0	16QAM	1MHz-5MHz	21.34	PASS
Band28	3	27525	15	#0	16QAM	5MHz-6MHz	11.58	PASS
Band28	5	27235	8	#0	QPSK	-1MHz-0MHz	17.23	PASS
Band28	5	27235	8	#0	QPSK	-5MHz--1MHz	23.70	PASS
Band28	5	27235	8	#0	QPSK	-6MHz--5MHz	23.75	PASS
Band28	5	27235	8	#0	QPSK	-10MHz--6MHz	11.51	PASS
Band28	5	27235	8	#0	QPSK	0MHz-1MHz	28.49	PASS
Band28	5	27235	8	#0	QPSK	1MHz-5MHz	19.24	PASS
Band28	5	27235	8	#0	QPSK	5MHz-6MHz	23.83	PASS
Band28	5	27235	8	#0	QPSK	6MHz-10MHz	11.80	PASS
Band28	5	27235	8	#Max	QPSK	-1MHz-0MHz	28.68	PASS
Band28	5	27235	8	#Max	QPSK	-5MHz--1MHz	20.02	PASS
Band28	5	27235	8	#Max	QPSK	-6MHz--5MHz	23.71	PASS
Band28	5	27235	8	#Max	QPSK	-10MHz--6MHz	11.45	PASS
Band28	5	27235	8	#Max	QPSK	0MHz-1MHz	16.53	PASS
Band28	5	27235	8	#Max	QPSK	1MHz-5MHz	23.19	PASS
Band28	5	27235	8	#Max	QPSK	5MHz-6MHz	22.96	PASS
Band28	5	27235	8	#Max	QPSK	6MHz-10MHz	11.54	PASS
Band28	5	27235	25	#0	QPSK	-1MHz-0MHz	22.48	PASS
Band28	5	27235	25	#0	QPSK	-5MHz--1MHz	20.71	PASS
Band28	5	27235	25	#0	QPSK	-6MHz--5MHz	23.60	PASS
Band28	5	27235	25	#0	QPSK	-10MHz--6MHz	11.54	PASS
Band28	5	27235	25	#0	QPSK	0MHz-1MHz	22.69	PASS
Band28	5	27235	25	#0	QPSK	1MHz-5MHz	20.08	PASS
Band28	5	27235	25	#0	QPSK	5MHz-6MHz	22.83	PASS
Band28	5	27235	25	#0	QPSK	6MHz-10MHz	10.78	PASS
Band28	5	27235	8	#0	16QAM	-1MHz-0MHz	16.53	PASS
Band28	5	27235	8	#0	16QAM	-5MHz--1MHz	23.76	PASS
Band28	5	27235	8	#0	16QAM	-6MHz--5MHz	23.70	PASS
Band28	5	27235	8	#0	16QAM	-10MHz--6MHz	11.57	PASS
Band28	5	27235	8	#0	16QAM	0MHz-1MHz	29.10	PASS
Band28	5	27235	8	#0	16QAM	1MHz-5MHz	19.28	PASS

Band28	5	27235	8	#0	16QAM	5MHz-6MHz	23.85	PASS
Band28	5	27235	8	#0	16QAM	6MHz-10MHz	11.75	PASS
Band28	5	27235	8	#Max	16QAM	-1MHz-0MHz	30.23	PASS
Band28	5	27235	8	#Max	16QAM	-5MHz--1MHz	20.24	PASS
Band28	5	27235	8	#Max	16QAM	-6MHz--5MHz	23.76	PASS
Band28	5	27235	8	#Max	16QAM	-10MHz--6MHz	11.58	PASS
Band28	5	27235	8	#Max	16QAM	0MHz-1MHz	18.26	PASS
Band28	5	27235	8	#Max	16QAM	1MHz-5MHz	23.20	PASS
Band28	5	27235	8	#Max	16QAM	5MHz-6MHz	23.21	PASS
Band28	5	27235	8	#Max	16QAM	6MHz-10MHz	11.61	PASS
Band28	5	27235	25	#0	16QAM	-1MHz-0MHz	22.94	PASS
Band28	5	27235	25	#0	16QAM	-5MHz--1MHz	20.25	PASS
Band28	5	27235	25	#0	16QAM	-6MHz--5MHz	23.74	PASS
Band28	5	27235	25	#0	16QAM	-10MHz--6MHz	11.59	PASS
Band28	5	27235	25	#0	16QAM	0MHz-1MHz	24.63	PASS
Band28	5	27235	25	#0	16QAM	1MHz-5MHz	20.07	PASS
Band28	5	27235	25	#0	16QAM	5MHz-6MHz	22.93	PASS
Band28	5	27235	25	#0	16QAM	6MHz-10MHz	10.94	PASS
Band28	5	27375	8	#0	QPSK	-1MHz-0MHz	19.76	PASS
Band28	5	27375	8	#0	QPSK	-5MHz--1MHz	23.32	PASS
Band28	5	27375	8	#0	QPSK	-6MHz--5MHz	22.86	PASS
Band28	5	27375	8	#0	QPSK	-10MHz--6MHz	11.30	PASS
Band28	5	27375	8	#0	QPSK	0MHz-1MHz	28.62	PASS
Band28	5	27375	8	#0	QPSK	1MHz-5MHz	19.50	PASS
Band28	5	27375	8	#0	QPSK	5MHz-6MHz	23.75	PASS
Band28	5	27375	8	#0	QPSK	6MHz-10MHz	11.63	PASS
Band28	5	27375	8	#Max	QPSK	-1MHz-0MHz	27.81	PASS
Band28	5	27375	8	#Max	QPSK	-5MHz--1MHz	19.25	PASS
Band28	5	27375	8	#Max	QPSK	-6MHz--5MHz	23.64	PASS
Band28	5	27375	8	#Max	QPSK	-10MHz--6MHz	11.39	PASS
Band28	5	27375	8	#Max	QPSK	0MHz-1MHz	18.13	PASS
Band28	5	27375	8	#Max	QPSK	1MHz-5MHz	22.96	PASS
Band28	5	27375	8	#Max	QPSK	5MHz-6MHz	22.76	PASS
Band28	5	27375	8	#Max	QPSK	6MHz-10MHz	11.42	PASS
Band28	5	27375	25	#0	QPSK	-1MHz-0MHz	22.36	PASS
Band28	5	27375	25	#0	QPSK	-5MHz--1MHz	21.91	PASS
Band28	5	27375	25	#0	QPSK	-6MHz--5MHz	22.59	PASS
Band28	5	27375	25	#0	QPSK	-10MHz--6MHz	10.63	PASS
Band28	5	27375	25	#0	QPSK	0MHz-1MHz	23.59	PASS
Band28	5	27375	25	#0	QPSK	1MHz-5MHz	22.21	PASS
Band28	5	27375	25	#0	QPSK	5MHz-6MHz	22.54	PASS
Band28	5	27375	25	#0	QPSK	6MHz-10MHz	10.49	PASS
Band28	5	27375	8	#0	16QAM	-1MHz-0MHz	19.84	PASS
Band28	5	27375	8	#0	16QAM	-5MHz--1MHz	22.94	PASS

Band28	5	27375	8	#0	16QAM	-6MHz--5MHz	23.07	PASS
Band28	5	27375	8	#0	16QAM	-10MHz--6MHz	11.30	PASS
Band28	5	27375	8	#0	16QAM	0MHz-1MHz	29.23	PASS
Band28	5	27375	8	#0	16QAM	1MHz-5MHz	19.48	PASS
Band28	5	27375	8	#0	16QAM	5MHz-6MHz	23.77	PASS
Band28	5	27375	8	#0	16QAM	6MHz-10MHz	11.73	PASS
Band28	5	27375	8	#Max	16QAM	-1MHz-0MHz	29.20	PASS
Band28	5	27375	8	#Max	16QAM	-5MHz--1MHz	19.67	PASS
Band28	5	27375	8	#Max	16QAM	-6MHz--5MHz	23.65	PASS
Band28	5	27375	8	#Max	16QAM	-10MHz--6MHz	11.44	PASS
Band28	5	27375	8	#Max	16QAM	0MHz-1MHz	19.86	PASS
Band28	5	27375	8	#Max	16QAM	1MHz-5MHz	22.61	PASS
Band28	5	27375	8	#Max	16QAM	5MHz-6MHz	23.05	PASS
Band28	5	27375	8	#Max	16QAM	6MHz-10MHz	11.49	PASS
Band28	5	27375	25	#0	16QAM	-1MHz-0MHz	22.33	PASS
Band28	5	27375	25	#0	16QAM	-5MHz--1MHz	21.58	PASS
Band28	5	27375	25	#0	16QAM	-6MHz--5MHz	23.28	PASS
Band28	5	27375	25	#0	16QAM	-10MHz--6MHz	11.58	PASS
Band28	5	27375	25	#0	16QAM	0MHz-1MHz	24.00	PASS
Band28	5	27375	25	#0	16QAM	1MHz-5MHz	21.54	PASS
Band28	5	27375	25	#0	16QAM	5MHz-6MHz	23.12	PASS
Band28	5	27375	25	#0	16QAM	6MHz-10MHz	11.41	PASS
Band28	5	27515	8	#0	QPSK	-1MHz-0MHz	18.23	PASS
Band28	5	27515	8	#0	QPSK	-5MHz--1MHz	22.33	PASS
Band28	5	27515	8	#0	QPSK	-6MHz--5MHz	22.32	PASS
Band28	5	27515	8	#0	QPSK	-10MHz--6MHz	11.13	PASS
Band28	5	27515	8	#0	QPSK	0MHz-1MHz	29.24	PASS
Band28	5	27515	8	#0	QPSK	1MHz-5MHz	19.04	PASS
Band28	5	27515	8	#0	QPSK	5MHz-6MHz	23.67	PASS
Band28	5	27515	8	#0	QPSK	6MHz-10MHz	11.66	PASS
Band28	5	27515	8	#Max	QPSK	-1MHz-0MHz	28.21	PASS
Band28	5	27515	8	#Max	QPSK	-5MHz--1MHz	19.16	PASS
Band28	5	27515	8	#Max	QPSK	-6MHz--5MHz	23.54	PASS
Band28	5	27515	8	#Max	QPSK	-10MHz--6MHz	11.25	PASS
Band28	5	27515	8	#Max	QPSK	0MHz-1MHz	17.85	PASS
Band28	5	27515	8	#Max	QPSK	1MHz-5MHz	21.94	PASS
Band28	5	27515	8	#Max	QPSK	5MHz-6MHz	22.42	PASS
Band28	5	27515	8	#Max	QPSK	6MHz-10MHz	11.31	PASS
Band28	5	27515	25	#0	QPSK	-1MHz-0MHz	24.16	PASS
Band28	5	27515	25	#0	QPSK	-5MHz--1MHz	23.71	PASS
Band28	5	27515	25	#0	QPSK	-6MHz--5MHz	22.31	PASS
Band28	5	27515	25	#0	QPSK	-10MHz--6MHz	10.01	PASS
Band28	5	27515	25	#0	QPSK	0MHz-1MHz	23.18	PASS
Band28	5	27515	25	#0	QPSK	1MHz-5MHz	23.16	PASS

Band28	5	27515	25	#0	QPSK	5MHz-6MHz	22.15	PASS
Band28	5	27515	25	#0	QPSK	6MHz-10MHz	9.90	PASS
Band28	5	27515	8	#0	16QAM	-1MHz-0MHz	20.11	PASS
Band28	5	27515	8	#0	16QAM	-5MHz--1MHz	22.41	PASS
Band28	5	27515	8	#0	16QAM	-6MHz--5MHz	22.67	PASS
Band28	5	27515	8	#0	16QAM	-10MHz--6MHz	11.14	PASS
Band28	5	27515	8	#0	16QAM	0MHz-1MHz	28.60	PASS
Band28	5	27515	8	#0	16QAM	1MHz-5MHz	19.66	PASS
Band28	5	27515	8	#0	16QAM	5MHz-6MHz	23.67	PASS
Band28	5	27515	8	#0	16QAM	6MHz-10MHz	11.62	PASS
Band28	5	27515	8	#Max	16QAM	-1MHz-0MHz	28.39	PASS
Band28	5	27515	8	#Max	16QAM	-5MHz--1MHz	19.44	PASS
Band28	5	27515	8	#Max	16QAM	-6MHz--5MHz	23.56	PASS
Band28	5	27515	8	#Max	16QAM	-10MHz--6MHz	11.41	PASS
Band28	5	27515	8	#Max	16QAM	0MHz-1MHz	18.61	PASS
Band28	5	27515	8	#Max	16QAM	1MHz-5MHz	22.08	PASS
Band28	5	27515	8	#Max	16QAM	5MHz-6MHz	22.71	PASS
Band28	5	27515	8	#Max	16QAM	6MHz-10MHz	11.28	PASS
Band28	5	27515	25	#0	16QAM	-1MHz-0MHz	26.90	PASS
Band28	5	27515	25	#0	16QAM	-5MHz--1MHz	22.94	PASS
Band28	5	27515	25	#0	16QAM	-6MHz--5MHz	22.85	PASS
Band28	5	27515	25	#0	16QAM	-10MHz--6MHz	11.13	PASS
Band28	5	27515	25	#0	16QAM	0MHz-1MHz	24.32	PASS
Band28	5	27515	25	#0	16QAM	1MHz-5MHz	22.61	PASS
Band28	5	27515	25	#0	16QAM	5MHz-6MHz	22.69	PASS
Band28	5	27515	25	#0	16QAM	6MHz-10MHz	10.96	PASS
Band28	10	27260	12	#0	QPSK	-1MHz-0MHz	18.57	PASS
Band28	10	27260	12	#0	QPSK	-5MHz--1MHz	22.64	PASS
Band28	10	27260	12	#0	QPSK	-10MHz--5MHz	23.23	PASS
Band28	10	27260	12	#0	QPSK	-15MHz--10MHz	10.35	PASS
Band28	10	27260	12	#0	QPSK	0MHz-1MHz	30.36	PASS
Band28	10	27260	12	#0	QPSK	1MHz-5MHz	20.22	PASS
Band28	10	27260	12	#0	QPSK	5MHz-10MHz	16.91	PASS
Band28	10	27260	12	#0	QPSK	10MHz-15MHz	11.69	PASS
Band28	10	27260	12	#Max	QPSK	-1MHz-0MHz	30.51	PASS
Band28	10	27260	12	#Max	QPSK	-5MHz--1MHz	23.61	PASS
Band28	10	27260	12	#Max	QPSK	-10MHz--5MHz	22.88	PASS
Band28	10	27260	12	#Max	QPSK	-15MHz--10MHz	10.45	PASS
Band28	10	27260	12	#Max	QPSK	0MHz-1MHz	16.24	PASS
Band28	10	27260	12	#Max	QPSK	1MHz-5MHz	22.33	PASS
Band28	10	27260	12	#Max	QPSK	5MHz-10MHz	23.39	PASS
Band28	10	27260	12	#Max	QPSK	10MHz-15MHz	11.19	PASS
Band28	10	27260	50	#0	QPSK	-1MHz-0MHz	24.51	PASS
Band28	10	27260	50	#0	QPSK	-5MHz--1MHz	21.88	PASS

Band28	10	27260	50	#0	QPSK	-10MHz--5MHz	23.20	PASS
Band28	10	27260	50	#0	QPSK	-15MHz--10MHz	10.41	PASS
Band28	10	27260	50	#0	QPSK	0MHz-1MHz	21.75	PASS
Band28	10	27260	50	#0	QPSK	1MHz-5MHz	21.10	PASS
Band28	10	27260	50	#0	QPSK	5MHz-10MHz	20.69	PASS
Band28	10	27260	50	#0	QPSK	10MHz-15MHz	11.10	PASS
Band28	10	27260	12	#0	16QAM	-1MHz-0MHz	19.05	PASS
Band28	10	27260	12	#0	16QAM	-5MHz--1MHz	22.81	PASS
Band28	10	27260	12	#0	16QAM	-10MHz--5MHz	23.25	PASS
Band28	10	27260	12	#0	16QAM	-15MHz--10MHz	10.44	PASS
Band28	10	27260	12	#0	16QAM	0MHz-1MHz	29.19	PASS
Band28	10	27260	12	#0	16QAM	1MHz-5MHz	20.32	PASS
Band28	10	27260	12	#0	16QAM	5MHz-10MHz	16.91	PASS
Band28	10	27260	12	#0	16QAM	10MHz-15MHz	11.65	PASS
Band28	10	27260	12	#Max	16QAM	-1MHz-0MHz	30.46	PASS
Band28	10	27260	12	#Max	16QAM	-5MHz--1MHz	24.02	PASS
Band28	10	27260	12	#Max	16QAM	-10MHz--5MHz	23.07	PASS
Band28	10	27260	12	#Max	16QAM	-15MHz--10MHz	10.42	PASS
Band28	10	27260	12	#Max	16QAM	0MHz-1MHz	17.45	PASS
Band28	10	27260	12	#Max	16QAM	1MHz-5MHz	22.79	PASS
Band28	10	27260	12	#Max	16QAM	5MHz-10MHz	23.56	PASS
Band28	10	27260	12	#Max	16QAM	10MHz-15MHz	11.38	PASS
Band28	10	27260	50	#0	16QAM	-1MHz-0MHz	23.60	PASS
Band28	10	27260	50	#0	16QAM	-5MHz--1MHz	22.15	PASS
Band28	10	27260	50	#0	16QAM	-10MHz--5MHz	24.30	PASS
Band28	10	27260	50	#0	16QAM	-15MHz--10MHz	11.41	PASS
Band28	10	27260	50	#0	16QAM	0MHz-1MHz	22.86	PASS
Band28	10	27260	50	#0	16QAM	1MHz-5MHz	21.45	PASS
Band28	10	27260	50	#0	16QAM	5MHz-10MHz	21.57	PASS
Band28	10	27260	50	#0	16QAM	10MHz-15MHz	12.02	PASS
Band28	10	27375	12	#0	QPSK	-1MHz-0MHz	18.46	PASS
Band28	10	27375	12	#0	QPSK	-5MHz--1MHz	22.82	PASS
Band28	10	27375	12	#0	QPSK	-10MHz--5MHz	22.92	PASS
Band28	10	27375	12	#0	QPSK	-15MHz--10MHz	10.24	PASS
Band28	10	27375	12	#0	QPSK	0MHz-1MHz	30.23	PASS
Band28	10	27375	12	#0	QPSK	1MHz-5MHz	20.82	PASS
Band28	10	27375	12	#0	QPSK	5MHz-10MHz	17.59	PASS
Band28	10	27375	12	#0	QPSK	10MHz-15MHz	11.66	PASS
Band28	10	27375	12	#Max	QPSK	-1MHz-0MHz	30.16	PASS
Band28	10	27375	12	#Max	QPSK	-5MHz--1MHz	21.03	PASS
Band28	10	27375	12	#Max	QPSK	-10MHz--5MHz	17.74	PASS
Band28	10	27375	12	#Max	QPSK	-15MHz--10MHz	10.36	PASS
Band28	10	27375	12	#Max	QPSK	0MHz-1MHz	18.74	PASS
Band28	10	27375	12	#Max	QPSK	1MHz-5MHz	22.34	PASS

Band28	10	27375	12	#Max	QPSK	5MHz-10MHz	23.23	PASS
Band28	10	27375	12	#Max	QPSK	10MHz-15MHz	11.01	PASS
Band28	10	27375	50	#0	QPSK	-1MHz-0MHz	25.35	PASS
Band28	10	27375	50	#0	QPSK	-5MHz--1MHz	23.08	PASS
Band28	10	27375	50	#0	QPSK	-10MHz--5MHz	20.95	PASS
Band28	10	27375	50	#0	QPSK	-15MHz--10MHz	9.99	PASS
Band28	10	27375	50	#0	QPSK	0MHz-1MHz	24.47	PASS
Band28	10	27375	50	#0	QPSK	1MHz-5MHz	23.27	PASS
Band28	10	27375	50	#0	QPSK	5MHz-10MHz	21.71	PASS
Band28	10	27375	50	#0	QPSK	10MHz-15MHz	10.90	PASS
Band28	10	27375	12	#0	16QAM	-1MHz-0MHz	18.55	PASS
Band28	10	27375	12	#0	16QAM	-5MHz--1MHz	23.05	PASS
Band28	10	27375	12	#0	16QAM	-10MHz--5MHz	23.11	PASS
Band28	10	27375	12	#0	16QAM	-15MHz--10MHz	10.21	PASS
Band28	10	27375	12	#0	16QAM	0MHz-1MHz	29.04	PASS
Band28	10	27375	12	#0	16QAM	1MHz-5MHz	21.24	PASS
Band28	10	27375	12	#0	16QAM	5MHz-10MHz	18.01	PASS
Band28	10	27375	12	#0	16QAM	10MHz-15MHz	11.66	PASS
Band28	10	27375	12	#Max	16QAM	-1MHz-0MHz	29.01	PASS
Band28	10	27375	12	#Max	16QAM	-5MHz--1MHz	21.47	PASS
Band28	10	27375	12	#Max	16QAM	-10MHz--5MHz	18.06	PASS
Band28	10	27375	12	#Max	16QAM	-15MHz--10MHz	10.32	PASS
Band28	10	27375	12	#Max	16QAM	0MHz-1MHz	18.09	PASS
Band28	10	27375	12	#Max	16QAM	1MHz-5MHz	22.67	PASS
Band28	10	27375	12	#Max	16QAM	5MHz-10MHz	23.46	PASS
Band28	10	27375	12	#Max	16QAM	10MHz-15MHz	11.27	PASS
Band28	10	27375	50	#0	16QAM	-1MHz-0MHz	24.26	PASS
Band28	10	27375	50	#0	16QAM	-5MHz--1MHz	22.60	PASS
Band28	10	27375	50	#0	16QAM	-10MHz--5MHz	21.41	PASS
Band28	10	27375	50	#0	16QAM	-15MHz--10MHz	11.12	PASS
Band28	10	27375	50	#0	16QAM	0MHz-1MHz	24.20	PASS
Band28	10	27375	50	#0	16QAM	1MHz-5MHz	22.85	PASS
Band28	10	27375	50	#0	16QAM	5MHz-10MHz	22.18	PASS
Band28	10	27375	50	#0	16QAM	10MHz-15MHz	12.03	PASS
Band28	10	27490	12	#0	QPSK	-1MHz-0MHz	18.71	PASS
Band28	10	27490	12	#0	QPSK	-5MHz--1MHz	22.54	PASS
Band28	10	27490	12	#0	QPSK	-10MHz--5MHz	22.81	PASS
Band28	10	27490	12	#0	QPSK	-15MHz--10MHz	10.15	PASS
Band28	10	27490	12	#0	QPSK	0MHz-1MHz	29.02	PASS
Band28	10	27490	12	#0	QPSK	1MHz-5MHz	21.09	PASS
Band28	10	27490	12	#0	QPSK	5MHz-10MHz	17.61	PASS
Band28	10	27490	12	#0	QPSK	10MHz-15MHz	11.48	PASS
Band28	10	27490	12	#Max	QPSK	-1MHz-0MHz	29.06	PASS
Band28	10	27490	12	#Max	QPSK	-5MHz--1MHz	20.82	PASS



Band28	10	27490	12	#Max	QPSK	-10MHz--5MHz	17.46	PASS
Band28	10	27490	12	#Max	QPSK	-15MHz--10MHz	10.29	PASS
Band28	10	27490	12	#Max	QPSK	0MHz-1MHz	19.53	PASS
Band28	10	27490	12	#Max	QPSK	1MHz-5MHz	21.98	PASS
Band28	10	27490	12	#Max	QPSK	5MHz-10MHz	23.05	PASS
Band28	10	27490	12	#Max	QPSK	10MHz-15MHz	10.98	PASS
Band28	10	27490	50	#0	QPSK	-1MHz-0MHz	24.99	PASS
Band28	10	27490	50	#0	QPSK	-5MHz--1MHz	23.86	PASS
Band28	10	27490	50	#0	QPSK	-10MHz--5MHz	21.21	PASS
Band28	10	27490	50	#0	QPSK	-15MHz--10MHz	9.70	PASS
Band28	10	27490	50	#0	QPSK	0MHz-1MHz	25.09	PASS
Band28	10	27490	50	#0	QPSK	1MHz-5MHz	24.11	PASS
Band28	10	27490	50	#0	QPSK	5MHz-10MHz	22.02	PASS
Band28	10	27490	50	#0	QPSK	10MHz-15MHz	10.87	PASS
Band28	10	27490	12	#0	16QAM	-1MHz-0MHz	19.82	PASS
Band28	10	27490	12	#0	16QAM	-5MHz--1MHz	22.80	PASS
Band28	10	27490	12	#0	16QAM	-10MHz--5MHz	22.89	PASS
Band28	10	27490	12	#0	16QAM	-15MHz--10MHz	10.12	PASS
Band28	10	27490	12	#0	16QAM	0MHz-1MHz	30.98	PASS
Band28	10	27490	12	#0	16QAM	1MHz-5MHz	21.47	PASS
Band28	10	27490	12	#0	16QAM	5MHz-10MHz	18.06	PASS
Band28	10	27490	12	#0	16QAM	10MHz-15MHz	11.56	PASS
Band28	10	27490	12	#Max	16QAM	-1MHz-0MHz	30.56	PASS
Band28	10	27490	12	#Max	16QAM	-5MHz--1MHz	20.71	PASS
Band28	10	27490	12	#Max	16QAM	-10MHz--5MHz	17.24	PASS
Band28	10	27490	12	#Max	16QAM	-15MHz--10MHz	10.27	PASS
Band28	10	27490	12	#Max	16QAM	0MHz-1MHz	19.77	PASS
Band28	10	27490	12	#Max	16QAM	1MHz-5MHz	21.83	PASS
Band28	10	27490	12	#Max	16QAM	5MHz-10MHz	23.13	PASS
Band28	10	27490	12	#Max	16QAM	10MHz-15MHz	11.03	PASS
Band28	10	27490	50	#0	16QAM	-1MHz-0MHz	24.85	PASS
Band28	10	27490	50	#0	16QAM	-5MHz--1MHz	22.69	PASS
Band28	10	27490	50	#0	16QAM	-10MHz--5MHz	20.84	PASS
Band28	10	27490	50	#0	16QAM	-15MHz--10MHz	9.92	PASS
Band28	10	27490	50	#0	16QAM	0MHz-1MHz	23.69	PASS
Band28	10	27490	50	#0	16QAM	1MHz-5MHz	23.44	PASS
Band28	10	27490	50	#0	16QAM	5MHz-10MHz	21.80	PASS
Band28	10	27490	50	#0	16QAM	10MHz-15MHz	10.94	PASS
Band28	20	27310	18	#0	QPSK	-1MHz-0MHz	18.55	PASS
Band28	20	27310	18	#0	QPSK	-5MHz--1MHz	22.43	PASS
Band28	20	27310	18	#0	QPSK	-20MHz--5MHz	22.27	PASS
Band28	20	27310	18	#0	QPSK	-25MHz--20MHz	11.99	PASS
Band28	20	27310	18	#0	QPSK	0MHz-1MHz	28.82	PASS
Band28	20	27310	18	#0	QPSK	1MHz-5MHz	26.60	PASS



Band28	20	27310	18	#0	QPSK	5MHz-20MHz	17.95	PASS
Band28	20	27310	18	#0	QPSK	20MHz-25MHz	11.78	PASS
Band28	20	27310	18	#Max	QPSK	-1MHz-0MHz	29.42	PASS
Band28	20	27310	18	#Max	QPSK	-5MHz--1MHz	26.28	PASS
Band28	20	27310	18	#Max	QPSK	-20MHz--5MHz	22.28	PASS
Band28	20	27310	18	#Max	QPSK	-25MHz--20MHz	12.13	PASS
Band28	20	27310	18	#Max	QPSK	0MHz-1MHz	20.01	PASS
Band28	20	27310	18	#Max	QPSK	1MHz-5MHz	22.78	PASS
Band28	20	27310	18	#Max	QPSK	5MHz-20MHz	23.06	PASS
Band28	20	27310	18	#Max	QPSK	20MHz-25MHz	11.62	PASS
Band28	20	27310	100	#0	QPSK	-1MHz-0MHz	23.48	PASS
Band28	20	27310	100	#0	QPSK	-5MHz--1MHz	22.71	PASS
Band28	20	27310	100	#0	QPSK	-20MHz--5MHz	22.30	PASS
Band28	20	27310	100	#0	QPSK	-25MHz--20MHz	11.94	PASS
Band28	20	27310	100	#0	QPSK	0MHz-1MHz	24.82	PASS
Band28	20	27310	100	#0	QPSK	1MHz-5MHz	24.16	PASS
Band28	20	27310	100	#0	QPSK	5MHz-20MHz	21.87	PASS
Band28	20	27310	100	#0	QPSK	20MHz-25MHz	11.52	PASS
Band28	20	27310	18	#0	16QAM	-1MHz-0MHz	20.27	PASS
Band28	20	27310	18	#0	16QAM	-5MHz--1MHz	22.11	PASS
Band28	20	27310	18	#0	16QAM	-20MHz--5MHz	22.36	PASS
Band28	20	27310	18	#0	16QAM	-25MHz--20MHz	12.00	PASS
Band28	20	27310	18	#0	16QAM	0MHz-1MHz	29.46	PASS
Band28	20	27310	18	#0	16QAM	1MHz-5MHz	26.66	PASS
Band28	20	27310	18	#0	16QAM	5MHz-20MHz	17.81	PASS
Band28	20	27310	18	#0	16QAM	20MHz-25MHz	11.68	PASS
Band28	20	27310	18	#Max	16QAM	-1MHz-0MHz	29.59	PASS
Band28	20	27310	18	#Max	16QAM	-5MHz--1MHz	26.26	PASS
Band28	20	27310	18	#Max	16QAM	-20MHz--5MHz	22.36	PASS
Band28	20	27310	18	#Max	16QAM	-25MHz--20MHz	11.99	PASS
Band28	20	27310	18	#Max	16QAM	0MHz-1MHz	19.67	PASS
Band28	20	27310	18	#Max	16QAM	1MHz-5MHz	22.54	PASS
Band28	20	27310	18	#Max	16QAM	5MHz-20MHz	23.11	PASS
Band28	20	27310	18	#Max	16QAM	20MHz-25MHz	11.68	PASS
Band28	20	27310	100	#0	16QAM	-1MHz-0MHz	22.88	PASS
Band28	20	27310	100	#0	16QAM	-5MHz--1MHz	23.21	PASS
Band28	20	27310	100	#0	16QAM	-20MHz--5MHz	23.32	PASS
Band28	20	27310	100	#0	16QAM	-25MHz--20MHz	12.93	PASS
Band28	20	27310	100	#0	16QAM	0MHz-1MHz	25.09	PASS
Band28	20	27310	100	#0	16QAM	1MHz-5MHz	24.42	PASS
Band28	20	27310	100	#0	16QAM	5MHz-20MHz	22.27	PASS
Band28	20	27310	100	#0	16QAM	20MHz-25MHz	13.41	PASS
Band28	20	27375	18	#0	QPSK	-1MHz-0MHz	20.68	PASS
Band28	20	27375	18	#0	QPSK	-5MHz--1MHz	22.03	PASS

Band28	20	27375	18	#0	QPSK	-20MHz--5MHz	22.20	PASS
Band28	20	27375	18	#0	QPSK	-25MHz--20MHz	11.95	PASS
Band28	20	27375	18	#0	QPSK	0MHz-1MHz	29.86	PASS
Band28	20	27375	18	#0	QPSK	1MHz-5MHz	26.68	PASS
Band28	20	27375	18	#0	QPSK	5MHz-20MHz	18.15	PASS
Band28	20	27375	18	#0	QPSK	20MHz-25MHz	11.66	PASS
Band28	20	27375	18	#Max	QPSK	-1MHz-0MHz	29.81	PASS
Band28	20	27375	18	#Max	QPSK	-5MHz--1MHz	26.19	PASS
Band28	20	27375	18	#Max	QPSK	-20MHz--5MHz	20.09	PASS
Band28	20	27375	18	#Max	QPSK	-25MHz--20MHz	12.00	PASS
Band28	20	27375	18	#Max	QPSK	0MHz-1MHz	20.23	PASS
Band28	20	27375	18	#Max	QPSK	1MHz-5MHz	22.59	PASS
Band28	20	27375	18	#Max	QPSK	5MHz-20MHz	22.82	PASS
Band28	20	27375	18	#Max	QPSK	20MHz-25MHz	11.59	PASS
Band28	20	27375	100	#0	QPSK	-1MHz-0MHz	24.78	PASS
Band28	20	27375	100	#0	QPSK	-5MHz--1MHz	23.20	PASS
Band28	20	27375	100	#0	QPSK	-20MHz--5MHz	20.63	PASS
Band28	20	27375	100	#0	QPSK	-25MHz--20MHz	11.93	PASS
Band28	20	27375	100	#0	QPSK	0MHz-1MHz	26.06	PASS
Band28	20	27375	100	#0	QPSK	1MHz-5MHz	24.69	PASS
Band28	20	27375	100	#0	QPSK	5MHz-20MHz	22.03	PASS
Band28	20	27375	100	#0	QPSK	20MHz-25MHz	11.54	PASS
Band28	20	27375	18	#0	16QAM	-1MHz-0MHz	21.16	PASS
Band28	20	27375	18	#0	16QAM	-5MHz--1MHz	22.28	PASS
Band28	20	27375	18	#0	16QAM	-20MHz--5MHz	22.24	PASS
Band28	20	27375	18	#0	16QAM	-25MHz--20MHz	11.88	PASS
Band28	20	27375	18	#0	16QAM	0MHz-1MHz	29.19	PASS
Band28	20	27375	18	#0	16QAM	1MHz-5MHz	26.66	PASS
Band28	20	27375	18	#0	16QAM	5MHz-20MHz	18.52	PASS
Band28	20	27375	18	#0	16QAM	20MHz-25MHz	11.75	PASS
Band28	20	27375	18	#Max	16QAM	-1MHz-0MHz	29.48	PASS
Band28	20	27375	18	#Max	16QAM	-5MHz--1MHz	25.99	PASS
Band28	20	27375	18	#Max	16QAM	-20MHz--5MHz	19.95	PASS
Band28	20	27375	18	#Max	16QAM	-25MHz--20MHz	11.96	PASS
Band28	20	27375	18	#Max	16QAM	0MHz-1MHz	18.79	PASS
Band28	20	27375	18	#Max	16QAM	1MHz-5MHz	22.75	PASS
Band28	20	27375	18	#Max	16QAM	5MHz-20MHz	23.01	PASS
Band28	20	27375	18	#Max	16QAM	20MHz-25MHz	11.64	PASS
Band28	20	27375	100	#0	16QAM	-1MHz-0MHz	24.98	PASS
Band28	20	27375	100	#0	16QAM	-5MHz--1MHz	23.59	PASS
Band28	20	27375	100	#0	16QAM	-20MHz--5MHz	20.94	PASS
Band28	20	27375	100	#0	16QAM	-25MHz--20MHz	12.90	PASS
Band28	20	27375	100	#0	16QAM	0MHz-1MHz	26.13	PASS
Band28	20	27375	100	#0	16QAM	1MHz-5MHz	24.61	PASS

Band28	20	27375	100	#0	16QAM	5MHz-20MHz	22.61	PASS
Band28	20	27375	100	#0	16QAM	20MHz-25MHz	13.40	PASS
Band28	20	27440	18	#0	QPSK	-1MHz-0MHz	20.97	PASS
Band28	20	27440	18	#0	QPSK	-5MHz--1MHz	22.56	PASS
Band28	20	27440	18	#0	QPSK	-20MHz--5MHz	22.16	PASS
Band28	20	27440	18	#0	QPSK	-25MHz--20MHz	11.89	PASS
Band28	20	27440	18	#0	QPSK	0MHz-1MHz	24.76	PASS
Band28	20	27440	18	#0	QPSK	1MHz-5MHz	24.43	PASS
Band28	20	27440	18	#0	QPSK	5MHz-20MHz	18.99	PASS
Band28	20	27440	18	#0	QPSK	20MHz-25MHz	11.82	PASS
Band28	20	27440	18	#Max	QPSK	-1MHz-0MHz	24.40	PASS
Band28	20	27440	18	#Max	QPSK	-5MHz--1MHz	24.27	PASS
Band28	20	27440	18	#Max	QPSK	-20MHz--5MHz	17.92	PASS
Band28	20	27440	18	#Max	QPSK	-25MHz--20MHz	11.96	PASS
Band28	20	27440	18	#Max	QPSK	0MHz-1MHz	20.34	PASS
Band28	20	27440	18	#Max	QPSK	1MHz-5MHz	22.18	PASS
Band28	20	27440	18	#Max	QPSK	5MHz-20MHz	22.63	PASS
Band28	20	27440	18	#Max	QPSK	20MHz-25MHz	11.70	PASS
Band28	20	27440	100	#0	QPSK	-1MHz-0MHz	24.62	PASS
Band28	20	27440	100	#0	QPSK	-5MHz--1MHz	23.74	PASS
Band28	20	27440	100	#0	QPSK	-20MHz--5MHz	20.24	PASS
Band28	20	27440	100	#0	QPSK	-25MHz--20MHz	11.81	PASS
Band28	20	27440	100	#0	QPSK	0MHz-1MHz	25.75	PASS
Band28	20	27440	100	#0	QPSK	1MHz-5MHz	24.74	PASS
Band28	20	27440	100	#0	QPSK	5MHz-20MHz	22.12	PASS
Band28	20	27440	100	#0	QPSK	20MHz-25MHz	11.70	PASS
Band28	20	27440	18	#0	16QAM	-1MHz-0MHz	20.30	PASS
Band28	20	27440	18	#0	16QAM	-5MHz--1MHz	22.32	PASS
Band28	20	27440	18	#0	16QAM	-20MHz--5MHz	22.25	PASS
Band28	20	27440	18	#0	16QAM	-25MHz--20MHz	11.85	PASS
Band28	20	27440	18	#0	16QAM	0MHz-1MHz	24.96	PASS
Band28	20	27440	18	#0	16QAM	1MHz-5MHz	24.78	PASS
Band28	20	27440	18	#0	16QAM	5MHz-20MHz	19.45	PASS
Band28	20	27440	18	#0	16QAM	20MHz-25MHz	11.71	PASS
Band28	20	27440	18	#Max	16QAM	-1MHz-0MHz	25.49	PASS
Band28	20	27440	18	#Max	16QAM	-5MHz--1MHz	24.62	PASS
Band28	20	27440	18	#Max	16QAM	-20MHz--5MHz	18.31	PASS
Band28	20	27440	18	#Max	16QAM	-25MHz--20MHz	12.00	PASS
Band28	20	27440	18	#Max	16QAM	0MHz-1MHz	20.45	PASS
Band28	20	27440	18	#Max	16QAM	1MHz-5MHz	22.19	PASS
Band28	20	27440	18	#Max	16QAM	5MHz-20MHz	22.83	PASS
Band28	20	27440	18	#Max	16QAM	20MHz-25MHz	11.63	PASS
Band28	20	27440	100	#0	16QAM	-1MHz-0MHz	24.98	PASS
Band28	20	27440	100	#0	16QAM	-5MHz--1MHz	23.72	PASS

Band28	20	27440	100	#0	16QAM	-20MHz--5MHz	20.81	PASS
Band28	20	27440	100	#0	16QAM	-25MHz--20MHz	12.90	PASS
Band28	20	27440	100	#0	16QAM	0MHz-1MHz	25.42	PASS
Band28	20	27440	100	#0	16QAM	1MHz-5MHz	25.23	PASS
Band28	20	27440	100	#0	16QAM	5MHz-20MHz	22.47	PASS
Band28	20	27440	100	#0	16QAM	20MHz-25MHz	13.69	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	10.77	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	17.24	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	10.60	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	12.48	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	18.46	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	10.78	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	13.08	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	18.71	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	10.78	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	10.88	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	16.21	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	10.56	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	17.72	PASS
Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	17.20	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	10.73	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	18.21	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	17.34	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	10.67	PASS
Band3	1.4	19207	5	#0	16QAM	-1MHz-0MHz	14.67	PASS
Band3	1.4	19207	5	#0	16QAM	-2.5MHz--1MHz	18.81	PASS
Band3	1.4	19207	5	#0	16QAM	-3.5MHz--2.5MHz	11.13	PASS
Band3	1.4	19207	5	#0	16QAM	0MHz-1MHz	16.45	PASS
Band3	1.4	19207	5	#0	16QAM	1MHz-2.5MHz	20.98	PASS
Band3	1.4	19207	5	#0	16QAM	2.5MHz-3.5MHz	11.19	PASS
Band3	1.4	19207	5	#Max	16QAM	-1MHz-0MHz	17.22	PASS
Band3	1.4	19207	5	#Max	16QAM	-2.5MHz--1MHz	20.97	PASS
Band3	1.4	19207	5	#Max	16QAM	-3.5MHz--2.5MHz	11.12	PASS
Band3	1.4	19207	5	#Max	16QAM	0MHz-1MHz	14.67	PASS
Band3	1.4	19207	5	#Max	16QAM	1MHz-2.5MHz	18.66	PASS
Band3	1.4	19207	5	#Max	16QAM	2.5MHz-3.5MHz	11.03	PASS
Band3	1.4	19207	6	#0	16QAM	-1MHz-0MHz	18.62	PASS
Band3	1.4	19207	6	#0	16QAM	-2.5MHz--1MHz	18.36	PASS
Band3	1.4	19207	6	#0	16QAM	-3.5MHz--2.5MHz	10.98	PASS
Band3	1.4	19207	6	#0	16QAM	0MHz-1MHz	17.62	PASS
Band3	1.4	19207	6	#0	16QAM	1MHz-2.5MHz	18.32	PASS
Band3	1.4	19207	6	#0	16QAM	2.5MHz-3.5MHz	10.81	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	9.64	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	16.55	PASS

Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	11.24	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	10.98	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	17.62	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	11.61	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	10.92	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	17.83	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	11.30	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	10.24	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	16.57	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	11.33	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	16.03	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	16.51	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	11.17	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	16.08	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	16.48	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	11.29	PASS
Band3	1.4	19575	5	#0	16QAM	-1MHz-0MHz	10.25	PASS
Band3	1.4	19575	5	#0	16QAM	-2.5MHz--1MHz	17.01	PASS
Band3	1.4	19575	5	#0	16QAM	-3.5MHz--2.5MHz	11.65	PASS
Band3	1.4	19575	5	#0	16QAM	0MHz-1MHz	12.96	PASS
Band3	1.4	19575	5	#0	16QAM	1MHz-2.5MHz	19.02	PASS
Band3	1.4	19575	5	#0	16QAM	2.5MHz-3.5MHz	11.90	PASS
Band3	1.4	19575	5	#Max	16QAM	-1MHz-0MHz	12.83	PASS
Band3	1.4	19575	5	#Max	16QAM	-2.5MHz--1MHz	19.25	PASS
Band3	1.4	19575	5	#Max	16QAM	-3.5MHz--2.5MHz	11.84	PASS
Band3	1.4	19575	5	#Max	16QAM	0MHz-1MHz	10.91	PASS
Band3	1.4	19575	5	#Max	16QAM	1MHz-2.5MHz	16.96	PASS
Band3	1.4	19575	5	#Max	16QAM	2.5MHz-3.5MHz	11.64	PASS
Band3	1.4	19575	6	#0	16QAM	-1MHz-0MHz	18.52	PASS
Band3	1.4	19575	6	#0	16QAM	-2.5MHz--1MHz	18.88	PASS
Band3	1.4	19575	6	#0	16QAM	-3.5MHz--2.5MHz	11.78	PASS
Band3	1.4	19575	6	#0	16QAM	0MHz-1MHz	17.61	PASS
Band3	1.4	19575	6	#0	16QAM	1MHz-2.5MHz	18.60	PASS
Band3	1.4	19575	6	#0	16QAM	2.5MHz-3.5MHz	11.79	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	14.17	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	18.02	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	11.03	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	19.32	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	21.10	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	11.39	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	18.87	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	20.01	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	11.23	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	14.91	PASS

Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	18.76	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	11.32	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	17.77	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	18.05	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	10.80	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	17.60	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	18.46	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	11.32	PASS
Band3	1.4	19943	5	#0	16QAM	-1MHz-0MHz	15.55	PASS
Band3	1.4	19943	5	#0	16QAM	-2.5MHz--1MHz	20.46	PASS
Band3	1.4	19943	5	#0	16QAM	-3.5MHz--2.5MHz	11.55	PASS
Band3	1.4	19943	5	#0	16QAM	0MHz-1MHz	18.43	PASS
Band3	1.4	19943	5	#0	16QAM	1MHz-2.5MHz	22.35	PASS
Band3	1.4	19943	5	#0	16QAM	2.5MHz-3.5MHz	11.78	PASS
Band3	1.4	19943	5	#Max	16QAM	-1MHz-0MHz	19.24	PASS
Band3	1.4	19943	5	#Max	16QAM	-2.5MHz--1MHz	22.24	PASS
Band3	1.4	19943	5	#Max	16QAM	-3.5MHz--2.5MHz	11.83	PASS
Band3	1.4	19943	5	#Max	16QAM	0MHz-1MHz	16.47	PASS
Band3	1.4	19943	5	#Max	16QAM	1MHz-2.5MHz	20.66	PASS
Band3	1.4	19943	5	#Max	16QAM	2.5MHz-3.5MHz	11.81	PASS
Band3	1.4	19943	6	#0	16QAM	-1MHz-0MHz	18.14	PASS
Band3	1.4	19943	6	#0	16QAM	-2.5MHz--1MHz	19.45	PASS
Band3	1.4	19943	6	#0	16QAM	-3.5MHz--2.5MHz	11.30	PASS
Band3	1.4	19943	6	#0	16QAM	0MHz-1MHz	19.25	PASS
Band3	1.4	19943	6	#0	16QAM	1MHz-2.5MHz	19.72	PASS
Band3	1.4	19943	6	#0	16QAM	2.5MHz-3.5MHz	11.45	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	8.11	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	10.07	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	22.65	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	11.06	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	25.85	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	22.34	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	23.61	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	11.51	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	27.03	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	23.63	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	23.35	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	11.19	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	9.75	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	10.40	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	22.74	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	11.10	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	16.98	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	12.84	PASS



Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	18.80	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	8.93	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	18.38	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	13.19	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	18.16	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	8.37	PASS
Band3	5	19225	8	#0	16QAM	-1MHz-0MHz	12.61	PASS
Band3	5	19225	8	#0	16QAM	-5MHz--1MHz	13.05	PASS
Band3	5	19225	8	#0	16QAM	-6MHz--5MHz	22.94	PASS
Band3	5	19225	8	#0	16QAM	-10MHz--6MHz	11.10	PASS
Band3	5	19225	8	#0	16QAM	0MHz-1MHz	26.81	PASS
Band3	5	19225	8	#0	16QAM	1MHz-5MHz	22.85	PASS
Band3	5	19225	8	#0	16QAM	5MHz-6MHz	23.56	PASS
Band3	5	19225	8	#0	16QAM	6MHz-10MHz	11.47	PASS
Band3	5	19225	8	#Max	16QAM	-1MHz-0MHz	28.31	PASS
Band3	5	19225	8	#Max	16QAM	-5MHz--1MHz	24.09	PASS
Band3	5	19225	8	#Max	16QAM	-6MHz--5MHz	23.38	PASS
Band3	5	19225	8	#Max	16QAM	-10MHz--6MHz	11.27	PASS
Band3	5	19225	8	#Max	16QAM	0MHz-1MHz	13.32	PASS
Band3	5	19225	8	#Max	16QAM	1MHz-5MHz	13.30	PASS
Band3	5	19225	8	#Max	16QAM	5MHz-6MHz	22.92	PASS
Band3	5	19225	8	#Max	16QAM	6MHz-10MHz	11.08	PASS
Band3	5	19225	25	#0	16QAM	-1MHz-0MHz	20.11	PASS
Band3	5	19225	25	#0	16QAM	-5MHz--1MHz	14.13	PASS
Band3	5	19225	25	#0	16QAM	-6MHz--5MHz	20.62	PASS
Band3	5	19225	25	#0	16QAM	-10MHz--6MHz	9.98	PASS
Band3	5	19225	25	#0	16QAM	0MHz-1MHz	18.78	PASS
Band3	5	19225	25	#0	16QAM	1MHz-5MHz	14.13	PASS
Band3	5	19225	25	#0	16QAM	5MHz-6MHz	19.92	PASS
Band3	5	19225	25	#0	16QAM	6MHz-10MHz	9.63	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	8.11	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	10.32	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	23.34	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	11.71	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	26.40	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	23.37	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	24.33	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	12.32	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	26.70	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	23.93	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	24.29	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.14	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	6.91	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	9.97	PASS

Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	23.80	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	12.09	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	18.19	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	11.77	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	18.70	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	8.94	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	16.63	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	12.18	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	18.66	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	8.80	PASS
Band3	5	19575	8	#0	16QAM	-1MHz-0MHz	8.95	PASS
Band3	5	19575	8	#0	16QAM	-5MHz--1MHz	12.43	PASS
Band3	5	19575	8	#0	16QAM	-6MHz--5MHz	23.45	PASS
Band3	5	19575	8	#0	16QAM	-10MHz--6MHz	11.74	PASS
Band3	5	19575	8	#0	16QAM	0MHz-1MHz	27.00	PASS
Band3	5	19575	8	#0	16QAM	1MHz-5MHz	23.66	PASS
Band3	5	19575	8	#0	16QAM	5MHz-6MHz	24.26	PASS
Band3	5	19575	8	#0	16QAM	6MHz-10MHz	12.37	PASS
Band3	5	19575	8	#Max	16QAM	-1MHz-0MHz	26.28	PASS
Band3	5	19575	8	#Max	16QAM	-5MHz--1MHz	24.12	PASS
Band3	5	19575	8	#Max	16QAM	-6MHz--5MHz	24.22	PASS
Band3	5	19575	8	#Max	16QAM	-10MHz--6MHz	12.10	PASS
Band3	5	19575	8	#Max	16QAM	0MHz-1MHz	10.65	PASS
Band3	5	19575	8	#Max	16QAM	1MHz-5MHz	12.29	PASS
Band3	5	19575	8	#Max	16QAM	5MHz-6MHz	23.90	PASS
Band3	5	19575	8	#Max	16QAM	6MHz-10MHz	12.06	PASS
Band3	5	19575	25	#0	16QAM	-1MHz-0MHz	18.16	PASS
Band3	5	19575	25	#0	16QAM	-5MHz--1MHz	13.76	PASS
Band3	5	19575	25	#0	16QAM	-6MHz--5MHz	20.22	PASS
Band3	5	19575	25	#0	16QAM	-10MHz--6MHz	10.08	PASS
Band3	5	19575	25	#0	16QAM	0MHz-1MHz	19.57	PASS
Band3	5	19575	25	#0	16QAM	1MHz-5MHz	14.07	PASS
Band3	5	19575	25	#0	16QAM	5MHz-6MHz	19.68	PASS
Band3	5	19575	25	#0	16QAM	6MHz-10MHz	9.98	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	9.00	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	11.09	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	23.52	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	11.78	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	28.21	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	23.36	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	24.25	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	12.25	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	28.00	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	22.57	PASS

Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	23.84	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	11.92	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	13.30	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	12.42	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	23.76	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	12.06	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	19.50	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	16.00	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	19.25	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	9.21	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	21.67	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	16.97	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	20.75	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	10.38	PASS
Band3	5	19925	8	#0	16QAM	-1MHz-0MHz	16.14	PASS
Band3	5	19925	8	#0	16QAM	-5MHz--1MHz	14.85	PASS
Band3	5	19925	8	#0	16QAM	-6MHz--5MHz	23.74	PASS
Band3	5	19925	8	#0	16QAM	-10MHz--6MHz	11.89	PASS
Band3	5	19925	8	#0	16QAM	0MHz-1MHz	28.94	PASS
Band3	5	19925	8	#0	16QAM	1MHz-5MHz	23.96	PASS
Band3	5	19925	8	#0	16QAM	5MHz-6MHz	24.25	PASS
Band3	5	19925	8	#0	16QAM	6MHz-10MHz	12.21	PASS
Band3	5	19925	8	#Max	16QAM	-1MHz-0MHz	27.61	PASS
Band3	5	19925	8	#Max	16QAM	-5MHz--1MHz	22.88	PASS
Band3	5	19925	8	#Max	16QAM	-6MHz--5MHz	24.01	PASS
Band3	5	19925	8	#Max	16QAM	-10MHz--6MHz	11.86	PASS
Band3	5	19925	8	#Max	16QAM	0MHz-1MHz	15.46	PASS
Band3	5	19925	8	#Max	16QAM	1MHz-5MHz	16.12	PASS
Band3	5	19925	8	#Max	16QAM	5MHz-6MHz	24.03	PASS
Band3	5	19925	8	#Max	16QAM	6MHz-10MHz	12.19	PASS
Band3	5	19925	25	#0	16QAM	-1MHz-0MHz	21.48	PASS
Band3	5	19925	25	#0	16QAM	-5MHz--1MHz	16.23	PASS
Band3	5	19925	25	#0	16QAM	-6MHz--5MHz	20.17	PASS
Band3	5	19925	25	#0	16QAM	-10MHz--6MHz	9.80	PASS
Band3	5	19925	25	#0	16QAM	0MHz-1MHz	21.28	PASS
Band3	5	19925	25	#0	16QAM	1MHz-5MHz	16.63	PASS
Band3	5	19925	25	#0	16QAM	5MHz-6MHz	21.39	PASS
Band3	5	19925	25	#0	16QAM	6MHz-10MHz	10.82	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	8.37	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	8.52	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	20.52	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	10.25	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	28.83	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	23.65	PASS

Band3	10	19250	12	#0	QPSK	5MHz-10MHz	20.65	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	11.21	PASS
Band3	10	19250	12	#0	16QAM	-1MHz-0MHz	9.63	PASS
Band3	10	19250	12	#0	16QAM	-5MHz--1MHz	11.39	PASS
Band3	10	19250	12	#0	16QAM	-10MHz--5MHz	21.58	PASS
Band3	10	19250	12	#0	16QAM	-15MHz--10MHz	10.18	PASS
Band3	10	19250	12	#0	16QAM	0MHz-1MHz	28.76	PASS
Band3	10	19250	12	#0	16QAM	1MHz-5MHz	23.96	PASS
Band3	10	19250	12	#0	16QAM	5MHz-10MHz	21.14	PASS
Band3	10	19250	12	#0	16QAM	10MHz-15MHz	11.50	PASS
Band3	10	19250	12	#Max	16QAM	-1MHz-0MHz	29.68	PASS
Band3	10	19250	12	#Max	16QAM	-5MHz--1MHz	25.31	PASS
Band3	10	19250	12	#Max	16QAM	-10MHz--5MHz	22.41	PASS
Band3	10	19250	12	#Max	16QAM	-15MHz--10MHz	10.18	PASS
Band3	10	19250	12	#Max	16QAM	0MHz-1MHz	11.51	PASS
Band3	10	19250	12	#Max	16QAM	1MHz-5MHz	12.39	PASS
Band3	10	19250	12	#Max	16QAM	5MHz-10MHz	22.55	PASS
Band3	10	19250	12	#Max	16QAM	10MHz-15MHz	11.08	PASS
Band3	10	19250	50	#0	16QAM	-1MHz-0MHz	19.12	PASS
Band3	10	19250	50	#0	16QAM	-5MHz--1MHz	15.37	PASS
Band3	10	19250	50	#0	16QAM	-10MHz--5MHz	16.04	PASS
Band3	10	19250	50	#0	16QAM	-15MHz--10MHz	9.48	PASS
Band3	10	19250	50	#0	16QAM	0MHz-1MHz	18.43	PASS
Band3	10	19250	50	#0	16QAM	1MHz-5MHz	15.78	PASS
Band3	10	19250	50	#0	16QAM	5MHz-10MHz	15.39	PASS
Band3	10	19250	50	#0	16QAM	10MHz-15MHz	8.59	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	7.81	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	8.50	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	20.92	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	10.83	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	28.88	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	24.62	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	22.00	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	12.34	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	29.00	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	25.70	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	22.70	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	10.98	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	7.11	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	7.84	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	21.43	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	12.03	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	17.99	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	13.22	PASS

Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	13.20	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	7.56	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	17.17	PASS
Band3	10	19575	50	#0	QPSK	1MHz-5MHz	13.59	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	13.33	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	7.57	PASS
Band3	10	19575	12	#0	16QAM	-1MHz-0MHz	9.49	PASS
Band3	10	19575	12	#0	16QAM	-5MHz--1MHz	12.00	PASS
Band3	10	19575	12	#0	16QAM	-10MHz--5MHz	22.11	PASS
Band3	10	19575	12	#0	16QAM	-15MHz--10MHz	10.97	PASS
Band3	10	19575	12	#0	16QAM	0MHz-1MHz	27.90	PASS
Band3	10	19575	12	#0	16QAM	1MHz-5MHz	25.02	PASS
Band3	10	19575	12	#0	16QAM	5MHz-10MHz	22.02	PASS
Band3	10	19575	12	#0	16QAM	10MHz-15MHz	12.29	PASS
Band3	10	19575	12	#Max	16QAM	-1MHz-0MHz	28.91	PASS
Band3	10	19575	12	#Max	16QAM	-5MHz--1MHz	26.04	PASS
Band3	10	19575	12	#Max	16QAM	-10MHz--5MHz	22.99	PASS
Band3	10	19575	12	#Max	16QAM	-15MHz--10MHz	11.06	PASS
Band3	10	19575	12	#Max	16QAM	0MHz-1MHz	9.15	PASS
Band3	10	19575	12	#Max	16QAM	1MHz-5MHz	11.04	PASS
Band3	10	19575	12	#Max	16QAM	5MHz-10MHz	22.92	PASS
Band3	10	19575	12	#Max	16QAM	10MHz-15MHz	12.05	PASS
Band3	10	19575	50	#0	16QAM	-1MHz-0MHz	20.28	PASS
Band3	10	19575	50	#0	16QAM	-5MHz--1MHz	16.02	PASS
Band3	10	19575	50	#0	16QAM	-10MHz--5MHz	15.41	PASS
Band3	10	19575	50	#0	16QAM	-15MHz--10MHz	8.71	PASS
Band3	10	19575	50	#0	16QAM	0MHz-1MHz	19.19	PASS
Band3	10	19575	50	#0	16QAM	1MHz-5MHz	15.97	PASS
Band3	10	19575	50	#0	16QAM	5MHz-10MHz	15.42	PASS
Band3	10	19575	50	#0	16QAM	10MHz-15MHz	8.67	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	13.49	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	11.71	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	22.10	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	10.73	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	30.35	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	25.39	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	22.53	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	12.19	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	28.87	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	24.95	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	21.88	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	10.79	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	13.75	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	11.70	PASS

Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	23.08	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	12.05	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	23.18	PASS
Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	18.52	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	16.61	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	8.33	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	23.33	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	19.59	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	18.26	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	11.98	PASS
Band3	10	19900	12	#0	16QAM	-1MHz-0MHz	14.11	PASS
Band3	10	19900	12	#0	16QAM	-5MHz--1MHz	14.31	PASS
Band3	10	19900	12	#0	16QAM	-10MHz--5MHz	22.93	PASS
Band3	10	19900	12	#0	16QAM	-15MHz--10MHz	10.86	PASS
Band3	10	19900	12	#0	16QAM	0MHz-1MHz	29.28	PASS
Band3	10	19900	12	#0	16QAM	1MHz-5MHz	25.44	PASS
Band3	10	19900	12	#0	16QAM	5MHz-10MHz	22.68	PASS
Band3	10	19900	12	#0	16QAM	10MHz-15MHz	12.17	PASS
Band3	10	19900	12	#Max	16QAM	-1MHz-0MHz	27.50	PASS
Band3	10	19900	12	#Max	16QAM	-5MHz--1MHz	25.21	PASS
Band3	10	19900	12	#Max	16QAM	-10MHz--5MHz	21.87	PASS
Band3	10	19900	12	#Max	16QAM	-15MHz--10MHz	10.89	PASS
Band3	10	19900	12	#Max	16QAM	0MHz-1MHz	12.52	PASS
Band3	10	19900	12	#Max	16QAM	1MHz-5MHz	14.46	PASS
Band3	10	19900	12	#Max	16QAM	5MHz-10MHz	23.51	PASS
Band3	10	19900	12	#Max	16QAM	10MHz-15MHz	12.16	PASS
Band3	10	19900	50	#0	16QAM	-1MHz-0MHz	21.03	PASS
Band3	10	19900	50	#0	16QAM	-5MHz--1MHz	18.05	PASS
Band3	10	19900	50	#0	16QAM	-10MHz--5MHz	17.03	PASS
Band3	10	19900	50	#0	16QAM	-15MHz--10MHz	9.07	PASS
Band3	10	19900	50	#0	16QAM	0MHz-1MHz	21.53	PASS
Band3	10	19900	50	#0	16QAM	1MHz-5MHz	18.63	PASS
Band3	10	19900	50	#0	16QAM	5MHz-10MHz	18.33	PASS
Band3	10	19900	50	#0	16QAM	10MHz-15MHz	12.06	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	7.44	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	8.88	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	20.95	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	11.70	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	27.33	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	26.26	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	21.90	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	12.56	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	28.10	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	25.94	PASS



Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	21.73	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	11.83	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	14.16	PASS
Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	13.01	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	22.24	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	12.17	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	19.20	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	17.49	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	16.44	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	11.60	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	19.04	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	19.35	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	17.69	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	10.54	PASS
Band3	20	19300	18	#0	16QAM	-1MHz-0MHz	8.19	PASS
Band3	20	19300	18	#0	16QAM	-5MHz--1MHz	10.53	PASS
Band3	20	19300	18	#0	16QAM	-20MHz--5MHz	21.72	PASS
Band3	20	19300	18	#0	16QAM	-25MHz--20MHz	11.69	PASS
Band3	20	19300	18	#0	16QAM	0MHz-1MHz	28.79	PASS
Band3	20	19300	18	#0	16QAM	1MHz-5MHz	26.31	PASS
Band3	20	19300	18	#0	16QAM	5MHz-20MHz	22.44	PASS
Band3	20	19300	18	#0	16QAM	20MHz-25MHz	12.58	PASS
Band3	20	19300	18	#Max	16QAM	-1MHz-0MHz	28.46	PASS
Band3	20	19300	18	#Max	16QAM	-5MHz--1MHz	25.95	PASS
Band3	20	19300	18	#Max	16QAM	-20MHz--5MHz	21.69	PASS
Band3	20	19300	18	#Max	16QAM	-25MHz--20MHz	11.72	PASS
Band3	20	19300	18	#Max	16QAM	0MHz-1MHz	13.25	PASS
Band3	20	19300	18	#Max	16QAM	1MHz-5MHz	13.57	PASS
Band3	20	19300	18	#Max	16QAM	5MHz-20MHz	22.40	PASS
Band3	20	19300	18	#Max	16QAM	20MHz-25MHz	12.27	PASS
Band3	20	19300	100	#0	16QAM	-1MHz-0MHz	18.85	PASS
Band3	20	19300	100	#0	16QAM	-5MHz--1MHz	18.68	PASS
Band3	20	19300	100	#0	16QAM	-20MHz--5MHz	17.65	PASS
Band3	20	19300	100	#0	16QAM	-25MHz--20MHz	11.76	PASS
Band3	20	19300	100	#0	16QAM	0MHz-1MHz	20.00	PASS
Band3	20	19300	100	#0	16QAM	1MHz-5MHz	19.44	PASS
Band3	20	19300	100	#0	16QAM	5MHz-20MHz	17.67	PASS
Band3	20	19300	100	#0	16QAM	20MHz-25MHz	11.01	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	9.91	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	10.39	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	20.85	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	11.47	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	29.22	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	27.03	PASS

Band3	20	19575	18	#0	QPSK	5MHz-20MHz	22.77	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	12.46	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	28.12	PASS
Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	26.56	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	22.23	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	11.65	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	6.94	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	8.83	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	20.45	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	12.21	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	17.57	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	16.04	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	14.52	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	8.61	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	19.14	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	17.64	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	15.82	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	9.49	PASS
Band3	20	19575	18	#0	16QAM	-1MHz-0MHz	10.63	PASS
Band3	20	19575	18	#0	16QAM	-5MHz--1MHz	12.08	PASS
Band3	20	19575	18	#0	16QAM	-20MHz--5MHz	21.63	PASS
Band3	20	19575	18	#0	16QAM	-25MHz--20MHz	11.52	PASS
Band3	20	19575	18	#0	16QAM	0MHz-1MHz	29.26	PASS
Band3	20	19575	18	#0	16QAM	1MHz-5MHz	27.04	PASS
Band3	20	19575	18	#0	16QAM	5MHz-20MHz	23.15	PASS
Band3	20	19575	18	#0	16QAM	20MHz-25MHz	12.42	PASS
Band3	20	19575	18	#Max	16QAM	-1MHz-0MHz	28.99	PASS
Band3	20	19575	18	#Max	16QAM	-5MHz--1MHz	26.71	PASS
Band3	20	19575	18	#Max	16QAM	-20MHz--5MHz	22.41	PASS
Band3	20	19575	18	#Max	16QAM	-25MHz--20MHz	11.60	PASS
Band3	20	19575	18	#Max	16QAM	0MHz-1MHz	8.72	PASS
Band3	20	19575	18	#Max	16QAM	1MHz-5MHz	10.65	PASS
Band3	20	19575	18	#Max	16QAM	5MHz-20MHz	21.70	PASS
Band3	20	19575	18	#Max	16QAM	20MHz-25MHz	12.29	PASS
Band3	20	19575	100	#0	16QAM	-1MHz-0MHz	20.16	PASS
Band3	20	19575	100	#0	16QAM	-5MHz--1MHz	18.12	PASS
Band3	20	19575	100	#0	16QAM	-20MHz--5MHz	16.23	PASS
Band3	20	19575	100	#0	16QAM	-25MHz--20MHz	9.75	PASS
Band3	20	19575	100	#0	16QAM	0MHz-1MHz	20.05	PASS
Band3	20	19575	100	#0	16QAM	1MHz-5MHz	18.71	PASS
Band3	20	19575	100	#0	16QAM	5MHz-20MHz	16.97	PASS
Band3	20	19575	100	#0	16QAM	20MHz-25MHz	10.45	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	14.63	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	13.18	PASS

Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	22.14	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	12.40	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	29.86	PASS
Band3	20	19850	18	#0	QPSK	1MHz-5MHz	26.97	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	23.93	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	12.34	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	29.31	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	26.46	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	21.99	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	12.49	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	12.88	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	12.15	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	22.74	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	12.29	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	21.75	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	20.41	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	17.88	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	10.55	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	21.42	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	20.31	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	19.75	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	12.34	PASS
Band3	20	19850	18	#0	16QAM	-1MHz-0MHz	12.83	PASS
Band3	20	19850	18	#0	16QAM	-5MHz--1MHz	14.47	PASS
Band3	20	19850	18	#0	16QAM	-20MHz--5MHz	22.39	PASS
Band3	20	19850	18	#0	16QAM	-25MHz--20MHz	12.33	PASS
Band3	20	19850	18	#0	16QAM	0MHz-1MHz	29.66	PASS
Band3	20	19850	18	#0	16QAM	1MHz-5MHz	27.09	PASS
Band3	20	19850	18	#0	16QAM	5MHz-20MHz	23.99	PASS
Band3	20	19850	18	#0	16QAM	20MHz-25MHz	12.39	PASS
Band3	20	19850	18	#Max	16QAM	-1MHz-0MHz	29.88	PASS
Band3	20	19850	18	#Max	16QAM	-5MHz--1MHz	26.66	PASS
Band3	20	19850	18	#Max	16QAM	-20MHz--5MHz	22.28	PASS
Band3	20	19850	18	#Max	16QAM	-25MHz--20MHz	12.58	PASS
Band3	20	19850	18	#Max	16QAM	0MHz-1MHz	14.71	PASS
Band3	20	19850	18	#Max	16QAM	1MHz-5MHz	14.02	PASS
Band3	20	19850	18	#Max	16QAM	5MHz-20MHz	23.19	PASS
Band3	20	19850	18	#Max	16QAM	20MHz-25MHz	12.27	PASS
Band3	20	19850	100	#0	16QAM	-1MHz-0MHz	21.38	PASS
Band3	20	19850	100	#0	16QAM	-5MHz--1MHz	19.89	PASS
Band3	20	19850	100	#0	16QAM	-20MHz--5MHz	17.89	PASS
Band3	20	19850	100	#0	16QAM	-25MHz--20MHz	11.04	PASS
Band3	20	19850	100	#0	16QAM	0MHz-1MHz	20.92	PASS
Band3	20	19850	100	#0	16QAM	1MHz-5MHz	20.29	PASS

Band3	20	19850	100	#0	16QAM	5MHz-20MHz	19.03	PASS
Band3	20	19850	100	#0	16QAM	20MHz-25MHz	12.30	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	14.06	PASS
Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	18.18	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	23.28	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	11.39	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	27.12	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	23.60	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	23.85	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	11.84	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	26.81	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	23.59	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	23.72	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	11.44	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	11.34	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	17.45	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	23.37	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	11.67	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	20.77	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	17.88	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	21.78	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	9.59	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	18.48	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	14.29	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	21.49	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	9.41	PASS
Band7	5	20775	8	#0	16QAM	-1MHz-0MHz	15.50	PASS
Band7	5	20775	8	#0	16QAM	-5MHz--1MHz	18.76	PASS
Band7	5	20775	8	#0	16QAM	-6MHz--5MHz	23.40	PASS
Band7	5	20775	8	#0	16QAM	-10MHz--6MHz	11.46	PASS
Band7	5	20775	8	#0	16QAM	0MHz-1MHz	27.95	PASS
Band7	5	20775	8	#0	16QAM	1MHz-5MHz	23.59	PASS
Band7	5	20775	8	#0	16QAM	5MHz-6MHz	23.89	PASS
Band7	5	20775	8	#0	16QAM	6MHz-10MHz	11.81	PASS
Band7	5	20775	8	#Max	16QAM	-1MHz-0MHz	27.64	PASS
Band7	5	20775	8	#Max	16QAM	-5MHz--1MHz	23.66	PASS
Band7	5	20775	8	#Max	16QAM	-6MHz--5MHz	23.66	PASS
Band7	5	20775	8	#Max	16QAM	-10MHz--6MHz	11.57	PASS
Band7	5	20775	8	#Max	16QAM	0MHz-1MHz	12.57	PASS
Band7	5	20775	8	#Max	16QAM	1MHz-5MHz	17.88	PASS
Band7	5	20775	8	#Max	16QAM	5MHz-6MHz	23.33	PASS
Band7	5	20775	8	#Max	16QAM	6MHz-10MHz	11.64	PASS
Band7	5	20775	25	#0	16QAM	-1MHz-0MHz	19.73	PASS
Band7	5	20775	25	#0	16QAM	-5MHz--1MHz	14.81	PASS

Band7	5	20775	25	#0	16QAM	-6MHz--5MHz	21.44	PASS
Band7	5	20775	25	#0	16QAM	-10MHz--6MHz	10.15	PASS
Band7	5	20775	25	#0	16QAM	0MHz-1MHz	18.15	PASS
Band7	5	20775	25	#0	16QAM	1MHz-5MHz	11.63	PASS
Band7	5	20775	25	#0	16QAM	5MHz-6MHz	20.82	PASS
Band7	5	20775	25	#0	16QAM	6MHz-10MHz	9.79	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	8.82	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	15.74	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	23.31	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	11.39	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	28.05	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	23.65	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	23.92	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	11.80	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	27.08	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	23.18	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	23.65	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	11.46	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	11.83	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	17.11	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	23.41	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	11.69	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	20.13	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	15.20	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	21.04	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	9.01	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	19.80	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	15.57	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	20.92	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	8.91	PASS
Band7	5	21100	8	#0	16QAM	-1MHz-0MHz	13.75	PASS
Band7	5	21100	8	#0	16QAM	-5MHz--1MHz	17.92	PASS
Band7	5	21100	8	#0	16QAM	-6MHz--5MHz	23.41	PASS
Band7	5	21100	8	#0	16QAM	-10MHz--6MHz	11.33	PASS
Band7	5	21100	8	#0	16QAM	0MHz-1MHz	27.44	PASS
Band7	5	21100	8	#0	16QAM	1MHz-5MHz	23.97	PASS
Band7	5	21100	8	#0	16QAM	5MHz-6MHz	24.01	PASS
Band7	5	21100	8	#0	16QAM	6MHz-10MHz	11.83	PASS
Band7	5	21100	8	#Max	16QAM	-1MHz-0MHz	27.97	PASS
Band7	5	21100	8	#Max	16QAM	-5MHz--1MHz	23.55	PASS
Band7	5	21100	8	#Max	16QAM	-6MHz--5MHz	23.66	PASS
Band7	5	21100	8	#Max	16QAM	-10MHz--6MHz	11.58	PASS
Band7	5	21100	8	#Max	16QAM	0MHz-1MHz	16.10	PASS
Band7	5	21100	8	#Max	16QAM	1MHz-5MHz	19.39	PASS

Band7	5	21100	8	#Max	16QAM	5MHz-6MHz	23.53	PASS
Band7	5	21100	8	#Max	16QAM	6MHz-10MHz	11.80	PASS
Band7	5	21100	25	#0	16QAM	-1MHz-0MHz	16.59	PASS
Band7	5	21100	25	#0	16QAM	-5MHz--1MHz	10.37	PASS
Band7	5	21100	25	#0	16QAM	-6MHz--5MHz	20.73	PASS
Band7	5	21100	25	#0	16QAM	-10MHz--6MHz	9.56	PASS
Band7	5	21100	25	#0	16QAM	0MHz-1MHz	15.95	PASS
Band7	5	21100	25	#0	16QAM	1MHz-5MHz	11.01	PASS
Band7	5	21100	25	#0	16QAM	5MHz-6MHz	20.93	PASS
Band7	5	21100	25	#0	16QAM	6MHz-10MHz	9.77	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	11.33	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	16.35	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	23.24	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	11.40	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	26.76	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	23.71	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	23.86	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	11.68	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	26.88	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	23.41	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	23.60	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	11.41	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	12.52	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	17.68	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	23.43	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	11.73	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	18.75	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	15.09	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	20.55	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	8.72	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	20.07	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	16.24	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	21.13	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	9.25	PASS
Band7	5	21425	8	#0	16QAM	-1MHz-0MHz	14.72	PASS
Band7	5	21425	8	#0	16QAM	-5MHz--1MHz	18.26	PASS
Band7	5	21425	8	#0	16QAM	-6MHz--5MHz	23.49	PASS
Band7	5	21425	8	#0	16QAM	-10MHz--6MHz	11.48	PASS
Band7	5	21425	8	#0	16QAM	0MHz-1MHz	27.88	PASS
Band7	5	21425	8	#0	16QAM	1MHz-5MHz	23.87	PASS
Band7	5	21425	8	#0	16QAM	5MHz-6MHz	23.93	PASS
Band7	5	21425	8	#0	16QAM	6MHz-10MHz	11.85	PASS
Band7	5	21425	8	#Max	16QAM	-1MHz-0MHz	28.05	PASS
Band7	5	21425	8	#Max	16QAM	-5MHz--1MHz	23.13	PASS



Band7	5	21425	8	#Max	16QAM	-6MHz--5MHz	23.66	PASS
Band7	5	21425	8	#Max	16QAM	-10MHz--6MHz	11.41	PASS
Band7	5	21425	8	#Max	16QAM	0MHz-1MHz	15.32	PASS
Band7	5	21425	8	#Max	16QAM	1MHz-5MHz	19.63	PASS
Band7	5	21425	8	#Max	16QAM	5MHz-6MHz	23.69	PASS
Band7	5	21425	8	#Max	16QAM	6MHz-10MHz	11.72	PASS
Band7	5	21425	25	#0	16QAM	-1MHz-0MHz	16.26	PASS
Band7	5	21425	25	#0	16QAM	-5MHz--1MHz	10.64	PASS
Band7	5	21425	25	#0	16QAM	-6MHz--5MHz	20.78	PASS
Band7	5	21425	25	#0	16QAM	-10MHz--6MHz	9.29	PASS
Band7	5	21425	25	#0	16QAM	0MHz-1MHz	17.48	PASS
Band7	5	21425	25	#0	16QAM	1MHz-5MHz	12.09	PASS
Band7	5	21425	25	#0	16QAM	5MHz-6MHz	21.31	PASS
Band7	5	21425	25	#0	16QAM	6MHz-10MHz	10.08	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	12.19	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	15.89	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	22.55	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	10.34	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	29.54	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	24.78	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	21.77	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	11.76	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	29.28	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	24.56	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	21.28	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	10.27	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	5.68	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	10.52	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	21.23	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	11.58	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	21.35	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	17.45	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	18.25	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	9.80	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	17.42	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	12.79	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	12.67	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	9.93	PASS
Band7	10	20800	12	#0	16QAM	-1MHz-0MHz	13.63	PASS
Band7	10	20800	12	#0	16QAM	-5MHz--1MHz	17.84	PASS
Band7	10	20800	12	#0	16QAM	-10MHz--5MHz	22.82	PASS
Band7	10	20800	12	#0	16QAM	-15MHz--10MHz	10.36	PASS
Band7	10	20800	12	#0	16QAM	0MHz-1MHz	27.82	PASS
Band7	10	20800	12	#0	16QAM	1MHz-5MHz	24.69	PASS

Band7	10	20800	12	#0	16QAM	5MHz-10MHz	21.49	PASS
Band7	10	20800	12	#0	16QAM	10MHz-15MHz	11.77	PASS
Band7	10	20800	12	#Max	16QAM	-1MHz-0MHz	29.36	PASS
Band7	10	20800	12	#Max	16QAM	-5MHz--1MHz	24.52	PASS
Band7	10	20800	12	#Max	16QAM	-10MHz--5MHz	21.13	PASS
Band7	10	20800	12	#Max	16QAM	-15MHz--10MHz	10.37	PASS
Band7	10	20800	12	#Max	16QAM	0MHz-1MHz	9.14	PASS
Band7	10	20800	12	#Max	16QAM	1MHz-5MHz	14.31	PASS
Band7	10	20800	12	#Max	16QAM	5MHz-10MHz	22.45	PASS
Band7	10	20800	12	#Max	16QAM	10MHz-15MHz	11.63	PASS
Band7	10	20800	50	#0	16QAM	-1MHz-0MHz	19.02	PASS
Band7	10	20800	50	#0	16QAM	-5MHz--1MHz	15.23	PASS
Band7	10	20800	50	#0	16QAM	-10MHz--5MHz	17.34	PASS
Band7	10	20800	50	#0	16QAM	-15MHz--10MHz	9.74	PASS
Band7	10	20800	50	#0	16QAM	0MHz-1MHz	15.56	PASS
Band7	10	20800	50	#0	16QAM	1MHz-5MHz	10.88	PASS
Band7	10	20800	50	#0	16QAM	5MHz-10MHz	11.74	PASS
Band7	10	20800	50	#0	16QAM	10MHz-15MHz	8.83	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	9.73	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	11.76	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	21.80	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	10.32	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	28.98	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	25.05	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	22.00	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	11.74	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	28.91	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	24.48	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	21.25	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	10.33	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	14.25	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	16.74	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	22.72	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	11.70	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	20.22	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	16.89	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	16.26	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	9.41	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	20.38	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	17.90	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	16.94	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	10.21	PASS
Band7	10	21100	12	#0	16QAM	-1MHz-0MHz	11.74	PASS
Band7	10	21100	12	#0	16QAM	-5MHz--1MHz	14.92	PASS

Band7	10	21100	12	#0	16QAM	-10MHz--5MHz	22.32	PASS
Band7	10	21100	12	#0	16QAM	-15MHz--10MHz	10.35	PASS
Band7	10	21100	12	#0	16QAM	0MHz-1MHz	28.70	PASS
Band7	10	21100	12	#0	16QAM	1MHz-5MHz	24.76	PASS
Band7	10	21100	12	#0	16QAM	5MHz-10MHz	21.76	PASS
Band7	10	21100	12	#0	16QAM	10MHz-15MHz	11.77	PASS
Band7	10	21100	12	#Max	16QAM	-1MHz-0MHz	28.08	PASS
Band7	10	21100	12	#Max	16QAM	-5MHz--1MHz	24.23	PASS
Band7	10	21100	12	#Max	16QAM	-10MHz--5MHz	20.87	PASS
Band7	10	21100	12	#Max	16QAM	-15MHz--10MHz	10.36	PASS
Band7	10	21100	12	#Max	16QAM	0MHz-1MHz	15.87	PASS
Band7	10	21100	12	#Max	16QAM	1MHz-5MHz	18.61	PASS
Band7	10	21100	12	#Max	16QAM	5MHz-10MHz	23.10	PASS
Band7	10	21100	12	#Max	16QAM	10MHz-15MHz	11.71	PASS
Band7	10	21100	50	#0	16QAM	-1MHz-0MHz	15.61	PASS
Band7	10	21100	50	#0	16QAM	-5MHz--1MHz	11.95	PASS
Band7	10	21100	50	#0	16QAM	-10MHz--5MHz	13.25	PASS
Band7	10	21100	50	#0	16QAM	-15MHz--10MHz	9.19	PASS
Band7	10	21100	50	#0	16QAM	0MHz-1MHz	17.00	PASS
Band7	10	21100	50	#0	16QAM	1MHz-5MHz	13.10	PASS
Band7	10	21100	50	#0	16QAM	5MHz-10MHz	15.01	PASS
Band7	10	21100	50	#0	16QAM	10MHz-15MHz	9.81	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	8.55	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	12.32	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	21.86	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	10.39	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	28.32	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	25.00	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	21.66	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	11.70	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	27.47	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	23.84	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	20.59	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	10.43	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	12.28	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	14.82	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	22.42	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	11.60	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	20.43	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	16.17	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	15.38	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	9.22	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	22.07	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	18.19	PASS

Band7	10	21400	50	#0	QPSK	5MHz-10MHz	18.10	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	10.24	PASS
Band7	10	21400	12	#0	16QAM	-1MHz-0MHz	11.67	PASS
Band7	10	21400	12	#0	16QAM	-5MHz--1MHz	15.01	PASS
Band7	10	21400	12	#0	16QAM	-10MHz--5MHz	22.57	PASS
Band7	10	21400	12	#0	16QAM	-15MHz--10MHz	10.29	PASS
Band7	10	21400	12	#0	16QAM	0MHz-1MHz	30.98	PASS
Band7	10	21400	12	#0	16QAM	1MHz-5MHz	24.74	PASS
Band7	10	21400	12	#0	16QAM	5MHz-10MHz	21.76	PASS
Band7	10	21400	12	#0	16QAM	10MHz-15MHz	11.74	PASS
Band7	10	21400	12	#Max	16QAM	-1MHz-0MHz	30.01	PASS
Band7	10	21400	12	#Max	16QAM	-5MHz--1MHz	23.81	PASS
Band7	10	21400	12	#Max	16QAM	-10MHz--5MHz	20.58	PASS
Band7	10	21400	12	#Max	16QAM	-15MHz--10MHz	10.49	PASS
Band7	10	21400	12	#Max	16QAM	0MHz-1MHz	14.98	PASS
Band7	10	21400	12	#Max	16QAM	1MHz-5MHz	17.32	PASS
Band7	10	21400	12	#Max	16QAM	5MHz-10MHz	22.77	PASS
Band7	10	21400	12	#Max	16QAM	10MHz-15MHz	11.67	PASS
Band7	10	21400	50	#0	16QAM	-1MHz-0MHz	14.28	PASS
Band7	10	21400	50	#0	16QAM	-5MHz--1MHz	9.34	PASS
Band7	10	21400	50	#0	16QAM	-10MHz--5MHz	11.18	PASS
Band7	10	21400	50	#0	16QAM	-15MHz--10MHz	8.38	PASS
Band7	10	21400	50	#0	16QAM	0MHz-1MHz	13.98	PASS
Band7	10	21400	50	#0	16QAM	1MHz-5MHz	11.17	PASS
Band7	10	21400	50	#0	16QAM	5MHz-10MHz	13.62	PASS
Band7	10	21400	50	#0	16QAM	10MHz-15MHz	9.45	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	12.20	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	16.34	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	21.48	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	11.92	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	27.89	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	25.74	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	21.41	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	12.01	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	28.52	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	25.45	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	21.37	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	11.92	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	3.98	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	7.37	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	20.14	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	11.96	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	18.69	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	17.64	PASS

Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	17.12	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	11.86	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	14.65	PASS
Band7	20	20850	100	#0	QPSK	1MHz-5MHz	12.96	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	10.95	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	10.75	PASS
Band7	20	20850	18	#0	16QAM	-1MHz-0MHz	14.87	PASS
Band7	20	20850	18	#0	16QAM	-5MHz--1MHz	18.07	PASS
Band7	20	20850	18	#0	16QAM	-20MHz--5MHz	21.70	PASS
Band7	20	20850	18	#0	16QAM	-25MHz--20MHz	11.92	PASS
Band7	20	20850	18	#0	16QAM	0MHz-1MHz	29.06	PASS
Band7	20	20850	18	#0	16QAM	1MHz-5MHz	26.00	PASS
Band7	20	20850	18	#0	16QAM	5MHz-20MHz	21.61	PASS
Band7	20	20850	18	#0	16QAM	20MHz-25MHz	11.98	PASS
Band7	20	20850	18	#Max	16QAM	-1MHz-0MHz	28.95	PASS
Band7	20	20850	18	#Max	16QAM	-5MHz--1MHz	25.63	PASS
Band7	20	20850	18	#Max	16QAM	-20MHz--5MHz	21.48	PASS
Band7	20	20850	18	#Max	16QAM	-25MHz--20MHz	11.89	PASS
Band7	20	20850	18	#Max	16QAM	0MHz-1MHz	6.96	PASS
Band7	20	20850	18	#Max	16QAM	1MHz-5MHz	10.62	PASS
Band7	20	20850	18	#Max	16QAM	5MHz-20MHz	20.92	PASS
Band7	20	20850	18	#Max	16QAM	20MHz-25MHz	11.90	PASS
Band7	20	20850	100	#0	16QAM	-1MHz-0MHz	15.89	PASS
Band7	20	20850	100	#0	16QAM	-5MHz--1MHz	14.59	PASS
Band7	20	20850	100	#0	16QAM	-20MHz--5MHz	14.02	PASS
Band7	20	20850	100	#0	16QAM	-25MHz--20MHz	11.93	PASS
Band7	20	20850	100	#0	16QAM	0MHz-1MHz	11.86	PASS
Band7	20	20850	100	#0	16QAM	1MHz-5MHz	9.64	PASS
Band7	20	20850	100	#0	16QAM	5MHz-20MHz	7.99	PASS
Band7	20	20850	100	#0	16QAM	20MHz-25MHz	9.73	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	6.71	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	9.46	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	20.57	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	11.80	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	29.10	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	26.01	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	21.69	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	11.89	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	28.84	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	25.42	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	20.82	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	11.90	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	14.65	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	16.61	PASS

Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	21.95	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	11.88	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	19.64	PASS
Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	17.45	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	15.63	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	10.85	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	18.32	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	17.89	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	17.29	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	10.82	PASS
Band7	20	21100	18	#0	16QAM	-1MHz-0MHz	8.35	PASS
Band7	20	21100	18	#0	16QAM	-5MHz--1MHz	11.66	PASS
Band7	20	21100	18	#0	16QAM	-20MHz--5MHz	20.89	PASS
Band7	20	21100	18	#0	16QAM	-25MHz--20MHz	11.76	PASS
Band7	20	21100	18	#0	16QAM	0MHz-1MHz	29.66	PASS
Band7	20	21100	18	#0	16QAM	1MHz-5MHz	26.22	PASS
Band7	20	21100	18	#0	16QAM	5MHz-20MHz	22.06	PASS
Band7	20	21100	18	#0	16QAM	20MHz-25MHz	11.92	PASS
Band7	20	21100	18	#Max	16QAM	-1MHz-0MHz	28.93	PASS
Band7	20	21100	18	#Max	16QAM	-5MHz--1MHz	25.58	PASS
Band7	20	21100	18	#Max	16QAM	-20MHz--5MHz	21.21	PASS
Band7	20	21100	18	#Max	16QAM	-25MHz--20MHz	11.89	PASS
Band7	20	21100	18	#Max	16QAM	0MHz-1MHz	15.88	PASS
Band7	20	21100	18	#Max	16QAM	1MHz-5MHz	19.53	PASS
Band7	20	21100	18	#Max	16QAM	5MHz-20MHz	22.32	PASS
Band7	20	21100	18	#Max	16QAM	20MHz-25MHz	11.87	PASS
Band7	20	21100	100	#0	16QAM	-1MHz-0MHz	15.21	PASS
Band7	20	21100	100	#0	16QAM	-5MHz--1MHz	13.35	PASS
Band7	20	21100	100	#0	16QAM	-20MHz--5MHz	11.93	PASS
Band7	20	21100	100	#0	16QAM	-25MHz--20MHz	10.25	PASS
Band7	20	21100	100	#0	16QAM	0MHz-1MHz	16.06	PASS
Band7	20	21100	100	#0	16QAM	1MHz-5MHz	14.77	PASS
Band7	20	21100	100	#0	16QAM	5MHz-20MHz	14.28	PASS
Band7	20	21100	100	#0	16QAM	20MHz-25MHz	10.83	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	12.78	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	14.82	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	21.14	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	11.89	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	28.95	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	25.98	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	21.89	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	11.89	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	28.54	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	25.46	PASS



Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	20.91	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	11.89	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	12.51	PASS
Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	14.50	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	21.84	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	11.82	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	18.67	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	17.53	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	15.51	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	10.94	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	19.84	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	18.47	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	17.29	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	11.67	PASS
Band7	20	21350	18	#0	16QAM	-1MHz-0MHz	15.33	PASS
Band7	20	21350	18	#0	16QAM	-5MHz--1MHz	17.30	PASS
Band7	20	21350	18	#0	16QAM	-20MHz--5MHz	21.39	PASS
Band7	20	21350	18	#0	16QAM	-25MHz--20MHz	11.84	PASS
Band7	20	21350	18	#0	16QAM	0MHz-1MHz	29.36	PASS
Band7	20	21350	18	#0	16QAM	1MHz-5MHz	25.98	PASS
Band7	20	21350	18	#0	16QAM	5MHz-20MHz	21.57	PASS
Band7	20	21350	18	#0	16QAM	20MHz-25MHz	11.86	PASS
Band7	20	21350	18	#Max	16QAM	-1MHz-0MHz	28.39	PASS
Band7	20	21350	18	#Max	16QAM	-5MHz--1MHz	25.38	PASS
Band7	20	21350	18	#Max	16QAM	-20MHz--5MHz	20.60	PASS
Band7	20	21350	18	#Max	16QAM	-25MHz--20MHz	11.90	PASS
Band7	20	21350	18	#Max	16QAM	0MHz-1MHz	13.61	PASS
Band7	20	21350	18	#Max	16QAM	1MHz-5MHz	16.24	PASS
Band7	20	21350	18	#Max	16QAM	5MHz-20MHz	21.99	PASS
Band7	20	21350	18	#Max	16QAM	20MHz-25MHz	11.74	PASS
Band7	20	21350	100	#0	16QAM	-1MHz-0MHz	13.65	PASS
Band7	20	21350	100	#0	16QAM	-5MHz--1MHz	12.23	PASS
Band7	20	21350	100	#0	16QAM	-20MHz--5MHz	10.91	PASS
Band7	20	21350	100	#0	16QAM	-25MHz--20MHz	10.51	PASS
Band7	20	21350	100	#0	16QAM	0MHz-1MHz	14.88	PASS
Band7	20	21350	100	#0	16QAM	1MHz-5MHz	13.19	PASS
Band7	20	21350	100	#0	16QAM	5MHz-20MHz	12.03	PASS
Band7	20	21350	100	#0	16QAM	20MHz-25MHz	11.55	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	12.48	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	18.43	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	10.82	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	13.91	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	20.07	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	10.74	PASS

Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	15.01	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	20.48	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	11.00	PASS
Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	12.69	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	17.78	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	10.62	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	23.14	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	19.21	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	10.86	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	21.32	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	19.75	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	10.50	PASS
Band8	1.4	21457	5	#0	16QAM	-1MHz-0MHz	16.21	PASS
Band8	1.4	21457	5	#0	16QAM	-2.5MHz--1MHz	19.79	PASS
Band8	1.4	21457	5	#0	16QAM	-3.5MHz--2.5MHz	11.36	PASS
Band8	1.4	21457	5	#0	16QAM	0MHz-1MHz	19.00	PASS
Band8	1.4	21457	5	#0	16QAM	1MHz-2.5MHz	21.54	PASS
Band8	1.4	21457	5	#0	16QAM	2.5MHz-3.5MHz	11.13	PASS
Band8	1.4	21457	5	#Max	16QAM	-1MHz-0MHz	17.82	PASS
Band8	1.4	21457	5	#Max	16QAM	-2.5MHz--1MHz	21.67	PASS
Band8	1.4	21457	5	#Max	16QAM	-3.5MHz--2.5MHz	11.47	PASS
Band8	1.4	21457	5	#Max	16QAM	0MHz-1MHz	15.57	PASS
Band8	1.4	21457	5	#Max	16QAM	1MHz-2.5MHz	19.78	PASS
Band8	1.4	21457	5	#Max	16QAM	2.5MHz-3.5MHz	11.04	PASS
Band8	1.4	21457	6	#0	16QAM	-1MHz-0MHz	24.43	PASS
Band8	1.4	21457	6	#0	16QAM	-2.5MHz--1MHz	21.07	PASS
Band8	1.4	21457	6	#0	16QAM	-3.5MHz--2.5MHz	11.19	PASS
Band8	1.4	21457	6	#0	16QAM	0MHz-1MHz	23.02	PASS
Band8	1.4	21457	6	#0	16QAM	1MHz-2.5MHz	20.74	PASS
Band8	1.4	21457	6	#0	16QAM	2.5MHz-3.5MHz	10.78	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	14.11	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	18.51	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	10.40	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	15.57	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	20.77	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	10.81	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	15.26	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	20.04	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	10.54	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	14.30	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	18.80	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	10.65	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	20.41	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	17.78	PASS

Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	10.07	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	19.85	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	18.80	PASS
Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	10.10	PASS
Band8	1.4	21625	5	#0	16QAM	-1MHz-0MHz	14.01	PASS
Band8	1.4	21625	5	#0	16QAM	-2.5MHz--1MHz	18.89	PASS
Band8	1.4	21625	5	#0	16QAM	-3.5MHz--2.5MHz	10.97	PASS
Band8	1.4	21625	5	#0	16QAM	0MHz-1MHz	16.26	PASS
Band8	1.4	21625	5	#0	16QAM	1MHz-2.5MHz	21.18	PASS
Band8	1.4	21625	5	#0	16QAM	2.5MHz-3.5MHz	11.20	PASS
Band8	1.4	21625	5	#Max	16QAM	-1MHz-0MHz	15.66	PASS
Band8	1.4	21625	5	#Max	16QAM	-2.5MHz--1MHz	20.78	PASS
Band8	1.4	21625	5	#Max	16QAM	-3.5MHz--2.5MHz	11.17	PASS
Band8	1.4	21625	5	#Max	16QAM	0MHz-1MHz	13.45	PASS
Band8	1.4	21625	5	#Max	16QAM	1MHz-2.5MHz	19.49	PASS
Band8	1.4	21625	5	#Max	16QAM	2.5MHz-3.5MHz	11.01	PASS
Band8	1.4	21625	6	#0	16QAM	-1MHz-0MHz	21.63	PASS
Band8	1.4	21625	6	#0	16QAM	-2.5MHz--1MHz	20.19	PASS
Band8	1.4	21625	6	#0	16QAM	-3.5MHz--2.5MHz	11.08	PASS
Band8	1.4	21625	6	#0	16QAM	0MHz-1MHz	21.35	PASS
Band8	1.4	21625	6	#0	16QAM	1MHz-2.5MHz	20.34	PASS
Band8	1.4	21625	6	#0	16QAM	2.5MHz-3.5MHz	10.82	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	4.99	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	13.21	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	9.51	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	8.53	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	16.97	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	10.98	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	5.35	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	13.78	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	9.71	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	6.10	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	15.40	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	10.83	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	11.50	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	15.28	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	9.61	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	12.82	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	17.44	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	10.88	PASS
Band8	1.4	21793	5	#0	16QAM	-1MHz-0MHz	8.24	PASS
Band8	1.4	21793	5	#0	16QAM	-2.5MHz--1MHz	15.63	PASS
Band8	1.4	21793	5	#0	16QAM	-3.5MHz--2.5MHz	10.59	PASS
Band8	1.4	21793	5	#0	16QAM	0MHz-1MHz	12.30	PASS

Band8	1.4	21793	5	#0	16QAM	1MHz-2.5MHz	19.79	PASS
Band8	1.4	21793	5	#0	16QAM	2.5MHz-3.5MHz	11.39	PASS
Band8	1.4	21793	5	#Max	16QAM	-1MHz-0MHz	9.78	PASS
Band8	1.4	21793	5	#Max	16QAM	-2.5MHz--1MHz	17.30	PASS
Band8	1.4	21793	5	#Max	16QAM	-3.5MHz--2.5MHz	10.62	PASS
Band8	1.4	21793	5	#Max	16QAM	0MHz-1MHz	9.75	PASS
Band8	1.4	21793	5	#Max	16QAM	1MHz-2.5MHz	17.60	PASS
Band8	1.4	21793	5	#Max	16QAM	2.5MHz-3.5MHz	11.16	PASS
Band8	1.4	21793	6	#0	16QAM	-1MHz-0MHz	13.24	PASS
Band8	1.4	21793	6	#0	16QAM	-2.5MHz--1MHz	15.64	PASS
Band8	1.4	21793	6	#0	16QAM	-3.5MHz--2.5MHz	10.26	PASS
Band8	1.4	21793	6	#0	16QAM	0MHz-1MHz	15.61	PASS
Band8	1.4	21793	6	#0	16QAM	1MHz-2.5MHz	18.21	PASS
Band8	1.4	21793	6	#0	16QAM	2.5MHz-3.5MHz	11.05	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	9.93	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	12.54	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	23.43	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	11.39	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	25.75	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	22.80	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	23.70	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	11.65	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	26.67	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	23.95	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	23.69	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	11.39	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	7.77	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	10.45	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	21.90	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	10.89	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	16.65	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	13.09	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	22.55	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	11.48	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	16.72	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	10.94	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	19.25	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	9.05	PASS
Band8	5	21475	8	#0	16QAM	-1MHz-0MHz	14.96	PASS
Band8	5	21475	8	#0	16QAM	-5MHz--1MHz	16.34	PASS
Band8	5	21475	8	#0	16QAM	-6MHz--5MHz	23.61	PASS
Band8	5	21475	8	#0	16QAM	-10MHz--6MHz	11.50	PASS
Band8	5	21475	8	#0	16QAM	0MHz-1MHz	27.30	PASS
Band8	5	21475	8	#0	16QAM	1MHz-5MHz	22.16	PASS

Band8	5	21475	8	#0	16QAM	5MHz-6MHz	23.77	PASS
Band8	5	21475	8	#0	16QAM	6MHz-10MHz	11.72	PASS
Band8	5	21475	8	#Max	16QAM	-1MHz-0MHz	28.80	PASS
Band8	5	21475	8	#Max	16QAM	-5MHz--1MHz	23.48	PASS
Band8	5	21475	8	#Max	16QAM	-6MHz--5MHz	23.66	PASS
Band8	5	21475	8	#Max	16QAM	-10MHz--6MHz	11.47	PASS
Band8	5	21475	8	#Max	16QAM	0MHz-1MHz	12.15	PASS
Band8	5	21475	8	#Max	16QAM	1MHz-5MHz	14.73	PASS
Band8	5	21475	8	#Max	16QAM	5MHz-6MHz	22.41	PASS
Band8	5	21475	8	#Max	16QAM	6MHz-10MHz	11.08	PASS
Band8	5	21475	25	#0	16QAM	-1MHz-0MHz	19.62	PASS
Band8	5	21475	25	#0	16QAM	-5MHz--1MHz	16.09	PASS
Band8	5	21475	25	#0	16QAM	-6MHz--5MHz	23.14	PASS
Band8	5	21475	25	#0	16QAM	-10MHz--6MHz	11.47	PASS
Band8	5	21475	25	#0	16QAM	0MHz-1MHz	20.38	PASS
Band8	5	21475	25	#0	16QAM	1MHz-5MHz	14.25	PASS
Band8	5	21475	25	#0	16QAM	5MHz-6MHz	20.78	PASS
Band8	5	21475	25	#0	16QAM	6MHz-10MHz	10.17	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	13.34	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	13.50	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	22.96	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	11.19	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	26.71	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	22.34	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	23.68	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	11.55	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	26.32	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	22.64	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	23.56	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	11.24	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	9.83	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	12.61	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	22.41	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	11.29	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	20.84	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	15.40	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	20.04	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	9.55	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	18.43	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	15.22	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	20.49	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	10.19	PASS
Band8	5	21625	8	#0	16QAM	-1MHz-0MHz	13.12	PASS
Band8	5	21625	8	#0	16QAM	-5MHz--1MHz	14.97	PASS

Band8	5	21625	8	#0	16QAM	-6MHz--5MHz	22.82	PASS
Band8	5	21625	8	#0	16QAM	-10MHz--6MHz	11.10	PASS
Band8	5	21625	8	#0	16QAM	0MHz-1MHz	27.40	PASS
Band8	5	21625	8	#0	16QAM	1MHz-5MHz	21.55	PASS
Band8	5	21625	8	#0	16QAM	5MHz-6MHz	23.61	PASS
Band8	5	21625	8	#0	16QAM	6MHz-10MHz	11.69	PASS
Band8	5	21625	8	#Max	16QAM	-1MHz-0MHz	26.34	PASS
Band8	5	21625	8	#Max	16QAM	-5MHz--1MHz	21.94	PASS
Band8	5	21625	8	#Max	16QAM	-6MHz--5MHz	23.46	PASS
Band8	5	21625	8	#Max	16QAM	-10MHz--6MHz	11.41	PASS
Band8	5	21625	8	#Max	16QAM	0MHz-1MHz	12.07	PASS
Band8	5	21625	8	#Max	16QAM	1MHz-5MHz	14.67	PASS
Band8	5	21625	8	#Max	16QAM	5MHz-6MHz	22.60	PASS
Band8	5	21625	8	#Max	16QAM	6MHz-10MHz	11.13	PASS
Band8	5	21625	25	#0	16QAM	-1MHz-0MHz	20.06	PASS
Band8	5	21625	25	#0	16QAM	-5MHz--1MHz	16.47	PASS
Band8	5	21625	25	#0	16QAM	-6MHz--5MHz	21.43	PASS
Band8	5	21625	25	#0	16QAM	-10MHz--6MHz	10.17	PASS
Band8	5	21625	25	#0	16QAM	0MHz-1MHz	21.48	PASS
Band8	5	21625	25	#0	16QAM	1MHz-5MHz	16.86	PASS
Band8	5	21625	25	#0	16QAM	5MHz-6MHz	21.32	PASS
Band8	5	21625	25	#0	16QAM	6MHz-10MHz	10.41	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	11.45	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	14.35	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	22.25	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	10.87	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	28.58	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	23.06	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	23.69	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	11.62	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	26.93	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	21.84	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	23.34	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	11.22	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	2.75	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	9.77	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	23.71	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	11.61	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	19.07	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	13.27	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	18.93	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	8.93	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	18.66	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	13.52	PASS




Band8	5	21775	25	#0	QPSK	5MHz-6MHz	23.64	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	11.66	PASS
Band8	5	21775	8	#0	16QAM	-1MHz-0MHz	16.58	PASS
Band8	5	21775	8	#0	16QAM	-5MHz--1MHz	17.38	PASS
Band8	5	21775	8	#0	16QAM	-6MHz--5MHz	22.64	PASS
Band8	5	21775	8	#0	16QAM	-10MHz--6MHz	11.03	PASS
Band8	5	21775	8	#0	16QAM	0MHz-1MHz	28.24	PASS
Band8	5	21775	8	#0	16QAM	1MHz-5MHz	22.98	PASS
Band8	5	21775	8	#0	16QAM	5MHz-6MHz	23.71	PASS
Band8	5	21775	8	#0	16QAM	6MHz-10MHz	11.68	PASS
Band8	5	21775	8	#Max	16QAM	-1MHz-0MHz	26.60	PASS
Band8	5	21775	8	#Max	16QAM	-5MHz--1MHz	21.55	PASS
Band8	5	21775	8	#Max	16QAM	-6MHz--5MHz	23.39	PASS
Band8	5	21775	8	#Max	16QAM	-10MHz--6MHz	11.24	PASS
Band8	5	21775	8	#Max	16QAM	0MHz-1MHz	7.64	PASS
Band8	5	21775	8	#Max	16QAM	1MHz-5MHz	13.22	PASS
Band8	5	21775	8	#Max	16QAM	5MHz-6MHz	23.79	PASS
Band8	5	21775	8	#Max	16QAM	6MHz-10MHz	11.61	PASS
Band8	5	21775	25	#0	16QAM	-1MHz-0MHz	21.70	PASS
Band8	5	21775	25	#0	16QAM	-5MHz--1MHz	14.54	PASS
Band8	5	21775	25	#0	16QAM	-6MHz--5MHz	19.73	PASS
Band8	5	21775	25	#0	16QAM	-10MHz--6MHz	9.22	PASS
Band8	5	21775	25	#0	16QAM	0MHz-1MHz	20.37	PASS
Band8	5	21775	25	#0	16QAM	1MHz-5MHz	15.69	PASS
Band8	5	21775	25	#0	16QAM	5MHz-6MHz	23.67	PASS
Band8	5	21775	25	#0	16QAM	6MHz-10MHz	11.68	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	8.69	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	9.89	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	23.22	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	10.28	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	28.77	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	23.35	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	20.19	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	11.55	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	29.41	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	25.50	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	22.88	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	10.37	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	12.01	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	12.62	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	21.93	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	10.15	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	21.26	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	17.57	PASS

Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	21.25	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	10.23	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	18.78	PASS
Band8	10	21500	50	#0	QPSK	1MHz-5MHz	16.75	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	16.99	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	9.09	PASS
Band8	10	21500	12	#0	16QAM	-1MHz-0MHz	10.34	PASS
Band8	10	21500	12	#0	16QAM	-5MHz--1MHz	13.55	PASS
Band8	10	21500	12	#0	16QAM	-10MHz--5MHz	23.18	PASS
Band8	10	21500	12	#0	16QAM	-15MHz--10MHz	10.32	PASS
Band8	10	21500	12	#0	16QAM	0MHz-1MHz	27.71	PASS
Band8	10	21500	12	#0	16QAM	1MHz-5MHz	22.72	PASS
Band8	10	21500	12	#0	16QAM	5MHz-10MHz	19.42	PASS
Band8	10	21500	12	#0	16QAM	10MHz-15MHz	11.54	PASS
Band8	10	21500	12	#Max	16QAM	-1MHz-0MHz	29.08	PASS
Band8	10	21500	12	#Max	16QAM	-5MHz--1MHz	25.27	PASS
Band8	10	21500	12	#Max	16QAM	-10MHz--5MHz	22.70	PASS
Band8	10	21500	12	#Max	16QAM	-15MHz--10MHz	10.40	PASS
Band8	10	21500	12	#Max	16QAM	0MHz-1MHz	14.98	PASS
Band8	10	21500	12	#Max	16QAM	1MHz-5MHz	15.86	PASS
Band8	10	21500	12	#Max	16QAM	5MHz-10MHz	23.03	PASS
Band8	10	21500	12	#Max	16QAM	10MHz-15MHz	10.47	PASS
Band8	10	21500	50	#0	16QAM	-1MHz-0MHz	22.96	PASS
Band8	10	21500	50	#0	16QAM	-5MHz--1MHz	19.55	PASS
Band8	10	21500	50	#0	16QAM	-10MHz--5MHz	21.91	PASS
Band8	10	21500	50	#0	16QAM	-15MHz--10MHz	10.36	PASS
Band8	10	21500	50	#0	16QAM	0MHz-1MHz	20.88	PASS
Band8	10	21500	50	#0	16QAM	1MHz-5MHz	18.97	PASS
Band8	10	21500	50	#0	16QAM	5MHz-10MHz	18.56	PASS
Band8	10	21500	50	#0	16QAM	10MHz-15MHz	9.68	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	13.53	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	13.20	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	22.14	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	10.18	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	28.94	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	23.14	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	20.02	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	11.57	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	28.55	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	23.26	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	20.10	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	10.25	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	8.27	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	9.44	PASS


Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	22.15	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	10.49	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	22.07	PASS
Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	17.93	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	17.05	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	9.17	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	20.48	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	18.03	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	18.21	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	9.66	PASS
Band8	10	21625	12	#0	16QAM	-1MHz-0MHz	15.06	PASS
Band8	10	21625	12	#0	16QAM	-5MHz--1MHz	16.00	PASS
Band8	10	21625	12	#0	16QAM	-10MHz--5MHz	22.72	PASS
Band8	10	21625	12	#0	16QAM	-15MHz--10MHz	10.20	PASS
Band8	10	21625	12	#0	16QAM	0MHz-1MHz	28.19	PASS
Band8	10	21625	12	#0	16QAM	1MHz-5MHz	22.11	PASS
Band8	10	21625	12	#0	16QAM	5MHz-10MHz	18.90	PASS
Band8	10	21625	12	#0	16QAM	10MHz-15MHz	11.60	PASS
Band8	10	21625	12	#Max	16QAM	-1MHz-0MHz	27.63	PASS
Band8	10	21625	12	#Max	16QAM	-5MHz--1MHz	22.80	PASS
Band8	10	21625	12	#Max	16QAM	-10MHz--5MHz	19.35	PASS
Band8	10	21625	12	#Max	16QAM	-15MHz--10MHz	10.24	PASS
Band8	10	21625	12	#Max	16QAM	0MHz-1MHz	11.80	PASS
Band8	10	21625	12	#Max	16QAM	1MHz-5MHz	13.79	PASS
Band8	10	21625	12	#Max	16QAM	5MHz-10MHz	22.80	PASS
Band8	10	21625	12	#Max	16QAM	10MHz-15MHz	10.86	PASS
Band8	10	21625	50	#0	16QAM	-1MHz-0MHz	21.59	PASS
Band8	10	21625	50	#0	16QAM	-5MHz--1MHz	18.33	PASS
Band8	10	21625	50	#0	16QAM	-10MHz--5MHz	17.36	PASS
Band8	10	21625	50	#0	16QAM	-15MHz--10MHz	9.47	PASS
Band8	10	21625	50	#0	16QAM	0MHz-1MHz	21.19	PASS
Band8	10	21625	50	#0	16QAM	1MHz-5MHz	18.76	PASS
Band8	10	21625	50	#0	16QAM	5MHz-10MHz	19.04	PASS
Band8	10	21625	50	#0	16QAM	10MHz-15MHz	10.11	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	10.73	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	12.30	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	22.12	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	9.97	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	28.89	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	25.97	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	23.62	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	11.57	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	25.87	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	23.65	PASS

Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	20.35	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	10.19	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	5.70	PASS
Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	8.44	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	23.67	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	11.56	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	20.83	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	17.59	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	16.23	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	8.70	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	21.31	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	18.29	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	23.57	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	11.52	PASS
Band8	10	21750	12	#0	16QAM	-1MHz-0MHz	13.03	PASS
Band8	10	21750	12	#0	16QAM	-5MHz--1MHz	14.55	PASS
Band8	10	21750	12	#0	16QAM	-10MHz--5MHz	22.62	PASS
Band8	10	21750	12	#0	16QAM	-15MHz--10MHz	9.98	PASS
Band8	10	21750	12	#0	16QAM	0MHz-1MHz	30.85	PASS
Band8	10	21750	12	#0	16QAM	1MHz-5MHz	25.88	PASS
Band8	10	21750	12	#0	16QAM	5MHz-10MHz	23.66	PASS
Band8	10	21750	12	#0	16QAM	10MHz-15MHz	11.53	PASS
Band8	10	21750	12	#Max	16QAM	-1MHz-0MHz	28.75	PASS
Band8	10	21750	12	#Max	16QAM	-5MHz--1MHz	22.67	PASS
Band8	10	21750	12	#Max	16QAM	-10MHz--5MHz	19.42	PASS
Band8	10	21750	12	#Max	16QAM	-15MHz--10MHz	10.08	PASS
Band8	10	21750	12	#Max	16QAM	0MHz-1MHz	9.36	PASS
Band8	10	21750	12	#Max	16QAM	1MHz-5MHz	12.16	PASS
Band8	10	21750	12	#Max	16QAM	5MHz-10MHz	23.65	PASS
Band8	10	21750	12	#Max	16QAM	10MHz-15MHz	11.53	PASS
Band8	10	21750	50	#0	16QAM	-1MHz-0MHz	20.59	PASS
Band8	10	21750	50	#0	16QAM	-5MHz--1MHz	18.03	PASS
Band8	10	21750	50	#0	16QAM	-10MHz--5MHz	17.61	PASS
Band8	10	21750	50	#0	16QAM	-15MHz--10MHz	9.28	PASS
Band8	10	21750	50	#0	16QAM	0MHz-1MHz	20.94	PASS
Band8	10	21750	50	#0	16QAM	1MHz-5MHz	18.93	PASS
Band8	10	21750	50	#0	16QAM	5MHz-10MHz	23.57	PASS
Band8	10	21750	50	#0	16QAM	10MHz-15MHz	11.45	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#Max







Band1 16QAM BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 16QAM BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#Max







Band1 16QAM BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#Max







Band1 16QAM BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#Max







Band1 16QAM BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 16QAM BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#Max







Band1 16QAM BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#Max







Band20 16QAM BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0







Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24400 RB Size=50 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0







Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#Max







Band20 16QAM BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max



Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0



Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#0



Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#Max



Band28 16QAM BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#0






Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#0



Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27235 RB Size=25 Position=#0



Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27375 RB Size=25 Position=#0







Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27375 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#Max







Band28 16QAM BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27375 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27375 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0







Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27375 RB Size=100 Position=#0



Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27440 RB Size=100 Position=#0







Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27440 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max







Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0







Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max







Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0







Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0







Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#0







Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max







Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0






Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max







Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#0



Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21475 RB Size=25 Position=#0



Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0







Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#Max







Band8 16QAM BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 16QAM BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 16QAM BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.4 LTE Transmitter Spurious Emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.34	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.50	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-61.98	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-52.55	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1937.66	-52.03	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-52.15	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.78	-72.17	-50	PASS
Band1	5	18025	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.80	-81.36	-50	PASS
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.74	-79.29	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.00	-76.64	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.50	-81.99	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.36	-79.93	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	776.09	-81.53	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.37	-82.23	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.72	-82.20	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.51	-81.24	-50	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2579.30	-68.87	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.50	-80.68	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.60	-79.81	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3639.60	-80.52	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.87	-72.05	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.20	-82.38	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	766.86	-81.52	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.94	-52.18	-15.5	PASS
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.77	-47.86	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.31	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.79	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	939.86	-70.69	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1305.63	-57.58	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	2682.70	-61.03	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12644.38	-54.02	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.12	-74.62	-50	PASS

Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1816.63	-81.26	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.76	-79.24	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.32	-76.83	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.04	-81.96	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-79.88	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.37	-81.92	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.96	-82.09	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.08	-82.10	-50	PASS
Band1	5	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.39	-81.18	-50	PASS
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.50	-79.74	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.20	-80.60	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-76.94	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.80	-80.41	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.98	-72.74	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.28	-82.29	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	762.81	-82.04	-50	PASS
Band1	5	18300	1	#0	QPSK	1895	5	1914.84	-54.02	-15.5	PASS

						MHz-1915 MHz	MHz				
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.48	-54.06	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.85	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.73	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-63.72	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-51.75	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1990.84	-53.40	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3950.63	-52.65	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2168.74	-72.13	-50	PASS
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1821.88	-81.46	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.92	-79.21	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.32	-75.58	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.55	-81.85	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-79.79	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	759.94	-81.69	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.48	-82.09	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.84	-82.03	-50	PASS

Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.91	-81.17	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.50	-79.61	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.50	-80.51	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.74	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.00	-80.39	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2167.96	-72.12	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.64	-82.27	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	760.86	-81.46	-50	PASS
Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.68	-53.99	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.14	-54.00	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.35	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-60.45	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-62.74	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1894.11	-61.02	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	1990.88	-48.08	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-52.17	-30	PASS
Band1	20	18100	1	#0	QPSK	2110	1	2121.82	-70.24	-50	PASS

						MHz-2170 MHz	MHz				
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1817.15	-79.72	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.21	-79.26	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.17	-72.85	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.37	-81.97	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-79.87	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	760.88	-81.40	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.80	-82.12	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.97	-82.09	-50	PASS
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.17	-81.22	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-79.70	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.90	-80.59	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-79.85	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.00	-80.49	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2122.78	-70.25	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.38	-82.29	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783	1	760.65	-81.60	-50	PASS

						MHz	MHz				
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1903.20	-45.23	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.94	-46.66	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.47	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.33	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-63.05	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1905.85	-47.26	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	1985.85	-57.58	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-53.11	-30	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.08	-71.14	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.15	-80.51	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.82	-79.24	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.45	-74.69	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.02	-81.90	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-79.85	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	759.49	-81.76	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.86	-82.09	-50	PASS
Band1	20	18300	1	#0	QPSK	1452	1	1489.75	-82.06	-50	PASS



						MHz-1496 MHz	MHz				
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.81	-80.70	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-79.67	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.10	-80.50	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.60	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.80	-80.40	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.87	-71.46	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.00	-82.23	-50	PASS
Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	763.47	-81.93	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1904.78	-52.70	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.65	-53.94	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.54	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.77	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-60.97	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-41.38	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2639.31	-60.04	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 MHz	1 MHz	3922.19	-49.93	-30	PASS

						GHz					
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2167.60	-72.21	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.30	-81.17	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.75	-79.17	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.31	-74.41	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.39	-81.87	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.08	-79.82	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	760.97	-81.73	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.73	-82.04	-50	PASS
Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.93	-81.97	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.00	-81.15	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.35	-79.71	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.90	-80.58	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.20	-79.75	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.40	-80.32	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2166.97	-72.35	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758	1	750.04	-82.23	-50	PASS

						MHz	MHz				
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	759.18	-81.58	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1910.08	-53.99	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1916.08	-54.01	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.74	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.51	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	818.59	-70.09	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	847.77	-62.74	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1497.00	-63.81	-30	PASS
Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	3329.70	-57.98	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12636.60	-60.37	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.28	-84.10	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.68	-84.83	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.61	-82.34	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.42	-85.18	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.84	-71.75	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3577.52	-82.91	-50	PASS

Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.16	-85.25	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.44	-85.11	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.00	-84.70	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.37	-84.27	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.45	-82.72	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.40	-83.56	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.20	-82.87	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3647.40	-83.48	-50	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.53	-84.05	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.88	-85.44	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.43	-85.14	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	778.85	-85.10	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.75	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.80	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	834.42	-63.75	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	860.20	-62.50	-36	PASS
Band20	5	24300	1	#0	QPSK	1000	1	1468.00	-63.84	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5834.40	-58.55	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12659.55	-60.34	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.40	-84.06	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-84.82	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.09	-82.31	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.17	-85.20	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.44	-73.07	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-82.92	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.99	-85.21	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.73	-85.18	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.86	-84.64	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.07	-84.28	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.65	-82.75	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.30	-83.61	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-82.78	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3625.00	-83.47	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.85	-84.16	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.60	-85.39	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.25	-85.14	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.23	-85.14	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.79	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.92	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.84	-62.82	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	878.91	-71.34	-36	PASS
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1373.50	-63.81	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2472.90	-58.45	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.15	-60.38	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.80	-84.07	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.58	-84.79	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.74	-82.33	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.42	-85.10	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821	1	817.67	-79.54	-50	PASS

						MHz	MHz				
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-82.88	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.88	-85.27	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.09	-85.19	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.26	-84.68	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.11	-84.22	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-82.81	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.00	-83.64	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-82.81	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.00	-83.44	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2160.76	-84.08	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.78	-85.34	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.67	-85.14	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.90	-85.18	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-60.10	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.42	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	585.17	-70.02	-36	PASS



Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	998.77	-71.57	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1467.00	-63.80	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2499.00	-57.65	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.68	-60.39	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.28	-84.05	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.10	-84.80	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.74	-82.32	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.02	-85.15	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.04	-74.73	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-82.88	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.41	-85.25	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.65	-85.14	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.88	-84.61	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.92	-84.24	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.05	-82.78	-50	PASS
Band20	20	24250	1	#0	QPSK	2300	1	2385.00	-83.63	-50	PASS

						MHz-2400 MHz	MHz				
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.80	-82.88	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.40	-83.45	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2163.73	-84.09	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.58	-85.36	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.16	-85.19	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	780.59	-85.19	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.80	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.81	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	784.08	-70.05	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	991.74	-71.55	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1345.00	-63.70	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5802.00	-58.56	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.68	-60.35	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.86	-84.10	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.73	-84.82	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.56	-82.34	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.44	-85.02	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.22	-72.65	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.44	-82.90	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.26	-85.25	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.28	-85.15	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.30	-84.61	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.43	-84.28	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.40	-82.73	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.20	-83.67	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.00	-82.82	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.40	-83.43	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.34	-84.15	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.86	-85.35	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.76	-85.17	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	778.10	-85.13	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.62	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30	10	0.16	-61.74	-36	PASS

						MHz	kHz				
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	560.36	-70.20	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	998.31	-71.49	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1356.50	-63.84	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5782.20	-58.61	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12645.38	-60.36	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.76	-84.05	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.03	-84.80	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.33	-82.27	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.39	-85.19	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.70	-75.02	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-82.90	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.63	-85.23	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.74	-85.15	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.36	-84.64	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.60	-84.25	-50	PASS

Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.60	-82.77	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.10	-83.63	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-82.75	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.00	-83.46	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.84	-84.11	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.86	-85.38	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.78	-85.16	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	765.83	-85.08	-50	PASS
Band28	3	27225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-60.17	-36	PASS
Band28	3	27225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.10	-36	PASS
Band28	3	27225	1	#0	QPSK	30 MHz-697.00 MHz	100 kHz	490.36	-70.46	-36	PASS
Band28	3	27225	1	#0	QPSK	712.00 MHz-1000 MHz	100 kHz	713.15	-61.23	-36	PASS
Band28	3	27225	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1295.50	-63.82	-30	PASS
Band28	3	27225	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3516.52	-50.82	-30	PASS
Band28	3	27225	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12656.63	-60.65	-30	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.32	-71.80	-50	PASS
Band28	3	27225	1	#0	QPSK	1805	1	1878.73	-72.46	-50	PASS

						MHz-1880 MHz	MHz				
Band28	3	27225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.74	-70.15	-50	PASS
Band28	3	27225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.39	-65.65	-50	PASS
Band28	3	27225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.56	-67.32	-50	PASS
Band28	3	27225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.48	-70.60	-50	PASS
Band28	3	27225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.61	-64.30	-50	PASS
Band28	3	27225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.77	-72.79	-50	PASS
Band28	3	27225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.89	-71.93	-50	PASS
Band28	3	27225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.05	-70.51	-50	PASS
Band28	3	27225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-70.65	-50	PASS
Band28	3	27225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3634.60	-70.98	-50	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.62	-71.81	-50	PASS
Band28	3	27225	1	#0	QPSK	758 MHz-773 MHz	1 MHz	759.31	-66.35	-32	PASS
Band28	3	27225	1	#0	QPSK	773 MHz-803 MHz	1 MHz	797.99	-67.52	-50	PASS
Band28	3	27225	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-44.31	-25	PASS
Band28	3	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.89	-36	PASS
Band28	3	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.84	-36	PASS
Band28	3	27375	1	#0	QPSK	30	100	710.43	-62.40	-36	PASS

						MHz-712.00 MHz	kHz				
Band28	3	27375	1	#0	QPSK	727.00 MHz-1000 MHz	100 kHz	728.37	-61.07	-36	PASS
Band28	3	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1296.40	-63.87	-30	PASS
Band28	3	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3590.78	-49.29	-30	PASS
Band28	3	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12657.75	-60.63	-30	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.86	-71.77	-50	PASS
Band28	3	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.60	-72.39	-50	PASS
Band28	3	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.13	-70.13	-50	PASS
Band28	3	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.04	-64.40	-50	PASS
Band28	3	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.92	-67.40	-50	PASS
Band28	3	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-70.62	-50	PASS
Band28	3	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.30	-64.73	-50	PASS
Band28	3	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.01	-72.82	-50	PASS
Band28	3	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.39	-72.02	-50	PASS
Band28	3	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.55	-70.58	-50	PASS
Band28	3	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3585.60	-70.70	-50	PASS



						MHz					
Band28	3	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.20	-71.01	-50	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.36	-71.76	-50	PASS
Band28	3	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.99	-66.75	-32	PASS
Band28	3	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	774.59	-65.76	-50	PASS
Band28	3	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	508.53	-53.16	-25	PASS
Band28	3	27525	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.83	-36	PASS
Band28	3	27525	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.70	-36	PASS
Band28	3	27525	1	#0	QPSK	30 MHz-727.00 MHz	100 kHz	709.85	-58.14	-36	PASS
Band28	3	27525	1	#0	QPSK	742.00 MHz-1000 MHz	100 kHz	744.32	-58.79	-36	PASS
Band28	3	27525	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1288.90	-63.84	-30	PASS
Band28	3	27525	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3665.98	-54.26	-30	PASS
Band28	3	27525	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12607.13	-60.62	-30	PASS
Band28	3	27525	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2167.66	-71.79	-50	PASS
Band28	3	27525	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.90	-72.41	-50	PASS
Band28	3	27525	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.21	-70.17	-50	PASS
Band28	3	27525	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.75	-63.93	-50	PASS
Band28	3	27525	1	#0	QPSK	791 MHz-821	1	791.12	-67.29	-50	PASS

						MHz	MHz				
Band28	3	27525	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.36	-70.72	-50	PASS
Band28	3	27525	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.78	-64.96	-50	PASS
Band28	3	27525	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.56	-72.84	-50	PASS
Band28	3	27525	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.10	-71.97	-50	PASS
Band28	3	27525	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.25	-70.54	-50	PASS
Band28	3	27525	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-70.51	-50	PASS
Band28	3	27525	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.20	-70.94	-50	PASS
Band28	3	27525	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.01	-71.84	-50	PASS
Band28	3	27525	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.17	-66.07	-32	PASS
Band28	3	27525	1	#0	QPSK	773 MHz-803 MHz	1 MHz	788.96	-66.53	-50	PASS
Band28	3	27525	1	#0	QPSK	470 MHz-694 MHz	8 MHz	511.22	-53.29	-25	PASS
Band28	5	27235	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.20	-36	PASS
Band28	5	27235	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.64	-36	PASS
Band28	5	27235	1	#0	QPSK	30 MHz-693.00 MHz	100 kHz	501.06	-70.16	-36	PASS
Band28	5	27235	1	#0	QPSK	718.00 MHz-1000 MHz	100 kHz	724.20	-62.08	-36	PASS
Band28	5	27235	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1298.50	-64.01	-30	PASS

Band28	5	27235	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3516.52	-50.13	-30	PASS
Band28	5	27235	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12629.63	-60.61	-30	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.92	-71.82	-50	PASS
Band28	5	27235	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.30	-72.34	-50	PASS
Band28	5	27235	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.61	-70.18	-50	PASS
Band28	5	27235	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.14	-65.73	-50	PASS
Band28	5	27235	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.67	-67.35	-50	PASS
Band28	5	27235	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.16	-70.69	-50	PASS
Band28	5	27235	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.14	-64.51	-50	PASS
Band28	5	27235	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.54	-72.79	-50	PASS
Band28	5	27235	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.16	-71.96	-50	PASS
Band28	5	27235	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.50	-70.55	-50	PASS
Band28	5	27235	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.80	-70.58	-50	PASS
Band28	5	27235	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3645.40	-70.93	-50	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.18	-71.78	-50	PASS
Band28	5	27235	1	#0	QPSK	758 MHz-773	1	759.44	-66.47	-32	PASS

						MHz	MHz				
Band28	5	27235	1	#0	QPSK	773 MHz-803 MHz	1 MHz	800.15	-67.66	-50	PASS
Band28	5	27235	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-48.49	-25	PASS
Band28	5	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.00	-36	PASS
Band28	5	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.77	-36	PASS
Band28	5	27375	1	#0	QPSK	30 MHz-707.00 MHz	100 kHz	706.46	-65.61	-36	PASS
Band28	5	27375	1	#0	QPSK	732.00 MHz-1000 MHz	100 kHz	734.68	-64.10	-36	PASS
Band28	5	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1299.10	-63.92	-30	PASS
Band28	5	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3587.02	-48.62	-30	PASS
Band28	5	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12643.13	-60.59	-30	PASS
Band28	5	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.00	-71.80	-50	PASS
Band28	5	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.10	-72.39	-50	PASS
Band28	5	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.49	-70.15	-50	PASS
Band28	5	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.80	-64.48	-50	PASS
Band28	5	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.66	-67.50	-50	PASS
Band28	5	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.36	-70.73	-50	PASS
Band28	5	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.30	-64.79	-50	PASS
Band28	5	27375	1	#0	QPSK	1452	1	1477.61	-72.77	-50	PASS

						MHz-1496 MHz	MHz				
Band28	5	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.10	-72.01	-50	PASS
Band28	5	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.45	-70.46	-50	PASS
Band28	5	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3404.00	-70.77	-50	PASS
Band28	5	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.00	-70.93	-50	PASS
Band28	5	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.99	-71.78	-50	PASS
Band28	5	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.96	-66.02	-32	PASS
Band28	5	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.48	-65.95	-50	PASS
Band28	5	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	504.50	-53.22	-25	PASS
Band28	5	27515	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.58	-36	PASS
Band28	5	27515	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-64.18	-36	PASS
Band28	5	27515	1	#0	QPSK	30 MHz-721.00 MHz	100 kHz	720.38	-64.87	-36	PASS
Band28	5	27515	1	#0	QPSK	746.00 MHz-1000 MHz	100 kHz	748.54	-64.76	-36	PASS
Band28	5	27515	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1296.10	-63.96	-30	PASS
Band28	5	27515	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3656.58	-52.75	-30	PASS
Band28	5	27515	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12664.50	-60.63	-30	PASS
Band28	5	27515	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.40	-71.67	-50	PASS

						MHz					
Band28	5	27515	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.88	-72.40	-50	PASS
Band28	5	27515	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.35	-70.09	-50	PASS
Band28	5	27515	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.86	-64.21	-50	PASS
Band28	5	27515	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.96	-67.71	-50	PASS
Band28	5	27515	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.24	-70.64	-50	PASS
Band28	5	27515	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.10	-65.23	-50	PASS
Band28	5	27515	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.49	-72.80	-50	PASS
Band28	5	27515	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.88	-72.01	-50	PASS
Band28	5	27515	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.05	-70.57	-50	PASS
Band28	5	27515	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.60	-70.56	-50	PASS
Band28	5	27515	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.60	-70.81	-50	PASS
Band28	5	27515	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.55	-71.76	-50	PASS
Band28	5	27515	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.29	-66.42	-32	PASS
Band28	5	27515	1	#0	QPSK	773 MHz-803 MHz	1 MHz	786.56	-67.00	-50	PASS
Band28	5	27515	1	#0	QPSK	470 MHz-694 MHz	8 MHz	510.99	-53.36	-25	PASS
Band28	20	27310	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.95	-36	PASS
Band28	20	27310	1	#0	QPSK	150 kHz-30	10	0.17	-62.17	-36	PASS

						MHz	kHz				
Band28	20	27310	1	#0	QPSK	30 MHz-678.00 MHz	100 kHz	513.21	-70.21	-36	PASS
Band28	20	27310	1	#0	QPSK	748.00 MHz-1000 MHz	100 kHz	748.25	-70.38	-36	PASS
Band28	20	27310	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1279.00	-63.94	-30	PASS
Band28	20	27310	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3520.28	-49.71	-30	PASS
Band28	20	27310	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12672.38	-60.60	-30	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	0.00	-999.00	-50	PASS
Band28	20	27310	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.78	-72.44	-50	PASS
Band28	20	27310	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.66	-70.08	-50	PASS
Band28	20	27310	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.35	-65.50	-50	PASS
Band28	20	27310	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.94	-67.24	-50	PASS
Band28	20	27310	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3511.60	-71.10	-50	PASS
Band28	20	27310	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.92	-64.45	-50	PASS
Band28	20	27310	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.61	-72.78	-50	PASS
Band28	20	27310	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.76	-71.99	-50	PASS
Band28	20	27310	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.75	-70.43	-50	PASS



Band28	20	27310	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3405.00	-70.73	-50	PASS
Band28	20	27310	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.40	-70.96	-50	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2176.51	-71.91	-50	PASS
Band28	20	27310	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.58	-67.12	-32	PASS
Band28	20	27310	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.96	-67.18	-50	PASS
Band28	20	27310	1	#0	QPSK	470 MHz-694 MHz	8 MHz	693.78	-52.82	-25	PASS
Band28	20	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.60	-36	PASS
Band28	20	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.83	-36	PASS
Band28	20	27375	1	#0	QPSK	30 MHz-684.50 MHz	100 kHz	499.15	-70.15	-36	PASS
Band28	20	27375	1	#0	QPSK	754.50 MHz-1000 MHz	100 kHz	904.01	-71.78	-36	PASS
Band28	20	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1278.40	-63.90	-30	PASS
Band28	20	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3553.18	-52.39	-30	PASS
Band28	20	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12606.00	-60.51	-30	PASS
Band28	20	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2117.50	-71.82	-50	PASS
Band28	20	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.23	-72.44	-50	PASS
Band28	20	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2668.16	-70.16	-50	PASS
Band28	20	27375	1	#0	QPSK	925 MHz-960	1	925.21	-64.78	-50	PASS

						MHz	MHz				
Band28	20	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.56	-67.31	-50	PASS
Band28	20	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3535.20	-71.04	-50	PASS
Band28	20	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.33	-64.35	-50	PASS
Band28	20	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.20	-72.76	-50	PASS
Band28	20	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.24	-71.99	-50	PASS
Band28	20	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-70.42	-50	PASS
Band28	20	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3416.00	-70.77	-50	PASS
Band28	20	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3658.40	-71.09	-50	PASS
Band28	20	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.95	-71.85	-50	PASS
Band28	20	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.82	-66.20	-32	PASS
Band28	20	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.45	-66.21	-50	PASS
Band28	20	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	499.79	-53.16	-25	PASS
Band28	20	27440	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.37	-36	PASS
Band28	20	27440	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.29	-36	PASS
Band28	20	27440	1	#0	QPSK	30 MHz-691.00 MHz	100 kHz	512.13	-69.92	-36	PASS
Band28	20	27440	1	#0	QPSK	761.00 MHz-1000 MHz	100 kHz	901.77	-71.30	-36	PASS
Band28	20	27440	1	#0	QPSK	1000	1	1279.00	-63.68	-30	PASS

						MHz-1300 MHz	MHz				
Band28	20	27440	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	3585.14	-47.59	-30	PASS
Band28	20	27440	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12644.25	-60.60	-30	PASS
Band28	20	27440	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.20	-71.75	-50	PASS
Band28	20	27440	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.15	-72.41	-50	PASS
Band28	20	27440	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.04	-70.15	-50	PASS
Band28	20	27440	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.42	-63.96	-50	PASS
Band28	20	27440	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.22	-67.01	-50	PASS
Band28	20	27440	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3578.16	-70.76	-50	PASS
Band28	20	27440	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.42	-64.22	-50	PASS
Band28	20	27440	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.34	-72.76	-50	PASS
Band28	20	27440	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.62	-71.98	-50	PASS
Band28	20	27440	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.00	-70.55	-50	PASS
Band28	20	27440	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3403.80	-70.67	-50	PASS
Band28	20	27440	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3681.80	-71.20	-50	PASS
Band28	20	27440	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.65	-71.73	-50	PASS

						MHz					
Band28	20	27440	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.99	-65.63	-32	PASS
Band28	20	27440	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.69	-65.60	-50	PASS
Band28	20	27440	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-51.42	-25	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.91	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.77	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	493.37	-71.36	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-47.57	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	2662.48	-51.46	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12649.25	-54.21	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.64	-81.50	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.40	-82.11	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.04	-79.74	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.28	-78.13	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.02	-82.41	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-80.27	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.45	-82.48	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.92	-82.61	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452	1	1468.76	-82.55	-50	PASS

						MHz-1496 MHz	MHz				
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.74	-82.07	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.14	-81.67	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.15	-80.17	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2369.60	-81.06	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-80.23	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.40	-80.93	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.64	-81.42	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.36	-82.77	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.41	-82.38	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.89	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.25	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	937.63	-70.65	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1710.52	-50.32	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	2649.24	-51.31	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12648.44	-54.17	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.86	-81.45	-50	PASS

						MHz					
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.78	-82.05	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.08	-79.71	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.28	-75.58	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.16	-82.39	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.96	-80.23	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.82	-82.41	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.38	-82.56	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.74	-82.53	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.66	-81.96	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.85	-81.62	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2607.85	-79.18	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.90	-81.08	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3420.40	-59.89	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.20	-80.81	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.65	-81.48	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758	1	754.10	-82.75	-50	PASS

						MHz	MHz				
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.42	-82.34	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.31	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.29	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	838.98	-70.85	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-43.63	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-47.96	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12629.75	-54.12	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.18	-81.40	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.25	-74.12	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.42	-79.61	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.79	-74.75	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.04	-82.31	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.56	-80.20	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	777.13	-82.14	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.68	-82.49	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.81	-82.40	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.78	-81.92	-50	PASS



						MHz					
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.67	-81.52	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.80	-80.00	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.80	-80.97	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-80.10	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.60	-80.78	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.52	-81.40	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.52	-82.67	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.34	-82.10	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.93	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.47	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-70.56	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-51.13	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	1726.06	-50.98	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12635.44	-54.18	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.76	-81.45	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1809.13	-81.88	-50	PASS

Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.33	-79.73	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.77	-75.00	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.57	-82.46	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-80.24	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.06	-82.44	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.17	-82.65	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.95	-82.52	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.24	-82.07	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.28	-81.60	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.35	-80.18	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.70	-81.07	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.60	-80.22	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.00	-80.90	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.09	-81.49	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.08	-82.74	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.07	-82.56	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150	1	0.01	-57.46	-36	PASS

						kHz	kHz				
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.02	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	859.64	-70.73	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-50.35	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	1762.07	-51.26	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12637.06	-54.18	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2154.94	-81.45	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.80	-71.04	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.58	-79.69	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.41	-76.36	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	813.08	-82.41	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.08	-80.23	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	782.89	-82.37	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.30	-82.60	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1458.07	-82.53	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.50	-82.05	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.34	-81.62	-50	PASS

Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.40	-80.05	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2368.50	-80.98	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-80.16	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.20	-80.81	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.85	-81.47	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.68	-82.74	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.47	-82.48	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.54	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.29	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	845.87	-70.82	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-50.54	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2644.53	-51.28	-30	PASS
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12573.69	-54.17	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.08	-81.39	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.25	-73.13	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.67	-79.64	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960	1	948.77	-76.12	-50	PASS

						MHz	MHz				
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.89	-82.30	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.44	-80.16	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.15	-82.32	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.61	-82.51	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.63	-82.43	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.58	-81.96	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.45	-81.53	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.90	-79.98	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.40	-80.90	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-80.12	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.20	-80.77	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.93	-81.34	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.52	-82.69	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.28	-82.43	-50	PASS
Band3	10	19250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.32	-36	PASS
Band3	10	19250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.36	-36	PASS
Band3	10	19250	1	#0	QPSK	30 MHz-1000	100	891.94	-70.52	-36	PASS

						MHz	kHz				
Band3	10	19250	1	#0	QPSK	1000 MHz-1695.00 MHz	1 MHz	1692.92	-48.70	-30	PASS
Band3	10	19250	1	#0	QPSK	1735.00 MHz-3000 MHz	1 MHz	2653.18	-51.31	-30	PASS
Band3	10	19250	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12603.75	-54.25	-30	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2146.36	-81.43	-50	PASS
Band3	10	19250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1813.18	-80.82	-50	PASS
Band3	10	19250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.92	-79.74	-50	PASS
Band3	10	19250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.77	-75.40	-50	PASS
Band3	10	19250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.14	-82.44	-50	PASS
Band3	10	19250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.40	-80.28	-50	PASS
Band3	10	19250	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.33	-82.37	-50	PASS
Band3	10	19250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.31	-82.65	-50	PASS
Band3	10	19250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.70	-82.54	-50	PASS
Band3	10	19250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.96	-82.04	-50	PASS
Band3	10	19250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.41	-81.65	-50	PASS
Band3	10	19250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.10	-80.04	-50	PASS
Band3	10	19250	1	#0	QPSK	2300	1	2390.80	-81.01	-50	PASS

						MHz-2400 MHz	MHz				
Band3	10	19250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-80.18	-50	PASS
Band3	10	19250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.00	-80.84	-50	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2151.04	-81.47	-50	PASS
Band3	10	19250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.28	-82.73	-50	PASS
Band3	10	19250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.92	-82.48	-50	PASS
Band3	10	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.86	-36	PASS
Band3	10	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.17	-36	PASS
Band3	10	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	923.86	-70.27	-36	PASS
Band3	10	19575	1	#0	QPSK	1000 MHz-1727.50 MHz	1 MHz	1725.32	-40.54	-30	PASS
Band3	10	19575	1	#0	QPSK	1767.50 MHz-3000 MHz	1 MHz	2656.95	-51.28	-30	PASS
Band3	10	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3485.88	-53.10	-30	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.36	-81.37	-50	PASS
Band3	10	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1843.63	-71.01	-50	PASS
Band3	10	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.02	-79.68	-50	PASS
Band3	10	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.59	-76.94	-50	PASS
Band3	10	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.70	-82.32	-50	PASS
Band3	10	19575	1	#0	QPSK	3510	1	3588.96	-80.23	-50	PASS



						MHz-3590 MHz	MHz				
Band3	10	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	768.40	-82.29	-50	PASS
Band3	10	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.68	-82.54	-50	PASS
Band3	10	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.17	-82.46	-50	PASS
Band3	10	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.24	-81.94	-50	PASS
Band3	10	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.16	-81.56	-50	PASS
Band3	10	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2575.45	-72.94	-50	PASS
Band3	10	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2376.60	-81.04	-50	PASS
Band3	10	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-80.10	-50	PASS
Band3	10	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.60	-80.83	-50	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.09	-81.28	-50	PASS
Band3	10	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.06	-82.63	-50	PASS
Band3	10	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.94	-82.25	-50	PASS
Band3	10	19900	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.29	-36	PASS
Band3	10	19900	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.25	-36	PASS
Band3	10	19900	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	882.73	-70.87	-36	PASS
Band3	10	19900	1	#0	QPSK	1000 MHz-1760.00 MHz	1 MHz	1757.72	-43.85	-30	PASS

Band3	10	19900	1	#0	QPSK	1800.00 MHz-3000 MHz	1 MHz	2650.00	-51.20	-30	PASS
Band3	10	19900	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12657.38	-54.06	-30	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.14	-81.38	-50	PASS
Band3	10	19900	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.38	-73.03	-50	PASS
Band3	10	19900	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.86	-79.57	-50	PASS
Band3	10	19900	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.39	-75.75	-50	PASS
Band3	10	19900	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.34	-82.28	-50	PASS
Band3	10	19900	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-80.13	-50	PASS
Band3	10	19900	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.54	-82.28	-50	PASS
Band3	10	19900	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.03	-82.48	-50	PASS
Band3	10	19900	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.99	-82.44	-50	PASS
Band3	10	19900	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.84	-81.95	-50	PASS
Band3	10	19900	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.81	-81.52	-50	PASS
Band3	10	19900	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2580.05	-67.10	-50	PASS
Band3	10	19900	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.60	-80.93	-50	PASS
Band3	10	19900	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-80.13	-50	PASS

						MHz					
Band3	10	19900	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.00	-80.78	-50	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.54	-81.30	-50	PASS
Band3	10	19900	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.80	-82.64	-50	PASS
Band3	10	19900	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.38	-82.29	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.75	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.71	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	979.44	-70.24	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1630.20	-53.30	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1772.64	-39.84	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12607.00	-54.06	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.84	-81.45	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1813.63	-80.85	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.09	-79.65	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.56	-77.04	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.75	-82.40	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-80.22	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	782.89	-82.43	-50	PASS

Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.22	-82.61	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.56	-82.51	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.72	-81.99	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.87	-81.59	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.20	-80.09	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2378.90	-81.04	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-80.21	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.40	-80.80	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.31	-81.45	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.28	-82.69	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.17	-82.44	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.35	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.08	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	46.59	-69.14	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-41.17	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2655.04	-51.25	-30	PASS
Band3	20	19575	1	#0	QPSK	3000	1	3476.94	-53.33	-30	PASS

						MHz-12.75 GHz	MHz				
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.08	-81.42	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1841.53	-71.06	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.57	-79.67	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.84	-76.94	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.74	-82.40	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-80.24	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.11	-82.35	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.44	-82.46	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.84	-82.53	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.18	-82.00	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.91	-81.50	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.45	-80.02	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.00	-80.97	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3588.60	-80.17	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.20	-80.77	-50	PASS

Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.97	-81.42	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.20	-82.71	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.56	-82.46	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.99	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.11	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	861.10	-70.71	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-41.13	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2663.83	-51.23	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12643.56	-54.06	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.26	-81.32	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-73.22	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.88	-79.56	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.67	-75.93	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.20	-82.32	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.80	-80.21	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.17	-82.33	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.86	-82.47	-50	PASS
Band3	20	19850	1	#0	QPSK	1452	1	1476.46	-82.42	-50	PASS

						MHz-1496 MHz	MHz				
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.78	-81.97	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.40	-81.55	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.35	-80.09	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.60	-80.93	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-80.14	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.80	-80.82	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.30	-81.38	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.76	-82.69	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	769.80	-82.47	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.17	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.43	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	784.95	-69.76	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-50.44	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2517.43	-51.83	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5000.38	-39.85	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.90	-79.50	-50	PASS



						MHz					
Band7	5	20775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.33	-80.21	-50	PASS
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.42	-77.80	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.04	-80.64	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.82	-80.53	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.28	-78.35	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.53	-80.53	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.58	-80.70	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1453.76	-80.61	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.30	-80.10	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.36	-79.69	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2369.00	-79.14	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-78.26	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3631.60	-78.91	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.61	-79.51	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.02	-80.85	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.01	-80.60	-50	PASS

Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.34	-51.20	1.6	PASS
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2588.18	-51.14	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2616.13	-78.17	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.19	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.60	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	945.29	-69.51	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-51.13	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2547.88	-52.33	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5065.38	-36.43	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.40	-79.50	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.20	-80.26	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.67	-76.75	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.42	-80.62	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.50	-80.53	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.92	-78.35	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.48	-80.50	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.04	-80.72	-50	PASS

						MHz					
Band7	5	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.48	-80.59	-50	PASS
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.30	-80.10	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.26	-79.54	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.90	-79.11	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.00	-78.25	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.00	-78.91	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.30	-79.55	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	746.58	-80.83	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.36	-80.64	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.99	-51.21	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.90	-51.13	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.75	-78.21	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.27	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-53.30	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	933.26	-69.70	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-50.83	-30	PASS

Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2580.35	-53.49	-30	PASS
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5130.38	-32.43	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.40	-79.50	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.35	-80.20	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2687.83	-73.44	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.60	-80.57	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.78	-80.46	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-78.35	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.14	-80.52	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.85	-80.67	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.39	-80.55	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.74	-80.14	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.03	-79.65	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2325.30	-74.98	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-78.21	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.00	-78.94	-50	PASS

						MHz					
Band7	5	21425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.98	-79.55	-50	PASS
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.70	-80.84	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.41	-80.51	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-49.60	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.34	-51.14	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.43	-78.11	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.05	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.20	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	934.62	-69.61	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2473.53	-58.79	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2570.78	-48.33	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5002.00	-35.76	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.28	-79.56	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.95	-80.22	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.20	-77.66	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.33	-80.63	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821	1	793.97	-80.49	-50	PASS

						MHz	MHz				
Band7	20	20850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.32	-78.34	-50	PASS
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.81	-80.46	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.84	-80.59	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.05	-80.63	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.04	-80.12	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.53	-79.74	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2362.00	-77.28	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3590.00	-78.25	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3624.00	-78.98	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.18	-79.54	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-80.83	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.42	-80.67	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.33	-51.22	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.68	-51.17	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.48	-78.19	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150	1	0.01	-55.13	-36	PASS

						kHz	kHz				
Band7	20	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.75	-36	PASS
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	809.98	-69.52	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-39.25	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2571.08	-57.06	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5052.38	-35.06	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2155.06	-79.58	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.35	-80.21	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.09	-76.70	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	943.97	-80.64	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.23	-80.45	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.40	-78.38	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.32	-80.42	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.29	-80.66	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.04	-80.67	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.14	-80.17	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.47	-79.70	-50	PASS



Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.70	-78.39	-50	PASS
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-78.31	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.80	-78.98	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.16	-79.62	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.52	-80.78	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	763.95	-80.69	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.85	-51.26	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.30	-51.20	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2615.95	-78.23	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.98	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.62	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	896.60	-69.56	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-41.52	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2756.33	-58.38	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5101.94	-35.48	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2163.46	-79.51	-50	PASS
Band7	20	21350	1	#0	QPSK	1805	1	1873.10	-80.29	-50	PASS


						MHz-1880 MHz	MHz				
Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2687.20	-73.74	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.03	-80.60	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.20	-80.55	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.56	-78.34	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.49	-80.59	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.35	-80.73	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.92	-80.68	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.92	-80.17	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.64	-79.75	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2311.10	-77.88	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-78.38	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3642.40	-78.99	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2149.24	-79.61	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.48	-80.92	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.34	-80.63	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.39	-51.19	1.6	PASS

						MHz					
Band7	20	21350	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.18	-51.19	-15.5	PASS
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.40	-78.22	-40	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.43	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.86	-36	PASS
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.55	-50.86	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	917.58	-69.33	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1482.50	-63.46	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5801.10	-58.60	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12677.78	-60.39	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2144.62	-83.71	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.08	-84.36	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.55	-81.94	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	941.77	-71.49	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.39	-84.67	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3561.52	-82.86	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	770.15	-83.96	-50	PASS


Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.71	-84.89	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.41	-84.77	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.34	-84.28	-50	PASS
Band8	10	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.95	-83.87	-50	PASS
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.65	-82.43	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.40	-83.29	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3406.00	-82.63	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.60	-83.11	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.53	-83.75	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.46	-85.03	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.07	-83.98	-50	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0


### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

### Conducted spurious emissions



Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0


### Conducted spurious emissions



Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0




### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

### Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27225 RB Size=1 Position=#0


### Conducted spurious emissions




### Conducted spurious emissions




### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27515 RB Size=1 Position=#0

### Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27375 RB Size=1 Position=#0

### Conducted spurious emissions




### Conducted spurious emissions






### Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19250 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19900 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

### Conducted spurious emissions



Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0


### Conducted spurious emissions



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions



### Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-42.26	-39	PASS
Band1	5	18300	25	#0	QPSK	-42.07	-39	PASS
Band1	5	18575	25	#0	QPSK	-42.04	-39	PASS
Band1	20	18100	100	#0	QPSK	-41.62	-39	PASS
Band1	20	18300	100	#0	QPSK	-41.83	-39	PASS
Band1	20	18500	100	#0	QPSK	-41.71	-39	PASS
Band20	5	24175	25	#0	QPSK	-42.12	-39	PASS
Band20	5	24300	25	#0	QPSK	-42.17	-39	PASS
Band20	5	24425	25	#0	QPSK	-42.24	-39	PASS
Band20	20	24250	100	#0	QPSK	-42.02	-39	PASS
Band20	20	24300	100	#0	QPSK	-41.67	-39	PASS
Band20	20	24350	100	#0	QPSK	-41.70	-39	PASS
Band28	3	27225	15	#0	QPSK	-41.60	-39	PASS
Band28	3	27375	15	#0	QPSK	-41.70	-39	PASS
Band28	3	27525	15	#0	QPSK	-41.39	-39	PASS
Band28	5	27235	25	#0	QPSK	-41.80	-39	PASS
Band28	5	27375	25	#0	QPSK	-41.83	-39	PASS
Band28	5	27515	25	#0	QPSK	-41.35	-39	PASS
Band28	20	27310	100	#0	QPSK	-41.12	-39	PASS
Band28	20	27375	100	#0	QPSK	-41.44	-39	PASS
Band28	20	27440	100	#0	QPSK	-41.24	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-41.42	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-41.31	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-42.48	-39	PASS
Band3	5	19225	25	#0	QPSK	-41.27	-39	PASS
Band3	5	19575	25	#0	QPSK	-41.15	-39	PASS
Band3	5	19925	25	#0	QPSK	-41.83	-39	PASS
Band3	20	19300	100	#0	QPSK	-40.77	-39	PASS
Band3	20	19575	100	#0	QPSK	-40.92	-39	PASS
Band3	20	19850	100	#0	QPSK	-41.44	-39	PASS
Band7	5	20775	25	#0	QPSK	-41.05	-39	PASS
Band7	5	21100	25	#0	QPSK	-40.96	-39	PASS
Band7	5	21425	25	#0	QPSK	-41.34	-39	PASS
Band7	20	20850	100	#0	QPSK	-40.68	-39	PASS
Band7	20	21100	100	#0	QPSK	-40.62	-39	PASS
Band7	20	21350	100	#0	QPSK	-40.97	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-42.69	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-42.24	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-42.80	-39	PASS
Band8	5	21475	25	#0	QPSK	-42.42	-39	PASS
Band8	5	21625	25	#0	QPSK	-42.39	-39	PASS
Band8	5	21775	25	#0	QPSK	-42.69	-39	PASS
Band8	10	21500	50	#0	QPSK	-42.27	-39	PASS

Band8	10	21625	50	#0	QPSK	-42.31	-39	PASS
Band8	10	21750	50	#0	QPSK	-42.37	-39	PASS

#### Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	771.4925	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	777.5075	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	771.4925	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	777.5075	-25	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	769.4975	-52.3	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	779.5025	-52.3	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	769.4975	-25	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	779.5025	-25	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	761.9975	-50.8	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	787.0025	-50.8	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	761.9975	-25	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	787.0025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS

Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	99.88	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	99.89	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS

Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	99.89	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	768.4925	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	780.5075	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	765.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	762.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	759.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	756.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	753.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	747.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	744.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	783.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	786.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	789.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	792.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	795.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	798.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	801.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	804.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	764.4875	-56	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	784.5125	-56	100.00	95	PASS

Band28	5	27375	25	QPSK	Case2	759.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	754.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	749.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	744.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	789.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	794.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	799.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	804.5075	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	756.9875	-56	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	792.0125	-56	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	751.9925	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	746.9925	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	797.0075	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	802.0075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS



Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	99.88	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	99.88	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS



Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	99.89	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS

Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	99.89	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	99.88	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	99.88	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	99.89	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	99.89	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS

Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	772.7975	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	776.2025	-55	100.00	95	PASS
Band28	5	27375	25	QPSK	771.7925	-55	100.00	95	PASS
Band28	5	27375	25	QPSK	777.2075	-55	100.00	95	PASS
Band28	20	27375	100	QPSK	764.2925	-55	100.00	95	PASS
Band28	20	27375	100	QPSK	784.7075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

#### Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	--------------------	---------------	---------------	------------	----------------------------	-----------------------------	-------------------	--------------	---------

#### Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference e1 Freq (MHz)	Interference e1 Level (dBm)	Interference e2 Freq (MHz)	Interference e2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS

Band2 0	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band2 8	3	27375	15	QPSK	768.5	-46	762.5	-46	100.00	95	PASS
Band2 8	3	27375	15	QPSK	780.5	-46	786.5	-46	100.00	95	PASS
Band2 8	5	27375	25	QPSK	764.5	-46	754.5	-46	100.00	95	PASS
Band2 8	5	27375	25	QPSK	784.5	-46	794.5	-46	100.00	95	PASS
Band2 8	20	27375	100	QPSK	757	-46	739.5	-46	100.00	95	PASS
Band2 8	20	27375	100	QPSK	792	-46	809.5	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS

#### Clause 4.2.10 LTE Receiver spurious emissions


Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	201.69	-92.17	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	12665.79	-79.62	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	212.85	-92.22	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	12651.10	-79.66	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	898.34	-91.31	-57	PASS

Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	12643.27	-79.71	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	800.37	-84.62	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	1958.60	-51.34	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	800.47	-85.23	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2607.79	-68.04	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	816.86	-84.68	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2411.96	-77.86	-47	PASS
Band28	20	27310	QPSK	30 MHz-1000 MHz	100 kHz	776.32	-75.01	-57	PASS
Band28	20	27310	QPSK	1000 MHz-12.75 GHz	1 MHz	2472.67	-81.70	-47	PASS
Band28	20	27375	QPSK	30 MHz-1000 MHz	100 kHz	776.03	-74.84	-57	PASS
Band28	20	27375	QPSK	1000 MHz-12.75 GHz	1 MHz	12644.25	-81.74	-47	PASS
Band28	20	27440	QPSK	30 MHz-1000 MHz	100 kHz	775.93	-74.84	-57	PASS
Band28	20	27440	QPSK	1000 MHz-12.75 GHz	1 MHz	1895.94	-76.98	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	892.33	-86.26	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	12663.83	-80.31	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	221.19	-92.90	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	2477.56	-78.75	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	222.16	-92.51	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	12656.00	-80.19	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	217.79	-91.57	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2471.69	-69.06	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	212.85	-91.44	-57	PASS

Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	12645.23	-78.89	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	206.25	-91.45	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2474.63	-68.41	-47	PASS


Band1 QPSK BW=20MHz Channel=18100

### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

### Conducted spurious emissions



Band1 QPSK BW=20MHz Channel=18300


### Conducted spurious emissions



Band20 QPSK BW=20MHz Channel=24250




### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

### Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310

### Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27375

### Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27440

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

### Conducted spurious emissions



Band7 QPSK BW=20MHz Channel=21350

### Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	54.86	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	41.07	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	38.75	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	52.42	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	53.28	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	55.13	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	54.81	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	52.40	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	51.63	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	41.65	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	43.40	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	54.77	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	50.93	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	43.07	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	42.34	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	42.16	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	42.90	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	50.68	35.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR2-	54.08	35.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR1-	42.76	32.2	PASS
Band1	5	18025	8	#0	16QAM	E-ACLR-	40.43	29.2	PASS
Band1	5	18025	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	16QAM	E-ACLR+	52.20	29.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR+	52.99	32.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR2+	54.33	35.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR2-	54.13	35.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR1-	52.19	32.2	PASS
Band1	5	18025	8	#Max	16QAM	E-ACLR-	51.53	29.2	PASS
Band1	5	18025	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	16QAM	E-ACLR+	42.74	29.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR+	44.47	32.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR2+	54.18	35.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR2-	50.93	35.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR1-	43.79	32.2	PASS
Band1	5	18025	25	#0	16QAM	E-ACLR-	43.06	29.2	PASS
Band1	5	18025	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	16QAM	E-ACLR+	42.39	29.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR+	43.16	32.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR2+	50.64	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	54.30	35.2	PASS

Band1	5	18300	8	#0	QPSK	U-ACLR1-	38.98	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	35.78	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	51.98	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	52.94	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	54.58	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	54.38	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	52.50	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	51.57	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	35.48	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	38.80	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	54.50	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	50.52	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	38.88	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	38.07	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	38.25	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	39.07	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	50.84	35.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR2-	53.64	35.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR1-	39.94	32.2	PASS
Band1	5	18300	8	#0	16QAM	E-ACLR-	36.83	29.2	PASS
Band1	5	18300	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	16QAM	E-ACLR+	51.50	29.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR+	52.42	32.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR2+	53.89	35.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR2-	53.61	35.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR1-	51.84	32.2	PASS
Band1	5	18300	8	#Max	16QAM	E-ACLR-	50.90	29.2	PASS
Band1	5	18300	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	16QAM	E-ACLR+	36.62	29.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR+	39.88	32.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR2+	53.69	35.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR2-	50.27	35.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR1-	39.86	32.2	PASS
Band1	5	18300	25	#0	16QAM	E-ACLR-	39.08	29.2	PASS
Band1	5	18300	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	16QAM	E-ACLR+	38.80	29.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR+	39.66	32.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR2+	50.49	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	54.56	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	41.50	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	38.93	29.2	PASS



Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	52.26	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	53.25	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	54.87	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	54.80	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	52.31	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	51.31	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	35.08	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	38.46	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.77	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	50.37	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	41.34	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	40.55	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	39.91	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	40.67	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	50.63	35.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR2-	53.86	35.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR1-	43.62	32.2	PASS
Band1	5	18575	8	#0	16QAM	E-ACLR-	41.31	29.2	PASS
Band1	5	18575	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	16QAM	E-ACLR+	52.23	29.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR+	53.09	32.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR2+	54.21	35.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR2-	53.93	35.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR1-	52.53	32.2	PASS
Band1	5	18575	8	#Max	16QAM	E-ACLR-	51.72	29.2	PASS
Band1	5	18575	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	16QAM	E-ACLR+	38.14	29.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR+	41.25	32.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR2+	53.98	35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR2-	50.05	35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR1-	42.42	32.2	PASS
Band1	5	18575	25	#0	16QAM	E-ACLR-	41.63	29.2	PASS
Band1	5	18575	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	16QAM	E-ACLR+	40.90	29.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR+	41.67	32.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR2+	50.36	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	54.01	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	40.56	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	39.93	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	50.83	29.2	PASS

Band1	10	18050	12	#0	QPSK	U-ACLR+	54.31	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	54.79	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	53.80	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	53.91	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	50.04	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	43.37	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	44.23	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	54.12	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	48.39	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	46.34	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	43.54	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	42.12	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	44.80	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	47.26	35.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR2-	53.41	35.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR1-	42.02	32.2	PASS
Band1	10	18050	12	#0	16QAM	E-ACLR-	41.25	29.2	PASS
Band1	10	18050	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	16QAM	E-ACLR+	50.08	29.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR+	53.72	32.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR2+	53.92	35.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR2-	53.09	35.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR1-	53.25	32.2	PASS
Band1	10	18050	12	#Max	16QAM	E-ACLR-	49.35	29.2	PASS
Band1	10	18050	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	16QAM	E-ACLR+	43.38	29.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR+	44.33	32.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR2+	53.48	35.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR2-	48.19	35.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR1-	45.95	32.2	PASS
Band1	10	18050	50	#0	16QAM	E-ACLR-	43.22	29.2	PASS
Band1	10	18050	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	16QAM	E-ACLR+	41.57	29.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR+	44.02	32.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR2+	47.19	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	53.25	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	38.48	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	37.85	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	50.59	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	54.13	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	54.50	35.2	PASS

Band1	10	18300	12	#Max	QPSK	U-ACLR2-	53.80	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	53.66	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	50.01	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	37.10	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	37.75	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	53.37	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	45.04	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	38.87	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	37.25	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	37.72	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	39.50	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	44.93	35.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR2-	52.71	35.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR1-	40.49	32.2	PASS
Band1	10	18300	12	#0	16QAM	E-ACLR-	39.66	29.2	PASS
Band1	10	18300	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	16QAM	E-ACLR+	49.83	29.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR+	53.41	32.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR2+	53.71	35.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR2-	53.19	35.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR1-	53.25	32.2	PASS
Band1	10	18300	12	#Max	16QAM	E-ACLR-	49.49	29.2	PASS
Band1	10	18300	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	16QAM	E-ACLR+	38.74	29.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR+	39.70	32.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR2+	53.10	35.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR2-	46.21	35.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR1-	40.07	32.2	PASS
Band1	10	18300	50	#0	16QAM	E-ACLR-	38.41	29.2	PASS
Band1	10	18300	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	16QAM	E-ACLR+	38.82	29.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR+	40.52	32.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR2+	46.18	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	53.91	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	44.27	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	43.37	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	50.86	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	54.40	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	54.76	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	54.24	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	54.16	32.2	PASS

Band1	10	18550	12	#Max	QPSK	E-ACLR-	50.45	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	38.21	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	38.82	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	54.08	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	48.62	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	46.46	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	43.70	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	42.23	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	44.43	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	48.58	35.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR2-	53.23	35.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR1-	44.49	32.2	PASS
Band1	10	18550	12	#0	16QAM	E-ACLR-	43.53	29.2	PASS
Band1	10	18550	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	16QAM	E-ACLR+	50.28	29.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR+	53.86	32.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR2+	54.14	35.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR2-	53.58	35.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR1-	53.55	32.2	PASS
Band1	10	18550	12	#Max	16QAM	E-ACLR-	49.84	29.2	PASS
Band1	10	18550	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	16QAM	E-ACLR+	39.91	29.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR+	40.64	32.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR2+	53.52	35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2-	47.89	35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR1-	44.69	32.2	PASS
Band1	10	18550	50	#0	16QAM	E-ACLR-	42.32	29.2	PASS
Band1	10	18550	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	16QAM	E-ACLR+	41.22	29.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR+	43.15	32.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2+	47.96	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	52.51	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	41.88	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	42.06	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	47.76	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	54.48	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	54.48	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	53.67	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	54.26	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	47.70	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS

Band1	20	18100	18	#Max	QPSK	E-ACLR+	42.92	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	43.36	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	52.44	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	49.37	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	48.66	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	43.22	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	39.55	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	44.42	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	45.06	35.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR2-	51.97	35.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR1-	42.28	32.2	PASS
Band1	20	18100	18	#0	16QAM	E-ACLR-	42.32	29.2	PASS
Band1	20	18100	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	16QAM	E-ACLR+	47.03	29.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR+	53.81	32.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR2+	53.70	35.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR2-	52.98	35.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR1-	53.57	32.2	PASS
Band1	20	18100	18	#Max	16QAM	E-ACLR-	46.98	29.2	PASS
Band1	20	18100	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	16QAM	E-ACLR+	42.67	29.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR+	43.12	32.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR2+	52.07	35.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR2-	48.62	35.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR1-	47.88	32.2	PASS
Band1	20	18100	100	#0	16QAM	E-ACLR-	42.73	29.2	PASS
Band1	20	18100	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	16QAM	E-ACLR+	39.39	29.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR+	43.99	32.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR2+	44.86	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	52.16	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	41.31	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	41.78	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	48.03	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	54.39	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	54.37	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	53.50	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	53.84	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	47.41	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	40.12	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	38.75	32.2	PASS

Band1	20	18300	18	#Max	QPSK	U-ACLR2+	52.27	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	43.25	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	41.26	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	37.46	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	38.37	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	42.57	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	44.50	35.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR2-	51.52	35.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR1-	42.68	32.2	PASS
Band1	20	18300	18	#0	16QAM	E-ACLR-	42.44	29.2	PASS
Band1	20	18300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	16QAM	E-ACLR+	47.19	29.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR+	53.53	32.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR2+	53.52	35.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR2-	52.69	35.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR1-	53.16	32.2	PASS
Band1	20	18300	18	#Max	16QAM	E-ACLR-	46.63	29.2	PASS
Band1	20	18300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	16QAM	E-ACLR+	41.30	29.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR+	40.53	32.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR2+	52.02	35.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR2-	44.70	35.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR1-	42.80	32.2	PASS
Band1	20	18300	100	#0	16QAM	E-ACLR-	38.92	29.2	PASS
Band1	20	18300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	16QAM	E-ACLR+	39.57	29.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR+	43.67	32.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR2+	45.69	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	51.67	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	40.88	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	41.14	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	47.25	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	51.85	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	54.07	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	53.14	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	51.83	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	46.74	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	40.79	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	39.66	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	52.22	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	46.67	35.2	PASS



Band1	20	18500	100	#0	QPSK	U-ACLR1-	46.03	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	40.40	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	39.80	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	44.27	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	45.45	35.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR2-	51.42	35.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR1-	41.64	32.2	PASS
Band1	20	18500	18	#0	16QAM	E-ACLR-	41.68	29.2	PASS
Band1	20	18500	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	16QAM	E-ACLR+	46.56	29.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR+	51.36	32.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR2+	53.30	35.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR2-	52.35	35.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR1-	51.34	32.2	PASS
Band1	20	18500	18	#Max	16QAM	E-ACLR-	46.04	29.2	PASS
Band1	20	18500	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	16QAM	E-ACLR+	41.81	29.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR+	41.32	32.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR2+	51.99	35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2-	46.35	35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR1-	45.76	32.2	PASS
Band1	20	18500	100	#0	16QAM	E-ACLR-	40.36	29.2	PASS
Band1	20	18500	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	16QAM	E-ACLR+	39.81	29.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR+	44.12	32.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2+	45.29	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	54.51	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	42.22	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	50.42	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	50.90	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.64	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	54.56	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	52.68	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	52.04	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	43.59	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	45.40	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	54.26	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	53.59	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	45.60	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	44.76	29.2	PASS

Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	44.21	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	45.00	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	52.42	35.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR2-	53.84	35.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR1-	45.46	32.2	PASS
Band20	5	24175	8	#0	16QAM	E-ACLR-	43.45	29.2	PASS
Band20	5	24175	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	16QAM	E-ACLR+	49.71	29.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR+	50.13	32.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR2+	53.95	35.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR2-	53.87	35.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR1-	51.57	32.2	PASS
Band20	5	24175	8	#Max	16QAM	E-ACLR-	51.03	29.2	PASS
Band20	5	24175	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	16QAM	E-ACLR+	45.22	29.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR+	46.97	32.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR2+	53.72	35.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR2-	52.77	35.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR1-	46.12	32.2	PASS
Band20	5	24175	25	#0	16QAM	E-ACLR-	45.29	29.2	PASS
Band20	5	24175	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	16QAM	E-ACLR+	44.85	29.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR+	45.63	32.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR2+	51.95	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	54.28	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	41.89	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	39.61	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	50.92	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	51.45	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	54.75	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	54.51	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	51.86	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	51.29	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	42.19	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	44.34	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	54.34	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	52.54	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	44.48	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	43.76	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	44.55	29.2	PASS



Band20	5	24300	25	#0	QPSK	U-ACLR+	45.32	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	52.70	35.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR2-	53.51	35.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR1-	42.53	32.2	PASS
Band20	5	24300	8	#0	16QAM	E-ACLR-	40.15	29.2	PASS
Band20	5	24300	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	16QAM	E-ACLR+	49.57	29.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR+	50.04	32.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR2+	53.92	35.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR2-	53.82	35.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR1-	50.50	32.2	PASS
Band20	5	24300	8	#Max	16QAM	E-ACLR-	50.01	29.2	PASS
Band20	5	24300	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	16QAM	E-ACLR+	42.61	29.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR+	45.01	32.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR2+	53.58	35.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR2-	51.68	35.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR1-	44.93	32.2	PASS
Band20	5	24300	25	#0	16QAM	E-ACLR-	44.11	29.2	PASS
Band20	5	24300	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	16QAM	E-ACLR+	44.78	29.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR+	45.63	32.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR2+	51.78	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	54.05	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	41.68	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	39.45	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	51.03	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	51.58	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	54.48	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	54.19	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	51.55	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	50.94	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	40.18	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	42.61	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	54.10	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	52.08	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	45.08	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	44.33	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	44.32	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	45.10	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	53.01	35.2	PASS

Band20	5	24425	8	#0	16QAM	U-ACLR2-	53.27	35.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR1-	44.58	32.2	PASS
Band20	5	24425	8	#0	16QAM	E-ACLR-	42.61	29.2	PASS
Band20	5	24425	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	16QAM	E-ACLR+	50.18	29.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR+	50.64	32.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR2+	53.70	35.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR2-	53.35	35.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR1-	50.78	32.2	PASS
Band20	5	24425	8	#Max	16QAM	E-ACLR-	50.27	29.2	PASS
Band20	5	24425	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	16QAM	E-ACLR+	43.08	29.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR+	45.24	32.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR2+	53.46	35.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR2-	51.25	35.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR1-	45.40	32.2	PASS
Band20	5	24425	25	#0	16QAM	E-ACLR-	44.62	29.2	PASS
Band20	5	24425	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	16QAM	E-ACLR+	45.00	29.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR+	45.77	32.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR2+	52.04	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2-	54.40	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	43.28	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	42.56	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	48.59	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	52.81	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	52.50	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	54.47	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	53.93	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	50.43	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	39.39	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	40.00	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	53.63	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	53.35	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	45.79	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	44.64	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	40.30	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	42.70	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	45.70	35.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR2-	53.35	35.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR1-	44.80	32.2	PASS

Band20	10	24200	12	#0	16QAM	E-ACLR-	43.68	29.2	PASS
Band20	10	24200	12	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	16QAM	E-ACLR+	47.32	29.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR+	51.82	32.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR2+	51.17	35.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR2-	53.50	35.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR1-	52.98	32.2	PASS
Band20	10	24200	12	#Max	16QAM	E-ACLR-	49.43	29.2	PASS
Band20	10	24200	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	16QAM	E-ACLR+	41.10	29.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR+	41.97	32.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR2+	53.23	35.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR2-	52.44	35.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR1-	47.27	32.2	PASS
Band20	10	24200	50	#0	16QAM	E-ACLR-	45.61	29.2	PASS
Band20	10	24200	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	16QAM	E-ACLR+	42.47	29.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR+	45.01	32.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR2+	47.79	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	53.82	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	40.73	32.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR-	40.12	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	48.97	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	53.10	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	52.84	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	52.78	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	53.32	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	49.10	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	42.83	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	43.66	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	54.08	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	48.22	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	45.17	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	42.75	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	43.59	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	46.22	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	48.59	35.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR2-	53.19	35.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR1-	42.58	32.2	PASS
Band20	10	24300	12	#0	16QAM	E-ACLR-	41.68	29.2	PASS
Band20	10	24300	12	#0	16QAM	EUTRA	0.00	0	PASS

Band20	10	24300	12	#0	16QAM	E-ACLR+	47.99	29.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR+	52.24	32.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR2+	51.93	35.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR2-	51.46	35.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR1-	52.35	32.2	PASS
Band20	10	24300	12	#Max	16QAM	E-ACLR-	47.81	29.2	PASS
Band20	10	24300	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	16QAM	E-ACLR+	44.06	29.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR+	45.23	32.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR2+	53.44	35.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR2-	48.99	35.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR1-	45.33	32.2	PASS
Band20	10	24300	50	#0	16QAM	E-ACLR-	43.11	29.2	PASS
Band20	10	24300	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	16QAM	E-ACLR+	43.74	29.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR+	46.17	32.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR2+	49.17	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	53.87	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	45.31	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	44.34	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR+	49.12	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	53.15	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	53.14	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	52.38	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	53.08	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	48.73	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	42.14	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	42.87	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	54.17	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	49.74	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	48.31	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	45.25	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	45.74	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	48.28	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	51.09	35.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR2-	53.13	35.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR1-	45.95	32.2	PASS
Band20	10	24400	12	#0	16QAM	E-ACLR-	44.67	29.2	PASS
Band20	10	24400	12	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	16QAM	E-ACLR+	47.95	29.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR+	52.11	32.2	PASS

Band20	10	24400	12	#0	16QAM	U-ACLR2+	52.04	35.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR2-	50.84	35.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR1-	51.97	32.2	PASS
Band20	10	24400	12	#Max	16QAM	E-ACLR-	47.29	29.2	PASS
Band20	10	24400	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	16QAM	E-ACLR+	43.58	29.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR+	44.67	32.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR2+	53.37	35.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR2-	49.51	35.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR1-	47.21	32.2	PASS
Band20	10	24400	50	#0	16QAM	E-ACLR-	44.49	29.2	PASS
Band20	10	24400	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	16QAM	E-ACLR+	45.09	29.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR+	47.47	32.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR2+	50.78	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	53.79	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	45.22	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	44.53	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	46.73	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	54.52	32.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2+	53.86	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	54.02	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	54.35	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	47.86	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	44.50	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	45.71	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	54.08	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	52.93	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	49.64	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	45.81	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	42.32	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	47.49	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	48.38	35.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR2-	53.03	35.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR1-	45.20	32.2	PASS
Band20	20	24250	18	#0	16QAM	E-ACLR-	44.30	29.2	PASS
Band20	20	24250	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	16QAM	E-ACLR+	45.47	29.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR+	53.74	32.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR2+	52.99	35.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR2-	53.13	35.2	PASS

Band20	20	24250	18	#Max	16QAM	U-ACLR1-	53.57	32.2	PASS
Band20	20	24250	18	#Max	16QAM	E-ACLR-	47.01	29.2	PASS
Band20	20	24250	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	16QAM	E-ACLR+	44.08	29.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR+	45.42	32.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR2+	53.33	35.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR2-	51.98	35.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR1-	49.43	32.2	PASS
Band20	20	24250	100	#0	16QAM	E-ACLR-	45.10	29.2	PASS
Band20	20	24250	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	16QAM	E-ACLR+	42.40	29.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR+	47.76	32.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR2+	48.50	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	53.42	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	43.01	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	43.00	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	47.29	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	54.54	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	53.82	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	53.35	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1-	53.98	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	47.46	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	43.74	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	44.23	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	53.74	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	50.10	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	47.85	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	44.11	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	43.35	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	47.70	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	49.32	35.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR2-	52.55	35.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR1-	45.03	32.2	PASS
Band20	20	24300	18	#0	16QAM	E-ACLR-	43.88	29.2	PASS
Band20	20	24300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	16QAM	E-ACLR+	46.09	29.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR+	53.55	32.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR2+	52.81	35.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR2-	52.40	35.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR1-	53.13	32.2	PASS
Band20	20	24300	18	#Max	16QAM	E-ACLR-	46.54	29.2	PASS



Band20	20	24300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	16QAM	E-ACLR+	44.32	29.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR+	46.04	32.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR2+	52.97	35.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR2-	49.82	35.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR1-	47.94	32.2	PASS
Band20	20	24300	100	#0	16QAM	E-ACLR-	43.84	29.2	PASS
Band20	20	24300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	16QAM	E-ACLR+	43.03	29.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR+	47.72	32.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR2+	49.00	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	52.86	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	41.73	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	42.01	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	47.95	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	54.60	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	54.62	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	53.16	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	54.03	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	46.67	29.2	PASS
Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	42.96	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	42.88	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	53.86	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	47.93	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	46.79	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	42.44	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	44.46	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	48.12	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	51.18	35.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR2-	52.26	35.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR1-	42.62	32.2	PASS
Band20	20	24350	18	#0	16QAM	E-ACLR-	42.62	29.2	PASS
Band20	20	24350	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	16QAM	E-ACLR+	47.02	29.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR+	53.73	32.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR2+	53.71	35.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR2-	52.16	35.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR1-	53.27	32.2	PASS
Band20	20	24350	18	#Max	16QAM	E-ACLR-	45.46	29.2	PASS
Band20	20	24350	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	16QAM	E-ACLR+	43.89	29.2	PASS

Band20	20	24350	18	#Max	16QAM	U-ACLR+	44.98	32.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR2+	53.12	35.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR2-	48.00	35.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR1-	46.85	32.2	PASS
Band20	20	24350	100	#0	16QAM	E-ACLR-	42.38	29.2	PASS
Band20	20	24350	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	16QAM	E-ACLR+	43.97	29.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR+	47.88	32.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR2+	50.77	35.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR1-	49.93	32.2	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR-	47.68	29.2	PASS
Band28	3	27225	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR+	46.01	29.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR+	45.82	32.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR1-	46.12	32.2	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR-	46.34	29.2	PASS
Band28	3	27225	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR+	46.88	29.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR+	49.35	32.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR1-	46.77	32.2	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR-	45.80	29.2	PASS
Band28	3	27225	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR+	45.23	29.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR+	46.24	32.2	PASS
Band28	3	27225	4	#0	16QAM	U-ACLR1-	49.65	32.2	PASS
Band28	3	27225	4	#0	16QAM	E-ACLR-	47.03	29.2	PASS
Band28	3	27225	4	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	16QAM	E-ACLR+	45.81	29.2	PASS
Band28	3	27225	4	#0	16QAM	U-ACLR+	45.56	32.2	PASS
Band28	3	27225	4	#Max	16QAM	U-ACLR1-	46.02	32.2	PASS
Band28	3	27225	4	#Max	16QAM	E-ACLR-	46.30	29.2	PASS
Band28	3	27225	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	16QAM	E-ACLR+	46.70	29.2	PASS
Band28	3	27225	4	#Max	16QAM	U-ACLR+	49.28	32.2	PASS
Band28	3	27225	15	#0	16QAM	U-ACLR1-	46.07	32.2	PASS
Band28	3	27225	15	#0	16QAM	E-ACLR-	44.95	29.2	PASS
Band28	3	27225	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	16QAM	E-ACLR+	44.61	29.2	PASS
Band28	3	27225	15	#0	16QAM	U-ACLR+	45.67	32.2	PASS
Band28	3	27375	4	#0	QPSK	U-ACLR1-	49.96	32.2	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR-	49.21	29.2	PASS
Band28	3	27375	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR+	46.53	29.2	PASS
Band28	3	27375	4	#0	QPSK	U-ACLR+	46.34	32.2	PASS



Band28	3	27375	4	#Max	QPSK	U-ACLR1-	46.26	32.2	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR-	46.47	29.2	PASS
Band28	3	27375	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR+	48.22	29.2	PASS
Band28	3	27375	4	#Max	QPSK	U-ACLR+	49.56	32.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR1-	47.36	32.2	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR-	47.19	29.2	PASS
Band28	3	27375	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR+	46.87	29.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR+	47.14	32.2	PASS
Band28	3	27375	4	#0	16QAM	U-ACLR1-	49.32	32.2	PASS
Band28	3	27375	4	#0	16QAM	E-ACLR-	48.24	29.2	PASS
Band28	3	27375	4	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	16QAM	E-ACLR+	46.29	29.2	PASS
Band28	3	27375	4	#0	16QAM	U-ACLR+	46.01	32.2	PASS
Band28	3	27375	4	#Max	16QAM	U-ACLR1-	46.07	32.2	PASS
Band28	3	27375	4	#Max	16QAM	E-ACLR-	46.36	29.2	PASS
Band28	3	27375	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	16QAM	E-ACLR+	47.64	29.2	PASS
Band28	3	27375	4	#Max	16QAM	U-ACLR+	49.20	32.2	PASS
Band28	3	27375	15	#0	16QAM	U-ACLR1-	46.45	32.2	PASS
Band28	3	27375	15	#0	16QAM	E-ACLR-	46.03	29.2	PASS
Band28	3	27375	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	16QAM	E-ACLR+	45.65	29.2	PASS
Band28	3	27375	15	#0	16QAM	U-ACLR+	46.21	32.2	PASS
Band28	3	27525	4	#0	QPSK	U-ACLR1-	48.77	32.2	PASS
Band28	3	27525	4	#0	QPSK	E-ACLR-	47.79	29.2	PASS
Band28	3	27525	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	4	#0	QPSK	E-ACLR+	46.30	29.2	PASS
Band28	3	27525	4	#0	QPSK	U-ACLR+	46.10	32.2	PASS
Band28	3	27525	4	#Max	QPSK	U-ACLR1-	46.40	32.2	PASS
Band28	3	27525	4	#Max	QPSK	E-ACLR-	46.61	29.2	PASS
Band28	3	27525	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	4	#Max	QPSK	E-ACLR+	47.49	29.2	PASS
Band28	3	27525	4	#Max	QPSK	U-ACLR+	48.75	32.2	PASS
Band28	3	27525	15	#0	QPSK	U-ACLR1-	48.46	32.2	PASS
Band28	3	27525	15	#0	QPSK	E-ACLR-	49.03	29.2	PASS
Band28	3	27525	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	15	#0	QPSK	E-ACLR+	48.26	29.2	PASS
Band28	3	27525	15	#0	QPSK	U-ACLR+	47.95	32.2	PASS
Band28	3	27525	4	#0	16QAM	U-ACLR1-	48.54	32.2	PASS
Band28	3	27525	4	#0	16QAM	E-ACLR-	47.81	29.2	PASS
Band28	3	27525	4	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27525	4	#0	16QAM	E-ACLR+	46.58	29.2	PASS

Band28	3	27525	4	#0	16QAM	U-ACLR+	46.23	32.2	PASS
Band28	3	27525	4	#Max	16QAM	U-ACLR1-	46.30	32.2	PASS
Band28	3	27525	4	#Max	16QAM	E-ACLR-	46.64	29.2	PASS
Band28	3	27525	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27525	4	#Max	16QAM	E-ACLR+	47.45	29.2	PASS
Band28	3	27525	4	#Max	16QAM	U-ACLR+	48.42	32.2	PASS
Band28	3	27525	15	#0	16QAM	U-ACLR1-	47.05	32.2	PASS
Band28	3	27525	15	#0	16QAM	E-ACLR-	47.48	29.2	PASS
Band28	3	27525	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27525	15	#0	16QAM	E-ACLR+	46.88	29.2	PASS
Band28	3	27525	15	#0	16QAM	U-ACLR+	46.70	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2-	52.04	35.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR1-	48.96	32.2	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR-	47.17	29.2	PASS
Band28	5	27235	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR+	45.72	29.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR+	46.04	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2+	52.23	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2-	51.90	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR1-	46.93	32.2	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR-	46.55	29.2	PASS
Band28	5	27235	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR+	46.78	29.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR+	48.55	32.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2+	51.88	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2-	51.45	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR1-	46.72	32.2	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR-	45.82	29.2	PASS
Band28	5	27235	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR+	45.23	29.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR+	46.11	32.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2+	50.86	35.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR2-	51.36	35.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR1-	48.45	32.2	PASS
Band28	5	27235	8	#0	16QAM	E-ACLR-	46.49	29.2	PASS
Band28	5	27235	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	16QAM	E-ACLR+	45.62	29.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR+	45.92	32.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR2+	51.55	35.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR2-	51.47	35.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR1-	46.61	32.2	PASS
Band28	5	27235	8	#Max	16QAM	E-ACLR-	46.27	29.2	PASS
Band28	5	27235	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	16QAM	E-ACLR+	46.29	29.2	PASS

Band28	5	27235	8	#Max	16QAM	U-ACLR+	48.21	32.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR2+	51.48	35.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR2-	50.62	35.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR1-	45.71	32.2	PASS
Band28	5	27235	25	#0	16QAM	E-ACLR-	44.88	29.2	PASS
Band28	5	27235	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	16QAM	E-ACLR+	44.33	29.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR+	45.20	32.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR2+	50.18	35.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR2-	51.96	35.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR1-	49.47	32.2	PASS
Band28	5	27375	8	#0	QPSK	E-ACLR-	48.26	29.2	PASS
Band28	5	27375	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	8	#0	QPSK	E-ACLR+	46.38	29.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR+	46.71	32.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR2+	52.42	35.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR2-	52.35	35.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR1-	46.66	32.2	PASS
Band28	5	27375	8	#Max	QPSK	E-ACLR-	46.32	29.2	PASS
Band28	5	27375	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	8	#Max	QPSK	E-ACLR+	48.17	29.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR+	49.34	32.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR2+	52.24	35.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR2-	50.44	35.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR1-	47.31	32.2	PASS
Band28	5	27375	25	#0	QPSK	E-ACLR-	46.53	29.2	PASS
Band28	5	27375	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	25	#0	QPSK	E-ACLR+	46.58	29.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR+	47.41	32.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR2+	50.42	35.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR2-	51.33	35.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR1-	48.50	32.2	PASS
Band28	5	27375	8	#0	16QAM	E-ACLR-	47.16	29.2	PASS
Band28	5	27375	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	8	#0	16QAM	E-ACLR+	45.98	29.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR+	46.29	32.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR2+	51.68	35.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR2-	51.41	35.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR1-	46.38	32.2	PASS
Band28	5	27375	8	#Max	16QAM	E-ACLR-	46.03	29.2	PASS
Band28	5	27375	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	8	#Max	16QAM	E-ACLR+	47.06	29.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR+	48.37	32.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR2+	51.47	35.2	PASS

Band28	5	27375	25	#0	16QAM	U-ACLR2-	50.46	35.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR1-	46.18	32.2	PASS
Band28	5	27375	25	#0	16QAM	E-ACLR-	45.40	29.2	PASS
Band28	5	27375	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	25	#0	16QAM	E-ACLR+	45.19	29.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR+	46.06	32.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR2+	50.37	35.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR2-	52.10	35.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR1-	49.04	32.2	PASS
Band28	5	27515	8	#0	QPSK	E-ACLR-	48.03	29.2	PASS
Band28	5	27515	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	8	#0	QPSK	E-ACLR+	46.45	29.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR+	46.78	32.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR2+	52.58	35.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR2-	52.28	35.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR1-	46.69	32.2	PASS
Band28	5	27515	8	#Max	QPSK	E-ACLR-	46.38	29.2	PASS
Band28	5	27515	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	8	#Max	QPSK	E-ACLR+	47.49	29.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR+	48.62	32.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR2+	52.20	35.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR2-	50.34	35.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR1-	48.60	32.2	PASS
Band28	5	27515	25	#0	QPSK	E-ACLR-	47.90	29.2	PASS
Band28	5	27515	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	25	#0	QPSK	E-ACLR+	47.47	29.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR+	48.18	32.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR2+	50.32	35.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR2-	51.36	35.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR1-	48.66	32.2	PASS
Band28	5	27515	8	#0	16QAM	E-ACLR-	47.65	29.2	PASS
Band28	5	27515	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	8	#0	16QAM	E-ACLR+	46.24	29.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR+	46.54	32.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR2+	51.83	35.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR2-	51.85	35.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR1-	46.45	32.2	PASS
Band28	5	27515	8	#Max	16QAM	E-ACLR-	46.14	29.2	PASS
Band28	5	27515	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	8	#Max	16QAM	E-ACLR+	47.37	29.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR+	48.50	32.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR2+	51.76	35.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR2-	50.25	35.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR1-	47.32	32.2	PASS

Band28	5	27515	25	#0	16QAM	E-ACLR-	46.55	29.2	PASS
Band28	5	27515	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	25	#0	16QAM	E-ACLR+	46.30	29.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR+	47.08	32.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR2+	50.28	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2-	51.87	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR1-	48.86	32.2	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR-	46.48	29.2	PASS
Band28	10	27260	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR+	44.26	29.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR+	48.90	32.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2+	48.20	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2-	52.10	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR1-	50.86	32.2	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR-	47.63	29.2	PASS
Band28	10	27260	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR+	46.50	29.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR+	48.68	32.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2+	52.33	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2-	51.39	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR1-	47.64	32.2	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR-	45.58	29.2	PASS
Band28	10	27260	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR+	44.50	29.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR+	46.88	32.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2+	50.03	35.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR2-	51.33	35.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR1-	48.38	32.2	PASS
Band28	10	27260	12	#0	16QAM	E-ACLR-	46.00	29.2	PASS
Band28	10	27260	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	16QAM	E-ACLR+	44.00	29.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR+	48.74	32.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR2+	47.94	35.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR2-	51.09	35.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR1-	50.15	32.2	PASS
Band28	10	27260	12	#Max	16QAM	E-ACLR-	46.80	29.2	PASS
Band28	10	27260	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	16QAM	E-ACLR+	45.74	29.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR+	48.00	32.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR2+	51.37	35.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR2-	51.48	35.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR1-	46.98	32.2	PASS
Band28	10	27260	50	#0	16QAM	E-ACLR-	45.15	29.2	PASS
Band28	10	27260	50	#0	16QAM	EUTRA	0.00	0	PASS

Band28	10	27260	50	#0	16QAM	E-ACLR+	43.95	29.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR+	46.07	32.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR2+	50.08	35.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR2-	51.82	35.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR1-	49.13	32.2	PASS
Band28	10	27375	12	#0	QPSK	E-ACLR-	46.63	29.2	PASS
Band28	10	27375	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	12	#0	QPSK	E-ACLR+	44.90	29.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR+	49.51	32.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR2+	48.73	35.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR2-	48.91	35.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR1-	49.81	32.2	PASS
Band28	10	27375	12	#Max	QPSK	E-ACLR-	45.17	29.2	PASS
Band28	10	27375	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	12	#Max	QPSK	E-ACLR+	46.71	29.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR+	48.96	32.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR2+	52.36	35.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR2-	49.68	35.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR1-	48.15	32.2	PASS
Band28	10	27375	50	#0	QPSK	E-ACLR-	45.10	29.2	PASS
Band28	10	27375	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	50	#0	QPSK	E-ACLR+	45.50	29.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR+	48.40	32.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR2+	50.12	35.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR2-	50.89	35.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR1-	48.36	32.2	PASS
Band28	10	27375	12	#0	16QAM	E-ACLR-	45.82	29.2	PASS
Band28	10	27375	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	12	#0	16QAM	E-ACLR+	44.48	29.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR+	49.04	32.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR2+	48.42	35.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR2-	48.39	35.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR1-	49.57	32.2	PASS
Band28	10	27375	12	#Max	16QAM	E-ACLR-	44.74	29.2	PASS
Band28	10	27375	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	12	#Max	16QAM	E-ACLR+	45.92	29.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR+	48.24	32.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR2+	51.43	35.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR2-	49.19	35.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR1-	46.70	32.2	PASS
Band28	10	27375	50	#0	16QAM	E-ACLR-	44.06	29.2	PASS
Band28	10	27375	50	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	50	#0	16QAM	E-ACLR+	44.48	29.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR+	47.03	32.2	PASS



Band28	10	27375	50	#0	16QAM	U-ACLR2+	49.65	35.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR2-	51.94	35.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR1-	49.27	32.2	PASS
Band28	10	27490	12	#0	QPSK	E-ACLR-	46.81	29.2	PASS
Band28	10	27490	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	12	#0	QPSK	E-ACLR+	45.29	29.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR+	49.97	32.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR2+	49.08	35.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR2-	48.61	35.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR1-	49.77	32.2	PASS
Band28	10	27490	12	#Max	QPSK	E-ACLR-	44.94	29.2	PASS
Band28	10	27490	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	12	#Max	QPSK	E-ACLR+	46.64	29.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR+	48.89	32.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR2+	52.28	35.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR2-	50.01	35.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR1-	49.28	32.2	PASS
Band28	10	27490	50	#0	QPSK	E-ACLR-	45.89	29.2	PASS
Band28	10	27490	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	50	#0	QPSK	E-ACLR+	46.52	29.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR+	49.73	32.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR2+	50.78	35.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR2-	51.07	35.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR1-	48.50	32.2	PASS
Band28	10	27490	12	#0	16QAM	E-ACLR-	46.00	29.2	PASS
Band28	10	27490	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	12	#0	16QAM	E-ACLR+	44.78	29.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR+	49.44	32.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR2+	48.56	35.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR2-	48.18	35.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR1-	49.46	32.2	PASS
Band28	10	27490	12	#Max	16QAM	E-ACLR-	44.53	29.2	PASS
Band28	10	27490	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	12	#Max	16QAM	E-ACLR+	46.15	29.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR+	48.30	32.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR2+	51.95	35.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR2-	49.01	35.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR1-	47.29	32.2	PASS
Band28	10	27490	50	#0	16QAM	E-ACLR-	44.32	29.2	PASS
Band28	10	27490	50	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	50	#0	16QAM	E-ACLR+	45.10	29.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR+	48.06	32.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR2+	49.66	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2-	51.30	35.2	PASS

Band28	20	27310	18	#0	QPSK	U-ACLR1-	48.45	32.2	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR-	44.55	29.2	PASS
Band28	20	27310	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR+	42.93	29.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR+	52.20	32.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2+	50.83	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2-	51.63	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR1-	52.22	32.2	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR-	45.55	29.2	PASS
Band28	20	27310	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR+	44.87	29.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR+	49.30	32.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2+	52.08	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2-	50.40	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR1-	47.61	32.2	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR-	43.52	29.2	PASS
Band28	20	27310	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR+	43.36	29.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR+	48.84	32.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2+	49.77	35.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR2-	50.72	35.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR1-	47.90	32.2	PASS
Band28	20	27310	18	#0	16QAM	E-ACLR-	44.01	29.2	PASS
Band28	20	27310	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	16QAM	E-ACLR+	42.57	29.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR+	51.65	32.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR2+	50.58	35.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR2-	50.52	35.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR1-	51.10	32.2	PASS
Band28	20	27310	18	#Max	16QAM	E-ACLR-	44.46	29.2	PASS
Band28	20	27310	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	16QAM	E-ACLR+	43.92	29.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR+	48.25	32.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR2+	51.16	35.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR2-	51.32	35.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR1-	47.48	32.2	PASS
Band28	20	27310	100	#0	16QAM	E-ACLR-	43.72	29.2	PASS
Band28	20	27310	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	16QAM	E-ACLR+	43.49	29.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR+	48.42	32.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR2+	49.80	35.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR2-	51.12	35.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR1-	48.68	32.2	PASS
Band28	20	27375	18	#0	QPSK	E-ACLR-	44.52	29.2	PASS



Band28	20	27375	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	18	#0	QPSK	E-ACLR+	43.38	29.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR+	52.39	32.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR2+	51.25	35.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR2-	50.96	35.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR1-	52.18	32.2	PASS
Band28	20	27375	18	#Max	QPSK	E-ACLR-	45.09	29.2	PASS
Band28	20	27375	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	18	#Max	QPSK	E-ACLR+	44.90	29.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR+	49.62	32.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR2+	52.01	35.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR2-	48.61	35.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR1-	48.38	32.2	PASS
Band28	20	27375	100	#0	QPSK	E-ACLR-	43.14	29.2	PASS
Band28	20	27375	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	100	#0	QPSK	E-ACLR+	43.86	29.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR+	49.73	32.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR2+	50.39	35.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR2-	50.28	35.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR1-	47.63	32.2	PASS
Band28	20	27375	18	#0	16QAM	E-ACLR-	43.61	29.2	PASS
Band28	20	27375	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	18	#0	16QAM	E-ACLR+	42.76	29.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR+	51.37	32.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR2+	50.61	35.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR2-	50.54	35.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR1-	51.83	32.2	PASS
Band28	20	27375	18	#Max	16QAM	E-ACLR-	44.66	29.2	PASS
Band28	20	27375	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	18	#Max	16QAM	E-ACLR+	44.44	29.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR+	48.60	32.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR2+	51.72	35.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR2-	47.63	35.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR1-	47.18	32.2	PASS
Band28	20	27375	100	#0	16QAM	E-ACLR-	42.35	29.2	PASS
Band28	20	27375	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	100	#0	16QAM	E-ACLR+	43.29	29.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR+	48.80	32.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR2+	49.62	35.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR2-	51.20	35.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR1-	49.21	32.2	PASS
Band28	20	27440	18	#0	QPSK	E-ACLR-	44.64	29.2	PASS
Band28	20	27440	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27440	18	#0	QPSK	E-ACLR+	43.60	29.2	PASS

Band28	20	27440	18	#0	QPSK	U-ACLR+	50.51	32.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR2+	51.26	35.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR2-	50.79	35.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR1-	50.50	32.2	PASS
Band28	20	27440	18	#Max	QPSK	E-ACLR-	43.17	29.2	PASS
Band28	20	27440	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27440	18	#Max	QPSK	E-ACLR+	45.05	29.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR+	49.82	32.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR2+	52.11	35.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR2-	48.32	35.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR1-	48.11	32.2	PASS
Band28	20	27440	100	#0	QPSK	E-ACLR-	42.39	29.2	PASS
Band28	20	27440	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27440	100	#0	QPSK	E-ACLR+	43.76	29.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR+	49.63	32.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR2+	50.28	35.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR2-	50.42	35.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR1-	48.02	32.2	PASS
Band28	20	27440	18	#0	16QAM	E-ACLR-	43.77	29.2	PASS
Band28	20	27440	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	18	#0	16QAM	E-ACLR+	42.95	29.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR+	49.99	32.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR2+	50.72	35.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR2-	49.93	35.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR1-	49.73	32.2	PASS
Band28	20	27440	18	#Max	16QAM	E-ACLR-	42.40	29.2	PASS
Band28	20	27440	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	18	#Max	16QAM	E-ACLR+	43.99	29.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR+	48.43	32.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR2+	51.14	35.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR2-	47.70	35.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR1-	47.42	32.2	PASS
Band28	20	27440	100	#0	16QAM	E-ACLR-	41.98	29.2	PASS
Band28	20	27440	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	100	#0	16QAM	E-ACLR+	43.38	29.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR+	48.98	32.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR2+	49.66	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	42.11	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	37.03	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	38.86	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	44.42	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	44.55	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	38.67	29.2	PASS

Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	36.20	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	41.28	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	44.05	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	41.51	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	41.43	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	43.95	32.2	PASS
Band3	1.4	19207	5	#0	16QAM	U-ACLR1-	43.36	32.2	PASS
Band3	1.4	19207	5	#0	16QAM	E-ACLR-	38.24	29.2	PASS
Band3	1.4	19207	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	16QAM	E-ACLR+	40.21	29.2	PASS
Band3	1.4	19207	5	#0	16QAM	U-ACLR+	45.57	32.2	PASS
Band3	1.4	19207	5	#Max	16QAM	U-ACLR1-	45.99	32.2	PASS
Band3	1.4	19207	5	#Max	16QAM	E-ACLR-	40.77	29.2	PASS
Band3	1.4	19207	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	16QAM	E-ACLR+	38.47	29.2	PASS
Band3	1.4	19207	5	#Max	16QAM	U-ACLR+	43.19	32.2	PASS
Band3	1.4	19207	6	#0	16QAM	U-ACLR1-	45.29	32.2	PASS
Band3	1.4	19207	6	#0	16QAM	E-ACLR-	42.10	29.2	PASS
Band3	1.4	19207	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	16QAM	E-ACLR+	41.79	29.2	PASS
Band3	1.4	19207	6	#0	16QAM	U-ACLR+	45.28	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	41.63	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	35.73	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	38.37	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	44.40	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	44.22	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	38.07	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	35.36	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	41.15	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	41.81	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	38.31	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	38.28	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	41.71	32.2	PASS
Band3	1.4	19575	5	#0	16QAM	U-ACLR1-	42.35	32.2	PASS
Band3	1.4	19575	5	#0	16QAM	E-ACLR-	36.50	29.2	PASS
Band3	1.4	19575	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	16QAM	E-ACLR+	38.77	29.2	PASS
Band3	1.4	19575	5	#0	16QAM	U-ACLR+	44.95	32.2	PASS
Band3	1.4	19575	5	#Max	16QAM	U-ACLR1-	45.31	32.2	PASS

Band3	1.4	19575	5	#Max	16QAM	E-ACLR-	39.43	29.2	PASS
Band3	1.4	19575	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	16QAM	E-ACLR+	36.18	29.2	PASS
Band3	1.4	19575	5	#Max	16QAM	U-ACLR+	41.96	32.2	PASS
Band3	1.4	19575	6	#0	16QAM	U-ACLR1-	44.38	32.2	PASS
Band3	1.4	19575	6	#0	16QAM	E-ACLR-	41.06	29.2	PASS
Band3	1.4	19575	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	16QAM	E-ACLR+	40.38	29.2	PASS
Band3	1.4	19575	6	#0	16QAM	U-ACLR+	43.97	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	42.79	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	38.90	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	41.41	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	45.57	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	44.96	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	40.65	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	39.54	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	43.27	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	44.60	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	42.34	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	42.15	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	44.82	32.2	PASS
Band3	1.4	19943	5	#0	16QAM	U-ACLR1-	45.18	32.2	PASS
Band3	1.4	19943	5	#0	16QAM	E-ACLR-	40.97	29.2	PASS
Band3	1.4	19943	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	16QAM	E-ACLR+	43.62	29.2	PASS
Band3	1.4	19943	5	#0	16QAM	U-ACLR+	47.39	32.2	PASS
Band3	1.4	19943	5	#Max	16QAM	U-ACLR1-	47.17	32.2	PASS
Band3	1.4	19943	5	#Max	16QAM	E-ACLR-	43.33	29.2	PASS
Band3	1.4	19943	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	16QAM	E-ACLR+	41.07	29.2	PASS
Band3	1.4	19943	5	#Max	16QAM	U-ACLR+	45.47	32.2	PASS
Band3	1.4	19943	6	#0	16QAM	U-ACLR1-	45.45	32.2	PASS
Band3	1.4	19943	6	#0	16QAM	E-ACLR-	42.20	29.2	PASS
Band3	1.4	19943	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	16QAM	E-ACLR+	41.91	29.2	PASS
Band3	1.4	19943	6	#0	16QAM	U-ACLR+	45.46	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	54.24	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	39.92	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	37.97	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	50.85	29.2	PASS

Band3	5	19225	8	#0	QPSK	U-ACLR+	51.46	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	54.77	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	54.43	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	52.70	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	52.00	29.2	PASS
Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	38.35	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	40.21	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	54.33	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	51.80	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	41.46	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	40.69	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	40.66	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	41.44	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	51.48	35.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR2-	53.35	35.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR1-	42.01	32.2	PASS
Band3	5	19225	8	#0	16QAM	E-ACLR-	40.09	29.2	PASS
Band3	5	19225	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	16QAM	E-ACLR+	50.52	29.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR+	51.10	32.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR2+	53.70	35.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR2-	53.54	35.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR1-	52.00	32.2	PASS
Band3	5	19225	8	#Max	16QAM	E-ACLR-	51.37	29.2	PASS
Band3	5	19225	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	16QAM	E-ACLR+	40.85	29.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR+	42.69	32.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR2+	53.46	35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2-	51.74	35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR1-	42.14	32.2	PASS
Band3	5	19225	25	#0	16QAM	E-ACLR-	41.35	29.2	PASS
Band3	5	19225	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	16QAM	E-ACLR+	41.08	29.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR+	41.85	32.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2+	51.55	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	54.60	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	38.88	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	36.31	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	51.22	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	51.90	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	55.16	35.2	PASS

Band3	5	19575	8	#Max	QPSK	U-ACLR2-	54.82	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	52.61	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	51.90	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	36.17	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR+	38.78	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	54.88	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.57	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	40.01	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	39.30	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	39.57	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	40.27	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.63	35.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR2-	53.93	35.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR1-	39.65	32.2	PASS
Band3	5	19575	8	#0	16QAM	E-ACLR-	37.11	29.2	PASS
Band3	5	19575	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	16QAM	E-ACLR+	50.76	29.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR+	51.49	32.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR2+	54.43	35.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR2-	54.16	35.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR1-	51.76	32.2	PASS
Band3	5	19575	8	#Max	16QAM	E-ACLR-	50.95	29.2	PASS
Band3	5	19575	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	16QAM	E-ACLR+	36.69	29.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR+	39.48	32.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR2+	54.11	35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2-	51.48	35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR1-	41.19	32.2	PASS
Band3	5	19575	25	#0	16QAM	E-ACLR-	40.39	29.2	PASS
Band3	5	19575	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	16QAM	E-ACLR+	40.38	29.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR+	41.12	32.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2+	51.54	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	53.88	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	40.08	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	38.01	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	50.91	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	51.52	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	54.26	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	53.93	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	50.72	32.2	PASS



Band3	5	19925	8	#Max	QPSK	E-ACLR-	50.13	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	40.09	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	41.64	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	54.06	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	51.00	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	42.43	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	41.63	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	42.78	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	43.53	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	52.09	35.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR2-	53.09	35.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR1-	42.23	32.2	PASS
Band3	5	19925	8	#0	16QAM	E-ACLR-	40.39	29.2	PASS
Band3	5	19925	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	16QAM	E-ACLR+	50.56	29.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR+	51.11	32.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR2+	53.45	35.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR2-	53.06	35.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR1-	50.34	32.2	PASS
Band3	5	19925	8	#Max	16QAM	E-ACLR-	49.83	29.2	PASS
Band3	5	19925	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	16QAM	E-ACLR+	41.88	29.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR+	43.69	32.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR2+	53.19	35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2-	50.50	35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR1-	42.49	32.2	PASS
Band3	5	19925	25	#0	16QAM	E-ACLR-	41.70	29.2	PASS
Band3	5	19925	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	16QAM	E-ACLR+	42.11	29.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR+	42.99	32.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2+	51.42	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	53.16	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	39.49	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	38.94	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	49.13	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	52.90	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	53.11	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	53.73	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	53.71	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	50.00	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS

Band3	10	19250	12	#Max	QPSK	E-ACLR+	40.19	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	40.69	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.87	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	46.21	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	42.72	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR-	40.46	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	40.55	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	43.31	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	45.30	35.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR2-	52.63	35.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR1-	40.82	32.2	PASS
Band3	10	19250	12	#0	16QAM	E-ACLR-	40.01	29.2	PASS
Band3	10	19250	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	16QAM	E-ACLR+	48.67	29.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR+	52.53	32.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR2+	52.63	35.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR2-	53.00	35.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR1-	53.11	32.2	PASS
Band3	10	19250	12	#Max	16QAM	E-ACLR-	49.28	29.2	PASS
Band3	10	19250	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	16QAM	E-ACLR+	41.11	29.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR+	41.85	32.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR2+	53.28	35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2-	46.94	35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR1-	42.96	32.2	PASS
Band3	10	19250	50	#0	16QAM	E-ACLR-	40.81	29.2	PASS
Band3	10	19250	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	16QAM	E-ACLR+	40.66	29.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR+	43.16	32.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2+	46.02	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	53.43	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	38.85	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	38.31	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	49.81	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	53.57	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	53.75	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	54.12	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	54.03	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	50.33	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	37.63	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	38.14	32.2	PASS



Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.94	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	44.53	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	41.15	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	38.89	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR+	39.16	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	41.67	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	44.37	35.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR2-	53.07	35.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR1-	40.83	32.2	PASS
Band3	10	19575	12	#0	16QAM	E-ACLR-	40.08	29.2	PASS
Band3	10	19575	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	16QAM	E-ACLR+	49.30	29.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR+	53.13	32.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR2+	53.28	35.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR2-	53.36	35.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR1-	53.59	32.2	PASS
Band3	10	19575	12	#Max	16QAM	E-ACLR-	49.70	29.2	PASS
Band3	10	19575	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	16QAM	E-ACLR+	39.41	29.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR+	40.18	32.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR2+	53.68	35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2-	45.55	35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR1-	41.35	32.2	PASS
Band3	10	19575	50	#0	16QAM	E-ACLR-	39.27	29.2	PASS
Band3	10	19575	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	16QAM	E-ACLR+	39.48	29.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR+	41.67	32.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2+	45.38	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	53.48	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	42.29	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	41.53	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	49.88	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	53.56	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	53.89	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	52.85	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	53.04	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	49.14	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	41.55	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	42.20	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	53.96	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	46.99	35.2	PASS

Band3	10	19900	50	#0	QPSK	U-ACLR1-	46.24	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	42.87	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	44.25	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	47.19	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	48.98	35.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR2-	52.87	35.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR1-	43.02	32.2	PASS
Band3	10	19900	12	#0	16QAM	E-ACLR-	42.16	29.2	PASS
Band3	10	19900	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	16QAM	E-ACLR+	49.25	29.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR+	53.00	32.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR2+	53.19	35.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR2-	52.20	35.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR1-	52.49	32.2	PASS
Band3	10	19900	12	#Max	16QAM	E-ACLR-	48.52	29.2	PASS
Band3	10	19900	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	16QAM	E-ACLR+	42.25	29.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR+	43.09	32.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR2+	53.18	35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2-	46.59	35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR1-	43.49	32.2	PASS
Band3	10	19900	50	#0	16QAM	E-ACLR-	41.09	29.2	PASS
Band3	10	19900	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	16QAM	E-ACLR+	42.33	29.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR+	44.50	32.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2+	48.43	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.97	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	39.74	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	40.36	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	47.65	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	54.36	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	54.05	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	53.41	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	53.99	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	47.32	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	42.88	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	43.35	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	53.66	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	46.93	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	44.92	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	41.23	29.2	PASS

Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	41.54	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	46.65	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	47.99	35.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR2-	52.33	35.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR1-	40.20	32.2	PASS
Band3	20	19300	18	#0	16QAM	E-ACLR-	40.82	29.2	PASS
Band3	20	19300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	16QAM	E-ACLR+	46.95	29.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR+	53.60	32.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR2+	53.39	35.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR2-	52.67	35.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR1-	53.28	32.2	PASS
Band3	20	19300	18	#Max	16QAM	E-ACLR-	46.54	29.2	PASS
Band3	20	19300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	16QAM	E-ACLR+	42.76	29.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR+	43.07	32.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR2+	53.03	35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2-	47.45	35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR1-	45.36	32.2	PASS
Band3	20	19300	100	#0	16QAM	E-ACLR-	41.56	29.2	PASS
Band3	20	19300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	16QAM	E-ACLR+	41.14	29.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR+	45.86	32.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2+	47.15	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	53.00	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	40.78	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	41.02	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	47.77	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	54.84	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	54.49	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	53.93	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	54.45	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	47.24	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	40.03	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	39.20	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	53.38	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	44.09	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	42.61	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	37.94	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	39.26	29.2	PASS

Band3	20	19575	100	#0	QPSK	U-ACLR+	44.16	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	45.55	35.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR2-	52.39	35.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR1-	41.41	32.2	PASS
Band3	20	19575	18	#0	16QAM	E-ACLR-	41.41	29.2	PASS
Band3	20	19575	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	16QAM	E-ACLR+	47.15	29.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR+	54.11	32.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR2+	53.95	35.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR2-	53.27	35.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR1-	53.85	32.2	PASS
Band3	20	19575	18	#Max	16QAM	E-ACLR-	46.59	29.2	PASS
Band3	20	19575	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	16QAM	E-ACLR+	40.73	29.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR+	40.15	32.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR2+	53.05	35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2-	45.93	35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR1-	44.71	32.2	PASS
Band3	20	19575	100	#0	16QAM	E-ACLR-	39.80	29.2	PASS
Band3	20	19575	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	16QAM	E-ACLR+	40.50	29.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR+	45.33	32.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2+	46.76	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	53.26	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	43.48	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	42.98	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	48.22	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	54.88	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	54.81	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	53.08	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	53.71	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	46.79	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	41.89	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	41.95	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	53.68	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	48.03	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	47.22	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	41.87	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	44.10	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	47.46	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	50.57	35.2	PASS

Band3	20	19850	18	#0	16QAM	U-ACLR2-	52.61	35.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR1-	43.33	32.2	PASS
Band3	20	19850	18	#0	16QAM	E-ACLR-	42.93	29.2	PASS
Band3	20	19850	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	16QAM	E-ACLR+	47.42	29.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR+	54.08	32.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR2+	54.07	35.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR2-	52.33	35.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR1-	52.95	32.2	PASS
Band3	20	19850	18	#Max	16QAM	E-ACLR-	46.05	29.2	PASS
Band3	20	19850	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	16QAM	E-ACLR+	42.40	29.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR+	42.70	32.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR2+	53.17	35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2-	46.91	35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR1-	46.03	32.2	PASS
Band3	20	19850	100	#0	16QAM	E-ACLR-	40.99	29.2	PASS
Band3	20	19850	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	16QAM	E-ACLR+	42.94	29.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR+	46.39	32.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2+	49.16	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	53.09	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	45.33	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	43.04	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	50.31	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	51.00	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	53.51	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	53.20	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	51.04	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	50.31	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	39.55	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	42.72	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	53.42	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	50.92	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	45.46	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	44.61	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	41.26	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	42.10	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	50.51	35.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR2-	52.27	35.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR1-	46.01	32.2	PASS

Band7	5	20775	8	#0	16QAM	E-ACLR-	43.87	29.2	PASS
Band7	5	20775	8	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	16QAM	E-ACLR+	49.98	29.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR+	50.60	32.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR2+	52.70	35.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR2-	52.24	35.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR1-	50.34	32.2	PASS
Band7	5	20775	8	#Max	16QAM	E-ACLR-	49.71	29.2	PASS
Band7	5	20775	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	16QAM	E-ACLR+	41.78	29.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR+	44.72	32.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR2+	52.39	35.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR2-	50.57	35.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR1-	41.40	32.2	PASS
Band7	5	20775	25	#0	16QAM	E-ACLR-	40.48	29.2	PASS
Band7	5	20775	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	16QAM	E-ACLR+	37.75	29.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR+	38.57	32.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR2+	50.18	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	53.29	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	41.89	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	39.34	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	50.53	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	51.25	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	53.68	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	53.32	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	51.06	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	50.32	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	42.00	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	44.37	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	53.46	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	50.28	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	41.99	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	41.25	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	41.97	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	42.75	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	50.53	35.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR2-	52.33	35.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR1-	44.21	32.2	PASS
Band7	5	21100	8	#0	16QAM	E-ACLR-	41.72	29.2	PASS
Band7	5	21100	8	#0	16QAM	EUTRA	0.00	0	PASS



Band7	5	21100	8	#0	16QAM	E-ACLR+	49.97	29.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR+	50.64	32.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR2+	52.64	35.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR2-	52.16	35.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR1-	50.21	32.2	PASS
Band7	5	21100	8	#Max	16QAM	E-ACLR-	49.58	29.2	PASS
Band7	5	21100	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	16QAM	E-ACLR+	44.56	29.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR+	46.52	32.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR2+	52.40	35.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR2-	50.02	35.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR1-	37.49	32.2	PASS
Band7	5	21100	25	#0	16QAM	E-ACLR-	36.65	29.2	PASS
Band7	5	21100	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	16QAM	E-ACLR+	37.27	29.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR+	38.18	32.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR2+	50.42	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	53.17	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	41.99	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	39.15	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	50.38	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	51.09	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	53.51	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	53.27	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	50.76	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	50.05	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	41.24	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	43.97	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	53.48	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	50.17	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	42.43	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	41.70	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	43.13	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	43.92	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	50.67	35.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR2-	52.44	35.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR1-	42.45	32.2	PASS
Band7	5	21425	8	#0	16QAM	E-ACLR-	39.67	29.2	PASS
Band7	5	21425	8	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	16QAM	E-ACLR+	49.65	29.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR+	50.33	32.2	PASS

Band7	5	21425	8	#0	16QAM	U-ACLR2+	52.75	35.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR2-	52.61	35.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR1-	49.87	32.2	PASS
Band7	5	21425	8	#Max	16QAM	E-ACLR-	49.20	29.2	PASS
Band7	5	21425	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	16QAM	E-ACLR+	41.97	29.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR+	44.58	32.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR2+	52.73	35.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR2-	49.85	35.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR1-	36.93	32.2	PASS
Band7	5	21425	25	#0	16QAM	E-ACLR-	36.12	29.2	PASS
Band7	5	21425	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	16QAM	E-ACLR+	37.11	29.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR+	38.04	32.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR2+	50.38	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	52.77	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	44.05	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	42.99	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	48.47	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	51.97	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	52.66	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	52.26	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	51.92	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	48.26	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	37.77	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	38.51	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	52.51	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	48.89	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	44.18	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	42.29	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	37.63	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	39.42	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	44.89	35.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR2-	52.14	35.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR1-	44.75	32.2	PASS
Band7	10	20800	12	#0	16QAM	E-ACLR-	43.55	29.2	PASS
Band7	10	20800	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	16QAM	E-ACLR+	47.68	29.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR+	51.30	32.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR2+	51.83	35.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR2-	51.39	35.2	PASS



Band7	10	20800	12	#Max	16QAM	U-ACLR1-	51.30	32.2	PASS
Band7	10	20800	12	#Max	16QAM	E-ACLR-	47.48	29.2	PASS
Band7	10	20800	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	16QAM	E-ACLR+	39.63	29.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR+	40.53	32.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR2+	52.14	35.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR2-	47.24	35.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR1-	40.61	32.2	PASS
Band7	10	20800	50	#0	16QAM	E-ACLR-	39.16	29.2	PASS
Band7	10	20800	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	16QAM	E-ACLR+	34.65	29.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR+	36.15	32.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR2+	43.08	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	52.51	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	39.49	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	38.76	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	48.65	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	52.26	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	52.73	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	52.09	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	51.79	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	48.10	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	43.03	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	44.12	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.16	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	47.50	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	42.69	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	40.75	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	41.76	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	43.79	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	48.31	35.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR2-	51.86	35.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR1-	41.36	32.2	PASS
Band7	10	21100	12	#0	16QAM	E-ACLR-	40.40	29.2	PASS
Band7	10	21100	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	16QAM	E-ACLR+	47.88	29.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR+	51.53	32.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR2+	51.94	35.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR2-	50.97	35.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR1-	51.09	32.2	PASS
Band7	10	21100	12	#Max	16QAM	E-ACLR-	47.15	29.2	PASS

Band7	10	21100	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	16QAM	E-ACLR+	43.82	29.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR+	45.24	32.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR2+	52.48	35.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR2-	44.54	35.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR1-	37.06	32.2	PASS
Band7	10	21100	50	#0	16QAM	E-ACLR-	35.65	29.2	PASS
Band7	10	21100	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	16QAM	E-ACLR+	37.14	29.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR+	38.42	32.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR2+	46.05	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	52.47	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	40.30	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	39.56	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	48.61	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	52.24	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	52.67	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	51.96	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	51.80	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	48.02	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	42.23	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	43.17	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.18	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	46.47	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	41.64	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	39.66	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	42.06	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	43.97	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	48.80	35.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR2-	51.93	35.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR1-	40.94	32.2	PASS
Band7	10	21400	12	#0	16QAM	E-ACLR-	40.09	29.2	PASS
Band7	10	21400	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	16QAM	E-ACLR+	47.81	29.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR+	51.53	32.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR2+	51.84	35.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR2-	51.05	35.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR1-	51.01	32.2	PASS
Band7	10	21400	12	#Max	16QAM	E-ACLR-	47.12	29.2	PASS
Band7	10	21400	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	16QAM	E-ACLR+	42.58	29.2	PASS

Band7	10	21400	12	#Max	16QAM	U-ACLR+	43.68	32.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR2+	52.52	35.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR2-	43.14	35.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR1-	34.94	32.2	PASS
Band7	10	21400	50	#0	16QAM	E-ACLR-	33.66	29.2	PASS
Band7	10	21400	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	16QAM	E-ACLR+	35.66	29.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR+	36.84	32.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR2+	45.17	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	51.76	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	44.34	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	43.51	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	45.85	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	52.88	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	52.74	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	52.29	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	52.76	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	45.98	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	38.08	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	36.15	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	51.76	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	46.10	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	43.26	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	40.06	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	34.31	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	38.51	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	39.61	35.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR2-	50.93	35.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR1-	44.88	32.2	PASS
Band7	20	20850	18	#0	16QAM	E-ACLR-	43.36	29.2	PASS
Band7	20	20850	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	16QAM	E-ACLR+	45.07	29.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR+	52.22	32.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR2+	52.06	35.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR2-	51.46	35.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR1-	51.99	32.2	PASS
Band7	20	20850	18	#Max	16QAM	E-ACLR-	45.14	29.2	PASS
Band7	20	20850	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	16QAM	E-ACLR+	39.43	29.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR+	37.80	32.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR2+	51.16	35.2	PASS

Band7	20	20850	100	#0	16QAM	U-ACLR2-	43.24	35.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR1-	40.03	32.2	PASS
Band7	20	20850	100	#0	16QAM	E-ACLR-	37.26	29.2	PASS
Band7	20	20850	100	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	16QAM	E-ACLR+	31.40	29.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR+	35.39	32.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR2+	36.73	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	51.54	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	37.79	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	39.46	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	46.27	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	53.32	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	52.85	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	51.65	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	52.67	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	45.36	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	43.93	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	45.16	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	52.53	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	44.56	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	43.23	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	38.84	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	40.44	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	44.13	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	46.75	35.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR2-	50.78	35.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR1-	39.16	32.2	PASS
Band7	20	21100	18	#0	16QAM	E-ACLR-	40.30	29.2	PASS
Band7	20	21100	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	16QAM	E-ACLR+	45.40	29.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR+	52.60	32.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR2+	52.10	35.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR2-	50.98	35.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR1-	51.89	32.2	PASS
Band7	20	21100	18	#Max	16QAM	E-ACLR-	44.61	29.2	PASS
Band7	20	21100	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	16QAM	E-ACLR+	44.03	29.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR+	46.49	32.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR2+	51.91	35.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR2-	40.56	35.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR1-	38.53	32.2	PASS

Band7	20	21100	100	#0	16QAM	E-ACLR-	34.78	29.2	PASS
Band7	20	21100	100	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	16QAM	E-ACLR+	37.32	29.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR+	40.25	32.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR2+	43.44	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.42	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	43.09	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	42.63	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	46.04	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	53.07	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	52.79	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	51.99	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	52.72	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	45.44	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	42.72	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	42.64	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	52.31	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	44.38	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	43.50	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	38.88	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	40.40	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	44.38	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	46.31	35.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR2-	50.79	35.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR1-	44.32	32.2	PASS
Band7	20	21350	18	#0	16QAM	E-ACLR-	42.91	29.2	PASS
Band7	20	21350	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	16QAM	E-ACLR+	45.08	29.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR+	52.22	32.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR2+	52.02	35.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR2-	51.23	35.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR1-	51.96	32.2	PASS
Band7	20	21350	18	#Max	16QAM	E-ACLR-	44.60	29.2	PASS
Band7	20	21350	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	16QAM	E-ACLR+	43.04	29.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR+	43.74	32.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR2+	51.78	35.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR2-	39.86	35.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR1-	37.65	32.2	PASS
Band7	20	21350	100	#0	16QAM	E-ACLR-	34.18	29.2	PASS
Band7	20	21350	100	#0	16QAM	EUTRA	0.00	0	PASS

Band7	20	21350	100	#0	16QAM	E-ACLR+	35.47	29.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR+	38.59	32.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR2+	41.08	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	43.52	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	38.80	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	40.52	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	45.84	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	45.42	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	39.88	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	37.37	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	42.68	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	46.75	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	44.97	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	44.08	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	46.44	32.2	PASS
Band8	1.4	21457	5	#0	16QAM	U-ACLR1-	45.71	32.2	PASS
Band8	1.4	21457	5	#0	16QAM	E-ACLR-	41.20	29.2	PASS
Band8	1.4	21457	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	16QAM	E-ACLR+	43.36	29.2	PASS
Band8	1.4	21457	5	#0	16QAM	U-ACLR+	47.81	32.2	PASS
Band8	1.4	21457	5	#Max	16QAM	U-ACLR1-	47.57	32.2	PASS
Band8	1.4	21457	5	#Max	16QAM	E-ACLR-	43.00	29.2	PASS
Band8	1.4	21457	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	16QAM	E-ACLR+	40.69	29.2	PASS
Band8	1.4	21457	5	#Max	16QAM	U-ACLR+	45.25	32.2	PASS
Band8	1.4	21457	6	#0	16QAM	U-ACLR1-	47.20	32.2	PASS
Band8	1.4	21457	6	#0	16QAM	E-ACLR-	45.08	29.2	PASS
Band8	1.4	21457	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	16QAM	E-ACLR+	44.26	29.2	PASS
Band8	1.4	21457	6	#0	16QAM	U-ACLR+	46.72	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	43.48	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	38.58	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	41.31	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	46.40	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	45.68	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	40.56	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	38.52	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	43.61	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	44.75	32.2	PASS



Band8	1.4	21625	6	#0	QPSK	E-ACLR-	42.16	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	42.35	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	45.32	32.2	PASS
Band8	1.4	21625	5	#0	16QAM	U-ACLR1-	44.38	32.2	PASS
Band8	1.4	21625	5	#0	16QAM	E-ACLR-	39.05	29.2	PASS
Band8	1.4	21625	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	16QAM	E-ACLR+	41.80	29.2	PASS
Band8	1.4	21625	5	#0	16QAM	U-ACLR+	46.94	32.2	PASS
Band8	1.4	21625	5	#Max	16QAM	U-ACLR1-	46.83	32.2	PASS
Band8	1.4	21625	5	#Max	16QAM	E-ACLR-	41.86	29.2	PASS
Band8	1.4	21625	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	16QAM	E-ACLR+	39.45	29.2	PASS
Band8	1.4	21625	5	#Max	16QAM	U-ACLR+	44.62	32.2	PASS
Band8	1.4	21625	6	#0	16QAM	U-ACLR1-	46.47	32.2	PASS
Band8	1.4	21625	6	#0	16QAM	E-ACLR-	43.55	29.2	PASS
Band8	1.4	21625	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	16QAM	E-ACLR+	43.61	29.2	PASS
Band8	1.4	21625	6	#0	16QAM	U-ACLR+	46.49	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	37.82	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	30.48	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	35.99	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	43.49	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	40.95	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	33.42	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	31.52	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	39.20	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	38.64	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	34.07	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	35.60	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	40.49	32.2	PASS
Band8	1.4	21793	5	#0	16QAM	U-ACLR1-	39.98	32.2	PASS
Band8	1.4	21793	5	#0	16QAM	E-ACLR-	33.71	29.2	PASS
Band8	1.4	21793	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	16QAM	E-ACLR+	38.12	29.2	PASS
Band8	1.4	21793	5	#0	16QAM	U-ACLR+	45.01	32.2	PASS
Band8	1.4	21793	5	#Max	16QAM	U-ACLR1-	42.61	32.2	PASS
Band8	1.4	21793	5	#Max	16QAM	E-ACLR-	36.02	29.2	PASS
Band8	1.4	21793	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	16QAM	E-ACLR+	34.37	29.2	PASS
Band8	1.4	21793	5	#Max	16QAM	U-ACLR+	41.31	32.2	PASS

Band8	1.4	21793	6	#0	16QAM	U-ACLR1-	40.55	32.2	PASS
Band8	1.4	21793	6	#0	16QAM	E-ACLR-	36.57	29.2	PASS
Band8	1.4	21793	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	16QAM	E-ACLR+	37.85	29.2	PASS
Band8	1.4	21793	6	#0	16QAM	U-ACLR+	42.37	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2-	54.19	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	42.47	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	40.31	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	50.67	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	51.21	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	54.38	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	54.25	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	52.36	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	51.64	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	36.52	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	39.13	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	53.86	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	53.23	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	42.27	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	41.38	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	38.88	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	39.61	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	51.69	35.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR2-	53.56	35.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR1-	43.55	32.2	PASS
Band8	5	21475	8	#0	16QAM	E-ACLR-	41.21	29.2	PASS
Band8	5	21475	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	16QAM	E-ACLR+	49.89	29.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR+	50.36	32.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR2+	53.71	35.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR2-	53.60	35.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR1-	51.58	32.2	PASS
Band8	5	21475	8	#Max	16QAM	E-ACLR-	51.01	29.2	PASS
Band8	5	21475	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	16QAM	E-ACLR+	38.95	29.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR+	41.62	32.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR2+	53.29	35.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR2-	52.50	35.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR1-	44.02	32.2	PASS
Band8	5	21475	25	#0	16QAM	E-ACLR-	43.14	29.2	PASS
Band8	5	21475	25	#0	16QAM	EUTRA	0.00	0	PASS



Band8	5	21475	25	#0	16QAM	E-ACLR+	41.17	29.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR+	41.94	32.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR2+	51.48	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.80	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	42.95	32.2	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR-	40.65	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	50.40	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	50.92	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	54.22	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	53.96	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	51.12	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	50.55	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	38.50	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	41.18	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.88	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	51.63	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	43.63	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	42.85	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	42.70	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	43.50	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	52.18	35.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR2-	53.14	35.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR1-	42.91	32.2	PASS
Band8	5	21625	8	#0	16QAM	E-ACLR-	40.57	29.2	PASS
Band8	5	21625	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	16QAM	E-ACLR+	49.38	29.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR+	49.88	32.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR2+	53.59	35.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR2-	53.18	35.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR1-	49.99	32.2	PASS
Band8	5	21625	8	#Max	16QAM	E-ACLR-	49.47	29.2	PASS
Band8	5	21625	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	16QAM	E-ACLR+	39.32	29.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR+	42.09	32.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR2+	53.14	35.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR2-	51.02	35.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR1-	43.83	32.2	PASS
Band8	5	21625	25	#0	16QAM	E-ACLR-	43.13	29.2	PASS
Band8	5	21625	25	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	16QAM	E-ACLR+	43.31	29.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR+	44.16	32.2	PASS


Band8	5	21625	25	#0	16QAM	U-ACLR2+	51.43	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	53.59	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	43.40	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	41.15	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR+	51.31	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	51.90	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	54.25	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.91	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	50.24	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	49.52	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	32.67	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	36.28	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	54.26	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.27	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	41.48	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	40.71	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	42.07	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	42.98	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	53.34	35.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR2-	52.93	35.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR1-	45.15	32.2	PASS
Band8	5	21775	8	#0	16QAM	E-ACLR-	43.13	29.2	PASS
Band8	5	21775	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	16QAM	E-ACLR+	50.62	29.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR+	51.14	32.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR2+	53.49	35.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR2-	53.05	35.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR1-	49.87	32.2	PASS
Band8	5	21775	8	#Max	16QAM	E-ACLR-	49.37	29.2	PASS
Band8	5	21775	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	16QAM	E-ACLR+	35.89	29.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR+	39.21	32.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR2+	53.34	35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2-	50.51	35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR1-	42.20	32.2	PASS
Band8	5	21775	25	#0	16QAM	E-ACLR-	41.42	29.2	PASS
Band8	5	21775	25	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	16QAM	E-ACLR+	43.27	29.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR+	44.17	32.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2+	52.40	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	54.13	35.2	PASS

Band8	10	21500	12	#0	QPSK	U-ACLR1-	40.13	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	39.54	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	48.82	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	52.89	32.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2+	52.72	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	54.10	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	53.78	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	50.19	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	42.25	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	43.03	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	53.78	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	52.49	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	45.50	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	44.20	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	41.97	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	44.28	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	47.45	35.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR2-	53.24	35.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR1-	41.92	32.2	PASS
Band8	10	21500	12	#0	16QAM	E-ACLR-	41.13	29.2	PASS
Band8	10	21500	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	16QAM	E-ACLR+	47.67	29.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR+	51.99	32.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR2+	51.54	35.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR2-	52.94	35.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR1-	52.75	32.2	PASS
Band8	10	21500	12	#Max	16QAM	E-ACLR-	49.03	29.2	PASS
Band8	10	21500	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	16QAM	E-ACLR+	43.82	29.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR+	44.96	32.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR2+	53.08	35.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR2-	51.82	35.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR1-	46.23	32.2	PASS
Band8	10	21500	50	#0	16QAM	E-ACLR-	44.63	29.2	PASS
Band8	10	21500	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	16QAM	E-ACLR+	42.81	29.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR+	45.23	32.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR2+	48.22	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	53.41	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	43.52	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	42.68	29.2	PASS


Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	48.55	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	52.66	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	52.46	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	52.34	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1-	52.83	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	48.60	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	38.84	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	39.46	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	48.38	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	45.10	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	42.69	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	43.00	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	45.28	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	48.61	35.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR2-	52.65	35.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR1-	44.80	32.2	PASS
Band8	10	21625	12	#0	16QAM	E-ACLR-	43.62	29.2	PASS
Band8	10	21625	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	16QAM	E-ACLR+	47.16	29.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR+	51.45	32.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR2+	51.20	35.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR2-	50.86	35.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR1-	51.86	32.2	PASS
Band8	10	21625	12	#Max	16QAM	E-ACLR-	47.25	29.2	PASS
Band8	10	21625	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	16QAM	E-ACLR+	41.01	29.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR+	41.99	32.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR2+	53.03	35.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR2-	48.13	35.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR1-	44.60	32.2	PASS
Band8	10	21625	50	#0	16QAM	E-ACLR-	42.25	29.2	PASS
Band8	10	21625	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	16QAM	E-ACLR+	43.18	29.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR+	45.44	32.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR2+	48.90	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	53.24	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	42.40	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	41.62	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	50.38	29.2	PASS

Band8	10	21750	12	#0	QPSK	U-ACLR+	53.85	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	54.31	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	52.53	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	52.74	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	48.74	29.2	PASS
Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	37.47	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	38.02	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	54.35	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	47.50	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	45.57	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	42.70	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	45.85	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	47.14	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	53.40	35.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR2-	52.48	35.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR1-	43.31	32.2	PASS
Band8	10	21750	12	#0	16QAM	E-ACLR-	42.36	29.2	PASS
Band8	10	21750	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	16QAM	E-ACLR+	49.50	29.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR+	52.98	32.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR2+	53.41	35.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR2-	51.06	35.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR1-	51.54	32.2	PASS
Band8	10	21750	12	#Max	16QAM	E-ACLR-	47.29	29.2	PASS
Band8	10	21750	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	16QAM	E-ACLR+	40.01	29.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR+	40.71	32.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR2+	53.36	35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2-	47.51	35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR1-	44.39	32.2	PASS
Band8	10	21750	50	#0	16QAM	E-ACLR-	41.99	29.2	PASS
Band8	10	21750	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	16QAM	E-ACLR+	44.73	29.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR+	46.02	32.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2+	52.39	35.2	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#Max






Band1 16QAM BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0







Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 16QAM BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#0



Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 16QAM BW=5MHz Channel=18575 RB Size=25 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0






Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#Max







Band1 16QAM BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0







Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 16QAM BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 16QAM BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0







Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 16QAM BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#Max







Band20 16QAM BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 16QAM BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0







Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24400 RB Size=50 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0






Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 16QAM BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#Max







Band20 16QAM BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#0



Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#0







Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27235 RB Size=25 Position=#0



Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27375 RB Size=25 Position=#0







Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27375 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#0



Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#Max



Band28 16QAM BW=5MHz Channel=27515 RB Size=25 Position=#0



Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#Max






Band28 16QAM BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27375 RB Size=50 Position=#0



Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#Max



Band28 16QAM BW=10MHz Channel=27375 RB Size=50 Position=#0



Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0







Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#Max



Band28 16QAM BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#0



Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#Max



Band28 QPSK BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#Max



Band28 16QAM BW=20MHz Channel=27375 RB Size=100 Position=#0



Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#0



Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27440 RB Size=100 Position=#0







Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27440 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max







Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0







Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0







Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max







Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0







Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0







Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#Max






Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0






Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0







Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max



Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#Max







Band8 16QAM BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#0



Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#Max



Band8 16QAM BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0







Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#Max



Band8 16QAM BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0






Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 16QAM BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 16QAM BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#Max





Band8 16QAM BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band28	3	27225	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27375	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27525	15	QPSK	-99.5	100.00	95	PASS
Band28	5	27235	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27375	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27515	25	QPSK	-97.8	100.00	95	PASS
Band28	20	27310	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27375	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27440	100	QPSK	-90.3	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	99.88	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	100.00	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS

Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	100.00	95	PASS