Appendix for Band 3

Report No.:	BCTC2504708272-10E
Applicant:	Shenzhen Huafurui Technology Co., Ltd.
Product Name:	Smartphone
Test Model:	P90
Tested Date:	2025-04-07 to 2025-05-09

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1.Transmitter maximum output power 2
Appendix 2.Transmitter spectrum emission mask 3
Appendix 3.Transmitter Spurious Emissions 64
Appendix 4.Transmitter minimum output power 189
Appendix 5.Transmitter adjacent channel leakage power ratio 190
Appendix 6.Receiver adjacent channel selectivity 250
Appendix 7.Receiver blocking characteristics in-band 252
Appendix 8.Receiver blocking characteristics narrow-band 262
Appendix 9.Receiver intermodulation characteristics 263
Appendix 10.Receiver Reference Sensitivity Level 264
Appendix 11.Receiver spurious emissions 265

Appendix 1.Transmitter maximum output power

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
NVNT	Band3	1.4	19207	1	#0	QPSK	23.31	18.8	25.7	PASS
NVNT	Band3	1.4	19207	1	#Max	QPSK	23.31	18.8	25.7	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	23.30	18.8	25.7	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	23.31	18.8	25.7	PASS
NVNT	Band3	1.4	19575	1	#0	QPSK	23.14	20.3	25.7	PASS
NVNT	Band3	1.4	19575	1	#Max	QPSK	23.15	20.3	25.7	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	23.27	20.3	25.7	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	23.27	20.3	25.7	PASS
NVNT	Band3	1.4	19943	1	#0	QPSK	22.71	18.8	25.7	PASS
NVNT	Band3	1.4	19943	1	#Max	QPSK	22.72	18.8	25.7	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	22.70	18.8	25.7	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	22.70	18.8	25.7	PASS
NVNT	Band3	5	19225	1	#0	QPSK	23.39	18.8	25.7	PASS
NVNT	Band3	5	19225	1	#Max	QPSK	23.40	20.3	25.7	PASS
NVNT	Band3	5	19225	8	#0	QPSK	23.62	18.8	25.7	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	23.61	20.3	25.7	PASS
NVNT	Band3	5	19575	1	#0	QPSK	23.28	20.3	25.7	PASS
NVNT	Band3	5	19575	1	#Max	QPSK	23.40	20.3	25.7	PASS
NVNT	Band3	5	19575	8	#0	QPSK	23.53	20.3	25.7	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	23.62	20.3	25.7	PASS
NVNT	Band3	5	19925	1	#0	QPSK	22.79	20.3	25.7	PASS
NVNT	Band3	5	19925	1	#Max	QPSK	22.74	18.8	25.7	PASS
NVNT	Band3	5	19925	8	#0	QPSK	23.04	20.3	25.7	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	23.03	18.8	25.7	PASS
NVNT	Band3	20	19300	1	#0	QPSK	23.34	18.8	25.7	PASS
NVNT	Band3	20	19300	1	#Max	QPSK	23.19	20.3	25.7	PASS
NVNT	Band3	20	19300	18	#0	QPSK	23.54	18.8	25.7	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	23.38	20.3	25.7	PASS
NVNT	Band3	20	19575	1	#0	QPSK	23.18	20.3	25.7	PASS
NVNT	Band3	20	19575	1	#Max	QPSK	23.42	20.3	25.7	PASS
NVNT	Band3	20	19575	18	#0	QPSK	23.32	20.3	25.7	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	23.51	20.3	25.7	PASS
NVNT	Band3	20	19850	1	#0	QPSK	23.02	20.3	25.7	PASS
NVNT	Band3	20	19850	1	#Max	QPSK	22.87	18.8	25.7	PASS
NVNT	Band3	20	19850	18	#0	QPSK	23.21	20.3	25.7	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	22.99	18.8	25.7	PASS

Appendix 2.Transmitter spectrum emission mask

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Offset (MHz)	SEM Margin (dB)	Verdict
NVNT	Band3	1.4	19207	5	#0	QPSK	-0.855	18.24	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	-2.2	18.65	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	-3.7	11.24	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	0.715	18.65	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	2.2	20.45	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	3.7	11.10	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-1.155	19.36	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-2.2	21.00	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-3.7	11.22	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	0.885	17.53	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	2.2	18.32	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	3.7	11.02	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-0.825	21.03	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-2.2	18.97	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-3.7	11.23	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	0.715	20.38	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	2.2	19.74	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	3.7	11.23	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-0.75	18.42	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-2.2	19.98	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-3.7	11.41	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	0.715	19.54	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	2.2	21.73	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	3.7	11.24	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-0.825	20.04	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-2.2	22.43	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-3.7	11.48	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	0.81	19.03	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	2.2	19.70	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	3.7	11.24	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-0.715	20.53	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-2.2	24.45	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-3.7	13.40	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	0.735	20.93	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	2.2	24.50	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	3.7	13.29	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	-0.715	14.38	PASS

NVNT	Band3	1.4	19575	5	#0	QPSK	-2.2	16.96	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	-3.7	10.99	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	0.715	14.58	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	2.2	18.71	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	3.7	10.98	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-0.795	14.82	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-2.2	18.68	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-3.7	11.16	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	0.735	14.07	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	2.2	17.22	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	3.7	10.77	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-0.99	20.30	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-2.2	17.15	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-3.7	11.01	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	0.765	20.17	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	2.2	17.54	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	3.7	10.87	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-0.715	14.59	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-2.2	17.63	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-3.7	11.19	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	0.855	16.47	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	2.2	19.78	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	3.7	11.06	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-0.825	15.79	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-2.2	19.89	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-3.7	11.34	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	0.715	13.35	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	2.2	17.93	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	3.7	10.95	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-0.945	22.72	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-2.2	23.00	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-3.7	13.37	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	0.78	22.32	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	2.2	22.87	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	3.7	13.27	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-0.78	19.80	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-2.2	18.74	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-3.7	11.02	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	0.81	21.12	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	2.2	21.61	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	3.7	11.13	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	-0.87	19.64	PASS

NVNT	Band3	1.4	19943	5	#Max	QPSK	-2.2	20.90	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	-3.7	11.11	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	0.81	19.40	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	2.2	20.01	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	3.7	11.10	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-0.75	22.26	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-2.2	18.82	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-3.7	11.11	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	0.735	22.75	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	2.2	19.52	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	3.7	11.16	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-0.765	19.35	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-2.2	21.05	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-3.7	11.19	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	0.715	21.01	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	2.2	23.02	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	3.7	11.44	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-0.715	21.53	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-2.2	22.83	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-3.7	11.40	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	0.9	21.11	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	2.2	21.18	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	3.7	11.32	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-0.715	21.43	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-2.2	24.07	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-3.7	13.25	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	0.715	23.84	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	2.2	24.27	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	3.7	13.50	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-2.515	14.85	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-4	12.33	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-8	23.96	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-11.43	11.91	PASS
NVNT	Band3	5	19225	8	#0	QPSK	2.55	33.08	PASS
NVNT	Band3	5	19225	8	#0	QPSK	4	24.55	PASS
NVNT	Band3	5	19225	8	#0	QPSK	8	24.03	PASS
NVNT	Band3	5	19225	8	#0	QPSK	10.17	11.96	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-2.515	33.36	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-4	25.19	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-8	24.13	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-11.52	11.96	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	2.515	14.65	PASS

NVNT	Band3	5	19225	8	#Max	QPSK	4	12.38	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	8	23.83	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	9.63	12.06	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-2.595	20.87	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-4	14.44	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-8	19.45	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-9	9.42	PASS
NVNT	Band3	5	19225	25	#0	QPSK	2.535	21.58	PASS
NVNT	Band3	5	19225	25	#0	QPSK	4	14.10	PASS
NVNT	Band3	5	19225	25	#0	QPSK	8	19.05	PASS
NVNT	Band3	5	19225	25	#0	QPSK	9	8.57	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-2.625	17.01	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-4	14.67	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-8	23.99	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-11.79	11.97	PASS
NVNT	Band3	5	19225	8	#0	16QAM	2.7	33.47	PASS
NVNT	Band3	5	19225	8	#0	16QAM	4	24.72	PASS
NVNT	Band3	5	19225	8	#0	16QAM	8	24.00	PASS
NVNT	Band3	5	19225	8	#0	16QAM	10.08	12.01	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-2.565	33.87	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-4	25.38	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-8	24.20	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-12	11.97	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	2.515	16.01	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	4	14.74	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	8	24.01	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	9	11.98	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-3.045	22.72	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-4	15.12	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-8	23.50	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-9	12.43	PASS
NVNT	Band3	5	19225	25	#0	16QAM	2.515	20.68	PASS
NVNT	Band3	5	19225	25	#0	16QAM	4	15.12	PASS
NVNT	Band3	5	19225	25	#0	16QAM	8	22.80	PASS
NVNT	Band3	5	19225	25	#0	16QAM	9	12.09	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-2.535	10.35	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-4	11.18	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-8	23.96	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-11.52	11.82	PASS
NVNT	Band3	5	19575	8	#0	QPSK	2.76	32.19	PASS
NVNT	Band3	5	19575	8	#0	QPSK	4	24.23	PASS
NVNT	Band3	5	19575	8	#0	QPSK	8	23.91	PASS

NVNT	Band3	5	19575	8	#0	QPSK	12	11.87	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-2.7	32.20	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-4	24.84	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-8	24.15	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-12	11.87	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	2.515	8.81	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	4	11.23	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	8	23.71	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	12	11.90	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-3.345	20.50	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-4	12.99	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-8	18.69	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-9	8.37	PASS
NVNT	Band3	5	19575	25	#0	QPSK	2.61	19.21	PASS
NVNT	Band3	5	19575	25	#0	QPSK	4	12.15	PASS
NVNT	Band3	5	19575	25	#0	QPSK	8	18.03	PASS
NVNT	Band3	5	19575	25	#0	QPSK	9	7.77	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-2.515	11.77	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-4	12.87	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-8	23.91	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-11.88	11.90	PASS
NVNT	Band3	5	19575	8	#0	16QAM	2.515	33.10	PASS
NVNT	Band3	5	19575	8	#0	16QAM	4	24.60	PASS
NVNT	Band3	5	19575	8	#0	16QAM	8	23.97	PASS
NVNT	Band3	5	19575	8	#0	16QAM	10.26	11.93	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-2.565	32.90	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-4	25.06	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-8	24.04	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-12	11.93	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	2.515	11.53	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	4	12.67	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	8	23.76	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	9.27	11.87	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-2.515	22.37	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-4	16.47	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-8	22.97	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-9	12.59	PASS
NVNT	Band3	5	19575	25	#0	16QAM	3.21	22.91	PASS
NVNT	Band3	5	19575	25	#0	16QAM	4	16.03	PASS
NVNT	Band3	5	19575	25	#0	16QAM	8	22.22	PASS
NVNT	Band3	5	19575	25	#0	16QAM	9	12.22	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-2.515	12.96	PASS

NVNT	Band3	5	19925	8	#0	QPSK	-4	12.97	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-8	23.81	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-11.7	11.72	PASS
NVNT	Band3	5	19925	8	#0	QPSK	2.565	33.77	PASS
NVNT	Band3	5	19925	8	#0	QPSK	4.41	24.64	PASS
NVNT	Band3	5	19925	8	#0	QPSK	8	23.88	PASS
NVNT	Band3	5	19925	8	#0	QPSK	12	11.83	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-2.515	33.45	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-4	24.50	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-8	23.88	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-10.8	11.78	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	2.515	13.70	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	4	13.62	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	8	23.66	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	11.79	11.81	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-2.67	22.41	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-4	15.46	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-8	19.76	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-9	9.35	PASS
NVNT	Band3	5	19925	25	#0	QPSK	3.045	23.17	PASS
NVNT	Band3	5	19925	25	#0	QPSK	4	16.39	PASS
NVNT	Band3	5	19925	25	#0	QPSK	8	20.15	PASS
NVNT	Band3	5	19925	25	#0	QPSK	9	9.67	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-2.61	17.23	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-4	15.58	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-8	23.84	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-12	11.72	PASS
NVNT	Band3	5	19925	8	#0	16QAM	2.515	34.45	PASS
NVNT	Band3	5	19925	8	#0	16QAM	4.32	24.85	PASS
NVNT	Band3	5	19925	8	#0	16QAM	8	23.84	PASS
NVNT	Band3	5	19925	8	#0	16QAM	9	11.81	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-2.685	33.44	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-4	24.78	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-8	23.85	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-11.7	11.68	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	2.55	17.18	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	4	15.95	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	8	23.68	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	9	11.84	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-2.515	23.62	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-4	17.35	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-8	23.50	PASS

NVNT	Band3	5	19925	25	#0	16QAM	-9	12.85	PASS
NVNT	Band3	5	19925	25	#0	16QAM	3.09	24.11	PASS
NVNT	Band3	5	19925	25	#0	16QAM	4	17.90	PASS
NVNT	Band3	5	19925	25	#0	16QAM	8	23.91	PASS
NVNT	Band3	5	19925	25	#0	16QAM	9	13.03	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-5.015	14.82	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-6.5	11.62	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-10.5	23.34	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-19.5	10.92	PASS
NVNT	Band3	10	19250	12	#0	QPSK	5.4	32.52	PASS
NVNT	Band3	10	19250	12	#0	QPSK	9.5	25.64	PASS
NVNT	Band3	10	19250	12	#0	QPSK	11.07	22.04	PASS
NVNT	Band3	10	19250	12	#0	QPSK	19.35	11.83	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-5.25	32.83	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-6.5	26.20	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-11.16	23.11	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-19.5	10.97	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	5.115	14.98	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	6.5	11.82	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	10.5	23.34	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	18.81	11.77	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-5.46	21.41	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-6.5	16.81	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-10.62	15.34	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-15.5	8.92	PASS
NVNT	Band3	10	19250	50	#0	QPSK	5.025	20.61	PASS
NVNT	Band3	10	19250	50	#0	QPSK	6.5	16.85	PASS
NVNT	Band3	10	19250	50	#0	QPSK	10.62	14.73	PASS
NVNT	Band3	10	19250	50	#0	QPSK	15.5	8.27	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-5.07	13.83	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-6.5	13.72	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-11.52	23.51	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-19.5	10.98	PASS
NVNT	Band3	10	19250	12	#0	16QAM	5.115	32.64	PASS
NVNT	Band3	10	19250	12	#0	16QAM	9.5	25.72	PASS
NVNT	Band3	10	19250	12	#0	16QAM	10.98	22.32	PASS
NVNT	Band3	10	19250	12	#0	16QAM	19.5	11.88	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-5.1	32.36	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-6.5	26.12	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-11.07	23.18	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-19.5	10.92	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	5.145	14.15	PASS

NVNT	Band3	10	19250	12	#Max	16QAM	6.5	13.79	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	10.5	23.55	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	17.28	11.84	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-5.055	21.32	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-6.5	17.88	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-10.5	18.08	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-15.5	11.79	PASS
NVNT	Band3	10	19250	50	#0	16QAM	5.28	21.23	PASS
NVNT	Band3	10	19250	50	#0	16QAM	6.5	17.26	PASS
NVNT	Band3	10	19250	50	#0	16QAM	10.5	17.25	PASS
NVNT	Band3	10	19250	50	#0	16QAM	15.5	11.52	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-5.025	11.24	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-6.5	10.54	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-10.5	23.03	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-19.5	10.81	PASS
NVNT	Band3	10	19575	12	#0	QPSK	5.055	32.42	PASS
NVNT	Band3	10	19575	12	#0	QPSK	9	25.37	PASS
NVNT	Band3	10	19575	12	#0	QPSK	11.07	22.01	PASS
NVNT	Band3	10	19575	12	#0	QPSK	19.26	11.77	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-5.79	32.36	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-6.57	26.14	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-11.34	23.11	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-19.5	10.87	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	5.145	9.11	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	6.5	10.02	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	10.5	22.68	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	19.17	11.69	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-5.145	19.85	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-6.75	14.78	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-10.71	14.26	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-15.5	8.46	PASS
NVNT	Band3	10	19575	50	#0	QPSK	5.475	19.01	PASS
NVNT	Band3	10	19575	50	#0	QPSK	6.84	13.43	PASS
NVNT	Band3	10	19575	50	#0	QPSK	11.07	12.68	PASS
NVNT	Band3	10	19575	50	#0	QPSK	15.5	8.04	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-5.22	12.47	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-6.5	12.82	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-10.5	23.25	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-19.5	10.82	PASS
NVNT	Band3	10	19575	12	#0	16QAM	5.145	32.49	PASS
NVNT	Band3	10	19575	12	#0	16QAM	9.5	25.50	PASS
NVNT	Band3	10	19575	12	#0	16QAM	10.89	22.22	PASS

NVNT	Band3	10	19575	12	#0	16QAM	19.35	11.77	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-5.49	32.41	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-6.5	26.15	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-11.34	23.21	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-19.5	10.73	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	5.015	11.33	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	6.5	12.34	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	10.5	23.10	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	19.5	11.65	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-5.37	23.17	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-6.5	19.40	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-10.5	19.07	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-15.5	11.65	PASS
NVNT	Band3	10	19575	50	#0	16QAM	5.145	23.05	PASS
NVNT	Band3	10	19575	50	#0	16QAM	6.5	18.37	PASS
NVNT	Band3	10	19575	50	#0	16QAM	10.5	17.93	PASS
NVNT	Band3	10	19575	50	#0	16QAM	15.5	11.18	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-5.025	12.40	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-6.5	12.08	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-10.5	23.11	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-19.5	10.63	PASS
NVNT	Band3	10	19900	12	#0	QPSK	5.67	32.50	PASS
NVNT	Band3	10	19900	12	#0	QPSK	9.45	25.57	PASS
NVNT	Band3	10	19900	12	#0	QPSK	10.8	22.34	PASS
NVNT	Band3	10	19900	12	#0	QPSK	18.27	11.62	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-5.04	32.17	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-6.5	25.87	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-10.89	22.92	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-19.5	10.75	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	5.07	14.04	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	6.5	13.20	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	10.5	23.29	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	15.5	11.62	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-5.715	23.07	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-6.57	18.21	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-12.96	15.58	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-15.5	8.61	PASS
NVNT	Band3	10	19900	50	#0	QPSK	5.07	23.15	PASS
NVNT	Band3	10	19900	50	#0	QPSK	7.02	18.83	PASS
NVNT	Band3	10	19900	50	#0	QPSK	10.5	17.22	PASS
NVNT	Band3	10	19900	50	#0	QPSK	15.5	11.03	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-5.025	13.43	PASS

NVNT	Band3	10	19900	12	#0	16QAM	-6.5	13.97	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-10.5	23.26	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-19.5	10.68	PASS
NVNT	Band3	10	19900	12	#0	16QAM	5.205	32.76	PASS
NVNT	Band3	10	19900	12	#0	16QAM	9.5	25.64	PASS
NVNT	Band3	10	19900	12	#0	16QAM	10.5	22.70	PASS
NVNT	Band3	10	19900	12	#0	16QAM	19.5	11.59	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-5.015	32.26	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-6.84	26.00	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-10.98	23.05	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-19.5	10.77	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	5.1	15.71	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	6.5	15.47	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	10.5	23.37	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	15.84	11.65	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-5.25	23.69	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-6.5	18.94	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-10.5	18.96	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-15.5	12.08	PASS
NVNT	Band3	10	19900	50	#0	16QAM	5.145	23.90	PASS
NVNT	Band3	10	19900	50	#0	16QAM	6.5	20.20	PASS
NVNT	Band3	10	19900	50	#0	16QAM	10.5	19.83	PASS
NVNT	Band3	10	19900	50	#0	16QAM	15.5	13.44	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-10.065	13.68	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-11.5	12.80	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-15.5	21.91	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-30.5	12.32	PASS
NVNT	Band3	20	19300	18	#0	QPSK	10.485	30.13	PASS
NVNT	Band3	20	19300	18	#0	QPSK	12.87	26.66	PASS
NVNT	Band3	20	19300	18	#0	QPSK	21.96	21.46	PASS
NVNT	Band3	20	19300	18	#0	QPSK	34.2	12.12	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-10.095	30.00	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-14.04	26.30	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-19.8	22.29	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-32.31	12.37	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	10.605	15.88	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	11.7	13.77	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	15.5	22.24	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	34.5	12.07	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-10.05	20.10	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-11.5	18.81	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-15.5	18.01	PASS

NVNT	Band3	20	19300	100	#0	QPSK	-30.5	12.26	PASS
NVNT	Band3	20	19300	100	#0	QPSK	10.305	20.95	PASS
NVNT	Band3	20	19300	100	#0	QPSK	11.5	19.25	PASS
NVNT	Band3	20	19300	100	#0	QPSK	21.6	16.91	PASS
NVNT	Band3	20	19300	100	#0	QPSK	30.5	10.00	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-10.155	12.75	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-11.5	13.78	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-15.66	22.39	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-30.5	12.25	PASS
NVNT	Band3	20	19300	18	#0	16QAM	10.015	30.16	PASS
NVNT	Band3	20	19300	18	#0	16QAM	14.22	26.58	PASS
NVNT	Band3	20	19300	18	#0	16QAM	21.96	21.80	PASS
NVNT	Band3	20	19300	18	#0	16QAM	32.22	12.09	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-10.08	29.85	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-14.31	26.32	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-19.71	22.44	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-31.95	12.40	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	10.17	14.29	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	11.5	14.38	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	15.5	22.47	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	30.5	12.01	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-10.035	21.14	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-11.5	19.78	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-15.5	18.76	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-30.5	13.33	PASS
NVNT	Band3	20	19300	100	#0	16QAM	10.14	20.95	PASS
NVNT	Band3	20	19300	100	#0	16QAM	11.5	19.33	PASS
NVNT	Band3	20	19300	100	#0	16QAM	15.5	18.16	PASS
NVNT	Band3	20	19300	100	#0	16QAM	30.5	13.14	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-10.155	12.24	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-11.7	12.16	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-15.5	21.15	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-31.95	12.21	PASS
NVNT	Band3	20	19575	18	#0	QPSK	10.035	29.79	PASS
NVNT	Band3	20	19575	18	#0	QPSK	13.05	26.48	PASS
NVNT	Band3	20	19575	18	#0	QPSK	22.14	21.71	PASS
NVNT	Band3	20	19575	18	#0	QPSK	32.67	12.07	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-10.635	30.01	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-14.5	26.27	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-19.71	22.27	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-31.5	12.34	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	10.065	8.37	PASS

NVNT	Band3	20	19575	18	#Max	QPSK	11.5	10.53	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	15.5	20.96	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	33.57	11.94	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-10.77	18.73	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-12.06	17.85	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-17.01	16.10	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-30.5	10.08	PASS
NVNT	Band3	20	19575	100	#0	QPSK	10.185	17.68	PASS
NVNT	Band3	20	19575	100	#0	QPSK	13.32	16.08	PASS
NVNT	Band3	20	19575	100	#0	QPSK	16.92	13.98	PASS
NVNT	Band3	20	19575	100	#0	QPSK	30.5	9.56	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-10.035	12.82	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-11.5	13.99	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-15.5	21.91	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-33.48	12.14	PASS
NVNT	Band3	20	19575	18	#0	16QAM	10.275	29.81	PASS
NVNT	Band3	20	19575	18	#0	16QAM	13.32	26.56	PASS
NVNT	Band3	20	19575	18	#0	16QAM	22.23	21.94	PASS
NVNT	Band3	20	19575	18	#0	16QAM	33.3	11.99	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-10.05	29.90	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-13.14	26.33	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-19.8	22.40	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-33.48	12.27	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	10.05	10.53	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	11.5	12.75	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	15.5	21.87	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	30.78	11.89	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-10.015	22.85	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-11.5	21.40	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-15.5	20.11	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-30.5	12.56	PASS
NVNT	Band3	20	19575	100	#0	16QAM	10.125	21.67	PASS
NVNT	Band3	20	19575	100	#0	16QAM	11.5	19.91	PASS
NVNT	Band3	20	19575	100	#0	16QAM	16.38	18.76	PASS
NVNT	Band3	20	19575	100	#0	16QAM	30.5	12.78	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-10.015	15.78	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-11.61	14.13	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-15.5	22.02	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-33.21	12.05	PASS
NVNT	Band3	20	19850	18	#0	QPSK	10.08	30.05	PASS
NVNT	Band3	20	19850	18	#0	QPSK	13.41	26.58	PASS
NVNT	Band3	20	19850	18	#0	QPSK	19.71	22.92	PASS

NVNT	Band3	20	19850	18	#0	QPSK	33.03	11.99	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-10.92	29.84	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-14.5	25.93	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-19.71	22.04	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-30.5	12.20	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	10.2	14.74	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	11.5	14.55	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	15.5	22.28	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	33.03	11.86	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-10.155	21.87	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-11.5	20.50	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-21.69	18.34	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-30.5	10.85	PASS
NVNT	Band3	20	19850	100	#0	QPSK	10.17	22.52	PASS
NVNT	Band3	20	19850	100	#0	QPSK	11.5	20.98	PASS
NVNT	Band3	20	19850	100	#0	QPSK	15.93	19.26	PASS
NVNT	Band3	20	19850	100	#0	QPSK	30.69	11.94	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-10.015	15.00	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-11.5	15.45	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-15.5	22.17	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-30.5	12.03	PASS
NVNT	Band3	20	19850	18	#0	16QAM	10.095	29.96	PASS
NVNT	Band3	20	19850	18	#0	16QAM	13.23	26.51	PASS
NVNT	Band3	20	19850	18	#0	16QAM	19.71	23.14	PASS
NVNT	Band3	20	19850	18	#0	16QAM	32.58	11.98	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-10.065	29.59	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-14.5	26.09	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-19.71	22.16	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-33.84	12.17	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	10.065	15.09	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	11.5	15.55	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	15.5	22.62	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	32.76	11.94	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-10.14	22.38	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-11.5	21.02	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-15.5	19.49	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-31.05	13.70	PASS
NVNT	Band3	20	19850	100	#0	16QAM	10.23	22.83	PASS
NVNT	Band3	20	19850	100	#0	16QAM	11.5	21.60	PASS
NVNT	Band3	20	19850	100	#0	16QAM	15.5	20.28	PASS
NVNT	Band3	20	19850	100	#0	16QAM	31.59	14.06	PASS



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max NVNT

Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT

Appendix 3.Transmitter Spurious Emissions

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band 3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.82	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.31	-56.42	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.11	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-41.94	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-45.70	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.46	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.14	-59.91	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.75	-60.17	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.11	-58.86	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.60	-60.75	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.78	-60.56	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-59.08	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.30	-60.52	-50	PASS

NVNT	Band 3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.94	-60.92	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.04	-60.26	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.56	-59.89	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.01	-59.86	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.85	-58.80	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.10	-59.67	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.40	-58.98	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.13	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.36	-59.99	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.10	-60.24	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.33	-60.61	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.09	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.65	-54.77	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.13	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-41.02	-30	PASS

NVNT	Band 3	1.4	19207	1	#Max	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-43.15	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.49	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2159.92	-59.99	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1866.80	-60.20	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2654.58	-58.82	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	926.23	-60.71	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	800.33	-60.51	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-59.06	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	791.75	-60.53	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.00	-60.95	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1489.75	-60.28	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1918.52	-59.93	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2012.51	-59.86	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2615.75	-58.88	-50	PASS
NVNT	Band	1.4	19207	1	#Max	QPSK	2300	1	2381.6	-59.5	-50	PASS

	3						MHz-2400 MHz	MHz	0	8		
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-58.88	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.24	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2131.69	-59.95	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	757.46	-60.27	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	777.60	-60.67	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.35	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-55.64	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	814.25	-60.64	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-39.78	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-45.02	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.33	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.88	-59.95	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.58	-60.18	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2670.68	-58.83	-50	PASS
NVNT	Band	1.4	19207	6	#0	QPSK	925	1	925.28	-60.7	-50	PASS

	3						MHz-960 MHz	MHz		0		
NVNT	Band 3	1.4	19207	6	#0	QPSK	791 MHz-821 MHz	1 MHz	794.03	-60.40	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-59.13	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	758 MHz-803 MHz	1 MHz	800.12	-60.50	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.59	-60.97	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.34	-60.26	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.96	-59.87	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.41	-59.90	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.80	-58.84	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.10	-59.67	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-58.91	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.07	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2174.35	-59.91	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-60.19	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	753 MHz-783	1 MHz	781.86	-60.66	-50	PASS

							MHz					
NVNT	Band 3	1.4	19207	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-50.97	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	150 kHz-30 MHz	10 kHz	0.17	-55.43	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	805.13	-60.80	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1000 MHz-1707.20 MHz	1 MHz	1707.20	-41.72	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.27	-45.62	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.46	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2126.56	-59.96	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.00	-60.14	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2658.71	-58.83	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	925 MHz-960 MHz	1 MHz	927.59	-60.72	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	791 MHz-821 MHz	1 MHz	793.13	-60.52	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.28	-59.06	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	758 MHz-803 MHz	1 MHz	800.12	-60.53	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.04	-60.90	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1452 MHz-1496	1 MHz	1479.94	-60.30	-50	PASS

							MHz					
NVNT	Band 3	1.4	19207	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1911.78	-59.95	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2022.96	-59.87	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.90	-58.84	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2385.30	-59.45	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.40	-58.88	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.15	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2140.15	-59.93	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	738 MHz-758 MHz	1 MHz	756.82	-60.24	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	753 MHz-783 MHz	1 MHz	775.89	-60.62	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.23	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	0.36	-55.93	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	806.29	-60.41	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1000 MHz-1707.20 MHz	1 MHz	1707.20	-42.19	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.27	-44.74	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3000 MHz-12.75	1 MHz	9599.94	-51.49	-30	PASS

							GHz					
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2169.58	-59.98	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1874.23	-60.19	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2665.29	-58.83	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	929.20	-60.74	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	794.87	-60.57	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3587.52	-59.09	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	798.68	-60.49	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.37	-60.91	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1481.88	-60.22	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1915.84	-59.93	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2020.98	-59.93	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2617.25	-58.86	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2385.10	-59.64	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3600.00	-58.94	-50	PASS

NVNT	Band 3	1.4	19207	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.16	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2152.93	-59.99	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	756.66	-60.28	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	782.79	-60.68	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.01	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	150 kHz-30 MHz	10 kHz	6.07	-54.12	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.33	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1000 MHz-1707.20 MHz	1 MHz	1707.20	-42.74	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.27	-46.79	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.92	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2141.92	-59.97	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1872.58	-60.14	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2662.84	-58.83	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	925 MHz-960 MHz	1 MHz	928.89	-60.74	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	791 MHz-821 MHz	1 MHz	793.61	-60.51	-50	PASS

NVNT	Band 3	1.4	19207	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.52	-59.14	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	758 MHz-803 MHz	1 MHz	795.49	-60.50	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.57	-60.91	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1479.37	-60.30	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.82	-59.93	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2016.50	-59.89	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.75	-58.84	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2395.80	-59.61	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.00	-58.98	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.12	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2137.54	-59.92	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	738 MHz-758 MHz	1 MHz	755.00	-60.18	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	753 MHz-783 MHz	1 MHz	782.07	-60.67	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.28	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	5.98	-54.50	-36	PASS

NVNT	Band 3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	977.40	-60.52	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-42.01	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-45.40	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.38	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.00	-59.94	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.43	-60.16	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.43	-58.81	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.25	-60.81	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.19	-60.58	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-59.12	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.23	-60.52	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.87	-60.88	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1474.92	-60.27	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.88	-59.93	-50	PASS
NVNT	Band	1.4	19575	1	#0	QPSK	2010	1	2015.7	-59.8	-50	PASS

	3						MHz-2025 MHz	MHz	5	7		
NVNT	Band 3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-58.83	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.10	-59.66	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-58.96	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3755.00	-59.14	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.24	-59.90	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.14	-60.29	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.14	-60.70	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.46	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.12	-54.93	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	836.46	-60.57	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-42.16	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-43.95	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.37	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2125.30	-59.95	-50	PASS
NVNT	Band	1.4	19575	1	#Max	QPSK	1805	1	1879.7	-60.2	-50	PASS

	3						MHz-1880 MHz	MHz	8	2		
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2673.90	-58.85	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	928.12	-60.67	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	793.85	-60.50	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-59.08	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	793.15	-60.52	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.74	-60.86	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1479.37	-60.27	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1915.60	-59.92	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2016.51	-59.84	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2620.00	-58.85	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2379.30	-59.60	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-58.92	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.16	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2110 MHz-2200	1 MHz	2131.51	-60.00	-50	PASS

							MHz					
NVNT	Band 3	1.4	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	757.76	-60.25	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	780.96	-60.63	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-50.70	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	150 kHz-30 MHz	10 kHz	6.09	-56.46	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.42	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-37.54	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-43.56	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.66	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.12	-59.88	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.80	-60.15	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.53	-58.80	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	925 MHz-960 MHz	1 MHz	930.50	-60.70	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	791 MHz-821 MHz	1 MHz	799.64	-60.55	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.32	-59.08	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	758 MHz-803	1 MHz	800.12	-60.52	-50	PASS

							MHz					
NVNT	Band 3	1.4	19575	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.46	-60.92	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.90	-60.26	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.24	-59.92	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.56	-59.88	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.25	-58.86	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2376.40	-59.60	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.60	-58.80	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.20	-59.13	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.41	-59.91	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	738 MHz-758 MHz	1 MHz	757.56	-60.25	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	753 MHz-783 MHz	1 MHz	774.60	-60.64	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.96	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.03	-54.14	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.33	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1000 MHz-1744.	1 MHz	1744.00	-42.48	-30	PASS

							00 MHz					
NVNT	Band 3	1.4	19575	1	#0	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.04	-45.67	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.55	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2154.46	-59.94	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1846.25	-60.22	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2660.88	-58.80	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	925 MHz-960 MHz	1 MHz	929.13	-60.70	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	800.57	-60.51	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.80	-59.01	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.94	-60.49	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.04	-60.93	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1456.71	-60.30	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1914.78	-59.95	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.56	-59.89	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.90	-58.88	-50	PASS

NVNT	Band 3	1.4	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2384.10	-59.65	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.86	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.07	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2133.76	-59.91	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	750.48	-60.26	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.83	-60.05	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.60	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.39	-54.61	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.60	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1000 MHz-1744.00 MHz	1 MHz	1744.00	-42.38	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.04	-44.58	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.09	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2169.46	-59.95	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1865.83	-60.18	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2666.69	-58.80	-50	PASS

NVNT	Band 3	1.4	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	929.13	-60.77	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	795.47	-60.48	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3588.88	-59.10	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	795.58	-60.56	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.94	-60.89	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1472.24	-60.32	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1914.40	-59.93	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2012.27	-59.89	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2616.10	-58.80	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2379.50	-59.64	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.40	-58.89	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3755.00	-59.13	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2137.09	-60.00	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	752.14	-60.25	-50	PASS
NVNT	Band	1.4	19575	1	#Max	16QAM	753	1	781.08	-60.0	-50	PASS

	3						MHz-783 MHz	MHz		3		
NVNT	Band 3	1.4	19575	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.33	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	150 kHz-30 MHz	10 kHz	5.99	-51.91	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.05	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1000 MHz-1744.00 MHz	1 MHz	1744.00	-42.70	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.04	-46.78	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.22	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2137.84	-59.97	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.83	-60.14	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2671.73	-58.81	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	925 MHz-960 MHz	1 MHz	928.05	-60.68	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	791 MHz-821 MHz	1 MHz	799.73	-60.44	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3586.80	-59.13	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	758 MHz-803 MHz	1 MHz	791.21	-60.55	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.21	-60.90	-50	PASS
NVNT	Band	1.4	19575	6	#0	16QAM	1452	1	1480.3	-60.1	-50	PASS

	3						MHz-1496 MHz	MHz	4	9		
NVNT	Band 3	1.4	19575	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.72	-59.89	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.50	-59.80	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.45	-58.84	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2383.50	-59.65	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.40	-58.97	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.20	-59.11	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2167.33	-59.98	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	738 MHz-758 MHz	1 MHz	750.94	-60.15	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	753 MHz-783 MHz	1 MHz	782.25	-60.06	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.07	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.15	-53.63	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.30	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-42.30	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-47.09	-30	PASS
NVNT	Band	1.4	19943	1	#0	QPSK	3000	1	9599.9	-52.0	-30	PASS

	3						MHz-12.75 GHz	MHz	4	9		
NVNT	Band 3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.30	-59.92	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.28	-60.17	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2673.20	-58.77	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.91	-60.70	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.61	-60.43	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-59.09	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	781.67	-60.46	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.11	-60.85	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.12	-60.28	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.78	-59.92	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.57	-59.86	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-58.84	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2362.70	-59.67	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	3400 MHz-3600	1 MHz	3599.80	-58.86	-50	PASS

							MHz					
NVNT	Band 3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.18	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2153.11	-59.96	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.34	-60.20	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.97	-60.01	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.37	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	5.96	-52.39	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.55	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-42.44	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-45.69	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.01	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2164.30	-59.99	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1861.85	-60.15	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2659.13	-58.82	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	925.91	-60.74	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	791 MHz-821	1 MHz	798.38	-60.48	-50	PASS

							MHz					
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3583.84	-59.09	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	800.12	-60.51	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.70	-60.88	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1465.68	-60.24	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1916.14	-59.88	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2011.25	-59.90	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2619.55	-58.74	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2378.50	-59.55	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-58.94	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.17	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2167.78	-59.96	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	757.44	-60.22	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	781.23	-60.01	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.38	-36	PASS
NVNT	Band	1.4	19943	6	#0	QPSK	150 kHz-30	10	6.83	-54.2	-36	PASS

	3						MHz	kHz		8		
NVNT	Band 3	1.4	19943	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.33	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-41.75	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.99	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-50.93	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2159.14	-59.96	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.05	-60.16	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.07	-58.75	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	925 MHz-960 MHz	1 MHz	930.81	-60.68	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	791 MHz-821 MHz	1 MHz	794.93	-60.53	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-59.10	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	758 MHz-803 MHz	1 MHz	800.17	-60.53	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.03	-60.83	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.20	-60.28	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.96	-59.88	-50	PASS

NVNT	Band 3	1.4	19943	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.68	-59.86	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.75	-58.76	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.60	-59.59	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.40	-58.91	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.06	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2154.64	-59.92	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	738 MHz-758 MHz	1 MHz	757.54	-60.20	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-60.01	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.16	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.08	-54.43	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.02	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1000 MHz-1780.80 MHz	1 MHz	1780.80	-42.45	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1787.80 MHz-3000 MHz	1 MHz	1788.81	-47.50	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.88	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2151.70	-59.93	-50	PASS

NVNT	Band 3	1.4	19943	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1858.85	-60.18	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2645.62	-58.77	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	925 MHz-960 MHz	1 MHz	930.78	-60.68	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	791 MHz-821 MHz	1 MHz	799.31	-60.52	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.28	-59.13	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	758 MHz-803 MHz	1 MHz	800.48	-60.52	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.57	-60.95	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1466.92	-60.25	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.76	-59.91	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2023.31	-59.87	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.35	-58.80	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2376.20	-59.63	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.60	-58.88	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3755.00	-59.17	-50	PASS
NVNT	Band	1.4	19943	1	#0	16QAM	2110	1	2125.0	-59.9	-50	PASS

	3						MHz-2200 MHz	MHz	3	2		
NVNT	Band 3	1.4	19943	1	#0	16QAM	738 MHz-758 MHz	1 MHz	750.02	-60.24	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.11	-60.00	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.39	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.12	-49.36	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.42	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1000 MHz-1780.80 MHz	1 MHz	1780.80	-41.59	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1787.80 MHz-3000 MHz	1 MHz	1788.81	-45.79	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.17	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2138.80	-59.92	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1877.60	-60.13	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2664.73	-58.82	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	927.14	-60.74	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	795.38	-60.53	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3588.80	-59.10	-50	PASS
NVNT	Band	1.4	19943	1	#Max	16QAM	758	1	799.22	-60.5	-50	PASS

	3						MHz-803 MHz	MHz		0		
NVNT	Band 3	1.4	19943	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.50	-60.94	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1484.96	-60.17	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1918.34	-59.94	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2010.18	-59.88	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2617.40	-58.85	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2384.80	-59.63	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.40	-58.92	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.16	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2169.13	-59.98	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	757.62	-60.27	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.98	-60.05	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.69	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	150 kHz-30 MHz	10 kHz	6.02	-56.72	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	801.44	-60.64	-36	PASS
NVNT	Band	1.4	19943	6	#0	16QAM	1000	1	1780.8	-43.2	-30	PASS

	3						MHz-1780.80 MHz	MHz	0	9		
NVNT	Band 3	1.4	19943	6	#0	16QAM	1787.80 MHz-3000 MHz	1 MHz	1788.81	-47.79	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.37	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2149.24	-59.94	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1879.48	-60.18	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2651.36	-58.82	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	925 MHz-960 MHz	1 MHz	926.40	-60.73	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	791 MHz-821 MHz	1 MHz	800.00	-60.54	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.92	-59.14	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	758 MHz-803 MHz	1 MHz	799.99	-60.46	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.68	-60.91	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1476.86	-60.25	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.34	-59.89	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2016.33	-59.89	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2570 MHz-2620	1 MHz	2616.85	-58.79	-50	PASS

							MHz					
NVNT	Band 3	1.4	19943	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2384.60	-59.53	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.60	-58.86	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.09	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2145.64	-59.95	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	738 MHz-758 MHz	1 MHz	750.92	-60.31	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	753 MHz-783 MHz	1 MHz	781.71	-59.96	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.73	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.52	-54.49	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.21	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-51.34	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2998.94	-49.26	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-52.13	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.80	-59.94	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.58	-60.14	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2620 MHz-2690	1 MHz	2674.53	-58.79	-50	PASS

							MHz					
NVNT	Band 3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.95	-60.67	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.28	-60.49	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-59.07	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.85	-60.52	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.09	-60.85	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.88	-60.29	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.92	-59.93	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.61	-59.92	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.00	-58.86	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.90	-59.62	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-59.00	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.20	-59.11	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2178.40	-59.96	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.48	-60.27	-50	PASS

NVNT	Band 3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.17	-60.02	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.25	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.31	-55.70	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	890.10	-60.56	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1000 MHz-1700.00 MHz	1 MHz	1693.70	-51.61	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1725.00 MHz-3000 MHz	1 MHz	2996.81	-49.40	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.93	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2165.26	-59.96	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1875.73	-60.20	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2657.10	-58.77	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	926.82	-60.57	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	800.57	-60.55	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-59.09	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	800.08	-60.57	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.64	-60.90	-50	PASS

NVNT	Band 3	5	19225	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1461.86	-60.28	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1916.26	-59.91	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2014.49	-59.93	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2619.65	-58.85	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2386.30	-59.63	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-58.90	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3755.00	-59.11	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2157.07	-59.98	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	749.96	-60.28	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	780.00	-59.99	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.63	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	150 kHz-30 MHz	10 kHz	6.49	-55.58	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.95	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-45.65	-30	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	1726.06	-47.37	-30	PASS

NVNT	Band 3	5	19225	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.04	-30	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.62	-59.99	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.90	-60.21	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2672.57	-58.80	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	925 MHz-960 MHz	1 MHz	928.08	-60.71	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	791 MHz-821 MHz	1 MHz	808.88	-60.58	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.56	-59.08	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	758 MHz-803 MHz	1 MHz	801.65	-60.53	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.51	-60.86	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.61	-60.26	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.62	-59.97	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.32	-59.89	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-58.79	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.60	-59.63	-50	PASS
NVNT	Band	5	19225	25	#0	QPSK	3400	1	3598.2	-58.9	-50	PASS

	3						MHz-3600 MHz	MHz	0	0		
NVNT	Band 3	5	19225	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.04	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2152.21	-59.91	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	738 MHz-758 MHz	1 MHz	754.58	-60.22	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	753 MHz-783 MHz	1 MHz	780.96	-60.04	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-50.04	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.41	-53.55	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.15	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1000 MHz-1700.00 MHz	1 MHz	1700.00	-51.27	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1725.00 MHz-3000 MHz	1 MHz	3000.00	-49.48	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.55	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2135.86	-59.91	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.83	-60.20	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2666.97	-58.80	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	925 MHz-960 MHz	1 MHz	933.05	-60.71	-50	PASS
NVNT	Band	5	19225	1	#0	16QAM	791	1	800.66	-60.5	-50	PASS

	3						MHz-821 MHz	MHz		3		
NVNT	Band 3	5	19225	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.28	-59.09	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	758 MHz-803 MHz	1 MHz	780.64	-60.58	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.39	-60.87	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1473.91	-60.26	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.60	-59.93	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2010.39	-59.85	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.80	-58.86	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2377.20	-59.61	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.84	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.07	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2135.47	-59.97	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	738 MHz-758 MHz	1 MHz	750.08	-60.23	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	753 MHz-783 MHz	1 MHz	780.03	-60.08	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.81	-36	PASS

NVNT	Band 3	5	19225	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.40	-54.36	-36	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	810.17	-60.59	-36	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1000 MHz-1700.00 MHz	1 MHz	1700.00	-51.55	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1725.00 MHz-3000 MHz	1 MHz	3000.00	-49.39	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.29	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2140.24	-59.97	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1874.53	-60.20	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2671.59	-58.81	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	929.69	-60.73	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	811.85	-60.58	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3588.24	-59.12	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	782.21	-60.55	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.20	-60.88	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1491.47	-60.27	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1900 MHz-1920	1 MHz	1917.92	-59.92	-50	PASS

							MHz					
NVNT	Band 3	5	19225	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2012.34	-59.90	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2619.65	-58.80	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2377.10	-59.64	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3600.00	-58.88	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.80	-59.02	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2143.75	-60.00	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	757.52	-60.22	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.68	-60.05	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.54	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.11	-54.95	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	930.55	-60.59	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1000 MHz-1700.00 MHz	1 MHz	1700.00	-50.32	-30	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1725.00 MHz-3000 MHz	1 MHz	3000.00	-49.32	-30	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.32	-30	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2110 MHz-2170	1 MHz	2151.28	-59.96	-50	PASS

							MHz					
NVNT	Band 3	5	19225	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1868.98	-60.16	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2667.60	-58.84	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	925 MHz-960 MHz	1 MHz	926.09	-60.75	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	791 MHz-821 MHz	1 MHz	796.55	-60.46	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.92	-59.10	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	758 MHz-803 MHz	1 MHz	799.72	-60.56	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.94	-60.91	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1463.18	-60.28	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1911.16	-59.93	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.92	-59.84	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.05	-58.87	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2387.70	-59.64	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.40	-58.99	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.12	-50	PASS

NVNT	Band 3	5	19225	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2128.90	-59.94	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	738 MHz-758 MHz	1 MHz	748.44	-60.29	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	753 MHz-783 MHz	1 MHz	781.95	-59.96	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.32	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-55.50	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	890.20	-60.61	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-51.32	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2998.97	-49.83	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.78	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.76	-60.02	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.03	-60.20	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.87	-58.83	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.89	-60.76	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.00	-60.47	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.68	-59.16	-50	PASS

NVNT	Band 3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.72	-60.55	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.42	-60.94	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1474.26	-60.34	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.40	-59.93	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.69	-59.98	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-58.87	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.00	-59.62	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.60	-58.88	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.16	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2156.17	-60.00	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.06	-60.25	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.07	-60.05	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-50.32	-36	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.36	-56.13	-36	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	818.22	-60.56	-36	PASS

NVNT	Band 3	5	19575	1	#Max	QPSK	1000 MHz-1735.00 MHz	1 MHz	1732.80	-51.42	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1760.00 MHz-3000 MHz	1 MHz	2994.83	-49.96	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.76	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2123.02	-59.94	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1879.78	-60.22	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2662.70	-58.78	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	935.19	-60.69	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	800.24	-60.53	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-59.00	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	793.78	-60.48	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.62	-60.86	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1487.68	-60.27	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1916.86	-59.87	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2017.22	-59.89	-50	PASS
NVNT	Band	5	19575	1	#Max	QPSK	2570	1	2618.5	-58.8	-50	PASS

	3						MHz-2620 MHz	MHz	5	6		
NVNT	Band 3	5	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2382.80	-59.62	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3596.60	-58.91	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.08	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2137.18	-59.94	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	755.30	-60.19	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	780.09	-60.65	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.59	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	150 kHz-30 MHz	10 kHz	0.24	-56.75	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	947.23	-60.32	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-45.15	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	1761.03	-45.04	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.35	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.14	-59.96	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.48	-60.23	-50	PASS
NVNT	Band	5	19575	25	#0	QPSK	2620	1	2677.4	-58.8	-50	PASS

	3						MHz-2690 MHz	MHz	0	4		
NVNT	Band 3	5	19575	25	#0	QPSK	925 MHz-960 MHz	1 MHz	937.29	-60.75	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	791 MHz-821 MHz	1 MHz	798.47	-60.48	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.72	-59.18	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	758 MHz-803 MHz	1 MHz	794.99	-60.55	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.27	-60.93	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1453.50	-60.27	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.26	-59.93	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.17	-59.90	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.15	-58.90	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2370.40	-59.60	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-58.90	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.14	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.04	-59.97	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	738 MHz-758	1 MHz	749.52	-60.20	-50	PASS

							MHz					
NVNT	Band 3	5	19575	25	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-60.57	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.53	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	0.16	-56.79	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	785.34	-60.55	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1000 MHz-1735.00 MHz	1 MHz	1734.27	-51.27	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1760.00 MHz-3000 MHz	1 MHz	3000.00	-49.95	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-52.36	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2142.58	-60.00	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1870.18	-60.16	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2667.53	-58.76	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	925 MHz-960 MHz	1 MHz	934.03	-60.74	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	794.42	-60.54	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.56	-59.18	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	800.03	-60.57	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	462.5 MHz-467.5	1 MHz	466.54	-60.95	-50	PASS

							MHz					
NVNT	Band 3	5	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1461.64	-60.31	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.84	-59.87	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2018.94	-59.88	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.45	-58.82	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2380.50	-59.60	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.78	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.11	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2164.63	-59.95	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	756.60	-60.22	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	753 MHz-783 MHz	1 MHz	777.27	-60.59	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.27	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	0.17	-54.59	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	808.13	-60.55	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1000 MHz-1735.00 MHz	1 MHz	1735.00	-51.54	-30	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1760.00 MHz-3000	1 MHz	3000.00	-49.88	-30	PASS

							MHz					
NVNT	Band 3	5	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.45	-30	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2148.88	-59.97	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1869.20	-60.14	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2672.99	-58.80	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	925.18	-60.69	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	795.17	-60.54	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.12	-59.06	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	799.40	-60.48	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.43	-60.92	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1472.81	-60.26	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1911.24	-59.93	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2010.90	-59.91	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2620.00	-58.83	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2380.40	-59.66	-50	PASS

NVNT	Band 3	5	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.89	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.06	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2175.70	-59.94	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	753.60	-60.29	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.68	-60.51	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.66	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.06	-56.54	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	801.54	-60.31	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1000 MHz-1735.00 MHz	1 MHz	1735.00	-49.52	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1760.00 MHz-3000 MHz	1 MHz	3000.00	-49.78	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-52.15	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2161.54	-59.97	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1879.70	-60.08	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2665.29	-58.80	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	925 MHz-960 MHz	1 MHz	932.77	-60.67	-50	PASS

NVNT	Band 3	5	19575	25	#0	16QAM	791 MHz-821 MHz	1 MHz	794.57	-60.49	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3587.68	-59.13	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	758 MHz-803 MHz	1 MHz	800.48	-60.48	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.36	-60.83	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1486.45	-60.29	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1915.00	-59.91	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2012.52	-59.93	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.70	-58.84	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2372.40	-59.64	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.80	-58.99	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.80	-59.12	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2140.06	-59.94	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	738 MHz-758 MHz	1 MHz	757.34	-60.20	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	753 MHz-783 MHz	1 MHz	779.37	-60.58	-50	PASS
NVNT	Band	5	19925	1	#0	QPSK	9 kHz-150	1	0.12	-52.2	-36	PASS

	3						kHz	kHz		2		
NVNT	Band 3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.41	-56.91	-36	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.50	-36	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-51.38	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2994.98	-49.74	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.02	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.38	-59.96	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.40	-60.18	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.52	-58.81	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.00	-60.68	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.40	-60.56	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-59.00	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.72	-60.56	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.91	-60.87	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.24	-60.25	-50	PASS
NVNT	Band	5	19925	1	#0	QPSK	1900	1	1902.1	-59.9	-50	PASS

	3						MHz-1920 MHz	MHz	4	7		
NVNT	Band 3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.02	-59.90	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-58.85	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.20	-59.60	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.80	-58.93	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.11	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2181.10	-59.96	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.16	-60.24	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.75	-60.54	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.08	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.11	-55.52	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	778.26	-60.50	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-51.34	-30	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1795.00 MHz-3000 MHz	1 MHz	3000.00	-49.88	-30	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.11	-30	PASS
NVNT	Band	5	19925	1	#Max	QPSK	2110	1	2138.9	-59.9	-50	PASS

	3						MHz-2170 MHz	MHz	8	8		
NVNT	Band 3	5	19925	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1879.93	-60.18	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2664.31	-58.79	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	936.20	-60.71	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	794.54	-60.53	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-59.12	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	800.93	-60.52	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.93	-60.91	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1491.82	-60.25	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1911.20	-59.89	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2023.98	-59.92	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2615.80	-58.82	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2305.80	-59.66	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3592.80	-58.89	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3600 MHz-3800	1 MHz	3655.00	-59.15	-50	PASS

							MHz					
NVNT	Band 3	5	19925	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2170.57	-59.95	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	756.56	-60.26	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	779.73	-60.64	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.98	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	150 kHz-30 MHz	10 kHz	6.36	-55.69	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	765.84	-60.54	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-47.53	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2999.00	-49.80	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.54	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2149.72	-59.94	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.80	-60.15	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.15	-58.78	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	925 MHz-960 MHz	1 MHz	928.68	-60.72	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	791 MHz-821 MHz	1 MHz	800.27	-60.51	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3510 MHz-3590	1 MHz	3589.60	-59.04	-50	PASS

							MHz					
NVNT	Band 3	5	19925	25	#0	QPSK	758 MHz-803 MHz	1 MHz	787.93	-60.56	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.60	-60.89	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.84	-60.24	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.98	-59.85	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.07	-59.80	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-58.76	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2375.50	-59.54	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-58.92	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.19	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.37	-59.98	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	738 MHz-758 MHz	1 MHz	750.10	-60.22	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	753 MHz-783 MHz	1 MHz	778.05	-60.69	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.50	-36	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	150 kHz-30 MHz	10 kHz	5.99	-55.79	-36	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	30 MHz-1000	100 kHz	802.51	-60.32	-36	PASS

							MHz					
NVNT	Band 3	5	19925	1	#0	16QAM	1000 MHz-1770.00 MHz	1 MHz	1770.00	-51.38	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1795.00 MHz-3000 MHz	1 MHz	2995.98	-49.89	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.56	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2134.54	-59.98	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1879.18	-60.07	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2669.14	-58.74	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	925 MHz-960 MHz	1 MHz	929.03	-60.72	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	791 MHz-821 MHz	1 MHz	792.56	-60.53	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3586.16	-59.10	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	758 MHz-803 MHz	1 MHz	800.62	-60.54	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.58	-60.92	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1489.58	-60.23	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.72	-59.91	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2013.50	-59.90	-50	PASS

NVNT	Band 3	5	19925	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.35	-58.81	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2374.90	-59.60	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.93	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.13	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2125.30	-59.95	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	738 MHz-758 MHz	1 MHz	757.18	-60.22	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	753 MHz-783 MHz	1 MHz	782.85	-60.62	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.11	-52.23	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	0.17	-56.60	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	943.84	-60.26	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1000 MHz-1770.00 MHz	1 MHz	1767.69	-51.39	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1795.00 MHz-3000 MHz	1 MHz	2995.98	-49.98	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.48	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2153.68	-59.92	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1879.33	-60.09	-50	PASS

NVNT	Band 3	5	19925	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2664.17	-58.82	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	926.51	-60.72	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	800.00	-60.53	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.92	-58.90	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	800.44	-60.50	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.17	-60.88	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1469.51	-60.25	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1910.58	-59.91	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2016.42	-59.87	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2614.45	-58.77	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2385.30	-59.62	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3596.00	-58.87	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.00	-59.16	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2160.31	-59.94	-50	PASS
NVNT	Band	5	19925	1	#Max	16QAM	738	1	757.04	-60.2	-50	PASS

	3						MHz-758 MHz	MHz		6		
NVNT	Band 3	5	19925	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	780.87	-60.63	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.99	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.56	-56.19	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	799.99	-60.23	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1000 MHz-1770.00 MHz	1 MHz	1770.00	-50.42	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1795.00 MHz-3000 MHz	1 MHz	2995.98	-49.89	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.47	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2154.10	-59.89	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1865.23	-60.21	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2667.39	-58.82	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	925 MHz-960 MHz	1 MHz	926.09	-60.66	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	791 MHz-821 MHz	1 MHz	806.09	-60.47	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3584.88	-59.08	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	758 MHz-803 MHz	1 MHz	800.26	-60.43	-50	PASS
NVNT	Band	5	19925	25	#0	16QAM	462.5	1	464.14	-60.8	-50	PASS

	3						MHz-467.5 MHz	MHz		4		
NVNT	Band 3	5	19925	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1470.96	-60.21	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.94	-59.87	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2011.59	-59.91	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.75	-58.80	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2388.70	-59.62	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.40	-58.98	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.16	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2137.36	-59.96	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	738 MHz-758 MHz	1 MHz	754.68	-60.19	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	753 MHz-783 MHz	1 MHz	781.80	-60.64	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.22	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.03	-53.44	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.23	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1600.75	-51.58	-30	PASS
NVNT	Band	20	19300	1	#0	QPSK	1755.00	1	2998.9	-49.8	-30	PASS

	3						MHz-3000 MHz	MHz	6	0		
NVNT	Band 3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.54	-30	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.26	-59.94	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.63	-60.13	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.77	-58.79	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.03	-60.70	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.36	-60.49	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-59.14	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.77	-60.52	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.66	-60.88	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.20	-60.23	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.06	-59.86	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.24	-59.77	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.35	-58.84	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2300 MHz-2400	1 MHz	2380.80	-59.64	-50	PASS

							MHz					
NVNT	Band 3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-58.87	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3754.80	-59.17	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.52	-59.96	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.46	-60.22	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.15	-60.60	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.28	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.29	-55.38	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.52	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1000 MHz-1685.00 MHz	1 MHz	1300.03	-51.76	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1755.00 MHz-3000 MHz	1 MHz	1764.34	-46.56	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.37	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2136.40	-59.94	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1877.00	-60.16	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2659.83	-58.79	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	925 MHz-960	1 MHz	930.11	-60.69	-50	PASS

							MHz					
NVNT	Band 3	20	19300	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	792.20	-60.53	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-59.11	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	800.30	-60.55	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.19	-60.85	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1489.75	-60.26	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.72	-59.92	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.32	-59.91	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2617.00	-58.75	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2392.90	-59.58	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-58.87	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.40	-59.13	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2125.30	-59.96	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	756.46	-60.15	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	778.02	-60.65	-50	PASS

NVNT	Band 3	20	19300	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.14	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.03	-53.62	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.87	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1615.82	-51.61	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1756.04	-42.30	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.92	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.88	-59.86	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-60.05	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.29	-58.78	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	925 MHz-960 MHz	1 MHz	927.38	-60.64	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	791 MHz-821 MHz	1 MHz	800.09	-60.46	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-59.09	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	758 MHz-803 MHz	1 MHz	799.76	-60.54	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.85	-60.86	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.92	-60.25	-50	PASS

NVNT	Band 3	20	19300	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.18	-59.93	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.74	-59.90	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.90	-58.79	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.20	-59.57	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-58.90	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.12	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2158.15	-59.98	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	738 MHz-758 MHz	1 MHz	750.12	-60.20	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	753 MHz-783 MHz	1 MHz	781.80	-60.62	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.26	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.11	-50.78	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.42	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1000 MHz-1685.00 MHz	1 MHz	1582.94	-51.69	-30	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1755.00 MHz-3000 MHz	1 MHz	3000.00	-49.92	-30	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-50.89	-30	PASS

NVNT	Band 3	20	19300	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2151.46	-59.91	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1877.60	-60.12	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2659.83	-58.78	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	925 MHz-960 MHz	1 MHz	925.49	-60.70	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	791 MHz-821 MHz	1 MHz	800.36	-60.46	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.36	-59.02	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.22	-60.52	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.01	-60.88	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1475.98	-60.21	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.20	-59.88	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.18	-59.87	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.50	-58.84	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2392.00	-59.60	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.80	-58.89	-50	PASS
NVNT	Band	20	19300	1	#0	16QAM	3600	1	3654.4	-58.9	-50	PASS

	3						MHz-3800 MHz	MHz	0	8		
NVNT	Band 3	20	19300	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2159.77	-59.92	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	738 MHz-758 MHz	1 MHz	754.86	-60.19	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.59	-60.62	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-49.95	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.51	-54.48	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	790.97	-60.31	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1000 MHz-1685.00 MHz	1 MHz	1676.10	-51.74	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1755.00 MHz-3000 MHz	1 MHz	1764.34	-47.01	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.13	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2140.12	-59.78	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1869.13	-60.19	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2674.74	-58.76	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	927.91	-60.70	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	795.65	-60.50	-50	PASS
NVNT	Band	20	19300	1	#Max	16QAM	3510	1	3590.0	-59.0	-50	PASS

	3						MHz-3590 MHz	MHz	0	2		
NVNT	Band 3	20	19300	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	794.23	-60.50	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.72	-60.91	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1466.12	-60.19	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1916.82	-59.84	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2019.74	-59.86	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2619.85	-58.79	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2391.20	-59.64	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3594.20	-58.98	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.01	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2152.75	-59.92	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	749.12	-60.23	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.80	-60.57	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.98	-36	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	150 kHz-30 MHz	10 kHz	6.51	-54.36	-36	PASS
NVNT	Band	20	19300	100	#0	16QAM	30	100	899.99	-59.4	-36	PASS

	3						MHz-1000 MHz	kHz		9		
NVNT	Band 3	20	19300	100	#0	16QAM	1000 MHz-1685.00 MHz	1 MHz	1602.12	-51.75	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1755.00 MHz-3000 MHz	1 MHz	1756.04	-47.27	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.78	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2139.04	-59.88	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1864.48	-60.18	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2645.27	-58.80	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	925 MHz-960 MHz	1 MHz	954.30	-60.71	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	791 MHz-821 MHz	1 MHz	800.00	-60.53	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3584.48	-59.11	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	758 MHz-803 MHz	1 MHz	796.43	-60.51	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.39	-60.88	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1489.71	-60.22	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.22	-59.84	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2010 MHz-2025	1 MHz	2011.05	-59.78	-50	PASS

							MHz					
NVNT	Band 3	20	19300	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.55	-58.76	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2374.60	-59.64	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3595.20	-58.88	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.16	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2145.01	-59.95	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	738 MHz-758 MHz	1 MHz	755.40	-60.20	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	753 MHz-783 MHz	1 MHz	781.53	-60.53	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.25	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.44	-53.94	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.47	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-40.91	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	3000.00	-49.86	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.65	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.90	-59.89	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1805 MHz-1880	1 MHz	1879.18	-60.09	-50	PASS

							MHz					
NVNT	Band 3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.25	-58.75	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.40	-60.73	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.23	-60.57	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.16	-59.12	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.45	-60.46	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.53	-60.93	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.94	-60.23	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.56	-59.93	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.77	-59.92	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.45	-58.81	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2372.50	-59.65	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-58.82	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.00	-59.17	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2151.22	-59.96	-50	PASS

NVNT	Band 3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.44	-60.24	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.48	-60.66	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-53.00	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	0.17	-55.86	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-60.30	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1000 MHz-1712.50 MHz	1 MHz	1710.36	-51.63	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1782.50 MHz-3000 MHz	1 MHz	2992.90	-49.75	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.20	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2122.00	-59.88	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1870.40	-60.20	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2651.57	-58.82	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	930.99	-60.65	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	799.82	-60.47	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-59.09	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	798.64	-60.47	-50	PASS

NVNT	Band 3	20	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.20	-60.93	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1484.82	-60.20	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1918.80	-59.92	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2011.83	-59.86	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2618.70	-58.85	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2390.60	-59.60	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-58.86	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3755.00	-59.16	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2145.91	-59.91	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	750.10	-60.22	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	780.60	-60.64	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.08	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.49	-54.00	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.78	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1712.50	-41.63	-30	PASS

NVNT	Band 3	20	19575	100	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	1784.53	-42.27	-30	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.37	-30	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2114.38	-60.01	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.88	-60.22	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2670.05	-58.79	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	925 MHz-960 MHz	1 MHz	935.54	-60.73	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	791 MHz-821 MHz	1 MHz	800.00	-60.47	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-59.05	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	758 MHz-803 MHz	1 MHz	799.81	-60.59	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.48	-60.92	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.18	-60.28	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.54	-59.95	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.98	-59.85	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.65	-58.82	-50	PASS
NVNT	Band	20	19575	100	#0	QPSK	2300	1	2306.3	-59.6	-50	PASS

	3						MHz-2400 MHz	MHz	0	5		
NVNT	Band 3	20	19575	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-58.91	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.07	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.35	-59.98	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	738 MHz-758 MHz	1 MHz	755.52	-60.24	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	753 MHz-783 MHz	1 MHz	782.04	-60.60	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.40	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.49	-55.04	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.82	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1000 MHz-1712.50 MHz	1 MHz	1703.24	-41.53	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1782.50 MHz-3000 MHz	1 MHz	3000.00	-49.88	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.48	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2144.38	-59.97	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1870.18	-60.21	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2657.59	-58.80	-50	PASS
NVNT	Band	20	19575	1	#0	16QAM	925	1	925.39	-60.6	-50	PASS

	3						MHz-960 MHz	MHz		5		
NVNT	Band 3	20	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	795.41	-60.55	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3587.60	-59.10	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.76	-60.53	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.66	-60.91	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1466.61	-60.26	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1909.16	-59.91	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.48	-59.83	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2615.60	-58.81	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2374.00	-59.57	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.20	-58.87	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.20	-59.11	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2135.02	-59.99	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	753.42	-60.22	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	753 MHz-783	1 MHz	782.82	-60.64	-50	PASS

							MHz					
NVNT	Band 3	20	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.48	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	0.16	-56.13	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.38	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1000 MHz-1712.50 MHz	1 MHz	1711.79	-51.68	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1782.50 MHz-3000 MHz	1 MHz	3000.00	-49.93	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.59	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2153.44	-59.97	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1875.95	-60.14	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2667.81	-58.80	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	927.14	-60.75	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	800.63	-60.50	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3585.60	-59.12	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	800.39	-60.55	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.28	-60.87	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1452 MHz-1496	1 MHz	1486.58	-60.25	-50	PASS

							MHz					
NVNT	Band 3	20	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1900.86	-59.90	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2019.20	-59.87	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2616.85	-58.82	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2379.80	-59.60	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.20	-58.84	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.00	-59.20	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2121.97	-60.01	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	757.96	-60.21	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.80	-60.62	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.75	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	150 kHz-30 MHz	10 kHz	0.59	-57.00	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.34	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1000 MHz-1712.50 MHz	1 MHz	1712.50	-46.91	-30	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1782.50 MHz-3000 MHz	1 MHz	1783.51	-47.76	-30	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	3000 MHz-12.75	1 MHz	9599.94	-51.68	-30	PASS

							GHz					
NVNT	Band 3	20	19575	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2135.02	-59.98	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1869.95	-60.19	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2671.66	-58.81	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	925 MHz-960 MHz	1 MHz	926.65	-60.72	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	791 MHz-821 MHz	1 MHz	800.24	-60.51	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.72	-58.97	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	758 MHz-803 MHz	1 MHz	793.69	-60.55	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.07	-60.93	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1466.87	-60.27	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.98	-59.94	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2011.91	-59.83	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.05	-58.84	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2391.10	-59.65	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.20	-58.92	-50	PASS

NVNT	Band 3	20	19575	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3755.00	-59.10	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2139.70	-60.02	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	738 MHz-758 MHz	1 MHz	754.54	-60.28	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	753 MHz-783 MHz	1 MHz	775.59	-60.66	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.56	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-56.21	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	789.51	-60.62	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-41.65	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2450.62	-44.81	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.73	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2163.58	-59.97	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.05	-60.22	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.01	-58.79	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.75	-60.75	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.45	-60.52	-50	PASS

NVNT	Band 3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3580.24	-59.16	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.01	-60.58	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.62	-60.90	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.54	-60.24	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.26	-59.91	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.44	-59.94	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.95	-58.86	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2360.40	-59.57	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-58.94	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.08	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.56	-59.97	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.34	-60.27	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.66	-60.66	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-50.71	-36	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	0.35	-56.99	-36	PASS

NVNT	Band 3	20	19850	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	799.99	-60.20	-36	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1000 MHz-1740.00 MHz	1 MHz	1712.62	-49.25	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1810.00 MHz-3000 MHz	1 MHz	3000.00	-49.91	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.43	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2153.44	-60.00	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1863.50	-60.24	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2658.29	-58.78	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	931.37	-60.66	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	796.46	-60.57	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-59.09	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	793.96	-60.54	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.85	-60.92	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1470.04	-60.29	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.36	-59.88	-50	PASS
NVNT	Band	20	19850	1	#Max	QPSK	2010	1	2020.5	-59.8	-50	PASS

	3						MHz-2025 MHz	MHz	9	5		
NVNT	Band 3	20	19850	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2619.95	-58.86	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2385.40	-59.62	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-58.97	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.15	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2140.15	-59.90	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	758.00	-60.22	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	782.52	-60.68	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.70	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.50	-54.12	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.57	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1740.00	-43.97	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2450.62	-45.36	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.45	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2152.54	-59.95	-50	PASS
NVNT	Band	20	19850	100	#0	QPSK	1805	1	1871.8	-60.1	-50	PASS

	3						MHz-1880 MHz	MHz	3	9		
NVNT	Band 3	20	19850	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.18	-58.79	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	925 MHz-960 MHz	1 MHz	926.44	-60.65	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	791 MHz-821 MHz	1 MHz	795.29	-60.46	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-59.15	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	758 MHz-803 MHz	1 MHz	800.21	-60.46	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.48	-60.90	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.73	-60.24	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.62	-59.87	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.14	-59.93	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.95	-58.84	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.60	-59.65	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-58.89	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.60	-59.17	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2110 MHz-2200	1 MHz	2140.24	-59.92	-50	PASS

							MHz					
NVNT	Band 3	20	19850	100	#0	QPSK	738 MHz-758 MHz	1 MHz	750.72	-60.22	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	753 MHz-783 MHz	1 MHz	779.37	-60.68	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.11	-51.98	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.69	-57.01	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	903.68	-60.62	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1000 MHz-1740.00 MHz	1 MHz	1730.38	-42.64	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1810.00 MHz-3000 MHz	1 MHz	3000.00	-49.93	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.55	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2138.56	-59.98	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.98	-60.20	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2674.46	-58.80	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	925 MHz-960 MHz	1 MHz	930.08	-60.71	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	791 MHz-821 MHz	1 MHz	800.09	-60.50	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3587.28	-59.13	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	758 MHz-803	1 MHz	796.21	-60.55	-50	PASS

							MHz					
NVNT	Band 3	20	19850	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.71	-60.91	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1490.41	-60.24	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.70	-59.93	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2023.74	-59.90	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.25	-58.77	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2385.10	-59.60	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3595.60	-58.94	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3755.00	-59.08	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2127.19	-59.97	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	738 MHz-758 MHz	1 MHz	749.64	-60.27	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.38	-60.58	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.92	-36	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.10	-53.09	-36	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-60.51	-36	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1000 MHz-1740.	1 MHz	1712.62	-47.77	-30	PASS

							00 MHz					
NVNT	Band 3	20	19850	1	#Max	16QAM	1810.00 MHz-3000 MHz	1 MHz	3000.00	-49.60	-30	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.19	-30	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2140.42	-59.98	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1870.10	-60.21	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2659.06	-58.83	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	926.26	-60.67	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	792.83	-60.56	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.20	-59.05	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	799.85	-60.54	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.89	-60.91	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1470.61	-60.26	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1911.08	-59.87	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2017.77	-59.89	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2614.65	-58.89	-50	PASS

NVNT	Band 3	20	19850	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2380.00	-59.54	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3597.60	-58.94	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.40	-59.09	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2139.52	-59.93	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	754.98	-60.23	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.44	-60.60	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.41	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	150 kHz-30 MHz	10 kHz	0.24	-56.97	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	30 MHz-1000 MHz	100 kHz	852.46	-60.66	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1000 MHz-1740.00 MHz	1 MHz	1740.00	-47.93	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1810.00 MHz-3000 MHz	1 MHz	2454.58	-47.35	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.06	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2131.60	-59.97	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1870.25	-60.18	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2652.06	-58.78	-50	PASS

NVNT	Band 3	20	19850	100	#0	16QAM	925 MHz-960 MHz	1 MHz	933.51	-60.74	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	791 MHz-821 MHz	1 MHz	799.97	-60.48	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.36	-59.06	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	758 MHz-803 MHz	1 MHz	798.23	-60.59	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.87	-60.91	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1476.38	-60.21	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1916.72	-59.92	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2011.73	-59.89	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2616.40	-58.84	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2391.00	-59.63	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.20	-58.85	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.60	-59.16	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2133.22	-59.92	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	738 MHz-758 MHz	1 MHz	749.06	-60.28	-50	PASS
NVNT	Band	20	19850	100	#0	16QAM	753	1	780.90	-60.6	-50	PASS

	3						MHz-783 MHz	MHz		2		



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#Max NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=1 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT

Appendix 4.Transmitter minimum output power

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
NVNT	Band3	1.4	19207	6	#0	QPSK	-49.25	-39	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-49.15	-39	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-49.02	-39	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-49.03	-39	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-48.97	-39	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-48.57	-39	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-48.82	-39	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-48.75	-39	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-48.48	-39	PASS

Appendix 5.Transmitter adjacent channel leakage power ratio

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
NVNT	Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	42.23	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	E-ACLR-	38.58	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	E-ACLR+	40.28	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	U-ACLR+	44.81	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	44.58	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	40.04	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	38.77	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	42.62	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	43.72	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	E-ACLR-	41.17	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	E-ACLR+	41.60	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	U-ACLR+	44.20	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	U-ACLR1-	43.54	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	E-ACLR-	39.66	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	E-ACLR+	41.39	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	U-ACLR+	45.83	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	U-ACLR1-	45.75	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	E-ACLR-	41.38	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	E-ACLR+	39.71	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	U-ACLR+	43.73	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	U-ACLR1-	45.67	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	E-ACLR-	40.85	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	E-ACLR+	41.00	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	U-ACLR+	45.89	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	41.34	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	E-ACLR-	36.48	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	E-ACLR+	38.96	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	U-ACLR+	44.23	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	43.72	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	38.19	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS

NVNT	Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	36.08	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	41.38	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	41.15	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	E-ACLR-	38.55	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	E-ACLR+	38.73	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	U-ACLR+	41.37	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	U-ACLR1-	41.95	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	E-ACLR-	37.00	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	E-ACLR+	39.12	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	U-ACLR+	44.38	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	U-ACLR1-	44.23	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	E-ACLR-	39.31	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	E-ACLR+	36.73	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	U-ACLR+	41.81	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	U-ACLR1-	45.21	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	E-ACLR-	41.61	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	E-ACLR+	41.83	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	U-ACLR+	45.43	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	42.73	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	E-ACLR-	39.64	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	E-ACLR+	41.76	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	U-ACLR+	45.86	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	44.61	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	40.23	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	40.00	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	43.52	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	43.55	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	E-ACLR-	41.66	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	E-ACLR+	42.51	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	U-ACLR+	44.34	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	U-ACLR1-	44.04	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	E-ACLR-	40.44	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	E-ACLR+	43.17	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	U-ACLR+	46.67	32.2	PASS

NVNT	Band3	1.4	19943	5	#Max	16QAM	U-ACLR1-	46.23	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	E-ACLR-	42.35	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	E-ACLR+	41.54	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	U-ACLR+	45.15	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	U-ACLR1-	45.92	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	E-ACLR-	42.04	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	E-ACLR+	42.90	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	U-ACLR+	46.45	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR2-	53.23	35.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR1-	41.53	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	E-ACLR-	40.07	29.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#0	QPSK	E-ACLR+	50.55	29.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR+	51.25	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR2+	53.23	35.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR2-	53.33	35.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR1-	51.84	32.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	E-ACLR-	51.11	29.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	E-ACLR+	39.84	29.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR+	41.26	32.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR2+	53.25	35.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR2-	50.82	35.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR1-	40.86	32.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	E-ACLR-	40.11	29.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	25	#0	QPSK	E-ACLR+	39.67	29.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR+	40.38	32.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR2+	50.38	35.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR2-	52.39	35.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR1-	42.55	32.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	E-ACLR-	40.73	29.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#0	16QAM	E-ACLR+	49.96	29.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR+	50.65	32.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR2+	52.40	35.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR2-	52.45	35.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR1-	51.22	32.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	E-ACLR-	50.49	29.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19225	8	#Max	16QAM	E-ACLR+	40.86	29.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR+	42.69	32.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR2+	52.42	35.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR2-	50.87	35.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR1-	40.60	32.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	E-ACLR-	39.80	29.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	25	#0	16QAM	E-ACLR+	39.40	29.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR+	40.21	32.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR2+	50.73	35.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR2-	52.93	35.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR1-	39.37	32.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	E-ACLR-	37.38	29.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#0	QPSK	E-ACLR+	50.21	29.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR+	50.89	32.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR2+	52.94	35.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR2-	52.95	35.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR1-	51.49	32.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	E-ACLR-	50.73	29.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	E-ACLR+	36.62	29.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR+	39.00	32.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR2+	52.83	35.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR2-	50.14	35.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR1-	40.48	32.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	E-ACLR-	39.87	29.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	25	#0	QPSK	E-ACLR+	39.06	29.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR+	39.67	32.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR2+	49.72	35.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR2-	52.14	35.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR1-	40.18	32.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	E-ACLR-	38.08	29.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#0	16QAM	E-ACLR+	49.64	29.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR+	50.32	32.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR2+	52.07	35.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR2-	52.19	35.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR1-	50.85	32.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	E-ACLR-	50.13	29.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19575	8	#Max	16QAM	E-ACLR+	37.23	29.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR+	39.73	32.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR2+	52.12	35.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR2-	50.27	35.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR1-	41.27	32.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	E-ACLR-	40.47	29.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	25	#0	16QAM	E-ACLR+	39.93	29.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR+	40.72	32.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR2+	50.12	35.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR2-	52.25	35.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR1-	41.21	32.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	E-ACLR-	39.52	29.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#0	QPSK	E-ACLR+	50.08	29.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR+	50.73	32.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR2+	52.33	35.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR2-	52.24	35.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR1-	50.67	32.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	E-ACLR-	49.96	29.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	E-ACLR+	40.10	29.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR+	41.75	32.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR2+	52.18	35.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR2-	50.21	35.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR1-	41.20	32.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	E-ACLR-	40.46	29.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	25	#0	QPSK	E-ACLR+	41.43	29.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR+	42.12	32.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR2+	50.45	35.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR2-	51.50	35.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR1-	42.83	32.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	E-ACLR-	41.04	29.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#0	16QAM	E-ACLR+	49.47	29.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR+	50.11	32.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR2+	51.49	35.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR2-	51.43	35.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR1-	50.06	32.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	E-ACLR-	49.38	29.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19925	8	#Max	16QAM	E-ACLR+	41.34	29.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR+	43.20	32.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR2+	51.47	35.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR2-	50.92	35.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR1-	41.54	32.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	E-ACLR-	40.67	29.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	25	#0	16QAM	E-ACLR+	41.40	29.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR+	42.24	32.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR2+	51.06	35.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR2-	52.68	35.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR1-	41.28	32.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	E-ACLR-	40.61	29.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#0	QPSK	E-ACLR+	48.29	29.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR+	52.14	32.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR2+	52.05	35.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR2-	52.45	35.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR1-	52.32	32.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	E-ACLR-	48.69	29.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	E-ACLR+	40.99	29.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR+	41.66	32.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR2+	52.73	35.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR2-	45.41	35.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR1-	43.37	32.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	E-ACLR-	40.57	29.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	50	#0	QPSK	E-ACLR+	40.03	29.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR+	43.02	32.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR2+	44.63	35.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR2-	51.87	35.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR1-	41.70	32.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	E-ACLR-	40.78	29.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#0	16QAM	E-ACLR+	47.59	29.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR+	51.42	32.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR2+	51.35	35.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR2-	51.80	35.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR1-	51.61	32.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	E-ACLR-	48.01	29.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	10	19250	12	#Max	16QAM	E-ACLR+	41.24	29.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR+	42.13	32.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR2+	51.99	35.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR2-	47.23	35.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR1-	42.06	32.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	E-ACLR-	40.17	29.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	50	#0	16QAM	E-ACLR+	39.50	29.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR+	41.38	32.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR2+	46.50	35.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR2-	52.23	35.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR1-	40.34	32.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	E-ACLR-	39.73	29.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#0	QPSK	E-ACLR+	47.97	29.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR+	51.73	32.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR2+	51.76	35.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR2-	52.41	35.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR1-	52.25	32.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	E-ACLR-	48.63	29.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	E-ACLR+	38.58	29.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR+	39.16	32.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR2+	52.45	35.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR2-	44.33	35.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR1-	42.40	32.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	E-ACLR-	39.62	29.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	50	#0	QPSK	E-ACLR+	38.23	29.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR+	41.11	32.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR2+	42.85	35.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR2-	51.61	35.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR1-	41.05	32.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	E-ACLR-	40.24	29.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#0	16QAM	E-ACLR+	47.39	29.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR+	51.16	32.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR2+	51.20	35.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR2-	51.79	35.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR1-	51.66	32.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	E-ACLR-	48.01	29.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	10	19575	12	#Max	16QAM	E-ACLR+	38.98	29.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR+	39.82	32.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR2+	51.86	35.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR2-	46.69	35.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR1-	43.11	32.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	E-ACLR-	40.83	29.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	50	#0	16QAM	E-ACLR+	39.81	29.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR+	42.11	32.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR2+	45.69	35.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR2-	51.92	35.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR1-	41.20	32.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	E-ACLR-	40.43	29.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#0	QPSK	E-ACLR+	47.96	29.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR+	51.74	32.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR2+	51.73	35.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR2-	51.70	35.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR1-	51.46	32.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	E-ACLR-	47.89	29.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	E-ACLR+	41.72	29.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR+	42.58	32.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR2+	52.11	35.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR2-	45.25	35.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR1-	44.74	32.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	E-ACLR-	41.34	29.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	50	#0	QPSK	E-ACLR+	42.20	29.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR+	45.04	32.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR2+	47.04	35.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR2-	51.17	35.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR1-	41.94	32.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	E-ACLR-	41.00	29.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#0	16QAM	E-ACLR+	47.25	29.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR+	51.02	32.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR2+	51.04	35.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR2-	51.01	35.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR1-	50.84	32.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	E-ACLR-	47.24	29.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	10	19900	12	#Max	16QAM	E-ACLR+	41.94	29.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR+	43.04	32.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR2+	51.42	35.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR2-	47.29	35.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR1-	42.92	32.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	E-ACLR-	40.87	29.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	50	#0	16QAM	E-ACLR+	41.82	29.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR+	43.83	32.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR2+	48.39	35.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR2-	51.69	35.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR1-	42.06	32.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	E-ACLR-	41.48	29.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#0	QPSK	E-ACLR+	45.26	29.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR+	52.67	32.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR2+	52.29	35.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR2-	51.81	35.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR1-	52.28	32.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	E-ACLR-	45.50	29.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	E-ACLR+	41.73	29.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR+	42.49	32.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR2+	51.92	35.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR2-	47.01	35.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR1-	44.92	32.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	E-ACLR-	40.74	29.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	100	#0	QPSK	E-ACLR+	39.72	29.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR+	45.04	32.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR2+	46.48	35.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR2-	50.94	35.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR1-	42.00	32.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	E-ACLR-	41.36	29.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#0	16QAM	E-ACLR+	44.67	29.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR+	51.86	32.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR2+	51.62	35.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR2-	51.10	35.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR1-	51.61	32.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	E-ACLR-	44.84	29.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	20	19300	18	#Max	16QAM	E-ACLR+	41.53	29.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR+	42.17	32.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR2+	51.31	35.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR2-	45.59	35.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR1-	43.35	32.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	E-ACLR-	39.57	29.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	100	#0	16QAM	E-ACLR+	38.63	29.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR+	42.92	32.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR2+	44.69	35.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR2-	51.26	35.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR1-	41.21	32.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	E-ACLR-	40.75	29.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#0	QPSK	E-ACLR+	44.98	29.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR+	52.31	32.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR2+	51.84	35.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR2-	51.83	35.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR1-	52.34	32.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	E-ACLR-	45.51	29.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	E-ACLR+	40.13	29.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR+	39.73	32.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR2+	51.74	35.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR2-	45.81	35.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR1-	44.58	32.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	E-ACLR-	39.30	29.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	100	#0	QPSK	E-ACLR+	37.76	29.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR+	42.79	32.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR2+	44.03	35.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR2-	50.61	35.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR1-	41.63	32.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	E-ACLR-	40.96	29.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#0	16QAM	E-ACLR+	44.44	29.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR+	51.59	32.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR2+	51.27	35.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR2-	51.12	35.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR1-	51.66	32.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	E-ACLR-	44.86	29.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	20	19575	18	#Max	16QAM	E-ACLR+	40.74	29.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR+	40.79	32.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR2+	51.05	35.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR2-	46.89	35.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR1-	45.26	32.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	E-ACLR-	40.68	29.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	100	#0	16QAM	E-ACLR+	39.40	29.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR+	43.72	32.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR2+	45.55	35.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.07	35.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR1-	43.05	32.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	E-ACLR-	41.90	29.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#0	QPSK	E-ACLR+	45.56	29.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR+	52.20	32.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR2+	52.03	35.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR2-	51.11	35.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR1-	51.64	32.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	E-ACLR-	44.82	29.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	E-ACLR+	41.91	29.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR+	42.90	32.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR2+	51.60	35.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR2-	47.14	35.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR1-	46.16	32.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	E-ACLR-	40.56	29.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	100	#0	QPSK	E-ACLR+	42.36	29.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR+	46.65	32.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR2+	48.19	35.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR2-	50.47	35.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR1-	42.93	32.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	E-ACLR-	41.81	29.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#0	16QAM	E-ACLR+	44.90	29.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR+	51.54	32.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR2+	51.36	35.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR2-	50.47	35.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR1-	50.94	32.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	E-ACLR-	44.19	29.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	20	19850	18	#Max	16QAM	E-ACLR+	41.95	29.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR+	43.20	32.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR2+	51.00	35.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR2-	46.01	35.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR1-	44.04	32.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	E-ACLR-	39.92	29.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	100	#0	16QAM	E-ACLR+	41.42	29.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR+	44.80	32.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR2+	47.32	35.2	PASS



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max NVNT



Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max NVNT



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max NVNT



Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max NVNT



Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max NVNT



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max NVNT



Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0 NVNT

Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max NVNT

Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT

Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0 NVNT

Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max NVNT

Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT

Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0 NVNT

Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max NVNT

Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT

Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max NVNT

Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT

Appendix 6.Receiver adjacent channel selectivity

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1841.0975	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1843.9025	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1841.0975	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1843.9025	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1841.0975	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1843.9025	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1841.0975	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1843.9025	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1837.4975	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1847.5025	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1837.4975	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1847.5025	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1837.4975	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1847.5025	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1837.4975	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1847.5025	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1829.9975	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1855.0025	-51.5	100.00	95	PASS
NVNT	Band	20	19575	100	QPSK	Case	1829.9975	-25	100.00	95	PASS

	3					2					
NVNT	Band 3	20	19575	100	QPSK	Case 2	1855.0025	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1829.9975	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1855.0025	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1829.9975	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1855.0025	-25	100.00	95	PASS

Appendix 7.Receiver blocking characteristics in-band

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1839.6875	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1845.3125	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1838.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1836.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1835.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1834.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1832.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1831.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1829.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1828.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1827.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1825.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1824.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1822.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1821.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1820.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1818.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1817.2925	-44	100.00	95	PASS
NVNT	Band	1.4	19575	6	QPSK	Case	1815.8925	-44	100.00	95	PASS

	3					2					
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1814.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1813.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1811.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1810.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1808.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1806.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1804.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1803.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1801.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1800.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1799.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1797.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1796.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1794.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1793.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1792.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1790.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1846.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1848.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1849.5075	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1850.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1852.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1853.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1855.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1856.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1857.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1859.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1860.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1862.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1863.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1864.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1866.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1867.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1869.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1870.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1871.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1873.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1874.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1876.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1878.9075	-44	100.00	95	PASS
NVNT	Band	1.4	19575	6	QPSK	Case	1880.3075	-44	100.00	95	PASS

	3					2					
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1881.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1883.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1884.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1885.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1887.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1888.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1890.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1891.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1892.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1894.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1839.6875	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1845.3125	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1838.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1836.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1835.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1834.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1832.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1831.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1829.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1828.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1827.0925	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1825.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1824.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1822.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1821.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1820.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1818.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1817.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1815.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1814.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1813.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1811.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1810.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1808.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1806.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1804.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1803.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1801.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1800.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1799.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1797.6925	-44	100.00	95	PASS
NVNT	Band	1.4	19575	6	16QAM	Case	1796.2925	-44	100.00	95	PASS

	3					2					
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1794.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1793.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1792.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1790.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1846.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1848.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1849.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1850.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1852.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1853.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1855.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1856.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1857.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1859.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1860.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1862.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1863.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1864.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1866.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1867.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1869.1075	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1870.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1871.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1873.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1874.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1876.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1878.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1880.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1881.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1883.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1884.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1885.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1887.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1888.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1890.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1891.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1892.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1894.3075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1832.4875	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1852.5125	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1827.4925	-44	100.00	95	PASS
NVNT	Band	5	19575	25	QPSK	Case	1822.4925	-44	100.00	95	PASS

	3					2					
NVNT	Band 3	5	19575	25	QPSK	Case 2	1817.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1812.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1802.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1797.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1792.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1857.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1862.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1867.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1872.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1882.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1887.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1892.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1832.4875	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1852.5125	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1827.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1822.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1817.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1812.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1807.4925	-44	100.00	95	PASS

NVNT	Band 3	5	19575	25	16QAM	Case 2	1802.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1797.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1792.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1857.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1862.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1867.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1872.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1882.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1887.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1892.5075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1824.9875	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1860.0125	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1819.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1814.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1809.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1804.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1799.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1794.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1865.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1870.0075	-44	100.00	95	PASS
NVNT	Band	20	19575	100	QPSK	Case	1875.0075	-44	100.00	95	PASS

	3					2					
NVNT	Band 3	20	19575	100	QPSK	Case 2	1880.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1885.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1890.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1824.9875	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1860.0125	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1819.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1814.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1809.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1804.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1799.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1794.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1865.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1870.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1875.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1880.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1885.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1890.0075	-44	100.00	95	PASS

Appendix 8.Receiver blocking characteristics narrow-band

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1841.5925	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1843.4075	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1839.7925	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1845.2075	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1832.2925	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1852.7075	-55	100.00	95	PASS

Appendix 9.Receiver intermodulation characteristics

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference1 Freq (MHz)	Interference1 Level (dBm)	Interference2 Freq (MHz)	Interference2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
NVNT	Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1839.7	-46	1836.9	-46	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1845.3	-46	1848.1	-46	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1832.5	-46	1822.5	-46	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1852.5	-46	1862.5	-46	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1825	-46	1807.5	-46	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1860	-46	1877.5	-46	100.00	95	PASS

Appendix 10.Receiver Reference Sensitivity Level

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band3	1.4	19207	6	QPSK	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19207	6	16QAM	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19575	6	QPSK	-100.3	99.88	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	-100.3	99.88	95	PASS
NVNT	Band3	1.4	19943	6	QPSK	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19943	6	16QAM	-100.3	100.00	95	PASS
NVNT	Band3	5	19225	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19225	25	16QAM	-95.6	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	-95.6	100.00	95	PASS
NVNT	Band3	5	19925	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19925	25	16QAM	-95.6	100.00	95	PASS
NVNT	Band3	20	19300	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19300	100	16QAM	-89.6	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	-89.6	100.00	95	PASS
NVNT	Band3	20	19850	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19850	100	16QAM	-89.6	100.00	95	PASS

Appendix 11.Receiver spurious emissions

Condition	Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band3	1.4	19207	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.43	-57	PASS
NVNT	Band3	1.4	19207	QPSK	1000 MHz-12.75 GHz	1 MHz	2454.06	-67.17	-47	PASS
NVNT	Band3	1.4	19207	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.13	-57	PASS
NVNT	Band3	1.4	19207	16QAM	1000 MHz-12.75 GHz	1 MHz	2457.00	-74.24	-47	PASS
NVNT	Band3	1.4	19575	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.66	-57	PASS
NVNT	Band3	1.4	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	9600.02	-76.24	-47	PASS
NVNT	Band3	1.4	19575	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.18	-57	PASS
NVNT	Band3	1.4	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	9600.02	-76.06	-47	PASS
NVNT	Band3	1.4	19943	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.82	-57	PASS
NVNT	Band3	1.4	19943	QPSK	1000 MHz-12.75 GHz	1 MHz	5751.90	-70.97	-47	PASS
NVNT	Band3	1.4	19943	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.23	-57	PASS
NVNT	Band3	1.4	19943	16QAM	1000 MHz-12.75 GHz	1 MHz	2456.02	-69.76	-47	PASS
NVNT	Band3	5	19225	QPSK	30 MHz-1000	100 kHz	899.99	-88.13	-57	PASS

					MHz					
NVNT	Band3	5	19225	QPSK	1000 MHz-12.75 GHz	1 MHz	5751.90	-70.57	-47	PASS
NVNT	Band3	5	19225	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.59	-57	PASS
NVNT	Band3	5	19225	16QAM	1000 MHz-12.75 GHz	1 MHz	2449.17	-70.43	-47	PASS
NVNT	Band3	5	19575	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.21	-57	PASS
NVNT	Band3	5	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	5742.10	-75.16	-47	PASS
NVNT	Band3	5	19575	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.44	-57	PASS
NVNT	Band3	5	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	2457.00	-70.91	-47	PASS
NVNT	Band3	5	19925	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.65	-57	PASS
NVNT	Band3	5	19925	QPSK	1000 MHz-12.75 GHz	1 MHz	5750.92	-72.77	-47	PASS
NVNT	Band3	5	19925	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.55	-57	PASS
NVNT	Band3	5	19925	16QAM	1000 MHz-12.75 GHz	1 MHz	9600.02	-76.28	-47	PASS
NVNT	Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.56	-57	PASS
NVNT	Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	2453.08	-70.26	-47	PASS
NVNT	Band3	20	19300	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-87.97	-57	PASS

NVNT	Band3	20	19300	16QAM	1000 MHz-12.75 GHz	1 MHz	2455.04	-67.81	-47	PASS
NVNT	Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.49	-57	PASS
NVNT	Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	9600.02	-76.30	-47	PASS
NVNT	Band3	20	19575	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-87.98	-57	PASS
NVNT	Band3	20	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	5106.63	-74.35	-47	PASS
NVNT	Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-88.40	-57	PASS
NVNT	Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	9600.02	-75.98	-47	PASS
NVNT	Band3	20	19850	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-88.56	-57	PASS
NVNT	Band3	20	19850	16QAM	1000 MHz-12.75 GHz	1 MHz	5747.00	-75.34	-47	PASS



Band3 QPSK BW=1.4MHz Channel=19207 NVNT



Band3 16QAM BW=1.4MHz Channel=19207 NVNT



Band3 QPSK BW=1.4MHz Channel=19575 NVNT



Band3 16QAM BW=1.4MHz Channel=19575 NVNT



Band3 QPSK BW=1.4MHz Channel=19943 NVNT



Band3 16QAM BW=1.4MHz Channel=19943 NVNT



Band3 QPSK BW=5MHz Channel=19225 NVNT



Band3 16QAM BW=5MHz Channel=19225 NVNT



Band3 QPSK BW=5MHz Channel=19575 NVNT



Band3 16QAM BW=5MHz Channel=19575 NVNT



Band3 QPSK BW=5MHz Channel=19925 NVNT



Band3 16QAM BW=5MHz Channel=19925 NVNT



Band3 QPSK BW=20MHz Channel=19300 NVNT



Band3 16QAM BW=20MHz Channel=19300 NVNT



Band3 QPSK BW=20MHz Channel=19575 NVNT



Band3 16QAM BW=20MHz Channel=19575 NVNT



Band3 QPSK BW=20MHz Channel=19850 NVNT



Band3 16QAM BW=20MHz Channel=19850 NVNT