

### Clause 4.2.2 LTE Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	23.36	21	25	PASS
Band1	5	18025	8	#0	QPSK	23.45	21	25	PASS
Band1	5	18025	25	#0	QPSK	22.40	21	25	PASS
Band1	5	18025	1	#0	QAM16	22.63	21	25	PASS
Band1	5	18025	8	#0	QAM16	22.45	21	25	PASS
Band1	5	18025	25	#0	QAM16	21.41	21	25	PASS
Band1	5	18300	1	#0	QPSK	23.30	21	25	PASS
Band1	5	18300	8	#0	QPSK	23.37	21	25	PASS
Band1	5	18300	25	#0	QPSK	22.29	21	25	PASS
Band1	5	18300	1	#0	QAM16	22.46	21	25	PASS
Band1	5	18300	8	#0	QAM16	22.36	21	25	PASS
Band1	5	18300	25	#0	QAM16	21.29	21	25	PASS
Band1	5	18575	1	#0	QPSK	23.20	21	25	PASS
Band1	5	18575	8	#0	QPSK	23.34	21	25	PASS
Band1	5	18575	25	#0	QPSK	22.35	21	25	PASS
Band1	5	18575	1	#0	QAM16	22.53	21	25	PASS
Band1	5	18575	8	#0	QAM16	22.33	21	25	PASS
Band1	5	18575	25	#0	QAM16	21.39	21	25	PASS
Band1	20	18100	1	#0	QPSK	23.13	21	25	PASS
Band1	20	18100	18	#0	QPSK	23.21	21	25	PASS
Band1	20	18100	100	#0	QPSK	22.29	21	25	PASS
Band1	20	18100	1	#0	QAM16	22.33	21	25	PASS
Band1	20	18100	18	#0	QAM16	22.20	21	25	PASS
Band1	20	18100	100	#0	QAM16	21.30	21	25	PASS
Band1	20	18300	1	#0	QPSK	23.14	21	25	PASS
Band1	20	18300	18	#0	QPSK	23.16	21	25	PASS
Band1	20	18300	100	#0	QPSK	22.21	21	25	PASS
Band1	20	18300	1	#0	QAM16	21.96	21	25	PASS
Band1	20	18300	18	#0	QAM16	22.12	21	25	PASS
Band1	20	18300	100	#0	QAM16	21.22	21	25	PASS
Band1	20	18500	1	#0	QPSK	23.09	21	25	PASS
Band1	20	18500	18	#0	QPSK	23.21	21	25	PASS
Band1	20	18500	100	#0	QPSK	22.26	21	25	PASS
Band1	20	18500	1	#0	QAM16	21.53	21	25	PASS
Band1	20	18500	18	#0	QAM16	21.66	21	25	PASS
Band1	20	18500	100	#0	QAM16	21.09	21	25	PASS
Band20	5	24175	1	#0	QPSK	23.23	19.5	25	PASS
Band20	5	24175	8	#0	QPSK	23.28	19.5	25	PASS
Band20	5	24175	25	#0	QPSK	22.81	21	25	PASS
Band20	5	24175	1	#0	QAM16	22.93	19.5	25	PASS

Band20	5	24175	8	#0	QAM16	22.78	19.5	25	PASS
Band20	5	24175	25	#0	QAM16	22.78	21	25	PASS
Band20	5	24300	1	#0	QPSK	23.15	21	25	PASS
Band20	5	24300	8	#0	QPSK	23.22	21	25	PASS
Band20	5	24300	25	#0	QPSK	22.70	21	25	PASS
Band20	5	24300	1	#0	QAM16	22.75	21	25	PASS
Band20	5	24300	8	#0	QAM16	22.64	21	25	PASS
Band20	5	24300	25	#0	QAM16	22.66	21	25	PASS
Band20	5	24425	1	#0	QPSK	22.95	21	25	PASS
Band20	5	24425	8	#0	QPSK	23.16	21	25	PASS
Band20	5	24425	25	#0	QPSK	22.62	21	25	PASS
Band20	5	24425	1	#0	QAM16	22.71	21	25	PASS
Band20	5	24425	8	#0	QAM16	22.60	21	25	PASS
Band20	5	24425	25	#0	QAM16	22.56	21	25	PASS
Band20	20	24250	1	#0	QPSK	23.01	19.5	25	PASS
Band20	20	24250	18	#0	QPSK	23.04	19.5	25	PASS
Band20	20	24250	100	#0	QPSK	22.57	21	25	PASS
Band20	20	24250	1	#0	QAM16	22.59	19.5	25	PASS
Band20	20	24250	18	#0	QAM16	22.51	19.5	25	PASS
Band20	20	24250	100	#0	QAM16	22.55	21	25	PASS
Band20	20	24300	1	#0	QPSK	23.11	21	25	PASS
Band20	20	24300	18	#0	QPSK	23.07	21	25	PASS
Band20	20	24300	100	#0	QPSK	22.62	21	25	PASS
Band20	20	24300	1	#0	QAM16	22.39	21	25	PASS
Band20	20	24300	18	#0	QAM16	22.50	21	25	PASS
Band20	20	24300	100	#0	QAM16	22.62	21	25	PASS
Band20	20	24350	1	#0	QPSK	22.89	21	25	PASS
Band20	20	24350	18	#0	QPSK	22.96	21	25	PASS
Band20	20	24350	100	#0	QPSK	22.63	21	25	PASS
Band20	20	24350	1	#0	QAM16	22.14	21	25	PASS
Band20	20	24350	18	#0	QAM16	22.38	21	25	PASS
Band20	20	24350	100	#0	QAM16	22.61	21	25	PASS
Band3	1.4	19207	1	#0	QPSK	23.27	19.5	25	PASS
Band3	1.4	19207	5	#0	QPSK	23.29	19.5	25	PASS
Band3	1.4	19207	6	#0	QPSK	22.73	19.5	25	PASS
Band3	1.4	19207	1	#0	QAM16	22.78	19.5	25	PASS
Band3	1.4	19207	5	#0	QAM16	22.95	19.5	25	PASS
Band3	1.4	19207	6	#0	QAM16	22.84	19.5	25	PASS
Band3	1.4	19575	1	#0	QPSK	23.13	21	25	PASS
Band3	1.4	19575	5	#0	QPSK	23.25	21	25	PASS
Band3	1.4	19575	6	#0	QPSK	22.77	21	25	PASS
Band3	1.4	19575	1	#0	QAM16	22.77	21	25	PASS
Band3	1.4	19575	5	#0	QAM16	22.92	21	25	PASS
Band3	1.4	19575	6	#0	QAM16	22.66	21	25	PASS

Band3	1.4	19943	1	#0	QPSK	23.27	19.5	25	PASS
Band3	1.4	19943	5	#0	QPSK	23.29	19.5	25	PASS
Band3	1.4	19943	6	#0	QPSK	22.81	19.5	25	PASS
Band3	1.4	19943	1	#0	QAM16	22.63	19.5	25	PASS
Band3	1.4	19943	5	#0	QAM16	22.85	19.5	25	PASS
Band3	1.4	19943	6	#0	QAM16	22.76	19.5	25	PASS
Band3	5	19225	1	#0	QPSK	23.14	19.5	25	PASS
Band3	5	19225	8	#0	QPSK	23.23	19.5	25	PASS
Band3	5	19225	25	#0	QPSK	22.76	21	25	PASS
Band3	5	19225	1	#0	QAM16	22.97	19.5	25	PASS
Band3	5	19225	8	#0	QAM16	22.78	19.5	25	PASS
Band3	5	19225	25	#0	QAM16	22.78	21	25	PASS
Band3	5	19575	1	#0	QPSK	23.10	21	25	PASS
Band3	5	19575	8	#0	QPSK	23.19	21	25	PASS
Band3	5	19575	25	#0	QPSK	22.70	21	25	PASS
Band3	5	19575	1	#0	QAM16	22.71	21	25	PASS
Band3	5	19575	8	#0	QAM16	22.61	21	25	PASS
Band3	5	19575	25	#0	QAM16	22.58	21	25	PASS
Band3	5	19925	1	#0	QPSK	23.09	21	25	PASS
Band3	5	19925	8	#0	QPSK	23.24	21	25	PASS
Band3	5	19925	25	#0	QPSK	22.79	21	25	PASS
Band3	5	19925	1	#0	QAM16	22.89	21	25	PASS
Band3	5	19925	8	#0	QAM16	22.79	21	25	PASS
Band3	5	19925	25	#0	QAM16	22.81	21	25	PASS
Band3	20	19300	1	#0	QPSK	22.97	19.5	25	PASS
Band3	20	19300	18	#0	QPSK	23.04	19.5	25	PASS
Band3	20	19300	100	#0	QPSK	22.58	21	25	PASS
Band3	20	19300	1	#0	QAM16	22.66	19.5	25	PASS
Band3	20	19300	18	#0	QAM16	22.56	19.5	25	PASS
Band3	20	19300	100	#0	QAM16	22.57	21	25	PASS
Band3	20	19575	1	#0	QPSK	22.81	21	25	PASS
Band3	20	19575	18	#0	QPSK	22.87	21	25	PASS
Band3	20	19575	100	#0	QPSK	22.57	21	25	PASS
Band3	20	19575	1	#0	QAM16	22.09	21	25	PASS
Band3	20	19575	18	#0	QAM16	22.24	21	25	PASS
Band3	20	19575	100	#0	QAM16	22.54	21	25	PASS
Band3	20	19850	1	#0	QPSK	22.80	21	25	PASS
Band3	20	19850	18	#0	QPSK	22.88	21	25	PASS
Band3	20	19850	100	#0	QPSK	22.57	21	25	PASS
Band3	20	19850	1	#0	QAM16	22.07	21	25	PASS
Band3	20	19850	18	#0	QAM16	22.35	21	25	PASS
Band3	20	19850	100	#0	QAM16	22.53	21	25	PASS
Band38	5	37775	1	#0	QPSK	23.39	21	25	PASS
Band38	5	37775	8	#0	QPSK	23.43	21	25	PASS

Band38	5	37775	25	#0	QPSK	22.38	21	25	PASS
Band38	5	37775	1	#0	QAM16	22.66	21	25	PASS
Band38	5	37775	8	#0	QAM16	22.38	21	25	PASS
Band38	5	37775	25	#0	QAM16	21.39	21	25	PASS
Band38	5	38000	1	#0	QPSK	23.35	21	25	PASS
Band38	5	38000	8	#0	QPSK	23.47	21	25	PASS
Band38	5	38000	25	#0	QPSK	22.31	21	25	PASS
Band38	5	38000	1	#0	QAM16	22.31	21	25	PASS
Band38	5	38000	8	#0	QAM16	22.25	21	25	PASS
Band38	5	38000	25	#0	QAM16	21.25	21	25	PASS
Band38	5	38225	1	#0	QPSK	23.13	21	25	PASS
Band38	5	38225	8	#0	QPSK	23.26	21	25	PASS
Band38	5	38225	25	#0	QPSK	22.24	21	25	PASS
Band38	5	38225	1	#0	QAM16	22.36	21	25	PASS
Band38	5	38225	8	#0	QAM16	22.16	21	25	PASS
Band38	5	38225	25	#0	QAM16	21.21	21	25	PASS
Band38	20	37850	1	#0	QPSK	23.15	21	25	PASS
Band38	20	37850	18	#0	QPSK	23.20	21	25	PASS
Band38	20	37850	100	#0	QPSK	22.29	21	25	PASS
Band38	20	37850	1	#0	QAM16	22.29	21	25	PASS
Band38	20	37850	18	#0	QAM16	22.11	21	25	PASS
Band38	20	37850	100	#0	QAM16	21.24	21	25	PASS
Band38	20	38000	1	#0	QPSK	23.19	21	25	PASS
Band38	20	38000	18	#0	QPSK	23.15	21	25	PASS
Band38	20	38000	100	#0	QPSK	22.27	21	25	PASS
Band38	20	38000	1	#0	QAM16	21.96	21	25	PASS
Band38	20	38000	18	#0	QAM16	22.02	21	25	PASS
Band38	20	38000	100	#0	QAM16	21.23	21	25	PASS
Band38	20	38150	1	#0	QPSK	23.13	21	25	PASS
Band38	20	38150	18	#0	QPSK	23.07	21	25	PASS
Band38	20	38150	100	#0	QPSK	22.21	21	25	PASS
Band38	20	38150	1	#0	QAM16	21.59	21	25	PASS
Band38	20	38150	18	#0	QAM16	21.96	21	25	PASS
Band38	20	38150	100	#0	QAM16	21.19	21	25	PASS
Band40	5	38675	1	#0	QPSK	23.42	21	25	PASS
Band40	5	38675	8	#0	QPSK	23.45	21	25	PASS
Band40	5	38675	25	#0	QPSK	22.46	21	25	PASS
Band40	5	38675	1	#0	QAM16	22.78	21	25	PASS
Band40	5	38675	8	#0	QAM16	22.46	21	25	PASS
Band40	5	38675	25	#0	QAM16	21.49	21	25	PASS
Band40	5	39150	1	#0	QPSK	23.24	21	25	PASS
Band40	5	39150	8	#0	QPSK	23.31	21	25	PASS
Band40	5	39150	25	#0	QPSK	22.30	21	25	PASS
Band40	5	39150	1	#0	QAM16	22.38	21	25	PASS



Band40	5	39150	8	#0	QAM16	22.26	21	25	PASS
Band40	5	39150	25	#0	QAM16	21.27	21	25	PASS
Band40	5	39625	1	#0	QPSK	23.26	21	25	PASS
Band40	5	39625	8	#0	QPSK	23.38	21	25	PASS
Band40	5	39625	25	#0	QPSK	22.32	21	25	PASS
Band40	5	39625	1	#0	QAM16	22.54	21	25	PASS
Band40	5	39625	8	#0	QAM16	22.32	21	25	PASS
Band40	5	39625	25	#0	QAM16	21.31	21	25	PASS
Band40	20	38750	1	#0	QPSK	23.22	21	25	PASS
Band40	20	38750	18	#0	QPSK	23.31	21	25	PASS
Band40	20	38750	100	#0	QPSK	22.35	21	25	PASS
Band40	20	38750	1	#0	QAM16	22.40	21	25	PASS
Band40	20	38750	18	#0	QAM16	22.26	21	25	PASS
Band40	20	38750	100	#0	QAM16	21.36	21	25	PASS
Band40	20	39150	1	#0	QPSK	23.10	21	25	PASS
Band40	20	39150	18	#0	QPSK	23.14	21	25	PASS
Band40	20	39150	100	#0	QPSK	22.32	21	25	PASS
Band40	20	39150	1	#0	QAM16	21.97	21	25	PASS
Band40	20	39150	18	#0	QAM16	22.06	21	25	PASS
Band40	20	39150	100	#0	QAM16	21.31	21	25	PASS
Band40	20	39550	1	#0	QPSK	23.18	21	25	PASS
Band40	20	39550	18	#0	QPSK	23.18	21	25	PASS
Band40	20	39550	100	#0	QPSK	22.27	21	25	PASS
Band40	20	39550	1	#0	QAM16	21.79	21	25	PASS
Band40	20	39550	18	#0	QAM16	22.13	21	25	PASS
Band40	20	39550	100	#0	QAM16	21.29	21	25	PASS
Band7	5	20775	1	#0	QPSK	23.28	19.5	25	PASS
Band7	5	20775	8	#0	QPSK	23.33	19.5	25	PASS
Band7	5	20775	25	#0	QPSK	22.35	21	25	PASS
Band7	5	20775	1	#0	QAM16	22.39	19.5	25	PASS
Band7	5	20775	8	#0	QAM16	22.30	19.5	25	PASS
Band7	5	20775	25	#0	QAM16	21.30	21	25	PASS
Band7	5	21100	1	#0	QPSK	23.28	21	25	PASS
Band7	5	21100	8	#0	QPSK	23.41	21	25	PASS
Band7	5	21100	25	#0	QPSK	22.40	21	25	PASS
Band7	5	21100	1	#0	QAM16	22.50	21	25	PASS
Band7	5	21100	8	#0	QAM16	22.35	21	25	PASS
Band7	5	21100	25	#0	QAM16	21.39	21	25	PASS
Band7	5	21425	1	#0	QPSK	23.21	21	25	PASS
Band7	5	21425	8	#0	QPSK	23.34	21	25	PASS
Band7	5	21425	25	#0	QPSK	22.32	21	25	PASS
Band7	5	21425	1	#0	QAM16	22.39	21	25	PASS
Band7	5	21425	8	#0	QAM16	22.27	21	25	PASS
Band7	5	21425	25	#0	QAM16	21.32	21	25	PASS

Band7	20	20850	1	#0	QPSK	23.04	19.5	25	PASS
Band7	20	20850	18	#0	QPSK	23.16	19.5	25	PASS
Band7	20	20850	100	#0	QPSK	22.33	21	25	PASS
Band7	20	20850	1	#0	QAM16	22.22	19.5	25	PASS
Band7	20	20850	18	#0	QAM16	22.08	19.5	25	PASS
Band7	20	20850	100	#0	QAM16	21.37	21	25	PASS
Band7	20	21100	1	#0	QPSK	23.25	21	25	PASS
Band7	20	21100	18	#0	QPSK	23.26	21	25	PASS
Band7	20	21100	100	#0	QPSK	22.39	21	25	PASS
Band7	20	21100	1	#0	QAM16	21.96	21	25	PASS
Band7	20	21100	18	#0	QAM16	22.10	21	25	PASS
Band7	20	21100	100	#0	QAM16	21.39	21	25	PASS
Band7	20	21350	1	#0	QPSK	23.14	21	25	PASS
Band7	20	21350	18	#0	QPSK	23.14	21	25	PASS
Band7	20	21350	100	#0	QPSK	22.19	21	25	PASS
Band7	20	21350	1	#0	QAM16	21.88	21	25	PASS
Band7	20	21350	18	#0	QAM16	22.07	21	25	PASS
Band7	20	21350	100	#0	QAM16	21.21	21	25	PASS
Band8	1.4	21457	1	#0	QPSK	23.35	19.5	25	PASS
Band8	1.4	21457	5	#0	QPSK	23.26	19.5	25	PASS
Band8	1.4	21457	6	#0	QPSK	22.79	19.5	25	PASS
Band8	1.4	21457	1	#0	QAM16	22.75	19.5	25	PASS
Band8	1.4	21457	5	#0	QAM16	22.93	19.5	25	PASS
Band8	1.4	21457	6	#0	QAM16	22.80	19.5	25	PASS
Band8	1.4	21625	1	#0	QPSK	23.06	21	25	PASS
Band8	1.4	21625	5	#0	QPSK	23.08	21	25	PASS
Band8	1.4	21625	6	#0	QPSK	22.61	21	25	PASS
Band8	1.4	21625	1	#0	QAM16	22.70	21	25	PASS
Band8	1.4	21625	5	#0	QAM16	22.81	21	25	PASS
Band8	1.4	21625	6	#0	QAM16	22.57	21	25	PASS
Band8	1.4	21793	1	#0	QPSK	23.25	19.5	25	PASS
Band8	1.4	21793	5	#0	QPSK	23.25	19.5	25	PASS
Band8	1.4	21793	6	#0	QPSK	22.69	19.5	25	PASS
Band8	1.4	21793	1	#0	QAM16	22.52	19.5	25	PASS
Band8	1.4	21793	5	#0	QAM16	22.73	19.5	25	PASS
Band8	1.4	21793	6	#0	QAM16	22.65	19.5	25	PASS
Band8	5	21475	1	#0	QPSK	23.19	19.5	25	PASS
Band8	5	21475	8	#0	QPSK	23.16	19.5	25	PASS
Band8	5	21475	25	#0	QPSK	22.63	21	25	PASS
Band8	5	21475	1	#0	QAM16	22.98	19.5	25	PASS
Band8	5	21475	8	#0	QAM16	22.63	19.5	25	PASS
Band8	5	21475	25	#0	QAM16	22.62	21	25	PASS
Band8	5	21625	1	#0	QPSK	22.98	21	25	PASS
Band8	5	21625	8	#0	QPSK	23.02	21	25	PASS

Band8	5	21625	25	#0	QPSK	22.62	21	25	PASS
Band8	5	21625	1	#0	QAM16	22.74	21	25	PASS
Band8	5	21625	8	#0	QAM16	22.57	21	25	PASS
Band8	5	21625	25	#0	QAM16	22.59	21	25	PASS
Band8	5	21775	1	#0	QPSK	23.12	21	25	PASS
Band8	5	21775	8	#0	QPSK	23.20	21	25	PASS
Band8	5	21775	25	#0	QPSK	22.64	21	25	PASS
Band8	5	21775	1	#0	QAM16	22.88	21	25	PASS
Band8	5	21775	8	#0	QAM16	22.69	21	25	PASS
Band8	5	21775	25	#0	QAM16	22.62	21	25	PASS
Band8	10	21500	1	#0	QPSK	23.19	19.5	25	PASS
Band8	10	21500	12	#0	QPSK	23.18	19.5	25	PASS
Band8	10	21500	50	#0	QPSK	22.63	21	25	PASS
Band8	10	21500	1	#0	QAM16	22.97	19.5	25	PASS
Band8	10	21500	12	#0	QAM16	22.63	19.5	25	PASS
Band8	10	21500	50	#0	QAM16	22.59	21	25	PASS
Band8	10	21625	1	#0	QPSK	22.99	21	25	PASS
Band8	10	21625	12	#0	QPSK	23.09	21	25	PASS
Band8	10	21625	50	#0	QPSK	22.65	21	25	PASS
Band8	10	21625	1	#0	QAM16	22.69	21	25	PASS
Band8	10	21625	12	#0	QAM16	22.56	21	25	PASS
Band8	10	21625	50	#0	QAM16	22.64	21	25	PASS
Band8	10	21750	1	#0	QPSK	23.19	21	25	PASS
Band8	10	21750	12	#0	QPSK	23.31	21	25	PASS
Band8	10	21750	50	#0	QPSK	22.83	21	25	PASS
Band8	10	21750	1	#0	QAM16	22.47	21	25	PASS
Band8	10	21750	12	#0	QAM16	22.81	21	25	PASS
Band8	10	21750	50	#0	QAM16	22.80	21	25	PASS

#### Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	7.66	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	15.74	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	23.45	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	12.56	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	31.21	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	23.57	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	24.61	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	13.01	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	31.12	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	22.95	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.48	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	12.92	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	8.33	PASS

Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	16.85	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	23.82	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	12.73	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	16.91	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	15.52	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	20.97	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	9.34	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	17.34	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	16.25	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	21.50	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	9.76	PASS
Band1	5	18025	8	#0	QAM16	-1MHz-0MHz	9.20	PASS
Band1	5	18025	8	#0	QAM16	-5MHz--1MHz	17.88	PASS
Band1	5	18025	8	#0	QAM16	-6MHz--5MHz	23.90	PASS
Band1	5	18025	8	#0	QAM16	-10MHz--6MHz	12.67	PASS
Band1	5	18025	8	#0	QAM16	0MHz-1MHz	31.87	PASS
Band1	5	18025	8	#0	QAM16	1MHz-5MHz	24.04	PASS
Band1	5	18025	8	#0	QAM16	5MHz-6MHz	24.72	PASS
Band1	5	18025	8	#0	QAM16	6MHz-10MHz	13.14	PASS
Band1	5	18025	8	#Max	QAM16	-1MHz-0MHz	31.72	PASS
Band1	5	18025	8	#Max	QAM16	-5MHz--1MHz	23.29	PASS
Band1	5	18025	8	#Max	QAM16	-6MHz--5MHz	24.55	PASS
Band1	5	18025	8	#Max	QAM16	-10MHz--6MHz	12.77	PASS
Band1	5	18025	8	#Max	QAM16	0MHz-1MHz	12.01	PASS
Band1	5	18025	8	#Max	QAM16	1MHz-5MHz	18.52	PASS
Band1	5	18025	8	#Max	QAM16	5MHz-6MHz	24.03	PASS
Band1	5	18025	8	#Max	QAM16	6MHz-10MHz	12.95	PASS
Band1	5	18025	25	#0	QAM16	-1MHz-0MHz	17.20	PASS
Band1	5	18025	25	#0	QAM16	-5MHz--1MHz	17.19	PASS
Band1	5	18025	25	#0	QAM16	-6MHz--5MHz	21.05	PASS
Band1	5	18025	25	#0	QAM16	-10MHz--6MHz	9.67	PASS
Band1	5	18025	25	#0	QAM16	0MHz-1MHz	18.11	PASS
Band1	5	18025	25	#0	QAM16	1MHz-5MHz	17.92	PASS
Band1	5	18025	25	#0	QAM16	5MHz-6MHz	21.70	PASS
Band1	5	18025	25	#0	QAM16	6MHz-10MHz	10.18	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	10.60	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	15.67	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	23.44	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	12.46	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	31.65	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	24.07	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	24.82	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	12.95	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	31.18	PASS

Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	23.12	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	24.37	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	12.67	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	9.56	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	16.89	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	24.12	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	12.87	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	17.18	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	15.40	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	20.87	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	9.23	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	16.57	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	16.72	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	21.82	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	10.47	PASS
Band1	5	18300	8	#0	QAM16	-1MHz-0MHz	12.68	PASS
Band1	5	18300	8	#0	QAM16	-5MHz--1MHz	18.19	PASS
Band1	5	18300	8	#0	QAM16	-6MHz--5MHz	23.89	PASS
Band1	5	18300	8	#0	QAM16	-10MHz--6MHz	12.66	PASS
Band1	5	18300	8	#0	QAM16	0MHz-1MHz	32.25	PASS
Band1	5	18300	8	#0	QAM16	1MHz-5MHz	24.51	PASS
Band1	5	18300	8	#0	QAM16	5MHz-6MHz	24.62	PASS
Band1	5	18300	8	#0	QAM16	6MHz-10MHz	13.11	PASS
Band1	5	18300	8	#Max	QAM16	-1MHz-0MHz	31.22	PASS
Band1	5	18300	8	#Max	QAM16	-5MHz--1MHz	23.35	PASS
Band1	5	18300	8	#Max	QAM16	-6MHz--5MHz	24.32	PASS
Band1	5	18300	8	#Max	QAM16	-10MHz--6MHz	12.71	PASS
Band1	5	18300	8	#Max	QAM16	0MHz-1MHz	13.97	PASS
Band1	5	18300	8	#Max	QAM16	1MHz-5MHz	18.47	PASS
Band1	5	18300	8	#Max	QAM16	5MHz-6MHz	24.36	PASS
Band1	5	18300	8	#Max	QAM16	6MHz-10MHz	12.95	PASS
Band1	5	18300	25	#0	QAM16	-1MHz-0MHz	17.00	PASS
Band1	5	18300	25	#0	QAM16	-5MHz--1MHz	17.06	PASS
Band1	5	18300	25	#0	QAM16	-6MHz--5MHz	21.63	PASS
Band1	5	18300	25	#0	QAM16	-10MHz--6MHz	10.45	PASS
Band1	5	18300	25	#0	QAM16	0MHz-1MHz	20.72	PASS
Band1	5	18300	25	#0	QAM16	1MHz-5MHz	18.16	PASS
Band1	5	18300	25	#0	QAM16	5MHz-6MHz	22.47	PASS
Band1	5	18300	25	#0	QAM16	6MHz-10MHz	11.44	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	10.05	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	17.93	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	24.21	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	13.09	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	31.65	PASS

Band1	5	18575	8	#0	QPSK	1MHz-5MHz	24.12	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	25.33	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	13.67	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	31.06	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	23.13	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	25.04	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	13.31	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	9.25	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	16.17	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	24.57	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	13.32	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	17.93	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	18.01	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	22.18	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	9.90	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	17.43	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	18.10	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	22.67	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	10.93	PASS
Band1	5	18575	8	#0	QAM16	-1MHz-0MHz	14.38	PASS
Band1	5	18575	8	#0	QAM16	-5MHz--1MHz	19.42	PASS
Band1	5	18575	8	#0	QAM16	-6MHz--5MHz	24.59	PASS
Band1	5	18575	8	#0	QAM16	-10MHz--6MHz	13.24	PASS
Band1	5	18575	8	#0	QAM16	0MHz-1MHz	32.22	PASS
Band1	5	18575	8	#0	QAM16	1MHz-5MHz	24.85	PASS
Band1	5	18575	8	#0	QAM16	5MHz-6MHz	25.43	PASS
Band1	5	18575	8	#0	QAM16	6MHz-10MHz	13.64	PASS
Band1	5	18575	8	#Max	QAM16	-1MHz-0MHz	32.16	PASS
Band1	5	18575	8	#Max	QAM16	-5MHz--1MHz	24.13	PASS
Band1	5	18575	8	#Max	QAM16	-6MHz--5MHz	25.06	PASS
Band1	5	18575	8	#Max	QAM16	-10MHz--6MHz	13.36	PASS
Band1	5	18575	8	#Max	QAM16	0MHz-1MHz	12.55	PASS
Band1	5	18575	8	#Max	QAM16	1MHz-5MHz	18.99	PASS
Band1	5	18575	8	#Max	QAM16	5MHz-6MHz	24.84	PASS
Band1	5	18575	8	#Max	QAM16	6MHz-10MHz	13.49	PASS
Band1	5	18575	25	#0	QAM16	-1MHz-0MHz	21.50	PASS
Band1	5	18575	25	#0	QAM16	-5MHz--1MHz	18.78	PASS
Band1	5	18575	25	#0	QAM16	-6MHz--5MHz	22.14	PASS
Band1	5	18575	25	#0	QAM16	-10MHz--6MHz	10.75	PASS
Band1	5	18575	25	#0	QAM16	0MHz-1MHz	17.72	PASS
Band1	5	18575	25	#0	QAM16	1MHz-5MHz	18.80	PASS
Band1	5	18575	25	#0	QAM16	5MHz-6MHz	22.68	PASS
Band1	5	18575	25	#0	QAM16	6MHz-10MHz	11.60	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	12.61	PASS

Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	16.00	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	22.42	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	11.25	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	31.81	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	25.90	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	23.08	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	12.95	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	31.45	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	25.12	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	22.14	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	11.33	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	11.72	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	18.12	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	22.67	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	12.83	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	20.50	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	19.01	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	17.89	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	10.15	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	18.80	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	19.43	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	18.83	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	11.02	PASS
Band1	10	18050	12	#0	QAM16	-1MHz-0MHz	14.15	PASS
Band1	10	18050	12	#0	QAM16	-5MHz--1MHz	17.71	PASS
Band1	10	18050	12	#0	QAM16	-10MHz--5MHz	22.89	PASS
Band1	10	18050	12	#0	QAM16	-15MHz--10MHz	11.32	PASS
Band1	10	18050	12	#0	QAM16	0MHz-1MHz	31.95	PASS
Band1	10	18050	12	#0	QAM16	1MHz-5MHz	26.15	PASS
Band1	10	18050	12	#0	QAM16	5MHz-10MHz	23.23	PASS
Band1	10	18050	12	#0	QAM16	10MHz-15MHz	13.01	PASS
Band1	10	18050	12	#Max	QAM16	-1MHz-0MHz	32.08	PASS
Band1	10	18050	12	#Max	QAM16	-5MHz--1MHz	25.35	PASS
Band1	10	18050	12	#Max	QAM16	-10MHz--5MHz	22.19	PASS
Band1	10	18050	12	#Max	QAM16	-15MHz--10MHz	11.31	PASS
Band1	10	18050	12	#Max	QAM16	0MHz-1MHz	14.45	PASS
Band1	10	18050	12	#Max	QAM16	1MHz-5MHz	18.97	PASS
Band1	10	18050	12	#Max	QAM16	5MHz-10MHz	23.22	PASS
Band1	10	18050	12	#Max	QAM16	10MHz-15MHz	12.86	PASS
Band1	10	18050	50	#0	QAM16	-1MHz-0MHz	19.00	PASS
Band1	10	18050	50	#0	QAM16	-5MHz--1MHz	19.83	PASS
Band1	10	18050	50	#0	QAM16	-10MHz--5MHz	19.15	PASS
Band1	10	18050	50	#0	QAM16	-15MHz--10MHz	11.27	PASS
Band1	10	18050	50	#0	QAM16	0MHz-1MHz	20.76	PASS



Band1	10	18050	50	#0	QAM16	1MHz-5MHz	20.48	PASS
Band1	10	18050	50	#0	QAM16	5MHz-10MHz	20.07	PASS
Band1	10	18050	50	#0	QAM16	10MHz-15MHz	11.55	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	12.88	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	15.48	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	22.44	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	11.22	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	32.23	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	26.42	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	23.51	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	13.00	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	31.44	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	25.17	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	21.98	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	11.32	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	12.62	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	16.18	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	23.14	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	12.78	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	18.74	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	18.34	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	17.02	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	9.65	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	21.68	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	20.17	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	19.72	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	11.69	PASS
Band1	10	18300	12	#0	QAM16	-1MHz-0MHz	13.05	PASS
Band1	10	18300	12	#0	QAM16	-5MHz--1MHz	17.66	PASS
Band1	10	18300	12	#0	QAM16	-10MHz--5MHz	22.80	PASS
Band1	10	18300	12	#0	QAM16	-15MHz--10MHz	11.23	PASS
Band1	10	18300	12	#0	QAM16	0MHz-1MHz	32.59	PASS
Band1	10	18300	12	#0	QAM16	1MHz-5MHz	26.51	PASS
Band1	10	18300	12	#0	QAM16	5MHz-10MHz	23.74	PASS
Band1	10	18300	12	#0	QAM16	10MHz-15MHz	12.94	PASS
Band1	10	18300	12	#Max	QAM16	-1MHz-0MHz	32.10	PASS
Band1	10	18300	12	#Max	QAM16	-5MHz--1MHz	25.41	PASS
Band1	10	18300	12	#Max	QAM16	-10MHz--5MHz	22.09	PASS
Band1	10	18300	12	#Max	QAM16	-15MHz--10MHz	11.23	PASS
Band1	10	18300	12	#Max	QAM16	0MHz-1MHz	14.23	PASS
Band1	10	18300	12	#Max	QAM16	1MHz-5MHz	18.27	PASS
Band1	10	18300	12	#Max	QAM16	5MHz-10MHz	23.64	PASS
Band1	10	18300	12	#Max	QAM16	10MHz-15MHz	12.96	PASS
Band1	10	18300	50	#0	QAM16	-1MHz-0MHz	19.96	PASS

Band1	10	18300	50	#0	QAM16	-5MHz--1MHz	18.91	PASS
Band1	10	18300	50	#0	QAM16	-10MHz--5MHz	18.42	PASS
Band1	10	18300	50	#0	QAM16	-15MHz--10MHz	11.47	PASS
Band1	10	18300	50	#0	QAM16	0MHz-1MHz	21.05	PASS
Band1	10	18300	50	#0	QAM16	1MHz-5MHz	20.55	PASS
Band1	10	18300	50	#0	QAM16	5MHz-10MHz	20.92	PASS
Band1	10	18300	50	#0	QAM16	10MHz-15MHz	13.02	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	12.50	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	17.64	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	22.57	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.75	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	32.13	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	26.04	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	22.78	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	13.65	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	31.91	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	25.29	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	22.21	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.73	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	13.16	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	15.83	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	23.47	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	13.48	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	21.91	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	20.69	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	19.68	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	9.87	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	20.98	PASS
Band1	10	18550	50	#0	QPSK	1MHz-5MHz	20.56	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	20.20	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	12.08	PASS
Band1	10	18550	12	#0	QAM16	-1MHz-0MHz	14.11	PASS
Band1	10	18550	12	#0	QAM16	-5MHz--1MHz	19.09	PASS
Band1	10	18550	12	#0	QAM16	-10MHz--5MHz	23.24	PASS
Band1	10	18550	12	#0	QAM16	-15MHz--10MHz	11.81	PASS
Band1	10	18550	12	#0	QAM16	0MHz-1MHz	32.88	PASS
Band1	10	18550	12	#0	QAM16	1MHz-5MHz	26.48	PASS
Band1	10	18550	12	#0	QAM16	5MHz-10MHz	23.29	PASS
Band1	10	18550	12	#0	QAM16	10MHz-15MHz	13.67	PASS
Band1	10	18550	12	#Max	QAM16	-1MHz-0MHz	32.59	PASS
Band1	10	18550	12	#Max	QAM16	-5MHz--1MHz	25.77	PASS
Band1	10	18550	12	#Max	QAM16	-10MHz--5MHz	22.53	PASS
Band1	10	18550	12	#Max	QAM16	-15MHz--10MHz	11.79	PASS
Band1	10	18550	12	#Max	QAM16	0MHz-1MHz	15.00	PASS

Band1	10	18550	12	#Max	QAM16	1MHz-5MHz	18.33	PASS
Band1	10	18550	12	#Max	QAM16	5MHz-10MHz	23.99	PASS
Band1	10	18550	12	#Max	QAM16	10MHz-15MHz	13.42	PASS
Band1	10	18550	50	#0	QAM16	-1MHz-0MHz	19.66	PASS
Band1	10	18550	50	#0	QAM16	-5MHz--1MHz	20.70	PASS
Band1	10	18550	50	#0	QAM16	-10MHz--5MHz	20.04	PASS
Band1	10	18550	50	#0	QAM16	-15MHz--10MHz	10.93	PASS
Band1	10	18550	50	#0	QAM16	0MHz-1MHz	21.47	PASS
Band1	10	18550	50	#0	QAM16	1MHz-5MHz	20.98	PASS
Band1	10	18550	50	#0	QAM16	5MHz-10MHz	21.07	PASS
Band1	10	18550	50	#0	QAM16	10MHz-15MHz	13.02	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	15.51	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	18.02	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	21.17	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	13.45	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	30.64	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	27.47	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	23.81	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	13.35	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	30.20	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	26.85	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	22.42	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	13.55	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	15.64	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	19.29	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	21.94	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	13.19	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	22.22	PASS
Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	21.40	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	19.27	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	13.38	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	22.90	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	22.17	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	19.83	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	12.51	PASS
Band1	20	18100	18	#0	QAM16	-1MHz-0MHz	16.89	PASS
Band1	20	18100	18	#0	QAM16	-5MHz--1MHz	19.26	PASS
Band1	20	18100	18	#0	QAM16	-20MHz--5MHz	21.21	PASS
Band1	20	18100	18	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band1	20	18100	18	#0	QAM16	0MHz-1MHz	30.81	PASS
Band1	20	18100	18	#0	QAM16	1MHz-5MHz	27.48	PASS
Band1	20	18100	18	#0	QAM16	5MHz-20MHz	24.12	PASS
Band1	20	18100	18	#0	QAM16	20MHz-25MHz	13.32	PASS
Band1	20	18100	18	#Max	QAM16	-1MHz-0MHz	30.38	PASS

Band1	20	18100	18	#Max	QAM16	-5MHz--1MHz	26.82	PASS
Band1	20	18100	18	#Max	QAM16	-20MHz--5MHz	22.42	PASS
Band1	20	18100	18	#Max	QAM16	-25MHz--20MHz	13.57	PASS
Band1	20	18100	18	#Max	QAM16	0MHz-1MHz	17.57	PASS
Band1	20	18100	18	#Max	QAM16	1MHz-5MHz	19.97	PASS
Band1	20	18100	18	#Max	QAM16	5MHz-20MHz	21.98	PASS
Band1	20	18100	18	#Max	QAM16	20MHz-25MHz	13.23	PASS
Band1	20	18100	100	#0	QAM16	-1MHz-0MHz	22.96	PASS
Band1	20	18100	100	#0	QAM16	-5MHz--1MHz	21.82	PASS
Band1	20	18100	100	#0	QAM16	-20MHz--5MHz	19.98	PASS
Band1	20	18100	100	#0	QAM16	-25MHz--20MHz	14.35	PASS
Band1	20	18100	100	#0	QAM16	0MHz-1MHz	23.69	PASS
Band1	20	18100	100	#0	QAM16	1MHz-5MHz	22.95	PASS
Band1	20	18100	100	#0	QAM16	5MHz-20MHz	21.05	PASS
Band1	20	18100	100	#0	QAM16	20MHz-25MHz	13.99	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	16.28	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	17.71	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	21.15	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	13.21	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	30.89	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	27.74	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	24.43	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	13.91	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	29.94	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	26.73	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	21.99	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	13.31	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	16.23	PASS
Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	18.49	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	21.91	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	13.87	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	21.76	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	19.93	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	18.14	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	12.00	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	24.66	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	23.09	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	21.15	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	12.91	PASS
Band1	20	18300	18	#0	QAM16	-1MHz-0MHz	17.52	PASS
Band1	20	18300	18	#0	QAM16	-5MHz--1MHz	19.21	PASS
Band1	20	18300	18	#0	QAM16	-20MHz--5MHz	21.35	PASS
Band1	20	18300	18	#0	QAM16	-25MHz--20MHz	13.28	PASS
Band1	20	18300	18	#0	QAM16	0MHz-1MHz	30.85	PASS

Band1	20	18300	18	#0	QAM16	1MHz-5MHz	27.73	PASS
Band1	20	18300	18	#0	QAM16	5MHz-20MHz	24.64	PASS
Band1	20	18300	18	#0	QAM16	20MHz-25MHz	13.95	PASS
Band1	20	18300	18	#Max	QAM16	-1MHz-0MHz	29.85	PASS
Band1	20	18300	18	#Max	QAM16	-5MHz--1MHz	26.72	PASS
Band1	20	18300	18	#Max	QAM16	-20MHz--5MHz	22.10	PASS
Band1	20	18300	18	#Max	QAM16	-25MHz--20MHz	13.42	PASS
Band1	20	18300	18	#Max	QAM16	0MHz-1MHz	17.32	PASS
Band1	20	18300	18	#Max	QAM16	1MHz-5MHz	20.21	PASS
Band1	20	18300	18	#Max	QAM16	5MHz-20MHz	22.52	PASS
Band1	20	18300	18	#Max	QAM16	20MHz-25MHz	13.92	PASS
Band1	20	18300	100	#0	QAM16	-1MHz-0MHz	22.73	PASS
Band1	20	18300	100	#0	QAM16	-5MHz--1MHz	20.96	PASS
Band1	20	18300	100	#0	QAM16	-20MHz--5MHz	19.20	PASS
Band1	20	18300	100	#0	QAM16	-25MHz--20MHz	13.31	PASS
Band1	20	18300	100	#0	QAM16	0MHz-1MHz	25.04	PASS
Band1	20	18300	100	#0	QAM16	1MHz-5MHz	23.90	PASS
Band1	20	18300	100	#0	QAM16	5MHz-20MHz	22.13	PASS
Band1	20	18300	100	#0	QAM16	20MHz-25MHz	13.91	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	16.94	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	18.10	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	21.25	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	30.91	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	28.18	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	24.32	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	13.83	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	30.06	PASS
Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	27.26	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	21.93	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	13.34	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	16.07	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	17.85	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	22.22	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	13.67	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	21.44	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	21.56	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	19.32	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	11.22	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	24.51	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	22.51	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	20.96	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	13.45	PASS
Band1	20	18500	18	#0	QAM16	-1MHz-0MHz	16.31	PASS

Band1	20	18500	18	#0	QAM16	-5MHz--1MHz	19.32	PASS
Band1	20	18500	18	#0	QAM16	-20MHz--5MHz	21.48	PASS
Band1	20	18500	18	#0	QAM16	-25MHz--20MHz	13.19	PASS
Band1	20	18500	18	#0	QAM16	0MHz-1MHz	31.23	PASS
Band1	20	18500	18	#0	QAM16	1MHz-5MHz	28.20	PASS
Band1	20	18500	18	#0	QAM16	5MHz-20MHz	24.62	PASS
Band1	20	18500	18	#0	QAM16	20MHz-25MHz	13.80	PASS
Band1	20	18500	18	#Max	QAM16	-1MHz-0MHz	30.74	PASS
Band1	20	18500	18	#Max	QAM16	-5MHz--1MHz	27.28	PASS
Band1	20	18500	18	#Max	QAM16	-20MHz--5MHz	22.27	PASS
Band1	20	18500	18	#Max	QAM16	-25MHz--20MHz	13.42	PASS
Band1	20	18500	18	#Max	QAM16	0MHz-1MHz	17.07	PASS
Band1	20	18500	18	#Max	QAM16	1MHz-5MHz	19.52	PASS
Band1	20	18500	18	#Max	QAM16	5MHz-20MHz	22.73	PASS
Band1	20	18500	18	#Max	QAM16	20MHz-25MHz	13.69	PASS
Band1	20	18500	100	#0	QAM16	-1MHz-0MHz	22.59	PASS
Band1	20	18500	100	#0	QAM16	-5MHz--1MHz	22.11	PASS
Band1	20	18500	100	#0	QAM16	-20MHz--5MHz	19.70	PASS
Band1	20	18500	100	#0	QAM16	-25MHz--20MHz	12.28	PASS
Band1	20	18500	100	#0	QAM16	0MHz-1MHz	24.16	PASS
Band1	20	18500	100	#0	QAM16	1MHz-5MHz	23.63	PASS
Band1	20	18500	100	#0	QAM16	5MHz-20MHz	21.69	PASS
Band1	20	18500	100	#0	QAM16	20MHz-25MHz	14.33	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	7.27	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	14.15	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	25.28	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	13.03	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	33.27	PASS
Band20	5	24175	8	#0	QPSK	1MHz-5MHz	26.13	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	13.39	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	34.19	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	26.06	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	25.22	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	13.05	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	8.16	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	18.81	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	24.85	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	13.17	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	17.60	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	17.63	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	24.87	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	13.07	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	16.91	PASS



Band20	5	24175	25	#0	QPSK	1MHz-5MHz	16.14	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	23.06	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	12.09	PASS
Band20	5	24175	8	#0	QAM16	-1MHz-0MHz	10.11	PASS
Band20	5	24175	8	#0	QAM16	-5MHz--1MHz	17.52	PASS
Band20	5	24175	8	#0	QAM16	-6MHz--5MHz	25.37	PASS
Band20	5	24175	8	#0	QAM16	-10MHz--6MHz	13.02	PASS
Band20	5	24175	8	#0	QAM16	0MHz-1MHz	33.31	PASS
Band20	5	24175	8	#0	QAM16	1MHz-5MHz	26.50	PASS
Band20	5	24175	8	#0	QAM16	5MHz-6MHz	25.36	PASS
Band20	5	24175	8	#0	QAM16	6MHz-10MHz	13.38	PASS
Band20	5	24175	8	#Max	QAM16	-1MHz-0MHz	34.49	PASS
Band20	5	24175	8	#Max	QAM16	-5MHz--1MHz	26.42	PASS
Band20	5	24175	8	#Max	QAM16	-6MHz--5MHz	25.57	PASS
Band20	5	24175	8	#Max	QAM16	-10MHz--6MHz	13.13	PASS
Band20	5	24175	8	#Max	QAM16	0MHz-1MHz	11.92	PASS
Band20	5	24175	8	#Max	QAM16	1MHz-5MHz	21.02	PASS
Band20	5	24175	8	#Max	QAM16	5MHz-6MHz	24.94	PASS
Band20	5	24175	8	#Max	QAM16	6MHz-10MHz	13.28	PASS
Band20	5	24175	25	#0	QAM16	-1MHz-0MHz	17.92	PASS
Band20	5	24175	25	#0	QAM16	-5MHz--1MHz	18.92	PASS
Band20	5	24175	25	#0	QAM16	-6MHz--5MHz	26.09	PASS
Band20	5	24175	25	#0	QAM16	-10MHz--6MHz	14.03	PASS
Band20	5	24175	25	#0	QAM16	0MHz-1MHz	16.80	PASS
Band20	5	24175	25	#0	QAM16	1MHz-5MHz	16.82	PASS
Band20	5	24175	25	#0	QAM16	5MHz-6MHz	24.16	PASS
Band20	5	24175	25	#0	QAM16	6MHz-10MHz	13.10	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	9.91	PASS
Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	14.71	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	24.80	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	12.95	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	33.62	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	26.33	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	25.28	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	13.35	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	33.51	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	25.66	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	25.07	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	12.99	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	9.33	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	16.95	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	24.87	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	13.23	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	17.74	PASS



Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	16.54	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	22.71	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	12.19	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	15.94	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	15.98	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	23.28	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	12.39	PASS
Band20	5	24300	8	#0	QAM16	-1MHz-0MHz	11.62	PASS
Band20	5	24300	8	#0	QAM16	-5MHz--1MHz	17.22	PASS
Band20	5	24300	8	#0	QAM16	-6MHz--5MHz	24.94	PASS
Band20	5	24300	8	#0	QAM16	-10MHz--6MHz	13.05	PASS
Band20	5	24300	8	#0	QAM16	0MHz-1MHz	34.33	PASS
Band20	5	24300	8	#0	QAM16	1MHz-5MHz	26.64	PASS
Band20	5	24300	8	#0	QAM16	5MHz-6MHz	25.18	PASS
Band20	5	24300	8	#0	QAM16	6MHz-10MHz	13.37	PASS
Band20	5	24300	8	#Max	QAM16	-1MHz-0MHz	32.79	PASS
Band20	5	24300	8	#Max	QAM16	-5MHz--1MHz	25.92	PASS
Band20	5	24300	8	#Max	QAM16	-6MHz--5MHz	25.14	PASS
Band20	5	24300	8	#Max	QAM16	-10MHz--6MHz	12.98	PASS
Band20	5	24300	8	#Max	QAM16	0MHz-1MHz	13.44	PASS
Band20	5	24300	8	#Max	QAM16	1MHz-5MHz	19.19	PASS
Band20	5	24300	8	#Max	QAM16	5MHz-6MHz	24.95	PASS
Band20	5	24300	8	#Max	QAM16	6MHz-10MHz	13.16	PASS
Band20	5	24300	25	#0	QAM16	-1MHz-0MHz	15.68	PASS
Band20	5	24300	25	#0	QAM16	-5MHz--1MHz	16.89	PASS
Band20	5	24300	25	#0	QAM16	-6MHz--5MHz	24.02	PASS
Band20	5	24300	25	#0	QAM16	-10MHz--6MHz	13.09	PASS
Band20	5	24300	25	#0	QAM16	0MHz-1MHz	18.61	PASS
Band20	5	24300	25	#0	QAM16	1MHz-5MHz	16.12	PASS
Band20	5	24300	25	#0	QAM16	5MHz-6MHz	24.09	PASS
Band20	5	24300	25	#0	QAM16	6MHz-10MHz	13.35	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	8.89	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	14.31	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	24.69	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	12.88	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	34.21	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	26.42	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	25.23	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	13.27	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	32.51	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	25.42	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	25.05	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	12.85	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	9.07	PASS

Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	14.68	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	24.79	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	13.13	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	17.82	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	17.97	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	21.74	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	11.53	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	16.82	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	16.27	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	23.17	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	12.52	PASS
Band20	5	24425	8	#0	QAM16	-1MHz-0MHz	14.58	PASS
Band20	5	24425	8	#0	QAM16	-5MHz--1MHz	18.08	PASS
Band20	5	24425	8	#0	QAM16	-6MHz--5MHz	24.83	PASS
Band20	5	24425	8	#0	QAM16	-10MHz--6MHz	12.87	PASS
Band20	5	24425	8	#0	QAM16	0MHz-1MHz	34.28	PASS
Band20	5	24425	8	#0	QAM16	1MHz-5MHz	26.76	PASS
Band20	5	24425	8	#0	QAM16	5MHz-6MHz	25.28	PASS
Band20	5	24425	8	#0	QAM16	6MHz-10MHz	13.32	PASS
Band20	5	24425	8	#Max	QAM16	-1MHz-0MHz	33.10	PASS
Band20	5	24425	8	#Max	QAM16	-5MHz--1MHz	25.83	PASS
Band20	5	24425	8	#Max	QAM16	-6MHz--5MHz	24.96	PASS
Band20	5	24425	8	#Max	QAM16	-10MHz--6MHz	12.83	PASS
Band20	5	24425	8	#Max	QAM16	0MHz-1MHz	12.69	PASS
Band20	5	24425	8	#Max	QAM16	1MHz-5MHz	18.58	PASS
Band20	5	24425	8	#Max	QAM16	5MHz-6MHz	25.05	PASS
Band20	5	24425	8	#Max	QAM16	6MHz-10MHz	13.19	PASS
Band20	5	24425	25	#0	QAM16	-1MHz-0MHz	21.31	PASS
Band20	5	24425	25	#0	QAM16	-5MHz--1MHz	18.64	PASS
Band20	5	24425	25	#0	QAM16	-6MHz--5MHz	22.78	PASS
Band20	5	24425	25	#0	QAM16	-10MHz--6MHz	12.33	PASS
Band20	5	24425	25	#0	QAM16	0MHz-1MHz	17.98	PASS
Band20	5	24425	25	#0	QAM16	1MHz-5MHz	16.60	PASS
Band20	5	24425	25	#0	QAM16	5MHz-6MHz	24.03	PASS
Band20	5	24425	25	#0	QAM16	6MHz-10MHz	13.50	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	10.67	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	12.80	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	24.67	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	11.45	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	32.19	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	27.09	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	24.30	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	13.38	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	32.99	PASS

Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	27.51	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	24.74	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	11.56	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	12.52	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	16.87	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	24.22	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	13.21	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	20.67	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	18.87	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	23.14	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	11.61	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	18.04	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	20.24	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	19.82	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	11.55	PASS
Band20	10	24200	12	#0	QAM16	-1MHz-0MHz	12.37	PASS
Band20	10	24200	12	#0	QAM16	-5MHz--1MHz	16.27	PASS
Band20	10	24200	12	#0	QAM16	-10MHz--5MHz	24.74	PASS
Band20	10	24200	12	#0	QAM16	-15MHz--10MHz	11.72	PASS
Band20	10	24200	12	#0	QAM16	0MHz-1MHz	32.48	PASS
Band20	10	24200	12	#0	QAM16	1MHz-5MHz	27.28	PASS
Band20	10	24200	12	#0	QAM16	5MHz-10MHz	24.67	PASS
Band20	10	24200	12	#0	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24200	12	#Max	QAM16	-1MHz-0MHz	33.07	PASS
Band20	10	24200	12	#Max	QAM16	-5MHz--1MHz	27.44	PASS
Band20	10	24200	12	#Max	QAM16	-10MHz--5MHz	24.77	PASS
Band20	10	24200	12	#Max	QAM16	-15MHz--10MHz	11.63	PASS
Band20	10	24200	12	#Max	QAM16	0MHz-1MHz	14.54	PASS
Band20	10	24200	12	#Max	QAM16	1MHz-5MHz	18.48	PASS
Band20	10	24200	12	#Max	QAM16	5MHz-10MHz	24.41	PASS
Band20	10	24200	12	#Max	QAM16	10MHz-15MHz	13.32	PASS
Band20	10	24200	50	#0	QAM16	-1MHz-0MHz	19.08	PASS
Band20	10	24200	50	#0	QAM16	-5MHz--1MHz	20.11	PASS
Band20	10	24200	50	#0	QAM16	-10MHz--5MHz	24.40	PASS
Band20	10	24200	50	#0	QAM16	-15MHz--10MHz	12.53	PASS
Band20	10	24200	50	#0	QAM16	0MHz-1MHz	19.61	PASS
Band20	10	24200	50	#0	QAM16	1MHz-5MHz	20.44	PASS
Band20	10	24200	50	#0	QAM16	5MHz-10MHz	20.45	PASS
Band20	10	24200	50	#0	QAM16	10MHz-15MHz	12.57	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	12.48	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	14.03	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	23.73	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	11.59	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	32.80	PASS

Band20	10	24300	12	#0	QPSK	1MHz-5MHz	27.45	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	24.58	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	13.26	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	31.91	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	26.93	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	23.74	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	11.50	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	13.48	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	17.98	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	24.12	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	13.24	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	20.76	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	19.39	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	19.91	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	11.42	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	20.87	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	18.33	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	17.65	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	12.49	PASS
Band20	10	24300	12	#0	QAM16	-1MHz-0MHz	12.94	PASS
Band20	10	24300	12	#0	QAM16	-5MHz--1MHz	17.19	PASS
Band20	10	24300	12	#0	QAM16	-10MHz--5MHz	24.20	PASS
Band20	10	24300	12	#0	QAM16	-15MHz--10MHz	11.59	PASS
Band20	10	24300	12	#0	QAM16	0MHz-1MHz	33.11	PASS
Band20	10	24300	12	#0	QAM16	1MHz-5MHz	27.43	PASS
Band20	10	24300	12	#0	QAM16	5MHz-10MHz	24.66	PASS
Band20	10	24300	12	#0	QAM16	10MHz-15MHz	13.29	PASS
Band20	10	24300	12	#Max	QAM16	-1MHz-0MHz	32.69	PASS
Band20	10	24300	12	#Max	QAM16	-5MHz--1MHz	27.12	PASS
Band20	10	24300	12	#Max	QAM16	-10MHz--5MHz	23.98	PASS
Band20	10	24300	12	#Max	QAM16	-15MHz--10MHz	11.55	PASS
Band20	10	24300	12	#Max	QAM16	0MHz-1MHz	13.08	PASS
Band20	10	24300	12	#Max	QAM16	1MHz-5MHz	19.42	PASS
Band20	10	24300	12	#Max	QAM16	5MHz-10MHz	24.32	PASS
Band20	10	24300	12	#Max	QAM16	10MHz-15MHz	13.24	PASS
Band20	10	24300	50	#0	QAM16	-1MHz-0MHz	21.08	PASS
Band20	10	24300	50	#0	QAM16	-5MHz--1MHz	19.64	PASS
Band20	10	24300	50	#0	QAM16	-10MHz--5MHz	20.83	PASS
Band20	10	24300	50	#0	QAM16	-15MHz--10MHz	12.38	PASS
Band20	10	24300	50	#0	QAM16	0MHz-1MHz	19.31	PASS
Band20	10	24300	50	#0	QAM16	1MHz-5MHz	18.13	PASS
Band20	10	24300	50	#0	QAM16	5MHz-10MHz	18.36	PASS
Band20	10	24300	50	#0	QAM16	10MHz-15MHz	12.99	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	13.16	PASS

Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	19.91	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	23.84	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	11.40	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	32.87	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	27.33	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	24.62	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	13.22	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	32.34	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	26.76	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	23.69	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	11.40	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	10.69	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	13.48	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	23.98	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	13.12	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	22.37	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	22.74	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	20.31	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	11.28	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	23.16	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	21.11	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	19.89	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	13.19	PASS
Band20	10	24400	12	#0	QAM16	-1MHz-0MHz	14.51	PASS
Band20	10	24400	12	#0	QAM16	-5MHz--1MHz	20.57	PASS
Band20	10	24400	12	#0	QAM16	-10MHz--5MHz	24.15	PASS
Band20	10	24400	12	#0	QAM16	-15MHz--10MHz	11.49	PASS
Band20	10	24400	12	#0	QAM16	0MHz-1MHz	33.34	PASS
Band20	10	24400	12	#0	QAM16	1MHz-5MHz	27.47	PASS
Band20	10	24400	12	#0	QAM16	5MHz-10MHz	24.67	PASS
Band20	10	24400	12	#0	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24400	12	#Max	QAM16	-1MHz-0MHz	32.42	PASS
Band20	10	24400	12	#Max	QAM16	-5MHz--1MHz	27.07	PASS
Band20	10	24400	12	#Max	QAM16	-10MHz--5MHz	23.88	PASS
Band20	10	24400	12	#Max	QAM16	-15MHz--10MHz	11.42	PASS
Band20	10	24400	12	#Max	QAM16	0MHz-1MHz	13.08	PASS
Band20	10	24400	12	#Max	QAM16	1MHz-5MHz	16.79	PASS
Band20	10	24400	12	#Max	QAM16	5MHz-10MHz	24.48	PASS
Band20	10	24400	12	#Max	QAM16	10MHz-15MHz	13.22	PASS
Band20	10	24400	50	#0	QAM16	-1MHz-0MHz	19.56	PASS
Band20	10	24400	50	#0	QAM16	-5MHz--1MHz	21.76	PASS
Band20	10	24400	50	#0	QAM16	-10MHz--5MHz	19.79	PASS
Band20	10	24400	50	#0	QAM16	-15MHz--10MHz	12.28	PASS
Band20	10	24400	50	#0	QAM16	0MHz-1MHz	21.60	PASS

Band20	10	24400	50	#0	QAM16	1MHz-5MHz	20.83	PASS
Band20	10	24400	50	#0	QAM16	5MHz-10MHz	20.02	PASS
Band20	10	24400	50	#0	QAM16	10MHz-15MHz	14.14	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	13.47	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	15.78	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	23.46	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	13.57	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	31.04	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	27.93	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	24.68	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	13.28	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	30.82	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	27.42	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	23.51	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	13.45	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	16.24	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	17.72	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	23.13	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	13.32	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	22.88	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	22.28	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	23.51	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	13.54	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	21.81	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	20.69	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	18.79	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	13.31	PASS
Band20	20	24250	18	#0	QAM16	-1MHz-0MHz	14.90	PASS
Band20	20	24250	18	#0	QAM16	-5MHz--1MHz	17.60	PASS
Band20	20	24250	18	#0	QAM16	-20MHz--5MHz	23.39	PASS
Band20	20	24250	18	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band20	20	24250	18	#0	QAM16	0MHz-1MHz	30.96	PASS
Band20	20	24250	18	#0	QAM16	1MHz-5MHz	27.97	PASS
Band20	20	24250	18	#0	QAM16	5MHz-20MHz	24.81	PASS
Band20	20	24250	18	#0	QAM16	20MHz-25MHz	13.37	PASS
Band20	20	24250	18	#Max	QAM16	-1MHz-0MHz	30.78	PASS
Band20	20	24250	18	#Max	QAM16	-5MHz--1MHz	27.50	PASS
Band20	20	24250	18	#Max	QAM16	-20MHz--5MHz	23.44	PASS
Band20	20	24250	18	#Max	QAM16	-25MHz--20MHz	13.63	PASS
Band20	20	24250	18	#Max	QAM16	0MHz-1MHz	16.97	PASS
Band20	20	24250	18	#Max	QAM16	1MHz-5MHz	18.76	PASS
Band20	20	24250	18	#Max	QAM16	5MHz-20MHz	23.18	PASS
Band20	20	24250	18	#Max	QAM16	20MHz-25MHz	13.29	PASS
Band20	20	24250	100	#0	QAM16	-1MHz-0MHz	22.16	PASS



Band20	20	24250	100	#0	QAM16	-5MHz--1MHz	23.05	PASS
Band20	20	24250	100	#0	QAM16	-20MHz--5MHz	24.39	PASS
Band20	20	24250	100	#0	QAM16	-25MHz--20MHz	14.67	PASS
Band20	20	24250	100	#0	QAM16	0MHz-1MHz	21.99	PASS
Band20	20	24250	100	#0	QAM16	1MHz-5MHz	21.28	PASS
Band20	20	24250	100	#0	QAM16	5MHz-20MHz	19.03	PASS
Band20	20	24250	100	#0	QAM16	20MHz-25MHz	14.35	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	18.20	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	19.29	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	23.26	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	30.75	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	27.81	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	24.96	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	13.37	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	30.65	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	27.29	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	23.23	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	13.56	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	18.32	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	20.61	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	24.05	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	13.23	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	21.22	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	21.32	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	21.45	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	13.51	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	21.33	PASS
Band20	20	24300	100	#0	QPSK	1MHz-5MHz	20.95	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	20.04	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	13.28	PASS
Band20	20	24300	18	#0	QAM16	-1MHz-0MHz	18.46	PASS
Band20	20	24300	18	#0	QAM16	-5MHz--1MHz	20.52	PASS
Band20	20	24300	18	#0	QAM16	-20MHz--5MHz	23.38	PASS
Band20	20	24300	18	#0	QAM16	-25MHz--20MHz	13.54	PASS
Band20	20	24300	18	#0	QAM16	0MHz-1MHz	30.76	PASS
Band20	20	24300	18	#0	QAM16	1MHz-5MHz	27.87	PASS
Band20	20	24300	18	#0	QAM16	5MHz-20MHz	24.92	PASS
Band20	20	24300	18	#0	QAM16	20MHz-25MHz	13.43	PASS
Band20	20	24300	18	#Max	QAM16	-1MHz-0MHz	30.74	PASS
Band20	20	24300	18	#Max	QAM16	-5MHz--1MHz	27.20	PASS
Band20	20	24300	18	#Max	QAM16	-20MHz--5MHz	23.19	PASS
Band20	20	24300	18	#Max	QAM16	-25MHz--20MHz	13.56	PASS
Band20	20	24300	18	#Max	QAM16	0MHz-1MHz	17.65	PASS



Band20	20	24300	18	#Max	QAM16	1MHz-5MHz	21.43	PASS
Band20	20	24300	18	#Max	QAM16	5MHz-20MHz	24.22	PASS
Band20	20	24300	18	#Max	QAM16	20MHz-25MHz	13.23	PASS
Band20	20	24300	100	#0	QAM16	-1MHz-0MHz	22.12	PASS
Band20	20	24300	100	#0	QAM16	-5MHz--1MHz	22.06	PASS
Band20	20	24300	100	#0	QAM16	-20MHz--5MHz	21.87	PASS
Band20	20	24300	100	#0	QAM16	-25MHz--20MHz	14.58	PASS
Band20	20	24300	100	#0	QAM16	0MHz-1MHz	22.74	PASS
Band20	20	24300	100	#0	QAM16	1MHz-5MHz	21.08	PASS
Band20	20	24300	100	#0	QAM16	5MHz-20MHz	20.12	PASS
Band20	20	24300	100	#0	QAM16	20MHz-25MHz	15.14	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	13.99	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	14.69	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	22.86	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	13.46	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	30.97	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	27.79	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	25.08	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	13.24	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	30.27	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	27.08	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	22.84	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	13.57	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	13.16	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	13.81	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	23.50	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	13.18	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	20.00	PASS
Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	19.90	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	18.73	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	13.48	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	22.52	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	21.81	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	21.97	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	13.16	PASS
Band20	20	24350	18	#0	QAM16	-1MHz-0MHz	15.10	PASS
Band20	20	24350	18	#0	QAM16	-5MHz--1MHz	17.58	PASS
Band20	20	24350	18	#0	QAM16	-20MHz--5MHz	23.12	PASS
Band20	20	24350	18	#0	QAM16	-25MHz--20MHz	13.48	PASS
Band20	20	24350	18	#0	QAM16	0MHz-1MHz	31.32	PASS
Band20	20	24350	18	#0	QAM16	1MHz-5MHz	27.81	PASS
Band20	20	24350	18	#0	QAM16	5MHz-20MHz	25.12	PASS
Band20	20	24350	18	#0	QAM16	20MHz-25MHz	13.28	PASS
Band20	20	24350	18	#Max	QAM16	-1MHz-0MHz	30.22	PASS

Band20	20	24350	18	#Max	QAM16	-5MHz--1MHz	27.28	PASS
Band20	20	24350	18	#Max	QAM16	-20MHz--5MHz	23.01	PASS
Band20	20	24350	18	#Max	QAM16	-25MHz--20MHz	13.54	PASS
Band20	20	24350	18	#Max	QAM16	0MHz-1MHz	14.27	PASS
Band20	20	24350	18	#Max	QAM16	1MHz-5MHz	16.40	PASS
Band20	20	24350	18	#Max	QAM16	5MHz-20MHz	23.87	PASS
Band20	20	24350	18	#Max	QAM16	20MHz-25MHz	13.24	PASS
Band20	20	24350	100	#0	QAM16	-1MHz-0MHz	21.14	PASS
Band20	20	24350	100	#0	QAM16	-5MHz--1MHz	20.61	PASS
Band20	20	24350	100	#0	QAM16	-20MHz--5MHz	19.03	PASS
Band20	20	24350	100	#0	QAM16	-25MHz--20MHz	14.59	PASS
Band20	20	24350	100	#0	QAM16	0MHz-1MHz	22.63	PASS
Band20	20	24350	100	#0	QAM16	1MHz-5MHz	22.06	PASS
Band20	20	24350	100	#0	QAM16	5MHz-20MHz	22.06	PASS
Band20	20	24350	100	#0	QAM16	20MHz-25MHz	15.10	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	20.80	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	21.65	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	12.00	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	23.02	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	23.36	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	12.12	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	23.51	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	23.36	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	12.17	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	20.46	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	21.82	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	12.12	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	23.47	PASS
Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	22.81	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	12.05	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	23.22	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	23.25	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	12.17	PASS
Band3	1.4	19207	5	#0	QAM16	-1MHz-0MHz	22.93	PASS
Band3	1.4	19207	5	#0	QAM16	-2.5MHz--1MHz	23.28	PASS
Band3	1.4	19207	5	#0	QAM16	-3.5MHz--2.5MHz	12.36	PASS
Band3	1.4	19207	5	#0	QAM16	0MHz-1MHz	24.32	PASS
Band3	1.4	19207	5	#0	QAM16	1MHz-2.5MHz	24.41	PASS
Band3	1.4	19207	5	#0	QAM16	2.5MHz-3.5MHz	12.34	PASS
Band3	1.4	19207	5	#Max	QAM16	-1MHz-0MHz	25.01	PASS
Band3	1.4	19207	5	#Max	QAM16	-2.5MHz--1MHz	24.45	PASS
Band3	1.4	19207	5	#Max	QAM16	-3.5MHz--2.5MHz	12.39	PASS
Band3	1.4	19207	5	#Max	QAM16	0MHz-1MHz	23.39	PASS
Band3	1.4	19207	5	#Max	QAM16	1MHz-2.5MHz	23.32	PASS

Band3	1.4	19207	5	#Max	QAM16	2.5MHz-3.5MHz	12.28	PASS
Band3	1.4	19207	6	#0	QAM16	-1MHz-0MHz	23.27	PASS
Band3	1.4	19207	6	#0	QAM16	-2.5MHz--1MHz	24.37	PASS
Band3	1.4	19207	6	#0	QAM16	-3.5MHz--2.5MHz	13.15	PASS
Band3	1.4	19207	6	#0	QAM16	0MHz-1MHz	25.95	PASS
Band3	1.4	19207	6	#0	QAM16	1MHz-2.5MHz	24.28	PASS
Band3	1.4	19207	6	#0	QAM16	2.5MHz-3.5MHz	13.15	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	15.04	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	21.06	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	12.00	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	15.89	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	22.51	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	12.07	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	16.25	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	22.29	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	12.06	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	14.69	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	21.26	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	12.01	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	20.77	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	20.71	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	12.08	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	21.74	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	20.97	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	12.17	PASS
Band3	1.4	19575	5	#0	QAM16	-1MHz-0MHz	16.15	PASS
Band3	1.4	19575	5	#0	QAM16	-2.5MHz--1MHz	21.91	PASS
Band3	1.4	19575	5	#0	QAM16	-3.5MHz--2.5MHz	12.53	PASS
Band3	1.4	19575	5	#0	QAM16	0MHz-1MHz	18.88	PASS
Band3	1.4	19575	5	#0	QAM16	1MHz-2.5MHz	23.62	PASS
Band3	1.4	19575	5	#0	QAM16	2.5MHz-3.5MHz	12.54	PASS
Band3	1.4	19575	5	#Max	QAM16	-1MHz-0MHz	18.84	PASS
Band3	1.4	19575	5	#Max	QAM16	-2.5MHz--1MHz	23.41	PASS
Band3	1.4	19575	5	#Max	QAM16	-3.5MHz--2.5MHz	12.55	PASS
Band3	1.4	19575	5	#Max	QAM16	0MHz-1MHz	16.16	PASS
Band3	1.4	19575	5	#Max	QAM16	1MHz-2.5MHz	21.98	PASS
Band3	1.4	19575	5	#Max	QAM16	2.5MHz-3.5MHz	12.25	PASS
Band3	1.4	19575	6	#0	QAM16	-1MHz-0MHz	25.82	PASS
Band3	1.4	19575	6	#0	QAM16	-2.5MHz--1MHz	23.79	PASS
Band3	1.4	19575	6	#0	QAM16	-3.5MHz--2.5MHz	13.97	PASS
Band3	1.4	19575	6	#0	QAM16	0MHz-1MHz	23.58	PASS
Band3	1.4	19575	6	#0	QAM16	1MHz-2.5MHz	23.68	PASS
Band3	1.4	19575	6	#0	QAM16	2.5MHz-3.5MHz	13.84	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	17.82	PASS

Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	20.40	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	11.25	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	21.25	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	22.11	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	11.75	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	20.15	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	21.86	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	11.56	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	18.72	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	20.90	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	11.62	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	24.44	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	21.00	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	11.33	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	24.10	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	21.10	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	11.66	PASS
Band3	1.4	19943	5	#0	QAM16	-1MHz-0MHz	20.23	PASS
Band3	1.4	19943	5	#0	QAM16	-2.5MHz--1MHz	22.39	PASS
Band3	1.4	19943	5	#0	QAM16	-3.5MHz--2.5MHz	11.95	PASS
Band3	1.4	19943	5	#0	QAM16	0MHz-1MHz	24.03	PASS
Band3	1.4	19943	5	#0	QAM16	1MHz-2.5MHz	23.50	PASS
Band3	1.4	19943	5	#0	QAM16	2.5MHz-3.5MHz	12.19	PASS
Band3	1.4	19943	5	#Max	QAM16	-1MHz-0MHz	23.89	PASS
Band3	1.4	19943	5	#Max	QAM16	-2.5MHz--1MHz	23.56	PASS
Band3	1.4	19943	5	#Max	QAM16	-3.5MHz--2.5MHz	12.09	PASS
Band3	1.4	19943	5	#Max	QAM16	0MHz-1MHz	22.79	PASS
Band3	1.4	19943	5	#Max	QAM16	1MHz-2.5MHz	22.16	PASS
Band3	1.4	19943	5	#Max	QAM16	2.5MHz-3.5MHz	12.14	PASS
Band3	1.4	19943	6	#0	QAM16	-1MHz-0MHz	23.43	PASS
Band3	1.4	19943	6	#0	QAM16	-2.5MHz--1MHz	22.64	PASS
Band3	1.4	19943	6	#0	QAM16	-3.5MHz--2.5MHz	13.15	PASS
Band3	1.4	19943	6	#0	QAM16	0MHz-1MHz	24.76	PASS
Band3	1.4	19943	6	#0	QAM16	1MHz-2.5MHz	22.82	PASS
Band3	1.4	19943	6	#0	QAM16	2.5MHz-3.5MHz	13.40	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	9.01	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	18.35	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	24.07	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	12.81	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	32.74	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	21.57	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	25.22	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	13.34	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	32.80	PASS

Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	22.26	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	25.08	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	12.87	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	9.12	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	19.91	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	24.50	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	13.04	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	18.56	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	19.50	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	23.18	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	12.17	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	17.61	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	19.69	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	23.26	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	12.08	PASS
Band3	5	19225	8	#0	QAM16	-1MHz-0MHz	10.12	PASS
Band3	5	19225	8	#0	QAM16	-5MHz--1MHz	20.83	PASS
Band3	5	19225	8	#0	QAM16	-6MHz--5MHz	24.45	PASS
Band3	5	19225	8	#0	QAM16	-10MHz--6MHz	12.93	PASS
Band3	5	19225	8	#0	QAM16	0MHz-1MHz	33.54	PASS
Band3	5	19225	8	#0	QAM16	1MHz-5MHz	22.76	PASS
Band3	5	19225	8	#0	QAM16	5MHz-6MHz	25.05	PASS
Band3	5	19225	8	#0	QAM16	6MHz-10MHz	13.31	PASS
Band3	5	19225	8	#Max	QAM16	-1MHz-0MHz	33.57	PASS
Band3	5	19225	8	#Max	QAM16	-5MHz--1MHz	23.22	PASS
Band3	5	19225	8	#Max	QAM16	-6MHz--5MHz	25.02	PASS
Band3	5	19225	8	#Max	QAM16	-10MHz--6MHz	12.90	PASS
Band3	5	19225	8	#Max	QAM16	0MHz-1MHz	12.76	PASS
Band3	5	19225	8	#Max	QAM16	1MHz-5MHz	21.83	PASS
Band3	5	19225	8	#Max	QAM16	5MHz-6MHz	24.84	PASS
Band3	5	19225	8	#Max	QAM16	6MHz-10MHz	13.17	PASS
Band3	5	19225	25	#0	QAM16	-1MHz-0MHz	17.72	PASS
Band3	5	19225	25	#0	QAM16	-5MHz--1MHz	19.49	PASS
Band3	5	19225	25	#0	QAM16	-6MHz--5MHz	24.71	PASS
Band3	5	19225	25	#0	QAM16	-10MHz--6MHz	13.40	PASS
Band3	5	19225	25	#0	QAM16	0MHz-1MHz	18.01	PASS
Band3	5	19225	25	#0	QAM16	1MHz-5MHz	20.24	PASS
Band3	5	19225	25	#0	QAM16	5MHz-6MHz	24.60	PASS
Band3	5	19225	25	#0	QAM16	6MHz-10MHz	13.36	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	9.89	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	14.94	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	24.50	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	12.79	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	32.35	PASS

Band3	5	19575	8	#0	QPSK	1MHz-5MHz	21.84	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	25.25	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	13.40	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	32.33	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	22.59	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	25.04	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.96	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	9.14	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	15.93	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	24.69	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	13.13	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	18.78	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	17.50	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	22.25	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	11.70	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	16.91	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	17.35	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	22.61	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	12.10	PASS
Band3	5	19575	8	#0	QAM16	-1MHz-0MHz	11.80	PASS
Band3	5	19575	8	#0	QAM16	-5MHz--1MHz	17.79	PASS
Band3	5	19575	8	#0	QAM16	-6MHz--5MHz	24.70	PASS
Band3	5	19575	8	#0	QAM16	-10MHz--6MHz	12.90	PASS
Band3	5	19575	8	#0	QAM16	0MHz-1MHz	33.27	PASS
Band3	5	19575	8	#0	QAM16	1MHz-5MHz	22.79	PASS
Band3	5	19575	8	#0	QAM16	5MHz-6MHz	25.21	PASS
Band3	5	19575	8	#0	QAM16	6MHz-10MHz	13.30	PASS
Band3	5	19575	8	#Max	QAM16	-1MHz-0MHz	33.57	PASS
Band3	5	19575	8	#Max	QAM16	-5MHz--1MHz	23.57	PASS
Band3	5	19575	8	#Max	QAM16	-6MHz--5MHz	25.18	PASS
Band3	5	19575	8	#Max	QAM16	-10MHz--6MHz	12.95	PASS
Band3	5	19575	8	#Max	QAM16	0MHz-1MHz	14.16	PASS
Band3	5	19575	8	#Max	QAM16	1MHz-5MHz	18.85	PASS
Band3	5	19575	8	#Max	QAM16	5MHz-6MHz	24.83	PASS
Band3	5	19575	8	#Max	QAM16	6MHz-10MHz	13.18	PASS
Band3	5	19575	25	#0	QAM16	-1MHz-0MHz	17.31	PASS
Band3	5	19575	25	#0	QAM16	-5MHz--1MHz	19.85	PASS
Band3	5	19575	25	#0	QAM16	-6MHz--5MHz	24.44	PASS
Band3	5	19575	25	#0	QAM16	-10MHz--6MHz	13.66	PASS
Band3	5	19575	25	#0	QAM16	0MHz-1MHz	20.23	PASS
Band3	5	19575	25	#0	QAM16	1MHz-5MHz	19.62	PASS
Band3	5	19575	25	#0	QAM16	5MHz-6MHz	24.46	PASS
Band3	5	19575	25	#0	QAM16	6MHz-10MHz	13.86	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	9.71	PASS



Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	15.72	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	24.06	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	12.66	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	32.91	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	21.67	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	25.01	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	13.25	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	31.88	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	21.17	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	24.79	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	12.72	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	10.11	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	16.33	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	24.74	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	13.08	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	18.20	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	19.38	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	22.33	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	11.47	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	18.18	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	20.20	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	23.10	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	12.27	PASS
Band3	5	19925	8	#0	QAM16	-1MHz-0MHz	15.11	PASS
Band3	5	19925	8	#0	QAM16	-5MHz--1MHz	19.21	PASS
Band3	5	19925	8	#0	QAM16	-6MHz--5MHz	24.39	PASS
Band3	5	19925	8	#0	QAM16	-10MHz--6MHz	12.85	PASS
Band3	5	19925	8	#0	QAM16	0MHz-1MHz	33.71	PASS
Band3	5	19925	8	#0	QAM16	1MHz-5MHz	22.76	PASS
Band3	5	19925	8	#0	QAM16	5MHz-6MHz	25.26	PASS
Band3	5	19925	8	#0	QAM16	6MHz-10MHz	13.29	PASS
Band3	5	19925	8	#Max	QAM16	-1MHz-0MHz	32.88	PASS
Band3	5	19925	8	#Max	QAM16	-5MHz--1MHz	22.18	PASS
Band3	5	19925	8	#Max	QAM16	-6MHz--5MHz	24.81	PASS
Band3	5	19925	8	#Max	QAM16	-10MHz--6MHz	12.80	PASS
Band3	5	19925	8	#Max	QAM16	0MHz-1MHz	13.39	PASS
Band3	5	19925	8	#Max	QAM16	1MHz-5MHz	19.71	PASS
Band3	5	19925	8	#Max	QAM16	5MHz-6MHz	24.87	PASS
Band3	5	19925	8	#Max	QAM16	6MHz-10MHz	13.19	PASS
Band3	5	19925	25	#0	QAM16	-1MHz-0MHz	21.44	PASS
Band3	5	19925	25	#0	QAM16	-5MHz--1MHz	20.54	PASS
Band3	5	19925	25	#0	QAM16	-6MHz--5MHz	23.59	PASS
Band3	5	19925	25	#0	QAM16	-10MHz--6MHz	12.82	PASS
Band3	5	19925	25	#0	QAM16	0MHz-1MHz	18.28	PASS



Band3	5	19925	25	#0	QAM16	1MHz-5MHz	21.81	PASS
Band3	5	19925	25	#0	QAM16	5MHz-6MHz	24.60	PASS
Band3	5	19925	25	#0	QAM16	6MHz-10MHz	13.96	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	13.79	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	17.35	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	24.13	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	11.28	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	33.11	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	22.79	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	19.10	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	13.20	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	32.52	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	24.15	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	20.92	PASS
Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	11.42	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	13.46	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	18.29	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	24.30	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	12.47	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	21.43	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	20.91	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	20.52	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	11.29	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	19.30	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	21.74	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	20.54	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	11.69	PASS
Band3	10	19250	12	#0	QAM16	-1MHz-0MHz	15.71	PASS
Band3	10	19250	12	#0	QAM16	-5MHz--1MHz	19.05	PASS
Band3	10	19250	12	#0	QAM16	-10MHz--5MHz	24.22	PASS
Band3	10	19250	12	#0	QAM16	-15MHz--10MHz	11.25	PASS
Band3	10	19250	12	#0	QAM16	0MHz-1MHz	33.29	PASS
Band3	10	19250	12	#0	QAM16	1MHz-5MHz	23.51	PASS
Band3	10	19250	12	#0	QAM16	5MHz-10MHz	19.99	PASS
Band3	10	19250	12	#0	QAM16	10MHz-15MHz	13.24	PASS
Band3	10	19250	12	#Max	QAM16	-1MHz-0MHz	32.71	PASS
Band3	10	19250	12	#Max	QAM16	-5MHz--1MHz	24.85	PASS
Band3	10	19250	12	#Max	QAM16	-10MHz--5MHz	21.69	PASS
Band3	10	19250	12	#Max	QAM16	-15MHz--10MHz	11.30	PASS
Band3	10	19250	12	#Max	QAM16	0MHz-1MHz	15.03	PASS
Band3	10	19250	12	#Max	QAM16	1MHz-5MHz	19.47	PASS
Band3	10	19250	12	#Max	QAM16	5MHz-10MHz	24.47	PASS
Band3	10	19250	12	#Max	QAM16	10MHz-15MHz	12.86	PASS
Band3	10	19250	50	#0	QAM16	-1MHz-0MHz	19.04	PASS

Band3	10	19250	50	#0	QAM16	-5MHz--1MHz	21.61	PASS
Band3	10	19250	50	#0	QAM16	-10MHz--5MHz	21.20	PASS
Band3	10	19250	50	#0	QAM16	-15MHz--10MHz	12.39	PASS
Band3	10	19250	50	#0	QAM16	0MHz-1MHz	20.87	PASS
Band3	10	19250	50	#0	QAM16	1MHz-5MHz	21.85	PASS
Band3	10	19250	50	#0	QAM16	5MHz-10MHz	21.13	PASS
Band3	10	19250	50	#0	QAM16	10MHz-15MHz	12.83	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	9.68	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	11.91	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	23.18	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	11.33	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	32.46	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	23.41	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	19.82	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	13.34	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	32.60	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	25.07	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	21.87	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	11.40	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	12.28	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	15.22	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	24.05	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	13.13	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	19.97	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	18.95	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	18.56	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	10.61	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	21.18	PASS
Band3	10	19575	50	#0	QPSK	1MHz-5MHz	18.93	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	18.82	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	11.44	PASS
Band3	10	19575	12	#0	QAM16	-1MHz-0MHz	11.86	PASS
Band3	10	19575	12	#0	QAM16	-5MHz--1MHz	15.92	PASS
Band3	10	19575	12	#0	QAM16	-10MHz--5MHz	23.91	PASS
Band3	10	19575	12	#0	QAM16	-15MHz--10MHz	11.41	PASS
Band3	10	19575	12	#0	QAM16	0MHz-1MHz	32.82	PASS
Band3	10	19575	12	#0	QAM16	1MHz-5MHz	23.28	PASS
Band3	10	19575	12	#0	QAM16	5MHz-10MHz	20.01	PASS
Band3	10	19575	12	#0	QAM16	10MHz-15MHz	13.26	PASS
Band3	10	19575	12	#Max	QAM16	-1MHz-0MHz	32.62	PASS
Band3	10	19575	12	#Max	QAM16	-5MHz--1MHz	25.37	PASS
Band3	10	19575	12	#Max	QAM16	-10MHz--5MHz	22.08	PASS
Band3	10	19575	12	#Max	QAM16	-15MHz--10MHz	11.39	PASS
Band3	10	19575	12	#Max	QAM16	0MHz-1MHz	13.74	PASS

Band3	10	19575	12	#Max	QAM16	1MHz-5MHz	18.46	PASS
Band3	10	19575	12	#Max	QAM16	5MHz-10MHz	24.59	PASS
Band3	10	19575	12	#Max	QAM16	10MHz-15MHz	13.11	PASS
Band3	10	19575	50	#0	QAM16	-1MHz-0MHz	21.48	PASS
Band3	10	19575	50	#0	QAM16	-5MHz--1MHz	20.71	PASS
Band3	10	19575	50	#0	QAM16	-10MHz--5MHz	20.85	PASS
Band3	10	19575	50	#0	QAM16	-15MHz--10MHz	12.57	PASS
Band3	10	19575	50	#0	QAM16	0MHz-1MHz	21.09	PASS
Band3	10	19575	50	#0	QAM16	1MHz-5MHz	20.84	PASS
Band3	10	19575	50	#0	QAM16	5MHz-10MHz	21.29	PASS
Band3	10	19575	50	#0	QAM16	10MHz-15MHz	13.50	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	9.08	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	12.94	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	23.26	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	11.27	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	32.70	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	23.94	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	20.88	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	13.22	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	31.16	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	23.80	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	20.65	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	11.30	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	14.08	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	16.28	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	24.02	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	13.20	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	21.88	PASS
Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	20.46	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	19.32	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	10.34	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	22.21	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	21.91	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	21.82	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	13.16	PASS
Band3	10	19900	12	#0	QAM16	-1MHz-0MHz	12.44	PASS
Band3	10	19900	12	#0	QAM16	-5MHz--1MHz	16.33	PASS
Band3	10	19900	12	#0	QAM16	-10MHz--5MHz	23.91	PASS
Band3	10	19900	12	#0	QAM16	-15MHz--10MHz	11.35	PASS
Band3	10	19900	12	#0	QAM16	0MHz-1MHz	33.18	PASS
Band3	10	19900	12	#0	QAM16	1MHz-5MHz	24.65	PASS
Band3	10	19900	12	#0	QAM16	5MHz-10MHz	21.66	PASS
Band3	10	19900	12	#0	QAM16	10MHz-15MHz	13.23	PASS
Band3	10	19900	12	#Max	QAM16	-1MHz-0MHz	32.16	PASS

Band3	10	19900	12	#Max	QAM16	-5MHz--1MHz	24.67	PASS
Band3	10	19900	12	#Max	QAM16	-10MHz--5MHz	21.44	PASS
Band3	10	19900	12	#Max	QAM16	-15MHz--10MHz	11.30	PASS
Band3	10	19900	12	#Max	QAM16	0MHz-1MHz	15.43	PASS
Band3	10	19900	12	#Max	QAM16	1MHz-5MHz	18.92	PASS
Band3	10	19900	12	#Max	QAM16	5MHz-10MHz	24.41	PASS
Band3	10	19900	12	#Max	QAM16	10MHz-15MHz	13.22	PASS
Band3	10	19900	50	#0	QAM16	-1MHz-0MHz	19.26	PASS
Band3	10	19900	50	#0	QAM16	-5MHz--1MHz	20.85	PASS
Band3	10	19900	50	#0	QAM16	-10MHz--5MHz	20.82	PASS
Band3	10	19900	50	#0	QAM16	-15MHz--10MHz	12.18	PASS
Band3	10	19900	50	#0	QAM16	0MHz-1MHz	22.66	PASS
Band3	10	19900	50	#0	QAM16	1MHz-5MHz	22.78	PASS
Band3	10	19900	50	#0	QAM16	5MHz-10MHz	23.23	PASS
Band3	10	19900	50	#0	QAM16	10MHz-15MHz	15.08	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	17.61	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	19.19	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	22.99	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	13.48	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	30.83	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	27.72	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	18.99	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	13.42	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	30.52	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	27.09	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	22.36	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	13.48	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	14.37	PASS
Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	16.32	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	23.01	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	13.20	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	22.94	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	23.04	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	21.48	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	13.43	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	23.60	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	22.43	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	20.35	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	12.12	PASS
Band3	20	19300	18	#0	QAM16	-1MHz-0MHz	18.05	PASS
Band3	20	19300	18	#0	QAM16	-5MHz--1MHz	19.66	PASS
Band3	20	19300	18	#0	QAM16	-20MHz--5MHz	23.18	PASS
Band3	20	19300	18	#0	QAM16	-25MHz--20MHz	13.47	PASS
Band3	20	19300	18	#0	QAM16	0MHz-1MHz	30.72	PASS

Band3	20	19300	18	#0	QAM16	1MHz-5MHz	27.79	PASS
Band3	20	19300	18	#0	QAM16	5MHz-20MHz	19.98	PASS
Band3	20	19300	18	#0	QAM16	20MHz-25MHz	13.45	PASS
Band3	20	19300	18	#Max	QAM16	-1MHz-0MHz	30.86	PASS
Band3	20	19300	18	#Max	QAM16	-5MHz--1MHz	27.07	PASS
Band3	20	19300	18	#Max	QAM16	-20MHz--5MHz	22.53	PASS
Band3	20	19300	18	#Max	QAM16	-25MHz--20MHz	13.57	PASS
Band3	20	19300	18	#Max	QAM16	0MHz-1MHz	17.12	PASS
Band3	20	19300	18	#Max	QAM16	1MHz-5MHz	18.00	PASS
Band3	20	19300	18	#Max	QAM16	5MHz-20MHz	23.45	PASS
Band3	20	19300	18	#Max	QAM16	20MHz-25MHz	13.27	PASS
Band3	20	19300	100	#0	QAM16	-1MHz-0MHz	23.12	PASS
Band3	20	19300	100	#0	QAM16	-5MHz--1MHz	23.92	PASS
Band3	20	19300	100	#0	QAM16	-20MHz--5MHz	22.33	PASS
Band3	20	19300	100	#0	QAM16	-25MHz--20MHz	15.39	PASS
Band3	20	19300	100	#0	QAM16	0MHz-1MHz	23.48	PASS
Band3	20	19300	100	#0	QAM16	1MHz-5MHz	23.23	PASS
Band3	20	19300	100	#0	QAM16	5MHz-20MHz	21.07	PASS
Band3	20	19300	100	#0	QAM16	20MHz-25MHz	13.85	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	10.45	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	13.08	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	21.30	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	13.34	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.78	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	27.81	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	20.19	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	13.46	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	30.85	PASS
Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	27.23	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	22.35	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	13.58	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	16.54	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	19.29	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	23.35	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	13.42	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	23.52	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	21.75	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	19.79	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	11.94	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	22.67	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	21.63	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	19.84	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	12.42	PASS
Band3	20	19575	18	#0	QAM16	-1MHz-0MHz	13.96	PASS

Band3	20	19575	18	#0	QAM16	-5MHz--1MHz	16.19	PASS
Band3	20	19575	18	#0	QAM16	-20MHz--5MHz	22.46	PASS
Band3	20	19575	18	#0	QAM16	-25MHz--20MHz	13.46	PASS
Band3	20	19575	18	#0	QAM16	0MHz-1MHz	31.05	PASS
Band3	20	19575	18	#0	QAM16	1MHz-5MHz	27.84	PASS
Band3	20	19575	18	#0	QAM16	5MHz-20MHz	21.20	PASS
Band3	20	19575	18	#0	QAM16	20MHz-25MHz	13.46	PASS
Band3	20	19575	18	#Max	QAM16	-1MHz-0MHz	30.76	PASS
Band3	20	19575	18	#Max	QAM16	-5MHz--1MHz	27.23	PASS
Band3	20	19575	18	#Max	QAM16	-20MHz--5MHz	22.59	PASS
Band3	20	19575	18	#Max	QAM16	-25MHz--20MHz	13.56	PASS
Band3	20	19575	18	#Max	QAM16	0MHz-1MHz	17.74	PASS
Band3	20	19575	18	#Max	QAM16	1MHz-5MHz	21.74	PASS
Band3	20	19575	18	#Max	QAM16	5MHz-20MHz	23.81	PASS
Band3	20	19575	18	#Max	QAM16	20MHz-25MHz	13.38	PASS
Band3	20	19575	100	#0	QAM16	-1MHz-0MHz	25.24	PASS
Band3	20	19575	100	#0	QAM16	-5MHz--1MHz	24.58	PASS
Band3	20	19575	100	#0	QAM16	-20MHz--5MHz	22.27	PASS
Band3	20	19575	100	#0	QAM16	-25MHz--20MHz	14.21	PASS
Band3	20	19575	100	#0	QAM16	0MHz-1MHz	24.84	PASS
Band3	20	19575	100	#0	QAM16	1MHz-5MHz	24.16	PASS
Band3	20	19575	100	#0	QAM16	5MHz-20MHz	22.37	PASS
Band3	20	19575	100	#0	QAM16	20MHz-25MHz	14.60	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	17.21	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	18.15	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	22.72	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	13.40	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	30.97	PASS
Band3	20	19850	18	#0	QPSK	1MHz-5MHz	27.77	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	24.44	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	13.37	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	30.03	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	27.03	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	21.36	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	13.44	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	17.07	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	19.01	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	23.60	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	13.34	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	22.80	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	23.02	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	20.78	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	12.66	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	26.11	PASS



Band3	20	19850	100	#0	QPSK	1MHz-5MHz	24.01	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	22.20	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	13.31	PASS
Band3	20	19850	18	#0	QAM16	-1MHz-0MHz	17.18	PASS
Band3	20	19850	18	#0	QAM16	-5MHz--1MHz	20.06	PASS
Band3	20	19850	18	#0	QAM16	-20MHz--5MHz	23.00	PASS
Band3	20	19850	18	#0	QAM16	-25MHz--20MHz	13.34	PASS
Band3	20	19850	18	#0	QAM16	0MHz-1MHz	31.26	PASS
Band3	20	19850	18	#0	QAM16	1MHz-5MHz	27.85	PASS
Band3	20	19850	18	#0	QAM16	5MHz-20MHz	24.82	PASS
Band3	20	19850	18	#0	QAM16	20MHz-25MHz	13.39	PASS
Band3	20	19850	18	#Max	QAM16	-1MHz-0MHz	30.40	PASS
Band3	20	19850	18	#Max	QAM16	-5MHz--1MHz	26.99	PASS
Band3	20	19850	18	#Max	QAM16	-20MHz--5MHz	21.86	PASS
Band3	20	19850	18	#Max	QAM16	-25MHz--20MHz	13.43	PASS
Band3	20	19850	18	#Max	QAM16	0MHz-1MHz	18.20	PASS
Band3	20	19850	18	#Max	QAM16	1MHz-5MHz	20.72	PASS
Band3	20	19850	18	#Max	QAM16	5MHz-20MHz	23.99	PASS
Band3	20	19850	18	#Max	QAM16	20MHz-25MHz	13.33	PASS
Band3	20	19850	100	#0	QAM16	-1MHz-0MHz	24.06	PASS
Band3	20	19850	100	#0	QAM16	-5MHz--1MHz	24.24	PASS
Band3	20	19850	100	#0	QAM16	-20MHz--5MHz	22.07	PASS
Band3	20	19850	100	#0	QAM16	-25MHz--20MHz	14.59	PASS
Band3	20	19850	100	#0	QAM16	0MHz-1MHz	24.93	PASS
Band3	20	19850	100	#0	QAM16	1MHz-5MHz	25.12	PASS
Band3	20	19850	100	#0	QAM16	5MHz-20MHz	23.68	PASS
Band3	20	19850	100	#0	QAM16	20MHz-25MHz	15.22	PASS
Band38	5	37775	8	#0	QPSK	-1MHz-0MHz	9.93	PASS
Band38	5	37775	8	#0	QPSK	-5MHz--1MHz	12.46	PASS
Band38	5	37775	8	#0	QPSK	-6MHz--5MHz	23.99	PASS
Band38	5	37775	8	#0	QPSK	-10MHz--6MHz	12.74	PASS
Band38	5	37775	8	#0	QPSK	0MHz-1MHz	31.35	PASS
Band38	5	37775	8	#0	QPSK	1MHz-5MHz	24.19	PASS
Band38	5	37775	8	#0	QPSK	5MHz-6MHz	25.22	PASS
Band38	5	37775	8	#0	QPSK	6MHz-10MHz	13.42	PASS
Band38	5	37775	8	#Max	QPSK	-1MHz-0MHz	30.75	PASS
Band38	5	37775	8	#Max	QPSK	-5MHz--1MHz	23.88	PASS
Band38	5	37775	8	#Max	QPSK	-6MHz--5MHz	24.66	PASS
Band38	5	37775	8	#Max	QPSK	-10MHz--6MHz	12.95	PASS
Band38	5	37775	8	#Max	QPSK	0MHz-1MHz	8.08	PASS
Band38	5	37775	8	#Max	QPSK	1MHz-5MHz	11.41	PASS
Band38	5	37775	8	#Max	QPSK	5MHz-6MHz	24.24	PASS
Band38	5	37775	8	#Max	QPSK	6MHz-10MHz	12.98	PASS
Band38	5	37775	25	#0	QPSK	-1MHz-0MHz	19.03	PASS



Band38	5	37775	25	#0	QPSK	-5MHz--1MHz	13.20	PASS
Band38	5	37775	25	#0	QPSK	-6MHz--5MHz	20.10	PASS
Band38	5	37775	25	#0	QPSK	-10MHz--6MHz	9.28	PASS
Band38	5	37775	25	#0	QPSK	0MHz-1MHz	18.71	PASS
Band38	5	37775	25	#0	QPSK	1MHz-5MHz	12.40	PASS
Band38	5	37775	25	#0	QPSK	5MHz-6MHz	19.75	PASS
Band38	5	37775	25	#0	QPSK	6MHz-10MHz	8.76	PASS
Band38	5	37775	8	#0	QAM16	-1MHz-0MHz	13.97	PASS
Band38	5	37775	8	#0	QAM16	-5MHz--1MHz	14.76	PASS
Band38	5	37775	8	#0	QAM16	-6MHz--5MHz	24.24	PASS
Band38	5	37775	8	#0	QAM16	-10MHz--6MHz	12.87	PASS
Band38	5	37775	8	#0	QAM16	0MHz-1MHz	32.18	PASS
Band38	5	37775	8	#0	QAM16	1MHz-5MHz	24.97	PASS
Band38	5	37775	8	#0	QAM16	5MHz-6MHz	25.14	PASS
Band38	5	37775	8	#0	QAM16	6MHz-10MHz	13.43	PASS
Band38	5	37775	8	#Max	QAM16	-1MHz-0MHz	31.95	PASS
Band38	5	37775	8	#Max	QAM16	-5MHz--1MHz	24.50	PASS
Band38	5	37775	8	#Max	QAM16	-6MHz--5MHz	24.72	PASS
Band38	5	37775	8	#Max	QAM16	-10MHz--6MHz	13.00	PASS
Band38	5	37775	8	#Max	QAM16	0MHz-1MHz	11.74	PASS
Band38	5	37775	8	#Max	QAM16	1MHz-5MHz	14.13	PASS
Band38	5	37775	8	#Max	QAM16	5MHz-6MHz	24.59	PASS
Band38	5	37775	8	#Max	QAM16	6MHz-10MHz	13.18	PASS
Band38	5	37775	25	#0	QAM16	-1MHz-0MHz	20.96	PASS
Band38	5	37775	25	#0	QAM16	-5MHz--1MHz	14.33	PASS
Band38	5	37775	25	#0	QAM16	-6MHz--5MHz	20.42	PASS
Band38	5	37775	25	#0	QAM16	-10MHz--6MHz	9.85	PASS
Band38	5	37775	25	#0	QAM16	0MHz-1MHz	18.95	PASS
Band38	5	37775	25	#0	QAM16	1MHz-5MHz	13.30	PASS
Band38	5	37775	25	#0	QAM16	5MHz-6MHz	20.24	PASS
Band38	5	37775	25	#0	QAM16	6MHz-10MHz	9.79	PASS
Band38	5	38000	8	#0	QPSK	-1MHz-0MHz	2.25	PASS
Band38	5	38000	8	#0	QPSK	-5MHz--1MHz	5.74	PASS
Band38	5	38000	8	#0	QPSK	-6MHz--5MHz	21.77	PASS
Band38	5	38000	8	#0	QPSK	-10MHz--6MHz	11.60	PASS
Band38	5	38000	8	#0	QPSK	0MHz-1MHz	29.63	PASS
Band38	5	38000	8	#0	QPSK	1MHz-5MHz	21.73	PASS
Band38	5	38000	8	#0	QPSK	5MHz-6MHz	25.14	PASS
Band38	5	38000	8	#0	QPSK	6MHz-10MHz	13.41	PASS
Band38	5	38000	8	#Max	QPSK	-1MHz-0MHz	28.28	PASS
Band38	5	38000	8	#Max	QPSK	-5MHz--1MHz	20.76	PASS
Band38	5	38000	8	#Max	QPSK	-6MHz--5MHz	24.55	PASS
Band38	5	38000	8	#Max	QPSK	-10MHz--6MHz	12.84	PASS
Band38	5	38000	8	#Max	QPSK	0MHz-1MHz	2.12	PASS

Band38	5	38000	8	#Max	QPSK	1MHz-5MHz	7.19	PASS
Band38	5	38000	8	#Max	QPSK	5MHz-6MHz	22.50	PASS
Band38	5	38000	8	#Max	QPSK	6MHz-10MHz	11.90	PASS
Band38	5	38000	25	#0	QPSK	-1MHz-0MHz	11.74	PASS
Band38	5	38000	25	#0	QPSK	-5MHz--1MHz	5.91	PASS
Band38	5	38000	25	#0	QPSK	-6MHz--5MHz	17.27	PASS
Band38	5	38000	25	#0	QPSK	-10MHz--6MHz	7.00	PASS
Band38	5	38000	25	#0	QPSK	0MHz-1MHz	11.83	PASS
Band38	5	38000	25	#0	QPSK	1MHz-5MHz	6.84	PASS
Band38	5	38000	25	#0	QPSK	5MHz-6MHz	18.18	PASS
Band38	5	38000	25	#0	QPSK	6MHz-10MHz	8.35	PASS
Band38	5	38000	8	#0	QAM16	-1MHz-0MHz	3.93	PASS
Band38	5	38000	8	#0	QAM16	-5MHz--1MHz	9.27	PASS
Band38	5	38000	8	#0	QAM16	-6MHz--5MHz	23.30	PASS
Band38	5	38000	8	#0	QAM16	-10MHz--6MHz	12.45	PASS
Band38	5	38000	8	#0	QAM16	0MHz-1MHz	31.69	PASS
Band38	5	38000	8	#0	QAM16	1MHz-5MHz	23.08	PASS
Band38	5	38000	8	#0	QAM16	5MHz-6MHz	25.17	PASS
Band38	5	38000	8	#0	QAM16	6MHz-10MHz	13.45	PASS
Band38	5	38000	8	#Max	QAM16	-1MHz-0MHz	30.45	PASS
Band38	5	38000	8	#Max	QAM16	-5MHz--1MHz	22.32	PASS
Band38	5	38000	8	#Max	QAM16	-6MHz--5MHz	24.66	PASS
Band38	5	38000	8	#Max	QAM16	-10MHz--6MHz	13.02	PASS
Band38	5	38000	8	#Max	QAM16	0MHz-1MHz	6.43	PASS
Band38	5	38000	8	#Max	QAM16	1MHz-5MHz	10.17	PASS
Band38	5	38000	8	#Max	QAM16	5MHz-6MHz	23.98	PASS
Band38	5	38000	8	#Max	QAM16	6MHz-10MHz	12.68	PASS
Band38	5	38000	25	#0	QAM16	-1MHz-0MHz	14.24	PASS
Band38	5	38000	25	#0	QAM16	-5MHz--1MHz	8.01	PASS
Band38	5	38000	25	#0	QAM16	-6MHz--5MHz	18.61	PASS
Band38	5	38000	25	#0	QAM16	-10MHz--6MHz	8.43	PASS
Band38	5	38000	25	#0	QAM16	0MHz-1MHz	14.80	PASS
Band38	5	38000	25	#0	QAM16	1MHz-5MHz	8.84	PASS
Band38	5	38000	25	#0	QAM16	5MHz-6MHz	19.36	PASS
Band38	5	38000	25	#0	QAM16	6MHz-10MHz	9.56	PASS
Band38	5	38225	8	#0	QPSK	-1MHz-0MHz	3.58	PASS
Band38	5	38225	8	#0	QPSK	-5MHz--1MHz	10.86	PASS
Band38	5	38225	8	#0	QPSK	-6MHz--5MHz	21.52	PASS
Band38	5	38225	8	#0	QPSK	-10MHz--6MHz	11.42	PASS
Band38	5	38225	8	#0	QPSK	0MHz-1MHz	29.25	PASS
Band38	5	38225	8	#0	QPSK	1MHz-5MHz	17.53	PASS
Band38	5	38225	8	#0	QPSK	5MHz-6MHz	25.14	PASS
Band38	5	38225	8	#0	QPSK	6MHz-10MHz	13.28	PASS
Band38	5	38225	8	#Max	QPSK	-1MHz-0MHz	29.11	PASS

Band38	5	38225	8	#Max	QPSK	-5MHz--1MHz	17.60	PASS
Band38	5	38225	8	#Max	QPSK	-6MHz--5MHz	24.77	PASS
Band38	5	38225	8	#Max	QPSK	-10MHz--6MHz	12.90	PASS
Band38	5	38225	8	#Max	QPSK	0MHz-1MHz	4.54	PASS
Band38	5	38225	8	#Max	QPSK	1MHz-5MHz	11.34	PASS
Band38	5	38225	8	#Max	QPSK	5MHz-6MHz	21.88	PASS
Band38	5	38225	8	#Max	QPSK	6MHz-10MHz	11.36	PASS
Band38	5	38225	25	#0	QPSK	-1MHz-0MHz	15.84	PASS
Band38	5	38225	25	#0	QPSK	-5MHz--1MHz	9.99	PASS
Band38	5	38225	25	#0	QPSK	-6MHz--5MHz	19.99	PASS
Band38	5	38225	25	#0	QPSK	-10MHz--6MHz	8.96	PASS
Band38	5	38225	25	#0	QPSK	0MHz-1MHz	14.85	PASS
Band38	5	38225	25	#0	QPSK	1MHz-5MHz	9.56	PASS
Band38	5	38225	25	#0	QPSK	5MHz-6MHz	19.38	PASS
Band38	5	38225	25	#0	QPSK	6MHz-10MHz	8.58	PASS
Band38	5	38225	8	#0	QAM16	-1MHz-0MHz	8.69	PASS
Band38	5	38225	8	#0	QAM16	-5MHz--1MHz	14.49	PASS
Band38	5	38225	8	#0	QAM16	-6MHz--5MHz	23.54	PASS
Band38	5	38225	8	#0	QAM16	-10MHz--6MHz	12.38	PASS
Band38	5	38225	8	#0	QAM16	0MHz-1MHz	30.60	PASS
Band38	5	38225	8	#0	QAM16	1MHz-5MHz	19.05	PASS
Band38	5	38225	8	#0	QAM16	5MHz-6MHz	25.27	PASS
Band38	5	38225	8	#0	QAM16	6MHz-10MHz	13.40	PASS
Band38	5	38225	8	#Max	QAM16	-1MHz-0MHz	31.22	PASS
Band38	5	38225	8	#Max	QAM16	-5MHz--1MHz	19.03	PASS
Band38	5	38225	8	#Max	QAM16	-6MHz--5MHz	24.96	PASS
Band38	5	38225	8	#Max	QAM16	-10MHz--6MHz	12.96	PASS
Band38	5	38225	8	#Max	QAM16	0MHz-1MHz	9.60	PASS
Band38	5	38225	8	#Max	QAM16	1MHz-5MHz	14.79	PASS
Band38	5	38225	8	#Max	QAM16	5MHz-6MHz	23.65	PASS
Band38	5	38225	8	#Max	QAM16	6MHz-10MHz	12.56	PASS
Band38	5	38225	25	#0	QAM16	-1MHz-0MHz	19.84	PASS
Band38	5	38225	25	#0	QAM16	-5MHz--1MHz	13.06	PASS
Band38	5	38225	25	#0	QAM16	-6MHz--5MHz	19.98	PASS
Band38	5	38225	25	#0	QAM16	-10MHz--6MHz	9.40	PASS
Band38	5	38225	25	#0	QAM16	0MHz-1MHz	18.77	PASS
Band38	5	38225	25	#0	QAM16	1MHz-5MHz	12.63	PASS
Band38	5	38225	25	#0	QAM16	5MHz-6MHz	19.59	PASS
Band38	5	38225	25	#0	QAM16	6MHz-10MHz	9.01	PASS
Band38	10	37800	12	#0	QPSK	-1MHz-0MHz	9.85	PASS
Band38	10	37800	12	#0	QPSK	-5MHz--1MHz	10.62	PASS
Band38	10	37800	12	#0	QPSK	-10MHz--5MHz	21.76	PASS
Band38	10	37800	12	#0	QPSK	-15MHz--10MHz	11.45	PASS
Band38	10	37800	12	#0	QPSK	0MHz-1MHz	32.65	PASS

Band38	10	37800	12	#0	QPSK	1MHz-5MHz	25.94	PASS
Band38	10	37800	12	#0	QPSK	5MHz-10MHz	22.38	PASS
Band38	10	37800	12	#0	QPSK	10MHz-15MHz	13.36	PASS
Band38	10	37800	12	#Max	QPSK	-1MHz-0MHz	31.42	PASS
Band38	10	37800	12	#Max	QPSK	-5MHz--1MHz	25.48	PASS
Band38	10	37800	12	#Max	QPSK	-10MHz--5MHz	22.05	PASS
Band38	10	37800	12	#Max	QPSK	-15MHz--10MHz	11.50	PASS
Band38	10	37800	12	#Max	QPSK	0MHz-1MHz	4.90	PASS
Band38	10	37800	12	#Max	QPSK	1MHz-5MHz	7.43	PASS
Band38	10	37800	12	#Max	QPSK	5MHz-10MHz	21.67	PASS
Band38	10	37800	12	#Max	QPSK	10MHz-15MHz	13.14	PASS
Band38	10	37800	50	#0	QPSK	-1MHz-0MHz	16.13	PASS
Band38	10	37800	50	#0	QPSK	-5MHz--1MHz	12.08	PASS
Band38	10	37800	50	#0	QPSK	-10MHz--5MHz	13.24	PASS
Band38	10	37800	50	#0	QPSK	-15MHz--10MHz	9.29	PASS
Band38	10	37800	50	#0	QPSK	0MHz-1MHz	16.47	PASS
Band38	10	37800	50	#0	QPSK	1MHz-5MHz	12.13	PASS
Band38	10	37800	50	#0	QPSK	5MHz-10MHz	11.92	PASS
Band38	10	37800	50	#0	QPSK	10MHz-15MHz	8.91	PASS
Band38	10	37800	12	#0	QAM16	-1MHz-0MHz	11.47	PASS
Band38	10	37800	12	#0	QAM16	-5MHz--1MHz	13.10	PASS
Band38	10	37800	12	#0	QAM16	-10MHz--5MHz	22.69	PASS
Band38	10	37800	12	#0	QAM16	-15MHz--10MHz	11.45	PASS
Band38	10	37800	12	#0	QAM16	0MHz-1MHz	32.77	PASS
Band38	10	37800	12	#0	QAM16	1MHz-5MHz	26.48	PASS
Band38	10	37800	12	#0	QAM16	5MHz-10MHz	23.33	PASS
Band38	10	37800	12	#0	QAM16	10MHz-15MHz	13.40	PASS
Band38	10	37800	12	#Max	QAM16	-1MHz-0MHz	31.78	PASS
Band38	10	37800	12	#Max	QAM16	-5MHz--1MHz	25.97	PASS
Band38	10	37800	12	#Max	QAM16	-10MHz--5MHz	22.56	PASS
Band38	10	37800	12	#Max	QAM16	-15MHz--10MHz	11.49	PASS
Band38	10	37800	12	#Max	QAM16	0MHz-1MHz	7.75	PASS
Band38	10	37800	12	#Max	QAM16	1MHz-5MHz	10.11	PASS
Band38	10	37800	12	#Max	QAM16	5MHz-10MHz	22.83	PASS
Band38	10	37800	12	#Max	QAM16	10MHz-15MHz	13.24	PASS
Band38	10	37800	50	#0	QAM16	-1MHz-0MHz	18.26	PASS
Band38	10	37800	50	#0	QAM16	-5MHz--1MHz	14.59	PASS
Band38	10	37800	50	#0	QAM16	-10MHz--5MHz	15.75	PASS
Band38	10	37800	50	#0	QAM16	-15MHz--10MHz	9.70	PASS
Band38	10	37800	50	#0	QAM16	0MHz-1MHz	18.08	PASS
Band38	10	37800	50	#0	QAM16	1MHz-5MHz	13.67	PASS
Band38	10	37800	50	#0	QAM16	5MHz-10MHz	13.59	PASS
Band38	10	37800	50	#0	QAM16	10MHz-15MHz	9.15	PASS
Band38	10	38000	12	#0	QPSK	-1MHz-0MHz	2.59	PASS

Band38	10	38000	12	#0	QPSK	-5MHz--1MHz	4.27	PASS
Band38	10	38000	12	#0	QPSK	-10MHz--5MHz	20.55	PASS
Band38	10	38000	12	#0	QPSK	-15MHz--10MHz	10.97	PASS
Band38	10	38000	12	#0	QPSK	0MHz-1MHz	32.36	PASS
Band38	10	38000	12	#0	QPSK	1MHz-5MHz	24.08	PASS
Band38	10	38000	12	#0	QPSK	5MHz-10MHz	20.67	PASS
Band38	10	38000	12	#0	QPSK	10MHz-15MHz	13.46	PASS
Band38	10	38000	12	#Max	QPSK	-1MHz-0MHz	30.34	PASS
Band38	10	38000	12	#Max	QPSK	-5MHz--1MHz	22.81	PASS
Band38	10	38000	12	#Max	QPSK	-10MHz--5MHz	19.74	PASS
Band38	10	38000	12	#Max	QPSK	-15MHz--10MHz	11.47	PASS
Band38	10	38000	12	#Max	QPSK	0MHz-1MHz	3.22	PASS
Band38	10	38000	12	#Max	QPSK	1MHz-5MHz	5.97	PASS
Band38	10	38000	12	#Max	QPSK	5MHz-10MHz	21.39	PASS
Band38	10	38000	12	#Max	QPSK	10MHz-15MHz	12.20	PASS
Band38	10	38000	50	#0	QPSK	-1MHz-0MHz	10.63	PASS
Band38	10	38000	50	#0	QPSK	-5MHz--1MHz	6.86	PASS
Band38	10	38000	50	#0	QPSK	-10MHz--5MHz	7.19	PASS
Band38	10	38000	50	#0	QPSK	-15MHz--10MHz	6.69	PASS
Band38	10	38000	50	#0	QPSK	0MHz-1MHz	12.35	PASS
Band38	10	38000	50	#0	QPSK	1MHz-5MHz	8.41	PASS
Band38	10	38000	50	#0	QPSK	5MHz-10MHz	9.74	PASS
Band38	10	38000	50	#0	QPSK	10MHz-15MHz	8.01	PASS
Band38	10	38000	12	#0	QAM16	-1MHz-0MHz	5.99	PASS
Band38	10	38000	12	#0	QAM16	-5MHz--1MHz	7.90	PASS
Band38	10	38000	12	#0	QAM16	-10MHz--5MHz	21.86	PASS
Band38	10	38000	12	#0	QAM16	-15MHz--10MHz	11.32	PASS
Band38	10	38000	12	#0	QAM16	0MHz-1MHz	32.49	PASS
Band38	10	38000	12	#0	QAM16	1MHz-5MHz	24.92	PASS
Band38	10	38000	12	#0	QAM16	5MHz-10MHz	21.78	PASS
Band38	10	38000	12	#0	QAM16	10MHz-15MHz	13.44	PASS
Band38	10	38000	12	#Max	QAM16	-1MHz-0MHz	31.64	PASS
Band38	10	38000	12	#Max	QAM16	-5MHz--1MHz	23.85	PASS
Band38	10	38000	12	#Max	QAM16	-10MHz--5MHz	20.40	PASS
Band38	10	38000	12	#Max	QAM16	-15MHz--10MHz	11.53	PASS
Band38	10	38000	12	#Max	QAM16	0MHz-1MHz	6.40	PASS
Band38	10	38000	12	#Max	QAM16	1MHz-5MHz	8.62	PASS
Band38	10	38000	12	#Max	QAM16	5MHz-10MHz	22.35	PASS
Band38	10	38000	12	#Max	QAM16	10MHz-15MHz	12.86	PASS
Band38	10	38000	50	#0	QAM16	-1MHz-0MHz	13.13	PASS
Band38	10	38000	50	#0	QAM16	-5MHz--1MHz	8.86	PASS
Band38	10	38000	50	#0	QAM16	-10MHz--5MHz	10.17	PASS
Band38	10	38000	50	#0	QAM16	-15MHz--10MHz	6.85	PASS
Band38	10	38000	50	#0	QAM16	0MHz-1MHz	14.73	PASS

Band38	10	38000	50	#0	QAM16	1MHz-5MHz	10.31	PASS
Band38	10	38000	50	#0	QAM16	5MHz-10MHz	12.36	PASS
Band38	10	38000	50	#0	QAM16	10MHz-15MHz	8.95	PASS
Band38	10	38200	12	#0	QPSK	-1MHz-0MHz	3.21	PASS
Band38	10	38200	12	#0	QPSK	-5MHz--1MHz	7.25	PASS
Band38	10	38200	12	#0	QPSK	-10MHz--5MHz	21.56	PASS
Band38	10	38200	12	#0	QPSK	-15MHz--10MHz	10.39	PASS
Band38	10	38200	12	#0	QPSK	0MHz-1MHz	32.55	PASS
Band38	10	38200	12	#0	QPSK	1MHz-5MHz	20.37	PASS
Band38	10	38200	12	#0	QPSK	5MHz-10MHz	16.74	PASS
Band38	10	38200	12	#0	QPSK	10MHz-15MHz	13.38	PASS
Band38	10	38200	12	#Max	QPSK	-1MHz-0MHz	31.84	PASS
Band38	10	38200	12	#Max	QPSK	-5MHz--1MHz	20.37	PASS
Band38	10	38200	12	#Max	QPSK	-10MHz--5MHz	17.20	PASS
Band38	10	38200	12	#Max	QPSK	-15MHz--10MHz	11.58	PASS
Band38	10	38200	12	#Max	QPSK	0MHz-1MHz	5.61	PASS
Band38	10	38200	12	#Max	QPSK	1MHz-5MHz	9.17	PASS
Band38	10	38200	12	#Max	QPSK	5MHz-10MHz	22.20	PASS
Band38	10	38200	12	#Max	QPSK	10MHz-15MHz	11.60	PASS
Band38	10	38200	50	#0	QPSK	-1MHz-0MHz	15.96	PASS
Band38	10	38200	50	#0	QPSK	-5MHz--1MHz	11.22	PASS
Band38	10	38200	50	#0	QPSK	-10MHz--5MHz	11.82	PASS
Band38	10	38200	50	#0	QPSK	-15MHz--10MHz	9.14	PASS
Band38	10	38200	50	#0	QPSK	0MHz-1MHz	15.36	PASS
Band38	10	38200	50	#0	QPSK	1MHz-5MHz	10.94	PASS
Band38	10	38200	50	#0	QPSK	5MHz-10MHz	12.34	PASS
Band38	10	38200	50	#0	QPSK	10MHz-15MHz	9.11	PASS
Band38	10	38200	12	#0	QAM16	-1MHz-0MHz	8.11	PASS
Band38	10	38200	12	#0	QAM16	-5MHz--1MHz	10.74	PASS
Band38	10	38200	12	#0	QAM16	-10MHz--5MHz	22.63	PASS
Band38	10	38200	12	#0	QAM16	-15MHz--10MHz	11.15	PASS
Band38	10	38200	12	#0	QAM16	0MHz-1MHz	32.74	PASS
Band38	10	38200	12	#0	QAM16	1MHz-5MHz	21.52	PASS
Band38	10	38200	12	#0	QAM16	5MHz-10MHz	18.25	PASS
Band38	10	38200	12	#0	QAM16	10MHz-15MHz	13.41	PASS
Band38	10	38200	12	#Max	QAM16	-1MHz-0MHz	31.96	PASS
Band38	10	38200	12	#Max	QAM16	-5MHz--1MHz	21.81	PASS
Band38	10	38200	12	#Max	QAM16	-10MHz--5MHz	18.33	PASS
Band38	10	38200	12	#Max	QAM16	-15MHz--10MHz	11.43	PASS
Band38	10	38200	12	#Max	QAM16	0MHz-1MHz	9.52	PASS
Band38	10	38200	12	#Max	QAM16	1MHz-5MHz	12.26	PASS
Band38	10	38200	12	#Max	QAM16	5MHz-10MHz	23.08	PASS
Band38	10	38200	12	#Max	QAM16	10MHz-15MHz	12.43	PASS
Band38	10	38200	50	#0	QAM16	-1MHz-0MHz	17.44	PASS



Band38	10	38200	50	#0	QAM16	-5MHz--1MHz	13.26	PASS
Band38	10	38200	50	#0	QAM16	-10MHz--5MHz	14.93	PASS
Band38	10	38200	50	#0	QAM16	-15MHz--10MHz	9.21	PASS
Band38	10	38200	50	#0	QAM16	0MHz-1MHz	16.54	PASS
Band38	10	38200	50	#0	QAM16	1MHz-5MHz	13.18	PASS
Band38	10	38200	50	#0	QAM16	5MHz-10MHz	14.30	PASS
Band38	10	38200	50	#0	QAM16	10MHz-15MHz	9.24	PASS
Band38	20	37850	18	#0	QPSK	-1MHz-0MHz	9.62	PASS
Band38	20	37850	18	#0	QPSK	-5MHz--1MHz	10.95	PASS
Band38	20	37850	18	#0	QPSK	-20MHz--5MHz	18.00	PASS
Band38	20	37850	18	#0	QPSK	-25MHz--20MHz	13.50	PASS
Band38	20	37850	18	#0	QPSK	0MHz-1MHz	31.45	PASS
Band38	20	37850	18	#0	QPSK	1MHz-5MHz	28.03	PASS
Band38	20	37850	18	#0	QPSK	5MHz-20MHz	23.94	PASS
Band38	20	37850	18	#0	QPSK	20MHz-25MHz	13.69	PASS
Band38	20	37850	18	#Max	QPSK	-1MHz-0MHz	29.84	PASS
Band38	20	37850	18	#Max	QPSK	-5MHz--1MHz	26.65	PASS
Band38	20	37850	18	#Max	QPSK	-20MHz--5MHz	21.98	PASS
Band38	20	37850	18	#Max	QPSK	-25MHz--20MHz	13.61	PASS
Band38	20	37850	18	#Max	QPSK	0MHz-1MHz	5.27	PASS
Band38	20	37850	18	#Max	QPSK	1MHz-5MHz	6.18	PASS
Band38	20	37850	18	#Max	QPSK	5MHz-20MHz	15.58	PASS
Band38	20	37850	18	#Max	QPSK	20MHz-25MHz	13.49	PASS
Band38	20	37850	100	#0	QPSK	-1MHz-0MHz	13.60	PASS
Band38	20	37850	100	#0	QPSK	-5MHz--1MHz	11.93	PASS
Band38	20	37850	100	#0	QPSK	-20MHz--5MHz	10.97	PASS
Band38	20	37850	100	#0	QPSK	-25MHz--20MHz	11.59	PASS
Band38	20	37850	100	#0	QPSK	0MHz-1MHz	14.01	PASS
Band38	20	37850	100	#0	QPSK	1MHz-5MHz	12.72	PASS
Band38	20	37850	100	#0	QPSK	5MHz-20MHz	12.30	PASS
Band38	20	37850	100	#0	QPSK	20MHz-25MHz	10.84	PASS
Band38	20	37850	18	#0	QAM16	-1MHz-0MHz	11.30	PASS
Band38	20	37850	18	#0	QAM16	-5MHz--1MHz	13.69	PASS
Band38	20	37850	18	#0	QAM16	-20MHz--5MHz	19.40	PASS
Band38	20	37850	18	#0	QAM16	-25MHz--20MHz	13.52	PASS
Band38	20	37850	18	#0	QAM16	0MHz-1MHz	31.64	PASS
Band38	20	37850	18	#0	QAM16	1MHz-5MHz	28.04	PASS
Band38	20	37850	18	#0	QAM16	5MHz-20MHz	24.49	PASS
Band38	20	37850	18	#0	QAM16	20MHz-25MHz	13.66	PASS
Band38	20	37850	18	#Max	QAM16	-1MHz-0MHz	29.88	PASS
Band38	20	37850	18	#Max	QAM16	-5MHz--1MHz	26.79	PASS
Band38	20	37850	18	#Max	QAM16	-20MHz--5MHz	22.35	PASS
Band38	20	37850	18	#Max	QAM16	-25MHz--20MHz	13.64	PASS
Band38	20	37850	18	#Max	QAM16	0MHz-1MHz	7.93	PASS



Band38	20	37850	18	#Max	QAM16	1MHz-5MHz	9.35	PASS
Band38	20	37850	18	#Max	QAM16	5MHz-20MHz	16.90	PASS
Band38	20	37850	18	#Max	QAM16	20MHz-25MHz	13.51	PASS
Band38	20	37850	100	#0	QAM16	-1MHz-0MHz	15.91	PASS
Band38	20	37850	100	#0	QAM16	-5MHz--1MHz	15.06	PASS
Band38	20	37850	100	#0	QAM16	-20MHz--5MHz	13.98	PASS
Band38	20	37850	100	#0	QAM16	-25MHz--20MHz	11.66	PASS
Band38	20	37850	100	#0	QAM16	0MHz-1MHz	16.94	PASS
Band38	20	37850	100	#0	QAM16	1MHz-5MHz	14.86	PASS
Band38	20	37850	100	#0	QAM16	5MHz-20MHz	13.81	PASS
Band38	20	37850	100	#0	QAM16	20MHz-25MHz	11.44	PASS
Band38	20	38000	18	#0	QPSK	-1MHz-0MHz	3.79	PASS
Band38	20	38000	18	#0	QPSK	-5MHz--1MHz	5.12	PASS
Band38	20	38000	18	#0	QPSK	-20MHz--5MHz	14.31	PASS
Band38	20	38000	18	#0	QPSK	-25MHz--20MHz	13.18	PASS
Band38	20	38000	18	#0	QPSK	0MHz-1MHz	31.36	PASS
Band38	20	38000	18	#0	QPSK	1MHz-5MHz	28.04	PASS
Band38	20	38000	18	#0	QPSK	5MHz-20MHz	22.69	PASS
Band38	20	38000	18	#0	QPSK	20MHz-25MHz	13.74	PASS
Band38	20	38000	18	#Max	QPSK	-1MHz-0MHz	29.46	PASS
Band38	20	38000	18	#Max	QPSK	-5MHz--1MHz	26.49	PASS
Band38	20	38000	18	#Max	QPSK	-20MHz--5MHz	20.23	PASS
Band38	20	38000	18	#Max	QPSK	-25MHz--20MHz	13.49	PASS
Band38	20	38000	18	#Max	QPSK	0MHz-1MHz	3.96	PASS
Band38	20	38000	18	#Max	QPSK	1MHz-5MHz	6.58	PASS
Band38	20	38000	18	#Max	QPSK	5MHz-20MHz	16.06	PASS
Band38	20	38000	18	#Max	QPSK	20MHz-25MHz	13.22	PASS
Band38	20	38000	100	#0	QPSK	-1MHz-0MHz	9.94	PASS
Band38	20	38000	100	#0	QPSK	-5MHz--1MHz	8.24	PASS
Band38	20	38000	100	#0	QPSK	-20MHz--5MHz	7.24	PASS
Band38	20	38000	100	#0	QPSK	-25MHz--20MHz	9.18	PASS
Band38	20	38000	100	#0	QPSK	0MHz-1MHz	11.78	PASS
Band38	20	38000	100	#0	QPSK	1MHz-5MHz	10.71	PASS
Band38	20	38000	100	#0	QPSK	5MHz-20MHz	10.54	PASS
Band38	20	38000	100	#0	QPSK	20MHz-25MHz	10.04	PASS
Band38	20	38000	18	#0	QAM16	-1MHz-0MHz	6.77	PASS
Band38	20	38000	18	#0	QAM16	-5MHz--1MHz	8.05	PASS
Band38	20	38000	18	#0	QAM16	-20MHz--5MHz	16.39	PASS
Band38	20	38000	18	#0	QAM16	-25MHz--20MHz	13.43	PASS
Band38	20	38000	18	#0	QAM16	0MHz-1MHz	31.59	PASS
Band38	20	38000	18	#0	QAM16	1MHz-5MHz	28.09	PASS
Band38	20	38000	18	#0	QAM16	5MHz-20MHz	23.60	PASS
Band38	20	38000	18	#0	QAM16	20MHz-25MHz	13.66	PASS
Band38	20	38000	18	#Max	QAM16	-1MHz-0MHz	29.25	PASS

Band38	20	38000	18	#Max	QAM16	-5MHz--1MHz	26.59	PASS
Band38	20	38000	18	#Max	QAM16	-20MHz--5MHz	21.10	PASS
Band38	20	38000	18	#Max	QAM16	-25MHz--20MHz	13.52	PASS
Band38	20	38000	18	#Max	QAM16	0MHz-1MHz	7.62	PASS
Band38	20	38000	18	#Max	QAM16	1MHz-5MHz	10.58	PASS
Band38	20	38000	18	#Max	QAM16	5MHz-20MHz	18.16	PASS
Band38	20	38000	18	#Max	QAM16	20MHz-25MHz	13.38	PASS
Band38	20	38000	100	#0	QAM16	-1MHz-0MHz	13.23	PASS
Band38	20	38000	100	#0	QAM16	-5MHz--1MHz	11.52	PASS
Band38	20	38000	100	#0	QAM16	-20MHz--5MHz	10.04	PASS
Band38	20	38000	100	#0	QAM16	-25MHz--20MHz	9.69	PASS
Band38	20	38000	100	#0	QAM16	0MHz-1MHz	15.37	PASS
Band38	20	38000	100	#0	QAM16	1MHz-5MHz	13.73	PASS
Band38	20	38000	100	#0	QAM16	5MHz-20MHz	12.92	PASS
Band38	20	38000	100	#0	QAM16	20MHz-25MHz	10.84	PASS
Band38	20	38150	18	#0	QPSK	-1MHz-0MHz	3.41	PASS
Band38	20	38150	18	#0	QPSK	-5MHz--1MHz	5.27	PASS
Band38	20	38150	18	#0	QPSK	-20MHz--5MHz	16.66	PASS
Band38	20	38150	18	#0	QPSK	-25MHz--20MHz	12.89	PASS
Band38	20	38150	18	#0	QPSK	0MHz-1MHz	31.33	PASS
Band38	20	38150	18	#0	QPSK	1MHz-5MHz	28.01	PASS
Band38	20	38150	18	#0	QPSK	5MHz-20MHz	20.07	PASS
Band38	20	38150	18	#0	QPSK	20MHz-25MHz	13.61	PASS
Band38	20	38150	18	#Max	QPSK	-1MHz-0MHz	29.84	PASS
Band38	20	38150	18	#Max	QPSK	-5MHz--1MHz	26.76	PASS
Band38	20	38150	18	#Max	QPSK	-20MHz--5MHz	18.38	PASS
Band38	20	38150	18	#Max	QPSK	-25MHz--20MHz	13.50	PASS
Band38	20	38150	18	#Max	QPSK	0MHz-1MHz	7.41	PASS
Band38	20	38150	18	#Max	QPSK	1MHz-5MHz	9.18	PASS
Band38	20	38150	18	#Max	QPSK	5MHz-20MHz	18.36	PASS
Band38	20	38150	18	#Max	QPSK	20MHz-25MHz	12.84	PASS
Band38	20	38150	100	#0	QPSK	-1MHz-0MHz	13.07	PASS
Band38	20	38150	100	#0	QPSK	-5MHz--1MHz	11.55	PASS
Band38	20	38150	100	#0	QPSK	-20MHz--5MHz	10.16	PASS
Band38	20	38150	100	#0	QPSK	-25MHz--20MHz	9.94	PASS
Band38	20	38150	100	#0	QPSK	0MHz-1MHz	13.45	PASS
Band38	20	38150	100	#0	QPSK	1MHz-5MHz	11.91	PASS
Band38	20	38150	100	#0	QPSK	5MHz-20MHz	11.03	PASS
Band38	20	38150	100	#0	QPSK	20MHz-25MHz	10.26	PASS
Band38	20	38150	18	#0	QAM16	-1MHz-0MHz	6.35	PASS
Band38	20	38150	18	#0	QAM16	-5MHz--1MHz	9.08	PASS
Band38	20	38150	18	#0	QAM16	-20MHz--5MHz	18.30	PASS
Band38	20	38150	18	#0	QAM16	-25MHz--20MHz	13.30	PASS
Band38	20	38150	18	#0	QAM16	0MHz-1MHz	31.52	PASS

Band38	20	38150	18	#0	QAM16	1MHz-5MHz	28.06	PASS
Band38	20	38150	18	#0	QAM16	5MHz-20MHz	21.19	PASS
Band38	20	38150	18	#0	QAM16	20MHz-25MHz	13.62	PASS
Band38	20	38150	18	#Max	QAM16	-1MHz-0MHz	30.42	PASS
Band38	20	38150	18	#Max	QAM16	-5MHz--1MHz	26.81	PASS
Band38	20	38150	18	#Max	QAM16	-20MHz--5MHz	19.55	PASS
Band38	20	38150	18	#Max	QAM16	-25MHz--20MHz	13.53	PASS
Band38	20	38150	18	#Max	QAM16	0MHz-1MHz	10.34	PASS
Band38	20	38150	18	#Max	QAM16	1MHz-5MHz	12.71	PASS
Band38	20	38150	18	#Max	QAM16	5MHz-20MHz	19.88	PASS
Band38	20	38150	18	#Max	QAM16	20MHz-25MHz	13.16	PASS
Band38	20	38150	100	#0	QAM16	-1MHz-0MHz	16.56	PASS
Band38	20	38150	100	#0	QAM16	-5MHz--1MHz	14.41	PASS
Band38	20	38150	100	#0	QAM16	-20MHz--5MHz	12.60	PASS
Band38	20	38150	100	#0	QAM16	-25MHz--20MHz	10.59	PASS
Band38	20	38150	100	#0	QAM16	0MHz-1MHz	16.94	PASS
Band38	20	38150	100	#0	QAM16	1MHz-5MHz	14.91	PASS
Band38	20	38150	100	#0	QAM16	5MHz-20MHz	13.65	PASS
Band38	20	38150	100	#0	QAM16	20MHz-25MHz	10.37	PASS
Band40	5	38675	8	#0	QPSK	-1MHz-0MHz	9.65	PASS
Band40	5	38675	8	#0	QPSK	-5MHz--1MHz	16.65	PASS
Band40	5	38675	8	#0	QPSK	-6MHz--5MHz	24.39	PASS
Band40	5	38675	8	#0	QPSK	-10MHz--6MHz	12.64	PASS
Band40	5	38675	8	#0	QPSK	0MHz-1MHz	26.64	PASS
Band40	5	38675	8	#0	QPSK	1MHz-5MHz	14.78	PASS
Band40	5	38675	8	#0	QPSK	5MHz-6MHz	24.90	PASS
Band40	5	38675	8	#0	QPSK	6MHz-10MHz	13.14	PASS
Band40	5	38675	8	#Max	QPSK	-1MHz-0MHz	27.59	PASS
Band40	5	38675	8	#Max	QPSK	-5MHz--1MHz	15.62	PASS
Band40	5	38675	8	#Max	QPSK	-6MHz--5MHz	24.84	PASS
Band40	5	38675	8	#Max	QPSK	-10MHz--6MHz	12.68	PASS
Band40	5	38675	8	#Max	QPSK	0MHz-1MHz	8.78	PASS
Band40	5	38675	8	#Max	QPSK	1MHz-5MHz	17.36	PASS
Band40	5	38675	8	#Max	QPSK	5MHz-6MHz	23.91	PASS
Band40	5	38675	8	#Max	QPSK	6MHz-10MHz	12.63	PASS
Band40	5	38675	25	#0	QPSK	-1MHz-0MHz	17.91	PASS
Band40	5	38675	25	#0	QPSK	-5MHz--1MHz	18.60	PASS
Band40	5	38675	25	#0	QPSK	-6MHz--5MHz	22.08	PASS
Band40	5	38675	25	#0	QPSK	-10MHz--6MHz	11.03	PASS
Band40	5	38675	25	#0	QPSK	0MHz-1MHz	17.16	PASS
Band40	5	38675	25	#0	QPSK	1MHz-5MHz	17.94	PASS
Band40	5	38675	25	#0	QPSK	5MHz-6MHz	21.60	PASS
Band40	5	38675	25	#0	QPSK	6MHz-10MHz	10.05	PASS
Band40	5	38675	8	#0	QAM16	-1MHz-0MHz	9.60	PASS

Band40	5	38675	8	#0	QAM16	-5MHz--1MHz	18.41	PASS
Band40	5	38675	8	#0	QAM16	-6MHz--5MHz	24.61	PASS
Band40	5	38675	8	#0	QAM16	-10MHz--6MHz	12.73	PASS
Band40	5	38675	8	#0	QAM16	0MHz-1MHz	27.75	PASS
Band40	5	38675	8	#0	QAM16	1MHz-5MHz	16.16	PASS
Band40	5	38675	8	#0	QAM16	5MHz-6MHz	24.94	PASS
Band40	5	38675	8	#0	QAM16	6MHz-10MHz	13.18	PASS
Band40	5	38675	8	#Max	QAM16	-1MHz-0MHz	27.44	PASS
Band40	5	38675	8	#Max	QAM16	-5MHz--1MHz	16.95	PASS
Band40	5	38675	8	#Max	QAM16	-6MHz--5MHz	24.84	PASS
Band40	5	38675	8	#Max	QAM16	-10MHz--6MHz	12.71	PASS
Band40	5	38675	8	#Max	QAM16	0MHz-1MHz	13.05	PASS
Band40	5	38675	8	#Max	QAM16	1MHz-5MHz	18.84	PASS
Band40	5	38675	8	#Max	QAM16	5MHz-6MHz	24.32	PASS
Band40	5	38675	8	#Max	QAM16	6MHz-10MHz	12.83	PASS
Band40	5	38675	25	#0	QAM16	-1MHz-0MHz	17.29	PASS
Band40	5	38675	25	#0	QAM16	-5MHz--1MHz	17.52	PASS
Band40	5	38675	25	#0	QAM16	-6MHz--5MHz	22.60	PASS
Band40	5	38675	25	#0	QAM16	-10MHz--6MHz	11.54	PASS
Band40	5	38675	25	#0	QAM16	0MHz-1MHz	17.96	PASS
Band40	5	38675	25	#0	QAM16	1MHz-5MHz	17.57	PASS
Band40	5	38675	25	#0	QAM16	5MHz-6MHz	21.81	PASS
Band40	5	38675	25	#0	QAM16	6MHz-10MHz	10.93	PASS
Band40	5	39150	8	#0	QPSK	-1MHz-0MHz	8.68	PASS
Band40	5	39150	8	#0	QPSK	-5MHz--1MHz	12.88	PASS
Band40	5	39150	8	#0	QPSK	-6MHz--5MHz	23.91	PASS
Band40	5	39150	8	#0	QPSK	-10MHz--6MHz	12.68	PASS
Band40	5	39150	8	#0	QPSK	0MHz-1MHz	27.73	PASS
Band40	5	39150	8	#0	QPSK	1MHz-5MHz	16.61	PASS
Band40	5	39150	8	#0	QPSK	5MHz-6MHz	25.37	PASS
Band40	5	39150	8	#0	QPSK	6MHz-10MHz	13.58	PASS
Band40	5	39150	8	#Max	QPSK	-1MHz-0MHz	28.51	PASS
Band40	5	39150	8	#Max	QPSK	-5MHz--1MHz	17.05	PASS
Band40	5	39150	8	#Max	QPSK	-6MHz--5MHz	25.25	PASS
Band40	5	39150	8	#Max	QPSK	-10MHz--6MHz	13.30	PASS
Band40	5	39150	8	#Max	QPSK	0MHz-1MHz	7.24	PASS
Band40	5	39150	8	#Max	QPSK	1MHz-5MHz	14.35	PASS
Band40	5	39150	8	#Max	QPSK	5MHz-6MHz	24.27	PASS
Band40	5	39150	8	#Max	QPSK	6MHz-10MHz	13.02	PASS
Band40	5	39150	25	#0	QPSK	-1MHz-0MHz	14.86	PASS
Band40	5	39150	25	#0	QPSK	-5MHz--1MHz	12.69	PASS
Band40	5	39150	25	#0	QPSK	-6MHz--5MHz	21.43	PASS
Band40	5	39150	25	#0	QPSK	-10MHz--6MHz	10.76	PASS
Band40	5	39150	25	#0	QPSK	0MHz-1MHz	14.94	PASS

Band40	5	39150	25	#0	QPSK	1MHz-5MHz	13.30	PASS
Band40	5	39150	25	#0	QPSK	5MHz-6MHz	21.83	PASS
Band40	5	39150	25	#0	QPSK	6MHz-10MHz	10.85	PASS
Band40	5	39150	8	#0	QAM16	-1MHz-0MHz	8.69	PASS
Band40	5	39150	8	#0	QAM16	-5MHz--1MHz	15.29	PASS
Band40	5	39150	8	#0	QAM16	-6MHz--5MHz	24.46	PASS
Band40	5	39150	8	#0	QAM16	-10MHz--6MHz	13.11	PASS
Band40	5	39150	8	#0	QAM16	0MHz-1MHz	28.27	PASS
Band40	5	39150	8	#0	QAM16	1MHz-5MHz	17.47	PASS
Band40	5	39150	8	#0	QAM16	5MHz-6MHz	25.46	PASS
Band40	5	39150	8	#0	QAM16	6MHz-10MHz	13.57	PASS
Band40	5	39150	8	#Max	QAM16	-1MHz-0MHz	29.70	PASS
Band40	5	39150	8	#Max	QAM16	-5MHz--1MHz	18.24	PASS
Band40	5	39150	8	#Max	QAM16	-6MHz--5MHz	25.26	PASS
Band40	5	39150	8	#Max	QAM16	-10MHz--6MHz	13.31	PASS
Band40	5	39150	8	#Max	QAM16	0MHz-1MHz	11.34	PASS
Band40	5	39150	8	#Max	QAM16	1MHz-5MHz	16.36	PASS
Band40	5	39150	8	#Max	QAM16	5MHz-6MHz	24.80	PASS
Band40	5	39150	8	#Max	QAM16	6MHz-10MHz	13.29	PASS
Band40	5	39150	25	#0	QAM16	-1MHz-0MHz	14.91	PASS
Band40	5	39150	25	#0	QAM16	-5MHz--1MHz	13.89	PASS
Band40	5	39150	25	#0	QAM16	-6MHz--5MHz	21.90	PASS
Band40	5	39150	25	#0	QAM16	-10MHz--6MHz	11.10	PASS
Band40	5	39150	25	#0	QAM16	0MHz-1MHz	16.33	PASS
Band40	5	39150	25	#0	QAM16	1MHz-5MHz	14.25	PASS
Band40	5	39150	25	#0	QAM16	5MHz-6MHz	21.96	PASS
Band40	5	39150	25	#0	QAM16	6MHz-10MHz	11.18	PASS
Band40	5	39625	8	#0	QPSK	-1MHz-0MHz	8.80	PASS
Band40	5	39625	8	#0	QPSK	-5MHz--1MHz	13.58	PASS
Band40	5	39625	8	#0	QPSK	-6MHz--5MHz	23.26	PASS
Band40	5	39625	8	#0	QPSK	-10MHz--6MHz	12.34	PASS
Band40	5	39625	8	#0	QPSK	0MHz-1MHz	28.74	PASS
Band40	5	39625	8	#0	QPSK	1MHz-5MHz	16.39	PASS
Band40	5	39625	8	#0	QPSK	5MHz-6MHz	25.11	PASS
Band40	5	39625	8	#0	QPSK	6MHz-10MHz	13.13	PASS
Band40	5	39625	8	#Max	QPSK	-1MHz-0MHz	27.45	PASS
Band40	5	39625	8	#Max	QPSK	-5MHz--1MHz	15.68	PASS
Band40	5	39625	8	#Max	QPSK	-6MHz--5MHz	24.85	PASS
Band40	5	39625	8	#Max	QPSK	-10MHz--6MHz	12.93	PASS
Band40	5	39625	8	#Max	QPSK	0MHz-1MHz	7.20	PASS
Band40	5	39625	8	#Max	QPSK	1MHz-5MHz	14.29	PASS
Band40	5	39625	8	#Max	QPSK	5MHz-6MHz	23.61	PASS
Band40	5	39625	8	#Max	QPSK	6MHz-10MHz	12.52	PASS
Band40	5	39625	25	#0	QPSK	-1MHz-0MHz	17.34	PASS

Band40	5	39625	25	#0	QPSK	-5MHz--1MHz	16.44	PASS
Band40	5	39625	25	#0	QPSK	-6MHz--5MHz	20.93	PASS
Band40	5	39625	25	#0	QPSK	-10MHz--6MHz	9.92	PASS
Band40	5	39625	25	#0	QPSK	0MHz-1MHz	17.79	PASS
Band40	5	39625	25	#0	QPSK	1MHz-5MHz	16.41	PASS
Band40	5	39625	25	#0	QPSK	5MHz-6MHz	20.54	PASS
Band40	5	39625	25	#0	QPSK	6MHz-10MHz	9.54	PASS
Band40	5	39625	8	#0	QAM16	-1MHz-0MHz	13.07	PASS
Band40	5	39625	8	#0	QAM16	-5MHz--1MHz	16.05	PASS
Band40	5	39625	8	#0	QAM16	-6MHz--5MHz	24.38	PASS
Band40	5	39625	8	#0	QAM16	-10MHz--6MHz	12.94	PASS
Band40	5	39625	8	#0	QAM16	0MHz-1MHz	30.17	PASS
Band40	5	39625	8	#0	QAM16	1MHz-5MHz	18.05	PASS
Band40	5	39625	8	#0	QAM16	5MHz-6MHz	25.07	PASS
Band40	5	39625	8	#0	QAM16	6MHz-10MHz	13.17	PASS
Band40	5	39625	8	#Max	QAM16	-1MHz-0MHz	28.84	PASS
Band40	5	39625	8	#Max	QAM16	-5MHz--1MHz	17.28	PASS
Band40	5	39625	8	#Max	QAM16	-6MHz--5MHz	24.87	PASS
Band40	5	39625	8	#Max	QAM16	-10MHz--6MHz	12.98	PASS
Band40	5	39625	8	#Max	QAM16	0MHz-1MHz	10.92	PASS
Band40	5	39625	8	#Max	QAM16	1MHz-5MHz	16.90	PASS
Band40	5	39625	8	#Max	QAM16	5MHz-6MHz	24.52	PASS
Band40	5	39625	8	#Max	QAM16	6MHz-10MHz	12.95	PASS
Band40	5	39625	25	#0	QAM16	-1MHz-0MHz	19.65	PASS
Band40	5	39625	25	#0	QAM16	-5MHz--1MHz	16.88	PASS
Band40	5	39625	25	#0	QAM16	-6MHz--5MHz	20.84	PASS
Band40	5	39625	25	#0	QAM16	-10MHz--6MHz	10.52	PASS
Band40	5	39625	25	#0	QAM16	0MHz-1MHz	16.81	PASS
Band40	5	39625	25	#0	QAM16	1MHz-5MHz	16.17	PASS
Band40	5	39625	25	#0	QAM16	5MHz-6MHz	20.65	PASS
Band40	5	39625	25	#0	QAM16	6MHz-10MHz	10.01	PASS
Band40	10	38700	12	#0	QPSK	-1MHz-0MHz	12.47	PASS
Band40	10	38700	12	#0	QPSK	-5MHz--1MHz	15.86	PASS
Band40	10	38700	12	#0	QPSK	-10MHz--5MHz	23.51	PASS
Band40	10	38700	12	#0	QPSK	-15MHz--10MHz	11.03	PASS
Band40	10	38700	12	#0	QPSK	0MHz-1MHz	31.51	PASS
Band40	10	38700	12	#0	QPSK	1MHz-5MHz	16.37	PASS
Band40	10	38700	12	#0	QPSK	5MHz-10MHz	12.59	PASS
Band40	10	38700	12	#0	QPSK	10MHz-15MHz	13.06	PASS
Band40	10	38700	12	#Max	QPSK	-1MHz-0MHz	31.97	PASS
Band40	10	38700	12	#Max	QPSK	-5MHz--1MHz	18.92	PASS
Band40	10	38700	12	#Max	QPSK	-10MHz--5MHz	15.56	PASS
Band40	10	38700	12	#Max	QPSK	-15MHz--10MHz	11.21	PASS
Band40	10	38700	12	#Max	QPSK	0MHz-1MHz	11.68	PASS



Band40	10	38700	12	#Max	QPSK	1MHz-5MHz	15.92	PASS
Band40	10	38700	12	#Max	QPSK	5MHz-10MHz	23.73	PASS
Band40	10	38700	12	#Max	QPSK	10MHz-15MHz	12.53	PASS
Band40	10	38700	50	#0	QPSK	-1MHz-0MHz	21.77	PASS
Band40	10	38700	50	#0	QPSK	-5MHz--1MHz	20.70	PASS
Band40	10	38700	50	#0	QPSK	-10MHz--5MHz	19.72	PASS
Band40	10	38700	50	#0	QPSK	-15MHz--10MHz	10.91	PASS
Band40	10	38700	50	#0	QPSK	0MHz-1MHz	18.20	PASS
Band40	10	38700	50	#0	QPSK	1MHz-5MHz	19.53	PASS
Band40	10	38700	50	#0	QPSK	5MHz-10MHz	17.35	PASS
Band40	10	38700	50	#0	QPSK	10MHz-15MHz	10.09	PASS
Band40	10	38700	12	#0	QAM16	-1MHz-0MHz	13.91	PASS
Band40	10	38700	12	#0	QAM16	-5MHz--1MHz	17.32	PASS
Band40	10	38700	12	#0	QAM16	-10MHz--5MHz	23.84	PASS
Band40	10	38700	12	#0	QAM16	-15MHz--10MHz	11.09	PASS
Band40	10	38700	12	#0	QAM16	0MHz-1MHz	32.21	PASS
Band40	10	38700	12	#0	QAM16	1MHz-5MHz	17.89	PASS
Band40	10	38700	12	#0	QAM16	5MHz-10MHz	14.07	PASS
Band40	10	38700	12	#0	QAM16	10MHz-15MHz	13.11	PASS
Band40	10	38700	12	#Max	QAM16	-1MHz-0MHz	32.51	PASS
Band40	10	38700	12	#Max	QAM16	-5MHz--1MHz	20.16	PASS
Band40	10	38700	12	#Max	QAM16	-10MHz--5MHz	16.70	PASS
Band40	10	38700	12	#Max	QAM16	-15MHz--10MHz	11.11	PASS
Band40	10	38700	12	#Max	QAM16	0MHz-1MHz	14.87	PASS
Band40	10	38700	12	#Max	QAM16	1MHz-5MHz	17.16	PASS
Band40	10	38700	12	#Max	QAM16	5MHz-10MHz	24.11	PASS
Band40	10	38700	12	#Max	QAM16	10MHz-15MHz	12.73	PASS
Band40	10	38700	50	#0	QAM16	-1MHz-0MHz	18.06	PASS
Band40	10	38700	50	#0	QAM16	-5MHz--1MHz	20.22	PASS
Band40	10	38700	50	#0	QAM16	-10MHz--5MHz	19.35	PASS
Band40	10	38700	50	#0	QAM16	-15MHz--10MHz	10.97	PASS
Band40	10	38700	50	#0	QAM16	0MHz-1MHz	20.19	PASS
Band40	10	38700	50	#0	QAM16	1MHz-5MHz	19.26	PASS
Band40	10	38700	50	#0	QAM16	5MHz-10MHz	17.72	PASS
Band40	10	38700	50	#0	QAM16	10MHz-15MHz	10.19	PASS
Band40	10	39150	12	#0	QPSK	-1MHz-0MHz	7.66	PASS
Band40	10	39150	12	#0	QPSK	-5MHz--1MHz	10.00	PASS
Band40	10	39150	12	#0	QPSK	-10MHz--5MHz	22.53	PASS
Band40	10	39150	12	#0	QPSK	-15MHz--10MHz	11.58	PASS
Band40	10	39150	12	#0	QPSK	0MHz-1MHz	32.83	PASS
Band40	10	39150	12	#0	QPSK	1MHz-5MHz	19.55	PASS
Band40	10	39150	12	#0	QPSK	5MHz-10MHz	15.52	PASS
Band40	10	39150	12	#0	QPSK	10MHz-15MHz	13.44	PASS
Band40	10	39150	12	#Max	QPSK	-1MHz-0MHz	31.70	PASS



Band40	10	39150	12	#Max	QPSK	-5MHz--1MHz	19.26	PASS
Band40	10	39150	12	#Max	QPSK	-10MHz--5MHz	15.99	PASS
Band40	10	39150	12	#Max	QPSK	-15MHz--10MHz	11.89	PASS
Band40	10	39150	12	#Max	QPSK	0MHz-1MHz	10.31	PASS
Band40	10	39150	12	#Max	QPSK	1MHz-5MHz	12.94	PASS
Band40	10	39150	12	#Max	QPSK	5MHz-10MHz	23.08	PASS
Band40	10	39150	12	#Max	QPSK	10MHz-15MHz	13.02	PASS
Band40	10	39150	50	#0	QPSK	-1MHz-0MHz	17.06	PASS
Band40	10	39150	50	#0	QPSK	-5MHz--1MHz	13.55	PASS
Band40	10	39150	50	#0	QPSK	-10MHz--5MHz	13.21	PASS
Band40	10	39150	50	#0	QPSK	-15MHz--10MHz	9.75	PASS
Band40	10	39150	50	#0	QPSK	0MHz-1MHz	18.41	PASS
Band40	10	39150	50	#0	QPSK	1MHz-5MHz	14.44	PASS
Band40	10	39150	50	#0	QPSK	5MHz-10MHz	14.88	PASS
Band40	10	39150	50	#0	QPSK	10MHz-15MHz	10.46	PASS
Band40	10	39150	12	#0	QAM16	-1MHz-0MHz	9.40	PASS
Band40	10	39150	12	#0	QAM16	-5MHz--1MHz	13.18	PASS
Band40	10	39150	12	#0	QAM16	-10MHz--5MHz	23.46	PASS
Band40	10	39150	12	#0	QAM16	-15MHz--10MHz	11.70	PASS
Band40	10	39150	12	#0	QAM16	0MHz-1MHz	32.73	PASS
Band40	10	39150	12	#0	QAM16	1MHz-5MHz	20.17	PASS
Band40	10	39150	12	#0	QAM16	5MHz-10MHz	16.89	PASS
Band40	10	39150	12	#0	QAM16	10MHz-15MHz	13.41	PASS
Band40	10	39150	12	#Max	QAM16	-1MHz-0MHz	32.42	PASS
Band40	10	39150	12	#Max	QAM16	-5MHz--1MHz	20.55	PASS
Band40	10	39150	12	#Max	QAM16	-10MHz--5MHz	16.95	PASS
Band40	10	39150	12	#Max	QAM16	-15MHz--10MHz	11.87	PASS
Band40	10	39150	12	#Max	QAM16	0MHz-1MHz	10.31	PASS
Band40	10	39150	12	#Max	QAM16	1MHz-5MHz	14.59	PASS
Band40	10	39150	12	#Max	QAM16	5MHz-10MHz	23.69	PASS
Band40	10	39150	12	#Max	QAM16	10MHz-15MHz	13.19	PASS
Band40	10	39150	50	#0	QAM16	-1MHz-0MHz	17.35	PASS
Band40	10	39150	50	#0	QAM16	-5MHz--1MHz	14.85	PASS
Band40	10	39150	50	#0	QAM16	-10MHz--5MHz	15.66	PASS
Band40	10	39150	50	#0	QAM16	-15MHz--10MHz	9.82	PASS
Band40	10	39150	50	#0	QAM16	0MHz-1MHz	18.19	PASS
Band40	10	39150	50	#0	QAM16	1MHz-5MHz	15.64	PASS
Band40	10	39150	50	#0	QAM16	5MHz-10MHz	16.56	PASS
Band40	10	39150	50	#0	QAM16	10MHz-15MHz	10.60	PASS
Band40	10	39600	12	#0	QPSK	-1MHz-0MHz	10.17	PASS
Band40	10	39600	12	#0	QPSK	-5MHz--1MHz	13.73	PASS
Band40	10	39600	12	#0	QPSK	-10MHz--5MHz	23.38	PASS
Band40	10	39600	12	#0	QPSK	-15MHz--10MHz	11.45	PASS
Band40	10	39600	12	#0	QPSK	0MHz-1MHz	31.88	PASS

Band40	10	39600	12	#0	QPSK	1MHz-5MHz	19.26	PASS
Band40	10	39600	12	#0	QPSK	5MHz-10MHz	15.62	PASS
Band40	10	39600	12	#0	QPSK	10MHz-15MHz	13.06	PASS
Band40	10	39600	12	#Max	QPSK	-1MHz-0MHz	31.36	PASS
Band40	10	39600	12	#Max	QPSK	-5MHz--1MHz	18.90	PASS
Band40	10	39600	12	#Max	QPSK	-10MHz--5MHz	15.73	PASS
Band40	10	39600	12	#Max	QPSK	-15MHz--10MHz	11.47	PASS
Band40	10	39600	12	#Max	QPSK	0MHz-1MHz	10.34	PASS
Band40	10	39600	12	#Max	QPSK	1MHz-5MHz	14.05	PASS
Band40	10	39600	12	#Max	QPSK	5MHz-10MHz	23.39	PASS
Band40	10	39600	12	#Max	QPSK	10MHz-15MHz	12.76	PASS
Band40	10	39600	50	#0	QPSK	-1MHz-0MHz	20.95	PASS
Band40	10	39600	50	#0	QPSK	-5MHz--1MHz	18.94	PASS
Band40	10	39600	50	#0	QPSK	-10MHz--5MHz	18.30	PASS
Band40	10	39600	50	#0	QPSK	-15MHz--10MHz	10.36	PASS
Band40	10	39600	50	#0	QPSK	0MHz-1MHz	20.12	PASS
Band40	10	39600	50	#0	QPSK	1MHz-5MHz	18.59	PASS
Band40	10	39600	50	#0	QPSK	5MHz-10MHz	16.67	PASS
Band40	10	39600	50	#0	QPSK	10MHz-15MHz	10.38	PASS
Band40	10	39600	12	#0	QAM16	-1MHz-0MHz	12.45	PASS
Band40	10	39600	12	#0	QAM16	-5MHz--1MHz	15.53	PASS
Band40	10	39600	12	#0	QAM16	-10MHz--5MHz	23.96	PASS
Band40	10	39600	12	#0	QAM16	-15MHz--10MHz	11.39	PASS
Band40	10	39600	12	#0	QAM16	0MHz-1MHz	32.47	PASS
Band40	10	39600	12	#0	QAM16	1MHz-5MHz	20.38	PASS
Band40	10	39600	12	#0	QAM16	5MHz-10MHz	16.94	PASS
Band40	10	39600	12	#0	QAM16	10MHz-15MHz	12.99	PASS
Band40	10	39600	12	#Max	QAM16	-1MHz-0MHz	32.37	PASS
Band40	10	39600	12	#Max	QAM16	-5MHz--1MHz	20.31	PASS
Band40	10	39600	12	#Max	QAM16	-10MHz--5MHz	16.96	PASS
Band40	10	39600	12	#Max	QAM16	-15MHz--10MHz	11.54	PASS
Band40	10	39600	12	#Max	QAM16	0MHz-1MHz	12.54	PASS
Band40	10	39600	12	#Max	QAM16	1MHz-5MHz	16.17	PASS
Band40	10	39600	12	#Max	QAM16	5MHz-10MHz	23.81	PASS
Band40	10	39600	12	#Max	QAM16	10MHz-15MHz	12.87	PASS
Band40	10	39600	50	#0	QAM16	-1MHz-0MHz	18.08	PASS
Band40	10	39600	50	#0	QAM16	-5MHz--1MHz	18.85	PASS
Band40	10	39600	50	#0	QAM16	-10MHz--5MHz	18.57	PASS
Band40	10	39600	50	#0	QAM16	-15MHz--10MHz	10.38	PASS
Band40	10	39600	50	#0	QAM16	0MHz-1MHz	20.12	PASS
Band40	10	39600	50	#0	QAM16	1MHz-5MHz	18.40	PASS
Band40	10	39600	50	#0	QAM16	5MHz-10MHz	17.07	PASS
Band40	10	39600	50	#0	QAM16	10MHz-15MHz	10.14	PASS
Band40	20	38750	18	#0	QPSK	-1MHz-0MHz	16.63	PASS

Band40	20	38750	18	#0	QPSK	-5MHz--1MHz	17.90	PASS
Band40	20	38750	18	#0	QPSK	-20MHz--5MHz	22.75	PASS
Band40	20	38750	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band40	20	38750	18	#0	QPSK	0MHz-1MHz	30.55	PASS
Band40	20	38750	18	#0	QPSK	1MHz-5MHz	27.38	PASS
Band40	20	38750	18	#0	QPSK	5MHz-20MHz	14.90	PASS
Band40	20	38750	18	#0	QPSK	20MHz-25MHz	14.00	PASS
Band40	20	38750	18	#Max	QPSK	-1MHz-0MHz	30.46	PASS
Band40	20	38750	18	#Max	QPSK	-5MHz--1MHz	26.86	PASS
Band40	20	38750	18	#Max	QPSK	-20MHz--5MHz	18.74	PASS
Band40	20	38750	18	#Max	QPSK	-25MHz--20MHz	13.35	PASS
Band40	20	38750	18	#Max	QPSK	0MHz-1MHz	14.68	PASS
Band40	20	38750	18	#Max	QPSK	1MHz-5MHz	16.91	PASS
Band40	20	38750	18	#Max	QPSK	5MHz-20MHz	23.04	PASS
Band40	20	38750	18	#Max	QPSK	20MHz-25MHz	13.81	PASS
Band40	20	38750	100	#0	QPSK	-1MHz-0MHz	22.72	PASS
Band40	20	38750	100	#0	QPSK	-5MHz--1MHz	22.86	PASS
Band40	20	38750	100	#0	QPSK	-20MHz--5MHz	21.11	PASS
Band40	20	38750	100	#0	QPSK	-25MHz--20MHz	13.10	PASS
Band40	20	38750	100	#0	QPSK	0MHz-1MHz	22.02	PASS
Band40	20	38750	100	#0	QPSK	1MHz-5MHz	21.35	PASS
Band40	20	38750	100	#0	QPSK	5MHz-20MHz	19.10	PASS
Band40	20	38750	100	#0	QPSK	20MHz-25MHz	11.94	PASS
Band40	20	38750	18	#0	QAM16	-1MHz-0MHz	16.08	PASS
Band40	20	38750	18	#0	QAM16	-5MHz--1MHz	18.51	PASS
Band40	20	38750	18	#0	QAM16	-20MHz--5MHz	22.79	PASS
Band40	20	38750	18	#0	QAM16	-25MHz--20MHz	13.18	PASS
Band40	20	38750	18	#0	QAM16	0MHz-1MHz	30.74	PASS
Band40	20	38750	18	#0	QAM16	1MHz-5MHz	27.40	PASS
Band40	20	38750	18	#0	QAM16	5MHz-20MHz	18.11	PASS
Band40	20	38750	18	#0	QAM16	20MHz-25MHz	14.06	PASS
Band40	20	38750	18	#Max	QAM16	-1MHz-0MHz	30.15	PASS
Band40	20	38750	18	#Max	QAM16	-5MHz--1MHz	26.96	PASS
Band40	20	38750	18	#Max	QAM16	-20MHz--5MHz	20.24	PASS
Band40	20	38750	18	#Max	QAM16	-25MHz--20MHz	13.28	PASS
Band40	20	38750	18	#Max	QAM16	0MHz-1MHz	17.39	PASS
Band40	20	38750	18	#Max	QAM16	1MHz-5MHz	18.23	PASS
Band40	20	38750	18	#Max	QAM16	5MHz-20MHz	22.97	PASS
Band40	20	38750	18	#Max	QAM16	20MHz-25MHz	13.86	PASS
Band40	20	38750	100	#0	QAM16	-1MHz-0MHz	21.63	PASS
Band40	20	38750	100	#0	QAM16	-5MHz--1MHz	22.15	PASS
Band40	20	38750	100	#0	QAM16	-20MHz--5MHz	20.40	PASS
Band40	20	38750	100	#0	QAM16	-25MHz--20MHz	13.08	PASS
Band40	20	38750	100	#0	QAM16	0MHz-1MHz	21.49	PASS

Band40	20	38750	100	#0	QAM16	1MHz-5MHz	21.01	PASS
Band40	20	38750	100	#0	QAM16	5MHz-20MHz	18.79	PASS
Band40	20	38750	100	#0	QAM16	20MHz-25MHz	12.16	PASS
Band40	20	39150	18	#0	QPSK	-1MHz-0MHz	9.21	PASS
Band40	20	39150	18	#0	QPSK	-5MHz--1MHz	10.86	PASS
Band40	20	39150	18	#0	QPSK	-20MHz--5MHz	19.66	PASS
Band40	20	39150	18	#0	QPSK	-25MHz--20MHz	13.48	PASS
Band40	20	39150	18	#0	QPSK	0MHz-1MHz	30.97	PASS
Band40	20	39150	18	#0	QPSK	1MHz-5MHz	28.02	PASS
Band40	20	39150	18	#0	QPSK	5MHz-20MHz	16.55	PASS
Band40	20	39150	18	#0	QPSK	20MHz-25MHz	13.49	PASS
Band40	20	39150	18	#Max	QPSK	-1MHz-0MHz	29.84	PASS
Band40	20	39150	18	#Max	QPSK	-5MHz--1MHz	27.00	PASS
Band40	20	39150	18	#Max	QPSK	-20MHz--5MHz	16.93	PASS
Band40	20	39150	18	#Max	QPSK	-25MHz--20MHz	13.94	PASS
Band40	20	39150	18	#Max	QPSK	0MHz-1MHz	12.04	PASS
Band40	20	39150	18	#Max	QPSK	1MHz-5MHz	14.48	PASS
Band40	20	39150	18	#Max	QPSK	5MHz-20MHz	21.18	PASS
Band40	20	39150	18	#Max	QPSK	20MHz-25MHz	13.40	PASS
Band40	20	39150	100	#0	QPSK	-1MHz-0MHz	16.68	PASS
Band40	20	39150	100	#0	QPSK	-5MHz--1MHz	15.48	PASS
Band40	20	39150	100	#0	QPSK	-20MHz--5MHz	14.28	PASS
Band40	20	39150	100	#0	QPSK	-25MHz--20MHz	11.42	PASS
Band40	20	39150	100	#0	QPSK	0MHz-1MHz	17.58	PASS
Band40	20	39150	100	#0	QPSK	1MHz-5MHz	17.04	PASS
Band40	20	39150	100	#0	QPSK	5MHz-20MHz	16.29	PASS
Band40	20	39150	100	#0	QPSK	20MHz-25MHz	11.46	PASS
Band40	20	39150	18	#0	QAM16	-1MHz-0MHz	11.31	PASS
Band40	20	39150	18	#0	QAM16	-5MHz--1MHz	13.40	PASS
Band40	20	39150	18	#0	QAM16	-20MHz--5MHz	20.83	PASS
Band40	20	39150	18	#0	QAM16	-25MHz--20MHz	13.84	PASS
Band40	20	39150	18	#0	QAM16	0MHz-1MHz	31.29	PASS
Band40	20	39150	18	#0	QAM16	1MHz-5MHz	28.05	PASS
Band40	20	39150	18	#0	QAM16	5MHz-20MHz	18.23	PASS
Band40	20	39150	18	#0	QAM16	20MHz-25MHz	13.52	PASS
Band40	20	39150	18	#Max	QAM16	-1MHz-0MHz	30.17	PASS
Band40	20	39150	18	#Max	QAM16	-5MHz--1MHz	27.17	PASS
Band40	20	39150	18	#Max	QAM16	-20MHz--5MHz	18.18	PASS
Band40	20	39150	18	#Max	QAM16	-25MHz--20MHz	13.96	PASS
Band40	20	39150	18	#Max	QAM16	0MHz-1MHz	14.23	PASS
Band40	20	39150	18	#Max	QAM16	1MHz-5MHz	17.34	PASS
Band40	20	39150	18	#Max	QAM16	5MHz-20MHz	22.28	PASS
Band40	20	39150	18	#Max	QAM16	20MHz-25MHz	13.41	PASS
Band40	20	39150	100	#0	QAM16	-1MHz-0MHz	18.65	PASS

Band40	20	39150	100	#0	QAM16	-5MHz--1MHz	17.55	PASS
Band40	20	39150	100	#0	QAM16	-20MHz--5MHz	16.20	PASS
Band40	20	39150	100	#0	QAM16	-25MHz--20MHz	11.93	PASS
Band40	20	39150	100	#0	QAM16	0MHz-1MHz	19.46	PASS
Band40	20	39150	100	#0	QAM16	1MHz-5MHz	18.53	PASS
Band40	20	39150	100	#0	QAM16	5MHz-20MHz	17.16	PASS
Band40	20	39150	100	#0	QAM16	20MHz-25MHz	11.53	PASS
Band40	20	39550	18	#0	QPSK	-1MHz-0MHz	14.96	PASS
Band40	20	39550	18	#0	QPSK	-5MHz--1MHz	16.28	PASS
Band40	20	39550	18	#0	QPSK	-20MHz--5MHz	22.50	PASS
Band40	20	39550	18	#0	QPSK	-25MHz--20MHz	13.60	PASS
Band40	20	39550	18	#0	QPSK	0MHz-1MHz	30.66	PASS
Band40	20	39550	18	#0	QPSK	1MHz-5MHz	27.48	PASS
Band40	20	39550	18	#0	QPSK	5MHz-20MHz	17.37	PASS
Band40	20	39550	18	#0	QPSK	20MHz-25MHz	13.83	PASS
Band40	20	39550	18	#Max	QPSK	-1MHz-0MHz	30.17	PASS
Band40	20	39550	18	#Max	QPSK	-5MHz--1MHz	27.04	PASS
Band40	20	39550	18	#Max	QPSK	-20MHz--5MHz	19.20	PASS
Band40	20	39550	18	#Max	QPSK	-25MHz--20MHz	13.74	PASS
Band40	20	39550	18	#Max	QPSK	0MHz-1MHz	14.20	PASS
Band40	20	39550	18	#Max	QPSK	1MHz-5MHz	14.61	PASS
Band40	20	39550	18	#Max	QPSK	5MHz-20MHz	21.96	PASS
Band40	20	39550	18	#Max	QPSK	20MHz-25MHz	13.80	PASS
Band40	20	39550	100	#0	QPSK	-1MHz-0MHz	22.33	PASS
Band40	20	39550	100	#0	QPSK	-5MHz--1MHz	21.84	PASS
Band40	20	39550	100	#0	QPSK	-20MHz--5MHz	20.25	PASS
Band40	20	39550	100	#0	QPSK	-25MHz--20MHz	12.95	PASS
Band40	20	39550	100	#0	QPSK	0MHz-1MHz	21.46	PASS
Band40	20	39550	100	#0	QPSK	1MHz-5MHz	20.70	PASS
Band40	20	39550	100	#0	QPSK	5MHz-20MHz	18.47	PASS
Band40	20	39550	100	#0	QPSK	20MHz-25MHz	11.87	PASS
Band40	20	39550	18	#0	QAM16	-1MHz-0MHz	14.68	PASS
Band40	20	39550	18	#0	QAM16	-5MHz--1MHz	17.31	PASS
Band40	20	39550	18	#0	QAM16	-20MHz--5MHz	22.61	PASS
Band40	20	39550	18	#0	QAM16	-25MHz--20MHz	13.60	PASS
Band40	20	39550	18	#0	QAM16	0MHz-1MHz	30.90	PASS
Band40	20	39550	18	#0	QAM16	1MHz-5MHz	27.61	PASS
Band40	20	39550	18	#0	QAM16	5MHz-20MHz	18.76	PASS
Band40	20	39550	18	#0	QAM16	20MHz-25MHz	13.97	PASS
Band40	20	39550	18	#Max	QAM16	-1MHz-0MHz	30.45	PASS
Band40	20	39550	18	#Max	QAM16	-5MHz--1MHz	26.96	PASS
Band40	20	39550	18	#Max	QAM16	-20MHz--5MHz	20.49	PASS
Band40	20	39550	18	#Max	QAM16	-25MHz--20MHz	13.62	PASS
Band40	20	39550	18	#Max	QAM16	0MHz-1MHz	14.27	PASS

Band40	20	39550	18	#Max	QAM16	1MHz-5MHz	16.45	PASS
Band40	20	39550	18	#Max	QAM16	5MHz-20MHz	22.40	PASS
Band40	20	39550	18	#Max	QAM16	20MHz-25MHz	13.82	PASS
Band40	20	39550	100	#0	QAM16	-1MHz-0MHz	22.32	PASS
Band40	20	39550	100	#0	QAM16	-5MHz--1MHz	21.54	PASS
Band40	20	39550	100	#0	QAM16	-20MHz--5MHz	20.08	PASS
Band40	20	39550	100	#0	QAM16	-25MHz--20MHz	12.97	PASS
Band40	20	39550	100	#0	QAM16	0MHz-1MHz	20.35	PASS
Band40	20	39550	100	#0	QAM16	1MHz-5MHz	20.03	PASS
Band40	20	39550	100	#0	QAM16	5MHz-20MHz	18.50	PASS
Band40	20	39550	100	#0	QAM16	20MHz-25MHz	11.66	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	7.86	PASS
Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	15.75	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	24.42	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	12.90	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	27.73	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	16.68	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	25.20	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	13.39	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	28.40	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	16.88	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	25.07	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	13.09	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	7.48	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	15.71	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	24.11	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	12.89	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	17.33	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	17.73	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	21.34	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	9.85	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	17.46	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	16.53	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	20.50	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	8.69	PASS
Band7	5	20775	8	#0	QAM16	-1MHz-0MHz	9.53	PASS
Band7	5	20775	8	#0	QAM16	-5MHz--1MHz	16.81	PASS
Band7	5	20775	8	#0	QAM16	-6MHz--5MHz	24.85	PASS
Band7	5	20775	8	#0	QAM16	-10MHz--6MHz	13.07	PASS
Band7	5	20775	8	#0	QAM16	0MHz-1MHz	29.42	PASS
Band7	5	20775	8	#0	QAM16	1MHz-5MHz	18.11	PASS
Band7	5	20775	8	#0	QAM16	5MHz-6MHz	25.39	PASS
Band7	5	20775	8	#0	QAM16	6MHz-10MHz	13.46	PASS
Band7	5	20775	8	#Max	QAM16	-1MHz-0MHz	29.10	PASS



Band7	5	20775	8	#Max	QAM16	-5MHz--1MHz	18.36	PASS
Band7	5	20775	8	#Max	QAM16	-6MHz--5MHz	25.00	PASS
Band7	5	20775	8	#Max	QAM16	-10MHz--6MHz	13.16	PASS
Band7	5	20775	8	#Max	QAM16	0MHz-1MHz	11.23	PASS
Band7	5	20775	8	#Max	QAM16	1MHz-5MHz	16.78	PASS
Band7	5	20775	8	#Max	QAM16	5MHz-6MHz	24.48	PASS
Band7	5	20775	8	#Max	QAM16	6MHz-10MHz	13.08	PASS
Band7	5	20775	25	#0	QAM16	-1MHz-0MHz	17.45	PASS
Band7	5	20775	25	#0	QAM16	-5MHz--1MHz	17.75	PASS
Band7	5	20775	25	#0	QAM16	-6MHz--5MHz	21.51	PASS
Band7	5	20775	25	#0	QAM16	-10MHz--6MHz	10.56	PASS
Band7	5	20775	25	#0	QAM16	0MHz-1MHz	17.76	PASS
Band7	5	20775	25	#0	QAM16	1MHz-5MHz	17.30	PASS
Band7	5	20775	25	#0	QAM16	5MHz-6MHz	20.61	PASS
Band7	5	20775	25	#0	QAM16	6MHz-10MHz	9.77	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	7.46	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	12.85	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	23.87	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	12.56	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	28.57	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	17.48	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	25.23	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	13.42	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	28.91	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	17.55	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	24.91	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	12.96	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	7.66	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	15.07	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	24.32	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	12.93	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	16.25	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	13.58	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	21.11	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	10.11	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	15.05	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	13.80	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	21.07	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	9.90	PASS
Band7	5	21100	8	#0	QAM16	-1MHz-0MHz	9.31	PASS
Band7	5	21100	8	#0	QAM16	-5MHz--1MHz	15.16	PASS
Band7	5	21100	8	#0	QAM16	-6MHz--5MHz	24.28	PASS
Band7	5	21100	8	#0	QAM16	-10MHz--6MHz	12.86	PASS
Band7	5	21100	8	#0	QAM16	0MHz-1MHz	29.02	PASS



Band7	5	21100	8	#0	QAM16	1MHz-5MHz	17.41	PASS
Band7	5	21100	8	#0	QAM16	5MHz-6MHz	25.28	PASS
Band7	5	21100	8	#0	QAM16	6MHz-10MHz	13.51	PASS
Band7	5	21100	8	#Max	QAM16	-1MHz-0MHz	30.92	PASS
Band7	5	21100	8	#Max	QAM16	-5MHz--1MHz	18.91	PASS
Band7	5	21100	8	#Max	QAM16	-6MHz--5MHz	25.02	PASS
Band7	5	21100	8	#Max	QAM16	-10MHz--6MHz	13.05	PASS
Band7	5	21100	8	#Max	QAM16	0MHz-1MHz	11.87	PASS
Band7	5	21100	8	#Max	QAM16	1MHz-5MHz	16.65	PASS
Band7	5	21100	8	#Max	QAM16	5MHz-6MHz	24.74	PASS
Band7	5	21100	8	#Max	QAM16	6MHz-10MHz	13.21	PASS
Band7	5	21100	25	#0	QAM16	-1MHz-0MHz	15.31	PASS
Band7	5	21100	25	#0	QAM16	-5MHz--1MHz	14.52	PASS
Band7	5	21100	25	#0	QAM16	-6MHz--5MHz	21.17	PASS
Band7	5	21100	25	#0	QAM16	-10MHz--6MHz	10.50	PASS
Band7	5	21100	25	#0	QAM16	0MHz-1MHz	18.22	PASS
Band7	5	21100	25	#0	QAM16	1MHz-5MHz	14.41	PASS
Band7	5	21100	25	#0	QAM16	5MHz-6MHz	21.10	PASS
Band7	5	21100	25	#0	QAM16	6MHz-10MHz	10.38	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	5.17	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	11.95	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	23.50	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	12.46	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	29.94	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	17.62	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	25.35	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	13.48	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	26.90	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	15.12	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	24.97	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	13.04	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	7.64	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	14.97	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	23.93	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	12.71	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	15.42	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	12.16	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	20.56	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	9.36	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	15.27	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	13.47	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	21.19	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	9.78	PASS
Band7	5	21425	8	#0	QAM16	-1MHz-0MHz	10.33	PASS

Band7	5	21425	8	#0	QAM16	-5MHz--1MHz	14.90	PASS
Band7	5	21425	8	#0	QAM16	-6MHz--5MHz	24.41	PASS
Band7	5	21425	8	#0	QAM16	-10MHz--6MHz	12.95	PASS
Band7	5	21425	8	#0	QAM16	0MHz-1MHz	31.27	PASS
Band7	5	21425	8	#0	QAM16	1MHz-5MHz	19.54	PASS
Band7	5	21425	8	#0	QAM16	5MHz-6MHz	25.33	PASS
Band7	5	21425	8	#0	QAM16	6MHz-10MHz	13.47	PASS
Band7	5	21425	8	#Max	QAM16	-1MHz-0MHz	29.22	PASS
Band7	5	21425	8	#Max	QAM16	-5MHz--1MHz	16.90	PASS
Band7	5	21425	8	#Max	QAM16	-6MHz--5MHz	24.97	PASS
Band7	5	21425	8	#Max	QAM16	-10MHz--6MHz	13.01	PASS
Band7	5	21425	8	#Max	QAM16	0MHz-1MHz	11.39	PASS
Band7	5	21425	8	#Max	QAM16	1MHz-5MHz	17.34	PASS
Band7	5	21425	8	#Max	QAM16	5MHz-6MHz	24.71	PASS
Band7	5	21425	8	#Max	QAM16	6MHz-10MHz	13.18	PASS
Band7	5	21425	25	#0	QAM16	-1MHz-0MHz	18.78	PASS
Band7	5	21425	25	#0	QAM16	-5MHz--1MHz	13.83	PASS
Band7	5	21425	25	#0	QAM16	-6MHz--5MHz	20.37	PASS
Band7	5	21425	25	#0	QAM16	-10MHz--6MHz	10.03	PASS
Band7	5	21425	25	#0	QAM16	0MHz-1MHz	17.11	PASS
Band7	5	21425	25	#0	QAM16	1MHz-5MHz	14.32	PASS
Band7	5	21425	25	#0	QAM16	5MHz-6MHz	21.20	PASS
Band7	5	21425	25	#0	QAM16	6MHz-10MHz	10.43	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	11.95	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	15.02	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	23.41	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	11.43	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	32.25	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	18.02	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	14.26	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	13.40	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	32.45	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	19.79	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	16.33	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	11.59	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	8.54	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	12.74	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	23.28	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	12.67	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	20.70	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	18.35	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	17.94	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	10.71	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	17.64	PASS

Band7	10	20800	50	#0	QPSK	1MHz-5MHz	16.17	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	15.36	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	9.38	PASS
Band7	10	20800	12	#0	QAM16	-1MHz-0MHz	13.87	PASS
Band7	10	20800	12	#0	QAM16	-5MHz--1MHz	16.78	PASS
Band7	10	20800	12	#0	QAM16	-10MHz--5MHz	23.82	PASS
Band7	10	20800	12	#0	QAM16	-15MHz--10MHz	11.42	PASS
Band7	10	20800	12	#0	QAM16	0MHz-1MHz	32.48	PASS
Band7	10	20800	12	#0	QAM16	1MHz-5MHz	19.17	PASS
Band7	10	20800	12	#0	QAM16	5MHz-10MHz	15.58	PASS
Band7	10	20800	12	#0	QAM16	10MHz-15MHz	13.43	PASS
Band7	10	20800	12	#Max	QAM16	-1MHz-0MHz	32.43	PASS
Band7	10	20800	12	#Max	QAM16	-5MHz--1MHz	21.08	PASS
Band7	10	20800	12	#Max	QAM16	-10MHz--5MHz	17.71	PASS
Band7	10	20800	12	#Max	QAM16	-15MHz--10MHz	11.46	PASS
Band7	10	20800	12	#Max	QAM16	0MHz-1MHz	11.94	PASS
Band7	10	20800	12	#Max	QAM16	1MHz-5MHz	14.91	PASS
Band7	10	20800	12	#Max	QAM16	5MHz-10MHz	23.81	PASS
Band7	10	20800	12	#Max	QAM16	10MHz-15MHz	13.02	PASS
Band7	10	20800	50	#0	QAM16	-1MHz-0MHz	18.07	PASS
Band7	10	20800	50	#0	QAM16	-5MHz--1MHz	19.99	PASS
Band7	10	20800	50	#0	QAM16	-10MHz--5MHz	18.82	PASS
Band7	10	20800	50	#0	QAM16	-15MHz--10MHz	10.69	PASS
Band7	10	20800	50	#0	QAM16	0MHz-1MHz	19.15	PASS
Band7	10	20800	50	#0	QAM16	1MHz-5MHz	18.12	PASS
Band7	10	20800	50	#0	QAM16	5MHz-10MHz	16.71	PASS
Band7	10	20800	50	#0	QAM16	10MHz-15MHz	8.82	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	7.93	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	10.01	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	22.71	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	11.27	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	32.59	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	19.90	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	16.23	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	13.51	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	31.82	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	19.50	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	16.16	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	11.57	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	10.65	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	13.97	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	23.47	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	13.02	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	17.63	PASS

Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	14.52	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	13.98	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	10.10	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	18.61	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	15.38	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	15.07	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	10.13	PASS
Band7	10	21100	12	#0	QAM16	-1MHz-0MHz	9.75	PASS
Band7	10	21100	12	#0	QAM16	-5MHz--1MHz	13.79	PASS
Band7	10	21100	12	#0	QAM16	-10MHz--5MHz	23.30	PASS
Band7	10	21100	12	#0	QAM16	-15MHz--10MHz	11.42	PASS
Band7	10	21100	12	#0	QAM16	0MHz-1MHz	32.55	PASS
Band7	10	21100	12	#0	QAM16	1MHz-5MHz	20.38	PASS
Band7	10	21100	12	#0	QAM16	5MHz-10MHz	16.96	PASS
Band7	10	21100	12	#0	QAM16	10MHz-15MHz	13.40	PASS
Band7	10	21100	12	#Max	QAM16	-1MHz-0MHz	32.33	PASS
Band7	10	21100	12	#Max	QAM16	-5MHz--1MHz	20.93	PASS
Band7	10	21100	12	#Max	QAM16	-10MHz--5MHz	17.60	PASS
Band7	10	21100	12	#Max	QAM16	-15MHz--10MHz	11.52	PASS
Band7	10	21100	12	#Max	QAM16	0MHz-1MHz	11.90	PASS
Band7	10	21100	12	#Max	QAM16	1MHz-5MHz	16.34	PASS
Band7	10	21100	12	#Max	QAM16	5MHz-10MHz	23.91	PASS
Band7	10	21100	12	#Max	QAM16	10MHz-15MHz	13.23	PASS
Band7	10	21100	50	#0	QAM16	-1MHz-0MHz	18.46	PASS
Band7	10	21100	50	#0	QAM16	-5MHz--1MHz	15.76	PASS
Band7	10	21100	50	#0	QAM16	-10MHz--5MHz	16.34	PASS
Band7	10	21100	50	#0	QAM16	-15MHz--10MHz	9.94	PASS
Band7	10	21100	50	#0	QAM16	0MHz-1MHz	18.51	PASS
Band7	10	21100	50	#0	QAM16	1MHz-5MHz	16.09	PASS
Band7	10	21100	50	#0	QAM16	5MHz-10MHz	16.32	PASS
Band7	10	21100	50	#0	QAM16	10MHz-15MHz	9.98	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	6.75	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	10.87	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	22.95	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	11.33	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	32.77	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	21.02	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	17.50	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	13.43	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	30.93	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	19.69	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	16.45	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	11.44	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	9.98	PASS

Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	13.56	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	23.69	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	13.11	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	17.58	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	13.83	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	14.22	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	9.71	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	18.49	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	14.99	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	15.18	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	10.40	PASS
Band7	10	21400	12	#0	QAM16	-1MHz-0MHz	10.33	PASS
Band7	10	21400	12	#0	QAM16	-5MHz--1MHz	13.67	PASS
Band7	10	21400	12	#0	QAM16	-10MHz--5MHz	23.58	PASS
Band7	10	21400	12	#0	QAM16	-15MHz--10MHz	11.28	PASS
Band7	10	21400	12	#0	QAM16	0MHz-1MHz	33.57	PASS
Band7	10	21400	12	#0	QAM16	1MHz-5MHz	21.19	PASS
Band7	10	21400	12	#0	QAM16	5MHz-10MHz	17.82	PASS
Band7	10	21400	12	#0	QAM16	10MHz-15MHz	13.44	PASS
Band7	10	21400	12	#Max	QAM16	-1MHz-0MHz	32.16	PASS
Band7	10	21400	12	#Max	QAM16	-5MHz--1MHz	19.92	PASS
Band7	10	21400	12	#Max	QAM16	-10MHz--5MHz	16.60	PASS
Band7	10	21400	12	#Max	QAM16	-15MHz--10MHz	11.50	PASS
Band7	10	21400	12	#Max	QAM16	0MHz-1MHz	12.10	PASS
Band7	10	21400	12	#Max	QAM16	1MHz-5MHz	16.11	PASS
Band7	10	21400	12	#Max	QAM16	5MHz-10MHz	24.18	PASS
Band7	10	21400	12	#Max	QAM16	10MHz-15MHz	13.17	PASS
Band7	10	21400	50	#0	QAM16	-1MHz-0MHz	16.97	PASS
Band7	10	21400	50	#0	QAM16	-5MHz--1MHz	15.32	PASS
Band7	10	21400	50	#0	QAM16	-10MHz--5MHz	16.57	PASS
Band7	10	21400	50	#0	QAM16	-15MHz--10MHz	9.51	PASS
Band7	10	21400	50	#0	QAM16	0MHz-1MHz	18.52	PASS
Band7	10	21400	50	#0	QAM16	1MHz-5MHz	16.17	PASS
Band7	10	21400	50	#0	QAM16	5MHz-10MHz	15.88	PASS
Band7	10	21400	50	#0	QAM16	10MHz-15MHz	10.04	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	13.98	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	15.93	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	22.50	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	13.48	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	30.62	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	27.73	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	15.94	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	13.71	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	30.67	PASS

Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	27.16	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	19.74	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	13.67	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	8.69	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	10.88	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	20.56	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	13.28	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	21.24	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	19.98	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	18.40	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	13.58	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	19.08	PASS
Band7	20	20850	100	#0	QPSK	1MHz-5MHz	17.23	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	14.99	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	10.70	PASS
Band7	20	20850	18	#0	QAM16	-1MHz-0MHz	16.10	PASS
Band7	20	20850	18	#0	QAM16	-5MHz--1MHz	17.39	PASS
Band7	20	20850	18	#0	QAM16	-20MHz--5MHz	22.41	PASS
Band7	20	20850	18	#0	QAM16	-25MHz--20MHz	13.51	PASS
Band7	20	20850	18	#0	QAM16	0MHz-1MHz	31.00	PASS
Band7	20	20850	18	#0	QAM16	1MHz-5MHz	27.81	PASS
Band7	20	20850	18	#0	QAM16	5MHz-20MHz	17.42	PASS
Band7	20	20850	18	#0	QAM16	20MHz-25MHz	13.69	PASS
Band7	20	20850	18	#Max	QAM16	-1MHz-0MHz	30.84	PASS
Band7	20	20850	18	#Max	QAM16	-5MHz--1MHz	27.22	PASS
Band7	20	20850	18	#Max	QAM16	-20MHz--5MHz	21.02	PASS
Band7	20	20850	18	#Max	QAM16	-25MHz--20MHz	13.68	PASS
Band7	20	20850	18	#Max	QAM16	0MHz-1MHz	12.11	PASS
Band7	20	20850	18	#Max	QAM16	1MHz-5MHz	13.60	PASS
Band7	20	20850	18	#Max	QAM16	5MHz-20MHz	21.62	PASS
Band7	20	20850	18	#Max	QAM16	20MHz-25MHz	13.53	PASS
Band7	20	20850	100	#0	QAM16	-1MHz-0MHz	22.12	PASS
Band7	20	20850	100	#0	QAM16	-5MHz--1MHz	21.90	PASS
Band7	20	20850	100	#0	QAM16	-20MHz--5MHz	20.27	PASS
Band7	20	20850	100	#0	QAM16	-25MHz--20MHz	13.52	PASS
Band7	20	20850	100	#0	QAM16	0MHz-1MHz	20.32	PASS
Band7	20	20850	100	#0	QAM16	1MHz-5MHz	19.18	PASS
Band7	20	20850	100	#0	QAM16	5MHz-20MHz	16.79	PASS
Band7	20	20850	100	#0	QAM16	20MHz-25MHz	10.53	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	8.45	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	10.29	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	19.78	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	31.43	PASS



Band7	20	21100	18	#0	QPSK	1MHz-5MHz	27.92	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	18.05	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	13.70	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	29.34	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	26.89	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	17.23	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	13.60	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	13.36	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	15.35	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	22.16	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	13.54	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	17.75	PASS
Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	16.40	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	15.24	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	12.28	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	17.92	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	17.66	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	16.22	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	11.14	PASS
Band7	20	21100	18	#0	QAM16	-1MHz-0MHz	10.56	PASS
Band7	20	21100	18	#0	QAM16	-5MHz--1MHz	13.00	PASS
Band7	20	21100	18	#0	QAM16	-20MHz--5MHz	21.05	PASS
Band7	20	21100	18	#0	QAM16	-25MHz--20MHz	13.50	PASS
Band7	20	21100	18	#0	QAM16	0MHz-1MHz	31.15	PASS
Band7	20	21100	18	#0	QAM16	1MHz-5MHz	28.00	PASS
Band7	20	21100	18	#0	QAM16	5MHz-20MHz	18.89	PASS
Band7	20	21100	18	#0	QAM16	20MHz-25MHz	13.69	PASS
Band7	20	21100	18	#Max	QAM16	-1MHz-0MHz	30.33	PASS
Band7	20	21100	18	#Max	QAM16	-5MHz--1MHz	26.88	PASS
Band7	20	21100	18	#Max	QAM16	-20MHz--5MHz	18.68	PASS
Band7	20	21100	18	#Max	QAM16	-25MHz--20MHz	13.60	PASS
Band7	20	21100	18	#Max	QAM16	0MHz-1MHz	15.06	PASS
Band7	20	21100	18	#Max	QAM16	1MHz-5MHz	17.38	PASS
Band7	20	21100	18	#Max	QAM16	5MHz-20MHz	22.64	PASS
Band7	20	21100	18	#Max	QAM16	20MHz-25MHz	13.50	PASS
Band7	20	21100	100	#0	QAM16	-1MHz-0MHz	18.84	PASS
Band7	20	21100	100	#0	QAM16	-5MHz--1MHz	18.53	PASS
Band7	20	21100	100	#0	QAM16	-20MHz--5MHz	17.35	PASS
Band7	20	21100	100	#0	QAM16	-25MHz--20MHz	12.40	PASS
Band7	20	21100	100	#0	QAM16	0MHz-1MHz	19.79	PASS
Band7	20	21100	100	#0	QAM16	1MHz-5MHz	18.73	PASS
Band7	20	21100	100	#0	QAM16	5MHz-20MHz	16.68	PASS
Band7	20	21100	100	#0	QAM16	20MHz-25MHz	10.89	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	14.11	PASS

Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	14.37	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	21.93	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	13.50	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	31.38	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	28.02	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	18.29	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	13.72	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	30.24	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	26.85	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	18.38	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	13.58	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	11.81	PASS
Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	13.13	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	21.33	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	13.61	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	19.73	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	19.05	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	16.96	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	12.62	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	19.91	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	18.88	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	16.39	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	13.28	PASS
Band7	20	21350	18	#0	QAM16	-1MHz-0MHz	14.55	PASS
Band7	20	21350	18	#0	QAM16	-5MHz--1MHz	16.26	PASS
Band7	20	21350	18	#0	QAM16	-20MHz--5MHz	22.20	PASS
Band7	20	21350	18	#0	QAM16	-25MHz--20MHz	13.51	PASS
Band7	20	21350	18	#0	QAM16	0MHz-1MHz	31.36	PASS
Band7	20	21350	18	#0	QAM16	1MHz-5MHz	28.06	PASS
Band7	20	21350	18	#0	QAM16	5MHz-20MHz	19.64	PASS
Band7	20	21350	18	#0	QAM16	20MHz-25MHz	13.70	PASS
Band7	20	21350	18	#Max	QAM16	-1MHz-0MHz	30.07	PASS
Band7	20	21350	18	#Max	QAM16	-5MHz--1MHz	26.95	PASS
Band7	20	21350	18	#Max	QAM16	-20MHz--5MHz	20.06	PASS
Band7	20	21350	18	#Max	QAM16	-25MHz--20MHz	13.55	PASS
Band7	20	21350	18	#Max	QAM16	0MHz-1MHz	12.80	PASS
Band7	20	21350	18	#Max	QAM16	1MHz-5MHz	15.30	PASS
Band7	20	21350	18	#Max	QAM16	5MHz-20MHz	21.99	PASS
Band7	20	21350	18	#Max	QAM16	20MHz-25MHz	13.55	PASS
Band7	20	21350	100	#0	QAM16	-1MHz-0MHz	21.13	PASS
Band7	20	21350	100	#0	QAM16	-5MHz--1MHz	20.28	PASS
Band7	20	21350	100	#0	QAM16	-20MHz--5MHz	18.67	PASS
Band7	20	21350	100	#0	QAM16	-25MHz--20MHz	12.50	PASS
Band7	20	21350	100	#0	QAM16	0MHz-1MHz	19.55	PASS

Band7	20	21350	100	#0	QAM16	1MHz-5MHz	18.97	PASS
Band7	20	21350	100	#0	QAM16	5MHz-20MHz	16.94	PASS
Band7	20	21350	100	#0	QAM16	20MHz-25MHz	13.27	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	19.37	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	23.20	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	12.35	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	20.26	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	22.33	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	11.37	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	21.84	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	24.75	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	12.42	PASS
Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	17.09	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	20.55	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	11.34	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	25.98	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	24.63	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	12.25	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	24.29	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	22.81	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	10.99	PASS
Band8	1.4	21457	5	#0	QAM16	-1MHz-0MHz	22.11	PASS
Band8	1.4	21457	5	#0	QAM16	-2.5MHz--1MHz	24.13	PASS
Band8	1.4	21457	5	#0	QAM16	-3.5MHz--2.5MHz	12.66	PASS
Band8	1.4	21457	5	#0	QAM16	0MHz-1MHz	24.67	PASS
Band8	1.4	21457	5	#0	QAM16	1MHz-2.5MHz	23.12	PASS
Band8	1.4	21457	5	#0	QAM16	2.5MHz-3.5MHz	11.69	PASS
Band8	1.4	21457	5	#Max	QAM16	-1MHz-0MHz	24.11	PASS
Band8	1.4	21457	5	#Max	QAM16	-2.5MHz--1MHz	25.24	PASS
Band8	1.4	21457	5	#Max	QAM16	-3.5MHz--2.5MHz	12.69	PASS
Band8	1.4	21457	5	#Max	QAM16	0MHz-1MHz	22.06	PASS
Band8	1.4	21457	5	#Max	QAM16	1MHz-2.5MHz	22.25	PASS
Band8	1.4	21457	5	#Max	QAM16	2.5MHz-3.5MHz	11.66	PASS
Band8	1.4	21457	6	#0	QAM16	-1MHz-0MHz	25.19	PASS
Band8	1.4	21457	6	#0	QAM16	-2.5MHz--1MHz	25.24	PASS
Band8	1.4	21457	6	#0	QAM16	-3.5MHz--2.5MHz	13.43	PASS
Band8	1.4	21457	6	#0	QAM16	0MHz-1MHz	26.65	PASS
Band8	1.4	21457	6	#0	QAM16	1MHz-2.5MHz	22.96	PASS
Band8	1.4	21457	6	#0	QAM16	2.5MHz-3.5MHz	11.87	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	20.58	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	22.46	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	11.37	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	24.60	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	23.01	PASS

Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	11.50	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	25.42	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	23.38	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	11.58	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	19.95	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	21.76	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	11.51	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	23.99	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	22.59	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	11.15	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	23.70	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	22.20	PASS
Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	11.05	PASS
Band8	1.4	21625	5	#0	QAM16	-1MHz-0MHz	22.62	PASS
Band8	1.4	21625	5	#0	QAM16	-2.5MHz--1MHz	22.95	PASS
Band8	1.4	21625	5	#0	QAM16	-3.5MHz--2.5MHz	11.73	PASS
Band8	1.4	21625	5	#0	QAM16	0MHz-1MHz	25.23	PASS
Band8	1.4	21625	5	#0	QAM16	1MHz-2.5MHz	23.52	PASS
Band8	1.4	21625	5	#0	QAM16	2.5MHz-3.5MHz	11.74	PASS
Band8	1.4	21625	5	#Max	QAM16	-1MHz-0MHz	24.40	PASS
Band8	1.4	21625	5	#Max	QAM16	-2.5MHz--1MHz	23.86	PASS
Band8	1.4	21625	5	#Max	QAM16	-3.5MHz--2.5MHz	12.04	PASS
Band8	1.4	21625	5	#Max	QAM16	0MHz-1MHz	22.44	PASS
Band8	1.4	21625	5	#Max	QAM16	1MHz-2.5MHz	22.46	PASS
Band8	1.4	21625	5	#Max	QAM16	2.5MHz-3.5MHz	11.58	PASS
Band8	1.4	21625	6	#0	QAM16	-1MHz-0MHz	27.30	PASS
Band8	1.4	21625	6	#0	QAM16	-2.5MHz--1MHz	23.93	PASS
Band8	1.4	21625	6	#0	QAM16	-3.5MHz--2.5MHz	13.23	PASS
Band8	1.4	21625	6	#0	QAM16	0MHz-1MHz	24.13	PASS
Band8	1.4	21625	6	#0	QAM16	1MHz-2.5MHz	23.32	PASS
Band8	1.4	21625	6	#0	QAM16	2.5MHz-3.5MHz	12.95	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	12.44	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	17.76	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	10.83	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	14.85	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	22.69	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	11.79	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	13.53	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	20.10	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	10.96	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	14.10	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	21.03	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	11.71	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	19.93	PASS

Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	18.77	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	10.86	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	21.83	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	20.88	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	11.84	PASS
Band8	1.4	21793	5	#0	QAM16	-1MHz-0MHz	15.95	PASS
Band8	1.4	21793	5	#0	QAM16	-2.5MHz--1MHz	20.86	PASS
Band8	1.4	21793	5	#0	QAM16	-3.5MHz--2.5MHz	11.54	PASS
Band8	1.4	21793	5	#0	QAM16	0MHz-1MHz	19.49	PASS
Band8	1.4	21793	5	#0	QAM16	1MHz-2.5MHz	23.92	PASS
Band8	1.4	21793	5	#0	QAM16	2.5MHz-3.5MHz	12.40	PASS
Band8	1.4	21793	5	#Max	QAM16	-1MHz-0MHz	18.46	PASS
Band8	1.4	21793	5	#Max	QAM16	-2.5MHz--1MHz	22.61	PASS
Band8	1.4	21793	5	#Max	QAM16	-3.5MHz--2.5MHz	11.70	PASS
Band8	1.4	21793	5	#Max	QAM16	0MHz-1MHz	18.28	PASS
Band8	1.4	21793	5	#Max	QAM16	1MHz-2.5MHz	22.36	PASS
Band8	1.4	21793	5	#Max	QAM16	2.5MHz-3.5MHz	12.13	PASS
Band8	1.4	21793	6	#0	QAM16	-1MHz-0MHz	21.05	PASS
Band8	1.4	21793	6	#0	QAM16	-2.5MHz--1MHz	21.14	PASS
Band8	1.4	21793	6	#0	QAM16	-3.5MHz--2.5MHz	12.69	PASS
Band8	1.4	21793	6	#0	QAM16	0MHz-1MHz	23.71	PASS
Band8	1.4	21793	6	#0	QAM16	1MHz-2.5MHz	22.75	PASS
Band8	1.4	21793	6	#0	QAM16	2.5MHz-3.5MHz	13.67	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	9.47	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	19.25	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	24.93	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	12.76	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	33.04	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	25.55	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	25.01	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	13.11	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	33.46	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	26.34	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	25.07	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	12.69	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	7.19	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	13.60	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	24.55	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	12.83	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	19.55	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	20.77	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	24.69	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	12.67	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	17.48	PASS

Band8	5	21475	25	#0	QPSK	1MHz-5MHz	16.42	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	21.90	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	11.22	PASS
Band8	5	21475	8	#0	QAM16	-1MHz-0MHz	10.89	PASS
Band8	5	21475	8	#0	QAM16	-5MHz--1MHz	21.73	PASS
Band8	5	21475	8	#0	QAM16	-6MHz--5MHz	24.96	PASS
Band8	5	21475	8	#0	QAM16	-10MHz--6MHz	12.72	PASS
Band8	5	21475	8	#0	QAM16	0MHz-1MHz	33.08	PASS
Band8	5	21475	8	#0	QAM16	1MHz-5MHz	25.82	PASS
Band8	5	21475	8	#0	QAM16	5MHz-6MHz	24.97	PASS
Band8	5	21475	8	#0	QAM16	6MHz-10MHz	13.05	PASS
Band8	5	21475	8	#Max	QAM16	-1MHz-0MHz	34.44	PASS
Band8	5	21475	8	#Max	QAM16	-5MHz--1MHz	26.83	PASS
Band8	5	21475	8	#Max	QAM16	-6MHz--5MHz	25.08	PASS
Band8	5	21475	8	#Max	QAM16	-10MHz--6MHz	12.78	PASS
Band8	5	21475	8	#Max	QAM16	0MHz-1MHz	11.43	PASS
Band8	5	21475	8	#Max	QAM16	1MHz-5MHz	17.37	PASS
Band8	5	21475	8	#Max	QAM16	5MHz-6MHz	24.82	PASS
Band8	5	21475	8	#Max	QAM16	6MHz-10MHz	12.99	PASS
Band8	5	21475	25	#0	QAM16	-1MHz-0MHz	19.62	PASS
Band8	5	21475	25	#0	QAM16	-5MHz--1MHz	21.81	PASS
Band8	5	21475	25	#0	QAM16	-6MHz--5MHz	25.86	PASS
Band8	5	21475	25	#0	QAM16	-10MHz--6MHz	13.77	PASS
Band8	5	21475	25	#0	QAM16	0MHz-1MHz	17.74	PASS
Band8	5	21475	25	#0	QAM16	1MHz-5MHz	18.05	PASS
Band8	5	21475	25	#0	QAM16	5MHz-6MHz	23.51	PASS
Band8	5	21475	25	#0	QAM16	6MHz-10MHz	12.59	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	12.78	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	19.33	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	24.38	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	12.59	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	33.36	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	25.56	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	24.95	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	13.03	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	33.30	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	25.08	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	24.80	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	12.72	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	10.63	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	17.52	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	24.61	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	12.88	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	18.35	PASS



Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	21.05	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	23.39	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	11.77	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	16.42	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	20.67	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	23.49	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	12.25	PASS
Band8	5	21625	8	#0	QAM16	-1MHz-0MHz	14.32	PASS
Band8	5	21625	8	#0	QAM16	-5MHz--1MHz	20.79	PASS
Band8	5	21625	8	#0	QAM16	-6MHz--5MHz	24.47	PASS
Band8	5	21625	8	#0	QAM16	-10MHz--6MHz	12.53	PASS
Band8	5	21625	8	#0	QAM16	0MHz-1MHz	33.67	PASS
Band8	5	21625	8	#0	QAM16	1MHz-5MHz	25.84	PASS
Band8	5	21625	8	#0	QAM16	5MHz-6MHz	24.97	PASS
Band8	5	21625	8	#0	QAM16	6MHz-10MHz	13.04	PASS
Band8	5	21625	8	#Max	QAM16	-1MHz-0MHz	33.27	PASS
Band8	5	21625	8	#Max	QAM16	-5MHz--1MHz	25.46	PASS
Band8	5	21625	8	#Max	QAM16	-6MHz--5MHz	24.79	PASS
Band8	5	21625	8	#Max	QAM16	-10MHz--6MHz	12.59	PASS
Band8	5	21625	8	#Max	QAM16	0MHz-1MHz	15.59	PASS
Band8	5	21625	8	#Max	QAM16	1MHz-5MHz	19.60	PASS
Band8	5	21625	8	#Max	QAM16	5MHz-6MHz	24.70	PASS
Band8	5	21625	8	#Max	QAM16	6MHz-10MHz	13.05	PASS
Band8	5	21625	25	#0	QAM16	-1MHz-0MHz	16.45	PASS
Band8	5	21625	25	#0	QAM16	-5MHz--1MHz	20.10	PASS
Band8	5	21625	25	#0	QAM16	-6MHz--5MHz	24.77	PASS
Band8	5	21625	25	#0	QAM16	-10MHz--6MHz	13.29	PASS
Band8	5	21625	25	#0	QAM16	0MHz-1MHz	19.55	PASS
Band8	5	21625	25	#0	QAM16	1MHz-5MHz	19.84	PASS
Band8	5	21625	25	#0	QAM16	5MHz-6MHz	24.58	PASS
Band8	5	21625	25	#0	QAM16	6MHz-10MHz	13.62	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	10.85	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	17.23	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	23.91	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	12.38	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	33.56	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	26.06	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	25.18	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	13.00	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	31.76	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	24.86	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	24.52	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	12.45	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	7.99	PASS

Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	13.58	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	25.06	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	13.03	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	18.13	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	16.61	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	21.60	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	10.96	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	18.49	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	20.01	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	25.04	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	13.03	PASS
Band8	5	21775	8	#0	QAM16	-1MHz-0MHz	14.75	PASS
Band8	5	21775	8	#0	QAM16	-5MHz--1MHz	20.65	PASS
Band8	5	21775	8	#0	QAM16	-6MHz--5MHz	24.26	PASS
Band8	5	21775	8	#0	QAM16	-10MHz--6MHz	12.57	PASS
Band8	5	21775	8	#0	QAM16	0MHz-1MHz	33.74	PASS
Band8	5	21775	8	#0	QAM16	1MHz-5MHz	26.68	PASS
Band8	5	21775	8	#0	QAM16	5MHz-6MHz	24.98	PASS
Band8	5	21775	8	#0	QAM16	6MHz-10MHz	12.95	PASS
Band8	5	21775	8	#Max	QAM16	-1MHz-0MHz	33.46	PASS
Band8	5	21775	8	#Max	QAM16	-5MHz--1MHz	25.57	PASS
Band8	5	21775	8	#Max	QAM16	-6MHz--5MHz	24.59	PASS
Band8	5	21775	8	#Max	QAM16	-10MHz--6MHz	12.60	PASS
Band8	5	21775	8	#Max	QAM16	0MHz-1MHz	12.05	PASS
Band8	5	21775	8	#Max	QAM16	1MHz-5MHz	17.70	PASS
Band8	5	21775	8	#Max	QAM16	5MHz-6MHz	25.13	PASS
Band8	5	21775	8	#Max	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21775	25	#0	QAM16	-1MHz-0MHz	19.73	PASS
Band8	5	21775	25	#0	QAM16	-5MHz--1MHz	16.90	PASS
Band8	5	21775	25	#0	QAM16	-6MHz--5MHz	22.92	PASS
Band8	5	21775	25	#0	QAM16	-10MHz--6MHz	12.18	PASS
Band8	5	21775	25	#0	QAM16	0MHz-1MHz	18.12	PASS
Band8	5	21775	25	#0	QAM16	1MHz-5MHz	20.76	PASS
Band8	5	21775	25	#0	QAM16	5MHz-6MHz	26.99	PASS
Band8	5	21775	25	#0	QAM16	6MHz-10MHz	14.92	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	12.85	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	16.39	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	24.46	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	11.23	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	32.48	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	26.92	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	24.08	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	12.87	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	32.26	PASS


Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	27.37	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	24.34	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	11.22	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	12.02	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	14.51	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	23.19	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	12.91	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	22.72	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	23.17	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	23.94	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	11.19	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	18.32	PASS
Band8	10	21500	50	#0	QPSK	1MHz-5MHz	18.10	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	16.71	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	11.16	PASS
Band8	10	21500	12	#0	QAM16	-1MHz-0MHz	14.59	PASS
Band8	10	21500	12	#0	QAM16	-5MHz--1MHz	18.91	PASS
Band8	10	21500	12	#0	QAM16	-10MHz--5MHz	24.41	PASS
Band8	10	21500	12	#0	QAM16	-15MHz--10MHz	11.23	PASS
Band8	10	21500	12	#0	QAM16	0MHz-1MHz	32.56	PASS
Band8	10	21500	12	#0	QAM16	1MHz-5MHz	27.10	PASS
Band8	10	21500	12	#0	QAM16	5MHz-10MHz	24.28	PASS
Band8	10	21500	12	#0	QAM16	10MHz-15MHz	12.94	PASS
Band8	10	21500	12	#Max	QAM16	-1MHz-0MHz	32.69	PASS
Band8	10	21500	12	#Max	QAM16	-5MHz--1MHz	27.47	PASS
Band8	10	21500	12	#Max	QAM16	-10MHz--5MHz	24.37	PASS
Band8	10	21500	12	#Max	QAM16	-15MHz--10MHz	11.15	PASS
Band8	10	21500	12	#Max	QAM16	0MHz-1MHz	14.03	PASS
Band8	10	21500	12	#Max	QAM16	1MHz-5MHz	16.64	PASS
Band8	10	21500	12	#Max	QAM16	5MHz-10MHz	23.79	PASS
Band8	10	21500	12	#Max	QAM16	10MHz-15MHz	12.91	PASS
Band8	10	21500	50	#0	QAM16	-1MHz-0MHz	20.40	PASS
Band8	10	21500	50	#0	QAM16	-5MHz--1MHz	24.46	PASS
Band8	10	21500	50	#0	QAM16	-10MHz--5MHz	25.54	PASS
Band8	10	21500	50	#0	QAM16	-15MHz--10MHz	12.98	PASS
Band8	10	21500	50	#0	QAM16	0MHz-1MHz	19.96	PASS
Band8	10	21500	50	#0	QAM16	1MHz-5MHz	18.89	PASS
Band8	10	21500	50	#0	QAM16	5MHz-10MHz	17.96	PASS
Band8	10	21500	50	#0	QAM16	10MHz-15MHz	12.34	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	13.68	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	18.19	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	23.36	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	11.09	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	32.11	PASS

Band8	10	21625	12	#0	QPSK	1MHz-5MHz	26.89	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	24.25	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	13.03	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	32.26	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	26.66	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	23.51	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	11.19	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	13.19	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	15.03	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	23.70	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	12.85	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	21.23	PASS
Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	22.31	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	20.30	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	10.91	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	22.78	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	22.43	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	21.51	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	11.91	PASS
Band8	10	21625	12	#0	QAM16	-1MHz-0MHz	14.08	PASS
Band8	10	21625	12	#0	QAM16	-5MHz--1MHz	19.75	PASS
Band8	10	21625	12	#0	QAM16	-10MHz--5MHz	23.64	PASS
Band8	10	21625	12	#0	QAM16	-15MHz--10MHz	11.05	PASS
Band8	10	21625	12	#0	QAM16	0MHz-1MHz	32.45	PASS
Band8	10	21625	12	#0	QAM16	1MHz-5MHz	27.01	PASS
Band8	10	21625	12	#0	QAM16	5MHz-10MHz	24.37	PASS
Band8	10	21625	12	#0	QAM16	10MHz-15MHz	12.90	PASS
Band8	10	21625	12	#Max	QAM16	-1MHz-0MHz	32.64	PASS
Band8	10	21625	12	#Max	QAM16	-5MHz--1MHz	26.71	PASS
Band8	10	21625	12	#Max	QAM16	-10MHz--5MHz	23.68	PASS
Band8	10	21625	12	#Max	QAM16	-15MHz--10MHz	11.07	PASS
Band8	10	21625	12	#Max	QAM16	0MHz-1MHz	13.32	PASS
Band8	10	21625	12	#Max	QAM16	1MHz-5MHz	17.44	PASS
Band8	10	21625	12	#Max	QAM16	5MHz-10MHz	24.14	PASS
Band8	10	21625	12	#Max	QAM16	10MHz-15MHz	12.89	PASS
Band8	10	21625	50	#0	QAM16	-1MHz-0MHz	22.14	PASS
Band8	10	21625	50	#0	QAM16	-5MHz--1MHz	21.77	PASS
Band8	10	21625	50	#0	QAM16	-10MHz--5MHz	20.52	PASS
Band8	10	21625	50	#0	QAM16	-15MHz--10MHz	11.99	PASS
Band8	10	21625	50	#0	QAM16	0MHz-1MHz	20.06	PASS
Band8	10	21625	50	#0	QAM16	1MHz-5MHz	21.83	PASS
Band8	10	21625	50	#0	QAM16	5MHz-10MHz	21.78	PASS
Band8	10	21625	50	#0	QAM16	10MHz-15MHz	12.80	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	11.99	PASS

Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	16.33	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	22.74	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	10.85	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	32.40	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	27.45	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	25.01	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	30.40	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	26.07	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	23.07	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	11.00	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	10.72	PASS
Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	13.33	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	25.05	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	12.96	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	20.38	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	20.09	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	18.85	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	10.74	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	21.14	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	21.12	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	24.97	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#0	QAM16	-1MHz-0MHz	13.17	PASS
Band8	10	21750	12	#0	QAM16	-5MHz--1MHz	17.87	PASS
Band8	10	21750	12	#0	QAM16	-10MHz--5MHz	23.29	PASS
Band8	10	21750	12	#0	QAM16	-15MHz--10MHz	10.98	PASS
Band8	10	21750	12	#0	QAM16	0MHz-1MHz	32.96	PASS
Band8	10	21750	12	#0	QAM16	1MHz-5MHz	27.51	PASS
Band8	10	21750	12	#0	QAM16	5MHz-10MHz	24.99	PASS
Band8	10	21750	12	#0	QAM16	10MHz-15MHz	13.00	PASS
Band8	10	21750	12	#Max	QAM16	-1MHz-0MHz	31.89	PASS
Band8	10	21750	12	#Max	QAM16	-5MHz--1MHz	26.29	PASS
Band8	10	21750	12	#Max	QAM16	-10MHz--5MHz	23.28	PASS
Band8	10	21750	12	#Max	QAM16	-15MHz--10MHz	10.93	PASS
Band8	10	21750	12	#Max	QAM16	0MHz-1MHz	13.62	PASS
Band8	10	21750	12	#Max	QAM16	1MHz-5MHz	16.82	PASS
Band8	10	21750	12	#Max	QAM16	5MHz-10MHz	25.03	PASS
Band8	10	21750	12	#Max	QAM16	10MHz-15MHz	12.97	PASS
Band8	10	21750	50	#0	QAM16	-1MHz-0MHz	18.15	PASS
Band8	10	21750	50	#0	QAM16	-5MHz--1MHz	19.21	PASS
Band8	10	21750	50	#0	QAM16	-10MHz--5MHz	18.39	PASS
Band8	10	21750	50	#0	QAM16	-15MHz--10MHz	11.99	PASS
Band8	10	21750	50	#0	QAM16	0MHz-1MHz	21.29	PASS


Band8	10	21750	50	#0	QAM16	1MHz-5MHz	21.39	PASS
Band8	10	21750	50	#0	QAM16	5MHz-10MHz	26.70	PASS
Band8	10	21750	50	#0	QAM16	10MHz-15MHz	14.86	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max







Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max



Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max







Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max







Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max







Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max







Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0







Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0







Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max







Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0







Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0



Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0







Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max







Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0







Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0







Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max







Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#0



Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=8 Position=#0







Band38 QAM16 BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=8 Position=#Max




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0



Band38 QAM16 BW=10MHz Channel=37800 RB Size=12 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0







Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=12 Position=#Max



Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#Max







Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=18 Position=#Max




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#Max




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=18 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=18 Position=#Max




Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=18 Position=#0







Band38 QAM16 BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0







Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max







Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0







Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0







Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max



Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max







Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0







Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0







Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max







Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0



Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0







Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0







Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max







Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.4 LTE Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.04	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.48	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-64.57	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-54.89	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1935.89	-56.66	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-46.97	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.20	-74.23	-50	PASS
Band1	5	18025	1	#0	QPSK	1805	1	1863.80	-81.69	-50	PASS

						MHz-1880 MHz	MHz				
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.35	-79.31	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.60	-82.17	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.11	-82.09	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.28	-79.92	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.47	-82.10	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.54	-82.22	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1463.79	-81.72	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.74	-81.23	-50	PASS
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.60	-77.25	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.20	-80.67	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-79.86	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.00	-80.41	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.80	-74.27	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.56	-82.35	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.51	-82.20	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1913.60	-51.10	-15.5	PASS



						MHz					
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.92	-47.53	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.82	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.95	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-62.70	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1937.50	-54.78	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1963.36	-57.52	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3895.38	-49.82	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.96	-73.71	-50	PASS
Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.15	-81.72	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.26	-79.26	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.19	-82.15	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.55	-82.05	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.88	-79.92	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.07	-82.01	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.20	-82.16	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.18	-81.73	-50	PASS
Band1	5	18300	1	#0	QPSK	2010	1	2013.69	-81.22	-50	PASS

						MHz-2025 MHz	MHz				
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2604.70	-78.95	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.00	-80.64	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-79.78	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.00	-80.37	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.14	-73.93	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.58	-82.32	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.61	-82.18	-50	PASS
Band1	5	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1907.40	-54.02	-15.5	PASS
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.28	-54.10	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.02	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.22	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.70	-63.77	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-55.81	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1990.84	-58.67	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3950.63	-45.83	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.16	-77.82	-50	PASS

						MHz					
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.43	-81.72	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.64	-79.23	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.17	-82.11	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.80	-81.88	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-79.83	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.86	-81.97	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.41	-82.15	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.31	-81.76	-50	PASS
Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.49	-81.12	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.30	-79.64	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.00	-80.53	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.20	-79.79	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.20	-80.27	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2165.98	-77.83	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.28	-82.34	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.76	-82.08	-50	PASS

Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.70	-54.03	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1917.24	-54.06	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.97	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.13	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-65.72	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1882.47	-61.55	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	2652.41	-60.20	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-47.61	-30	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.10	-74.39	-50	PASS
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1866.43	-81.70	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.71	-79.36	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.46	-82.18	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.60	-82.04	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-80.00	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.18	-82.05	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.30	-82.19	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.55	-81.79	-50	PASS

						MHz					
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.54	-81.30	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2576.20	-77.92	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.10	-80.69	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.40	-79.84	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.60	-80.44	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.43	-74.25	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.86	-82.37	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.37	-82.17	-50	PASS
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.80	-37.17	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.02	-41.84	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.17	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.57	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-63.75	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1905.85	-54.61	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2663.36	-60.11	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-48.59	-30	PASS

Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.92	-72.94	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.38	-81.74	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.68	-79.35	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.35	-82.10	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.83	-81.99	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.36	-79.95	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.29	-82.00	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.65	-82.12	-50	PASS
Band1	20	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1463.44	-81.78	-50	PASS
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.98	-81.20	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.60	-79.71	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2359.20	-80.59	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-79.84	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.60	-80.36	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2147.62	-72.90	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.42	-82.37	-50	PASS

Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.39	-82.13	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1906.00	-53.83	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.84	-54.07	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.86	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.23	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-62.08	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1925.65	-47.60	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2644.29	-60.18	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3922.19	-44.25	-30	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.20	-73.31	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.08	-81.71	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.11	-79.31	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.68	-82.13	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.26	-81.91	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-79.84	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.92	-82.03	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.45	-82.18	-50	PASS



Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.36	-81.71	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.00	-81.17	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.80	-78.10	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.10	-80.57	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-79.83	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3625.20	-80.34	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2153.02	-73.02	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.62	-82.22	-50	PASS
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.56	-82.10	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1902.94	-54.07	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.64	-54.06	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.05	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.55	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	821.21	-70.72	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-68.79	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1319.00	-64.04	-30	PASS

Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5791.20	-58.77	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12655.50	-60.58	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.76	-84.27	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.83	-84.99	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.10	-82.51	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.43	-85.17	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.93	-74.54	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-83.12	-50	PASS
Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.19	-85.44	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1463.09	-85.35	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.36	-84.86	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.56	-84.47	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.30	-82.96	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.90	-83.83	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.20	-83.00	-50	PASS
Band20	5	24175	1	#0	QPSK	3600	1	3629.80	-83.67	-50	PASS

						MHz-3800 MHz	MHz				
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.81	-84.33	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.68	-85.61	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.70	-85.45	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.02	-85.36	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.72	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.56	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	834.02	-68.20	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	859.92	-69.45	-36	PASS
Band20	5	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1455.50	-63.97	-30	PASS
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5815.50	-58.79	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12650.78	-60.60	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.68	-84.28	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.18	-84.99	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.99	-82.47	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-85.20	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.56	-77.02	-50	PASS
Band20	5	24300	1	#0	QPSK	3510	1	3589.20	-83.14	-50	PASS

						MHz-3590 MHz	MHz				
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.42	-85.38	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.22	-85.33	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.26	-84.89	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.70	-84.47	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.15	-82.94	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.50	-83.85	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-83.11	-50	PASS
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.60	-83.59	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2152.66	-84.30	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.62	-85.58	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.72	-85.39	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	771.83	-85.40	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.07	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.89	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.75	-65.90	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 kHz	100 kHz	872.51	-72.17	-36	PASS

						MHz					
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1341.00	-64.05	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2571.90	-56.60	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12617.70	-60.50	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.56	-84.30	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.08	-85.00	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.22	-82.58	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.36	-85.21	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.62	-79.74	-50	PASS
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.52	-83.14	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.13	-85.41	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.52	-85.40	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.16	-84.89	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.37	-84.48	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.10	-82.94	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.80	-83.90	-50	PASS

Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.00	-83.09	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.20	-83.68	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.71	-84.28	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-85.63	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.95	-85.37	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	780.20	-85.34	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.90	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.07	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	799.54	-71.20	-36	PASS
Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	999.88	-72.54	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1478.50	-64.01	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5819.10	-58.68	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.15	-60.57	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.38	-84.28	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-85.04	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.57	-82.50	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960	1	944.22	-85.19	-50	PASS

						MHz	MHz				
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.12	-73.67	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.92	-83.14	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.84	-85.45	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.67	-85.32	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.92	-84.90	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.61	-84.46	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-82.99	-50	PASS
Band20	20	24250	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.50	-83.84	-50	PASS
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-83.08	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.60	-83.64	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.19	-84.29	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.10	-85.60	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.01	-85.42	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	781.28	-85.32	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.68	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.45	-36	PASS
Band20	20	24300	1	#0	QPSK	30	100	802.23	-71.31	-36	PASS



						MHz-812.00 MHz	kHz				
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	999.29	-72.73	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1324.00	-63.98	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5800.20	-58.79	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12658.20	-60.54	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.14	-84.32	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.40	-85.01	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.98	-82.54	-50	PASS
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-85.16	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.02	-73.62	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.76	-83.11	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.23	-85.42	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.32	-85.35	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.78	-84.90	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.58	-84.47	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.70	-82.96	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.40	-83.85	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.60	-83.09	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.00	-83.70	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.19	-84.38	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.20	-85.62	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.58	-85.36	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.41	-85.29	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.13	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.17	-36	PASS
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	813.62	-71.23	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	986.55	-72.69	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1470.50	-63.97	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5826.30	-58.75	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12645.38	-60.60	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.62	-84.30	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.85	-85.01	-50	PASS

Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.21	-82.57	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-85.25	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.82	-75.52	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-83.12	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.63	-85.44	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.95	-85.36	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.68	-84.88	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.73	-84.48	-50	PASS
Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.40	-82.94	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.10	-83.87	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-83.05	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.40	-83.66	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2124.58	-84.32	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.76	-85.55	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.75	-85.41	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.71	-85.37	-50	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150	1	0.01	-58.61	-36	PASS

						kHz	kHz				
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.23	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	946.17	-70.36	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-41.50	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-47.11	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12670.38	-54.49	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.42	-81.58	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1805.53	-82.32	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.98	-79.85	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	936.80	-82.69	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.35	-82.62	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-80.44	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.40	-82.60	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.41	-82.76	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.25	-82.70	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.18	-82.24	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.10	-81.79	-50	PASS

Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2600.90	-72.87	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.10	-81.20	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.80	-73.60	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.40	-81.01	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.63	-81.66	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.24	-82.92	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.39	-82.75	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.96	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.06	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	834.81	-70.94	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-42.07	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-46.84	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-54.37	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.46	-81.58	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.58	-74.49	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.35	-79.80	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960	1	930.25	-82.64	-50	PASS

						MHz	MHz				
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.07	-82.53	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.32	-80.43	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.12	-82.51	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.08	-82.69	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.86	-82.60	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.10	-82.20	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.82	-81.75	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2582.40	-79.45	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.60	-81.11	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-80.31	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.60	-80.94	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.28	-81.62	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.08	-82.90	-50	PASS
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.58	-82.63	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.05	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.47	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000	100	810.37	-71.00	-36	PASS

						MHz	kHz				
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1771.43	-39.20	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.87	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	7135.63	-53.65	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.14	-81.54	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.40	-78.65	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.25	-79.80	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.80	-82.61	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.00	-82.52	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-80.28	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.55	-82.55	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.88	-82.68	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.30	-82.63	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.14	-82.10	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.81	-81.70	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2598.20	-69.45	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300	1	2394.80	-81.11	-50	PASS



						MHz-2400 MHz	MHz				
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-80.33	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.00	-80.86	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2125.30	-81.55	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.60	-82.81	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.39	-82.61	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.07	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.54	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	951.60	-70.95	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-52.96	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2657.88	-51.45	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12591.56	-54.44	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.72	-81.60	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1807.25	-82.08	-50	PASS
Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.35	-79.87	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.01	-82.74	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.12	-82.61	-50	PASS
Band3	5	19225	1	#0	QPSK	3510	1	3589.52	-80.43	-50	PASS

						MHz-3590 MHz	MHz				
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.64	-82.53	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.98	-82.71	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.57	-82.73	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.16	-82.25	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.22	-81.81	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2600.10	-61.03	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.60	-81.24	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3404.80	-74.90	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.40	-81.02	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.86	-81.67	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.58	-82.93	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.20	-82.71	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.94	-36	PASS
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.35	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	947.14	-70.96	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-52.94	-30	PASS

Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2647.63	-51.42	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	6981.25	-54.19	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2163.46	-81.60	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1841.08	-73.02	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.66	-79.81	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.61	-82.68	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.75	-82.51	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-80.40	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.61	-82.48	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.69	-82.70	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.99	-82.68	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1905.22	-82.13	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.15	-81.80	-50	PASS
Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2575.00	-75.57	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.40	-81.16	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3403.20	-78.94	-50	PASS

						MHz					
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.80	-80.95	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.55	-81.61	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.76	-82.90	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.22	-82.68	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.92	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.53	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	857.90	-71.10	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-52.62	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2653.56	-51.53	-30	PASS
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	7121.00	-53.96	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.20	-81.53	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.33	-78.70	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.21	-79.80	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.99	-82.57	-50	PASS
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.07	-82.47	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.88	-80.36	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.04	-82.48	-50	PASS

Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.25	-82.62	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.88	-82.55	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.36	-82.09	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.95	-81.76	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.45	-80.24	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.50	-81.17	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.00	-80.35	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.20	-80.91	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.49	-81.55	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.16	-82.80	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.23	-82.63	-50	PASS
Band3	10	19250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.26	-36	PASS
Band3	10	19250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.82	-36	PASS
Band3	10	19250	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	916.29	-70.94	-36	PASS
Band3	10	19250	1	#0	QPSK	1000 MHz-1695.00 MHz	1 MHz	1692.92	-47.55	-30	PASS
Band3	10	19250	1	#0	QPSK	1735.00 MHz-3000 MHz	1 MHz	2653.18	-51.59	-30	PASS
Band3	10	19250	1	#0	QPSK	3000	1	12659.81	-54.39	-30	PASS

						MHz-12.75 GHz	MHz				
Band3	10	19250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.94	-81.62	-50	PASS
Band3	10	19250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1806.73	-82.05	-50	PASS
Band3	10	19250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.66	-79.90	-50	PASS
Band3	10	19250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.11	-82.69	-50	PASS
Band3	10	19250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.15	-82.56	-50	PASS
Band3	10	19250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3581.12	-80.52	-50	PASS
Band3	10	19250	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.84	-82.64	-50	PASS
Band3	10	19250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.43	-82.74	-50	PASS
Band3	10	19250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.58	-82.73	-50	PASS
Band3	10	19250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.48	-82.27	-50	PASS
Band3	10	19250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.14	-81.81	-50	PASS
Band3	10	19250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.75	-80.34	-50	PASS
Band3	10	19250	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.20	-81.22	-50	PASS
Band3	10	19250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-80.41	-50	PASS
Band3	10	19250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.80	-81.04	-50	PASS

Band3	10	19250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.48	-81.68	-50	PASS
Band3	10	19250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.36	-82.86	-50	PASS
Band3	10	19250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.81	-82.75	-50	PASS
Band3	10	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.14	-36	PASS
Band3	10	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.29	-36	PASS
Band3	10	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	970.61	-70.66	-36	PASS
Band3	10	19575	1	#0	QPSK	1000 MHz-1727.50 MHz	1 MHz	1725.32	-41.82	-30	PASS
Band3	10	19575	1	#0	QPSK	1767.50 MHz-3000 MHz	1 MHz	2653.87	-51.51	-30	PASS
Band3	10	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	6972.31	-53.69	-30	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.10	-81.62	-50	PASS
Band3	10	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1838.90	-72.40	-50	PASS
Band3	10	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.52	-79.80	-50	PASS
Band3	10	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.18	-82.70	-50	PASS
Band3	10	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.55	-82.55	-50	PASS
Band3	10	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.00	-80.46	-50	PASS
Band3	10	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.31	-82.46	-50	PASS
Band3	10	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.45	-82.68	-50	PASS
Band3	10	19575	1	#0	QPSK	1452	1	1460.14	-82.67	-50	PASS



						MHz-1496 MHz	MHz				
Band3	10	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.88	-82.12	-50	PASS
Band3	10	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.15	-81.75	-50	PASS
Band3	10	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.50	-80.19	-50	PASS
Band3	10	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.20	-81.10	-50	PASS
Band3	10	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-80.32	-50	PASS
Band3	10	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.80	-80.99	-50	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.19	-81.65	-50	PASS
Band3	10	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.00	-82.92	-50	PASS
Band3	10	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.13	-82.69	-50	PASS
Band3	10	19900	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.23	-36	PASS
Band3	10	19900	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.53	-36	PASS
Band3	10	19900	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	875.36	-71.12	-36	PASS
Band3	10	19900	1	#0	QPSK	1000 MHz-1760.00 MHz	1 MHz	1757.72	-43.45	-30	PASS
Band3	10	19900	1	#0	QPSK	1800.00 MHz-3000 MHz	1 MHz	2659.00	-51.39	-30	PASS
Band3	10	19900	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	7102.31	-52.98	-30	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.50	-81.53	-50	PASS

						MHz					
Band3	10	19900	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.53	-74.69	-50	PASS
Band3	10	19900	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.71	-79.74	-50	PASS
Band3	10	19900	1	#0	QPSK	925 MHz-960 MHz	1 MHz	949.89	-82.63	-50	PASS
Band3	10	19900	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.96	-82.46	-50	PASS
Band3	10	19900	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.40	-80.27	-50	PASS
Band3	10	19900	1	#0	QPSK	758 MHz-803 MHz	1 MHz	785.00	-82.53	-50	PASS
Band3	10	19900	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.36	-82.62	-50	PASS
Band3	10	19900	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.90	-82.61	-50	PASS
Band3	10	19900	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.94	-81.81	-50	PASS
Band3	10	19900	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.40	-81.70	-50	PASS
Band3	10	19900	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-80.19	-50	PASS
Band3	10	19900	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.10	-81.14	-50	PASS
Band3	10	19900	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3425.80	-78.85	-50	PASS
Band3	10	19900	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3624.80	-81.01	-50	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.29	-81.58	-50	PASS
Band3	10	19900	1	#0	QPSK	738 MHz-758	1	757.80	-82.83	-50	PASS

						MHz	MHz				
Band3	10	19900	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.84	-82.63	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.67	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.33	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	943.64	-71.15	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1608.28	-53.57	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	2634.80	-51.55	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12616.75	-54.39	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.02	-81.62	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1823.30	-78.46	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.90	-79.87	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.99	-82.66	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.86	-82.54	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.36	-80.43	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.44	-82.59	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.45	-82.72	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.71	-82.71	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.34	-82.13	-50	PASS

						MHz					
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.55	-81.78	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2608.15	-80.30	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.00	-81.14	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3488.60	-76.82	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3620.20	-81.06	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2163.19	-81.64	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.92	-82.88	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.56	-82.67	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.97	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.84	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	827.05	-71.13	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1702.53	-44.79	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2650.98	-51.53	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	6954.44	-54.24	-30	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.82	-81.47	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1835.08	-71.84	-50	PASS

Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.98	-79.76	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.91	-82.67	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.88	-82.53	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.04	-80.42	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.11	-82.50	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.59	-82.68	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1470.44	-82.66	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.96	-82.18	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.39	-81.71	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-80.22	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.30	-81.18	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3401.80	-78.61	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.40	-80.96	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.72	-81.64	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.52	-82.93	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-82.70	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150	1	0.01	-57.76	-36	PASS

						kHz	kHz				
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.55	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	508.79	-71.11	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-48.00	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2664.82	-51.52	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	7064.13	-53.32	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.36	-81.53	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.25	-73.13	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.37	-79.74	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.32	-82.56	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	811.88	-82.44	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-80.37	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.34	-82.51	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.05	-82.63	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.85	-82.56	-50	PASS
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.18	-82.15	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.56	-81.71	-50	PASS

Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.80	-80.23	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.60	-81.07	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3415.80	-77.83	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.60	-80.94	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.06	-81.60	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.14	-82.78	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.67	-82.58	-50	PASS
Band38	5	37775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.01	-36	PASS
Band38	5	37775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	9.08	-58.53	-36	PASS
Band38	5	37775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	938.60	-69.79	-36	PASS
Band38	5	37775	1	#0	QPSK	1000 MHz-2560.00 MHz	1 MHz	2560.00	-54.98	-30	PASS
Band38	5	37775	1	#0	QPSK	2585.00 MHz-3000 MHz	1 MHz	2586.38	-57.13	-30	PASS
Band38	5	37775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12667.13	-53.48	-30	PASS
Band38	5	37775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.66	-79.71	-50	PASS
Band38	5	37775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.45	-80.42	-50	PASS
Band38	5	37775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.82	-80.84	-50	PASS
Band38	5	37775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.65	-80.67	-50	PASS



Band38	5	37775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.52	-78.53	-50	PASS
Band38	5	37775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.00	-80.69	-50	PASS
Band38	5	37775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.51	-80.84	-50	PASS
Band38	5	37775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.36	-80.42	-50	PASS
Band38	5	37775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.22	-80.31	-50	PASS
Band38	5	37775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.78	-79.94	-50	PASS
Band38	5	37775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.20	-79.27	-50	PASS
Band38	5	37775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-78.51	-50	PASS
Band38	5	37775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.20	-79.12	-50	PASS
Band38	5	37775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.91	-79.77	-50	PASS
Band38	5	37775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.44	-81.03	-50	PASS
Band38	5	37775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.04	-80.86	-50	PASS
Band38	5	37775	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2644.63	-50.67	-15.5	PASS
Band38	5	37775	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2648.83	-50.64	1.6	PASS
Band38	5	38000	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.26	-36	PASS
Band38	5	38000	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.06	-36	PASS
Band38	5	38000	1	#0	QPSK	30 MHz-1000	100	31.55	-54.87	-36	PASS

						MHz	kHz				
Band38	5	38000	1	#0	QPSK	1000 MHz-2582.50 MHz	1 MHz	2582.50	-50.43	-30	PASS
Band38	5	38000	1	#0	QPSK	2607.50 MHz-3000 MHz	1 MHz	2609.14	-56.46	-30	PASS
Band38	5	38000	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.13	-53.54	-30	PASS
Band38	5	38000	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.16	-79.68	-50	PASS
Band38	5	38000	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.28	-80.42	-50	PASS
Band38	5	38000	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.29	-80.76	-50	PASS
Band38	5	38000	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.34	-80.67	-50	PASS
Band38	5	38000	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.40	-78.57	-50	PASS
Band38	5	38000	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.77	-80.69	-50	PASS
Band38	5	38000	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.33	-80.88	-50	PASS
Band38	5	38000	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.20	-80.74	-50	PASS
Band38	5	38000	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.18	-80.25	-50	PASS
Band38	5	38000	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.09	-79.84	-50	PASS
Band38	5	38000	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.40	-79.31	-50	PASS
Band38	5	38000	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-78.47	-50	PASS
Band38	5	38000	1	#0	QPSK	3600	1	3609.20	-79.01	-50	PASS

						MHz-3800 MHz	MHz				
Band38	5	38000	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.42	-79.64	-50	PASS
Band38	5	38000	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.74	-81.01	-50	PASS
Band38	5	38000	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.51	-80.81	-50	PASS
Band38	5	38000	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2641.73	-50.67	-15.5	PASS
Band38	5	38000	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2660.80	-50.56	1.6	PASS
Band38	5	38225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.48	-36	PASS
Band38	5	38225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.01	-36	PASS
Band38	5	38225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	54.06	-52.36	-36	PASS
Band38	5	38225	1	#0	QPSK	1000 MHz-2605.00 MHz	1 MHz	2598.58	-57.11	-30	PASS
Band38	5	38225	1	#0	QPSK	2630.00 MHz-3000 MHz	1 MHz	2630.62	-58.13	-30	PASS
Band38	5	38225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12648.44	-53.48	-30	PASS
Band38	5	38225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.96	-79.71	-50	PASS
Band38	5	38225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.53	-80.40	-50	PASS
Band38	5	38225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.07	-80.76	-50	PASS
Band38	5	38225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.17	-80.63	-50	PASS
Band38	5	38225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3581.44	-78.47	-50	PASS
Band38	5	38225	1	#0	QPSK	758 MHz-803 MHz	1	801.88	-80.64	-50	PASS

						MHz	MHz				
Band38	5	38225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.37	-80.83	-50	PASS
Band38	5	38225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1474.53	-80.79	-50	PASS
Band38	5	38225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.84	-80.23	-50	PASS
Band38	5	38225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.21	-79.88	-50	PASS
Band38	5	38225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.20	-79.23	-50	PASS
Band38	5	38225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.00	-78.44	-50	PASS
Band38	5	38225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.60	-79.05	-50	PASS
Band38	5	38225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.90	-79.75	-50	PASS
Band38	5	38225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.74	-80.96	-50	PASS
Band38	5	38225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.90	-80.82	-50	PASS
Band38	5	38225	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2620.15	-50.26	-15.5	PASS
Band38	5	38225	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2645.63	-50.50	1.6	PASS
Band38	20	37850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.32	-36	PASS
Band38	20	37850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-58.96	-36	PASS
Band38	20	37850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	219.93	-70.03	-36	PASS
Band38	20	37850	1	#0	QPSK	1000 MHz-2545.00 MHz	1 MHz	2545.00	-56.75	-30	PASS

Band38	20	37850	1	#0	QPSK	2615.00 MHz-3000 MHz	1 MHz	2752.64	-59.54	-30	PASS
Band38	20	37850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12656.56	-53.41	-30	PASS
Band38	20	37850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2141.68	-79.65	-50	PASS
Band38	20	37850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.68	-80.41	-50	PASS
Band38	20	37850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.39	-80.65	-50	PASS
Band38	20	37850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.19	-80.64	-50	PASS
Band38	20	37850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-78.44	-50	PASS
Band38	20	37850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.16	-80.59	-50	PASS
Band38	20	37850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.27	-80.79	-50	PASS
Band38	20	37850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.76	-80.80	-50	PASS
Band38	20	37850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.28	-80.32	-50	PASS
Band38	20	37850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.47	-79.85	-50	PASS
Band38	20	37850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.80	-79.27	-50	PASS
Band38	20	37850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-78.46	-50	PASS
Band38	20	37850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.20	-79.02	-50	PASS
Band38	20	37850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2151.58	-79.69	-50	PASS

						MHz					
Band38	20	37850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.58	-81.01	-50	PASS
Band38	20	37850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.12	-80.81	-50	PASS
Band38	20	37850	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2643.98	-50.68	-15.5	PASS
Band38	20	37850	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2653.10	-50.57	1.6	PASS
Band38	20	38000	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.73	-36	PASS
Band38	20	38000	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.61	-36	PASS
Band38	20	38000	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	919.78	-69.89	-36	PASS
Band38	20	38000	1	#0	QPSK	1000 MHz-2560.00 MHz	1 MHz	2550.64	-44.54	-30	PASS
Band38	20	38000	1	#0	QPSK	2630.00 MHz-3000 MHz	1 MHz	2630.62	-58.75	-30	PASS
Band38	20	38000	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12642.75	-53.33	-30	PASS
Band38	20	38000	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2144.98	-79.67	-50	PASS
Band38	20	38000	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.43	-80.38	-50	PASS
Band38	20	38000	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-80.73	-50	PASS
Band38	20	38000	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.78	-80.61	-50	PASS
Band38	20	38000	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.40	-78.58	-50	PASS
Band38	20	38000	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.75	-80.62	-50	PASS
Band38	20	38000	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.54	-80.83	-50	PASS

Band38	20	38000	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.22	-80.80	-50	PASS
Band38	20	38000	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.60	-80.31	-50	PASS
Band38	20	38000	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.89	-79.85	-50	PASS
Band38	20	38000	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.10	-79.29	-50	PASS
Band38	20	38000	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.80	-78.43	-50	PASS
Band38	20	38000	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.20	-79.04	-50	PASS
Band38	20	38000	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.06	-79.71	-50	PASS
Band38	20	38000	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.28	-81.06	-50	PASS
Band38	20	38000	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.86	-80.76	-50	PASS
Band38	20	38000	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2642.25	-50.63	-15.5	PASS
Band38	20	38000	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2649.64	-50.58	1.6	PASS
Band38	20	38150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.13	-36	PASS
Band38	20	38150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.65	-36	PASS
Band38	20	38150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	39.89	-53.35	-36	PASS
Band38	20	38150	1	#0	QPSK	1000 MHz-2575.00 MHz	1 MHz	2565.55	-36.19	-30	PASS
Band38	20	38150	1	#0	QPSK	2645.00 MHz-3000 MHz	1 MHz	2645.59	-56.97	-30	PASS
Band38	20	38150	1	#0	QPSK	3000	1	12641.13	-53.54	-30	PASS



						MHz-12.75 GHz	MHz				
Band38	20	38150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.56	-79.68	-50	PASS
Band38	20	38150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.45	-80.42	-50	PASS
Band38	20	38150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-80.70	-50	PASS
Band38	20	38150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.71	-80.65	-50	PASS
Band38	20	38150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.68	-78.60	-50	PASS
Band38	20	38150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.93	-80.64	-50	PASS
Band38	20	38150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.66	-80.81	-50	PASS
Band38	20	38150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.58	-80.79	-50	PASS
Band38	20	38150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.84	-80.32	-50	PASS
Band38	20	38150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.20	-79.89	-50	PASS
Band38	20	38150	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.30	-79.26	-50	PASS
Band38	20	38150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-78.47	-50	PASS
Band38	20	38150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.40	-79.05	-50	PASS
Band38	20	38150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.55	-79.71	-50	PASS
Band38	20	38150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.56	-80.97	-50	PASS
Band38	20	38150	1	#0	QPSK	753 MHz-783	1	780.87	-80.79	-50	PASS

						MHz	MHz				
Band38	20	38150	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2636.40	-24.01	-15.5	PASS
Band38	20	38150	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2645.23	-47.51	1.6	PASS
Band40	5	38675	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.47	-36	PASS
Band40	5	38675	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.37	-36	PASS
Band40	5	38675	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	889.23	-67.83	-36	PASS
Band40	5	38675	1	#0	QPSK	1000 MHz-2290.00 MHz	1 MHz	2284.84	-58.80	-30	PASS
Band40	5	38675	1	#0	QPSK	2315.00 MHz-3000 MHz	1 MHz	2318.43	-57.36	-30	PASS
Band40	5	38675	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12674.44	-53.63	-30	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2114.20	-65.10	-50	PASS
Band40	5	38675	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1880.00	-67.79	-50	PASS
Band40	5	38675	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2627.77	-65.02	-50	PASS
Band40	5	38675	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.07	-71.45	-50	PASS
Band40	5	38675	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.52	-71.32	-50	PASS
Band40	5	38675	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.44	-66.89	-50	PASS
Band40	5	38675	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.82	-71.33	-50	PASS
Band40	5	38675	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.51	-71.49	-50	PASS
Band40	5	38675	1	#0	QPSK	1452	1	1467.53	-68.89	-50	PASS

						MHz-1496 MHz	MHz				
Band40	5	38675	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.68	-68.57	-50	PASS
Band40	5	38675	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.60	-65.98	-50	PASS
Band40	5	38675	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2570.70	-63.99	-50	PASS
Band40	5	38675	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-66.83	-50	PASS
Band40	5	38675	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-67.22	-50	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.44	-67.20	-50	PASS
Band40	5	38675	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.80	-71.61	-50	PASS
Band40	5	38675	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.32	-71.42	-50	PASS
Band40	5	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.89	-36	PASS
Band40	5	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.33	-36	PASS
Band40	5	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	426.83	-68.66	-36	PASS
Band40	5	39150	1	#0	QPSK	1000 MHz-2337.50 MHz	1 MHz	2337.50	-53.61	-30	PASS
Band40	5	39150	1	#0	QPSK	2362.50 MHz-3000 MHz	1 MHz	2367.81	-58.63	-30	PASS
Band40	5	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12628.13	-53.61	-30	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.60	-56.64	-50	PASS
Band40	5	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.93	-69.50	-50	PASS

						MHz					
Band40	5	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.21	-64.54	-50	PASS
Band40	5	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.42	-71.44	-50	PASS
Band40	5	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.76	-71.27	-50	PASS
Band40	5	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3581.84	-66.86	-50	PASS
Band40	5	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.36	-71.27	-50	PASS
Band40	5	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.85	-71.39	-50	PASS
Band40	5	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.42	-52.86	-50	PASS
Band40	5	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.10	-67.89	-50	PASS
Band40	5	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.71	-68.00	-50	PASS
Band40	5	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.75	-63.73	-50	PASS
Band40	5	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.20	-66.78	-50	PASS
Band40	5	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3641.80	-67.14	-50	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.21	-59.07	-50	PASS
Band40	5	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.08	-71.59	-50	PASS
Band40	5	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.42	-71.40	-50	PASS
Band40	5	39625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.90	-36	PASS
Band40	5	39625	1	#0	QPSK	150 kHz-30	10	0.16	-60.84	-36	PASS

						MHz	kHz				
Band40	5	39625	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	331.86	-69.91	-36	PASS
Band40	5	39625	1	#0	QPSK	1000 MHz-2385.00 MHz	1 MHz	2385.00	-55.18	-30	PASS
Band40	5	39625	1	#0	QPSK	2410.00 MHz-3000 MHz	1 MHz	2413.44	-58.78	-30	PASS
Band40	5	39625	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12625.69	-53.63	-30	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2167.72	-66.58	-50	PASS
Band40	5	39625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.23	-70.16	-50	PASS
Band40	5	39625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.88	-64.07	-50	PASS
Band40	5	39625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.79	-71.38	-50	PASS
Band40	5	39625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.06	-71.22	-50	PASS
Band40	5	39625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-66.79	-50	PASS
Band40	5	39625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.89	-71.25	-50	PASS
Band40	5	39625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.07	-71.44	-50	PASS
Band40	5	39625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.02	-69.77	-50	PASS
Band40	5	39625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.94	-69.73	-50	PASS
Band40	5	39625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.14	-68.57	-50	PASS
Band40	5	39625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.80	-64.30	-50	PASS

						MHz					
Band40	5	39625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-66.82	-50	PASS
Band40	5	39625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3637.40	-67.16	-50	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2199.82	-67.53	-50	PASS
Band40	5	39625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.16	-71.56	-50	PASS
Band40	5	39625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.37	-71.45	-50	PASS
Band40	20	38750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.20	-36	PASS
Band40	20	38750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.31	-36	PASS
Band40	20	38750	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	890.39	-66.20	-36	PASS
Band40	20	38750	1	#0	QPSK	1000 MHz-2275.00 MHz	1 MHz	2110.53	-60.42	-30	PASS
Band40	20	38750	1	#0	QPSK	2345.00 MHz-3000 MHz	1 MHz	2644.12	-59.71	-30	PASS
Band40	20	38750	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12659.81	-53.59	-30	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.06	-66.48	-50	PASS
Band40	20	38750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.48	-68.64	-50	PASS
Band40	20	38750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2621.68	-65.41	-50	PASS
Band40	20	38750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.72	-71.40	-50	PASS
Band40	20	38750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.99	-71.31	-50	PASS
Band40	20	38750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-66.87	-50	PASS

						MHz					
Band40	20	38750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.86	-71.29	-50	PASS
Band40	20	38750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.43	-71.48	-50	PASS
Band40	20	38750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1483.50	-68.89	-50	PASS
Band40	20	38750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.72	-67.62	-50	PASS
Band40	20	38750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.81	-65.76	-50	PASS
Band40	20	38750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2570.30	-64.83	-50	PASS
Band40	20	38750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-66.78	-50	PASS
Band40	20	38750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.40	-67.19	-50	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.52	-66.11	-50	PASS
Band40	20	38750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.06	-71.64	-50	PASS
Band40	20	38750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-71.43	-50	PASS
Band40	20	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.17	-36	PASS
Band40	20	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.62	-36	PASS
Band40	20	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	440.31	-68.33	-36	PASS
Band40	20	39150	1	#0	QPSK	1000 MHz-2315.00 MHz	1 MHz	2305.80	-49.77	-30	PASS
Band40	20	39150	1	#0	QPSK	2385.00 MHz-3000 MHz	1 MHz	2385.51	-59.00	-30	PASS
Band40	20	39150	1	#0	QPSK	3000 MHz	1 MHz	12625.69	-53.68	-30	PASS



						MHz-12.75 GHz	MHz				
Band40	20	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.86	-56.99	-50	PASS
Band40	20	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.80	-69.60	-50	PASS
Band40	20	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2635.12	-64.89	-50	PASS
Band40	20	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.84	-71.35	-50	PASS
Band40	20	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.91	-71.24	-50	PASS
Band40	20	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-66.84	-50	PASS
Band40	20	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.24	-71.27	-50	PASS
Band40	20	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.02	-71.35	-50	PASS
Band40	20	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.32	-54.04	-50	PASS
Band40	20	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1912.78	-67.92	-50	PASS
Band40	20	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.97	-66.93	-50	PASS
Band40	20	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.50	-65.33	-50	PASS
Band40	20	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-66.82	-50	PASS
Band40	20	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.20	-67.10	-50	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.89	-55.67	-50	PASS

Band40	20	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.26	-71.61	-50	PASS
Band40	20	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.83	-71.38	-50	PASS
Band40	20	39550	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.89	-36	PASS
Band40	20	39550	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.58	-36	PASS
Band40	20	39550	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.29	-69.97	-36	PASS
Band40	20	39550	1	#0	QPSK	1000 MHz-2355.00 MHz	1 MHz	2355.00	-56.48	-30	PASS
Band40	20	39550	1	#0	QPSK	2425.00 MHz-3000 MHz	1 MHz	2655.00	-59.46	-30	PASS
Band40	20	39550	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12587.50	-53.59	-30	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2165.50	-66.58	-50	PASS
Band40	20	39550	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.95	-69.74	-50	PASS
Band40	20	39550	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2641.35	-64.10	-50	PASS
Band40	20	39550	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.15	-71.36	-50	PASS
Band40	20	39550	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.09	-71.25	-50	PASS
Band40	20	39550	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.28	-66.92	-50	PASS
Band40	20	39550	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.85	-71.26	-50	PASS
Band40	20	39550	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.89	-71.37	-50	PASS
Band40	20	39550	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1486.76	-69.38	-50	PASS
Band40	20	39550	1	#0	QPSK	1900	1	1917.36	-69.35	-50	PASS

						MHz-1920 MHz	MHz				
Band40	20	39550	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.64	-67.47	-50	PASS
Band40	20	39550	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.05	-64.65	-50	PASS
Band40	20	39550	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-66.84	-50	PASS
Band40	20	39550	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.00	-67.12	-50	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2194.60	-66.45	-50	PASS
Band40	20	39550	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.70	-71.53	-50	PASS
Band40	20	39550	1	#0	QPSK	753 MHz-783 MHz	1 MHz	772.14	-71.28	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.40	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.94	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	796.59	-69.80	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-55.26	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2515.40	-57.16	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5000.38	-35.59	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2119.30	-79.75	-50	PASS
Band7	5	20775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.48	-80.46	-50	PASS
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.82	-77.92	-50	PASS

						MHz					
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	941.94	-80.79	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.14	-80.65	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.84	-78.55	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.41	-80.61	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.07	-80.83	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.33	-80.83	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.66	-80.29	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.95	-79.90	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2372.80	-79.27	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.00	-78.48	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3632.80	-79.13	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.27	-79.73	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.30	-80.97	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.25	-80.75	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.85	-51.37	1.6	PASS
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2590.88	-51.32	-15.5	PASS

Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.63	-78.40	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.70	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.58	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	805.81	-69.94	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-53.22	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2547.88	-57.71	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5065.38	-40.56	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.58	-79.73	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-80.37	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.26	-76.31	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.06	-80.80	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.81	-80.60	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.32	-78.53	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.53	-80.67	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.87	-80.82	-50	PASS
Band7	5	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.80	-80.78	-50	PASS
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.12	-80.34	-50	PASS

						MHz					
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.82	-79.91	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.80	-79.25	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-78.46	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.20	-79.13	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2156.80	-79.69	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.86	-80.94	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.73	-80.77	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.83	-51.35	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.16	-51.32	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.93	-78.27	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.30	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-56.60	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	822.01	-70.07	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-55.01	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2582.45	-58.22	-30	PASS
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5130.38	-43.07	-30	PASS

Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.04	-79.66	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.68	-80.33	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2689.16	-75.92	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.74	-80.77	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	814.91	-80.64	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-78.51	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.62	-80.68	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.73	-80.81	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.19	-80.73	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.66	-80.27	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.29	-79.91	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.70	-79.28	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-78.40	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.60	-79.13	-50	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2149.60	-79.72	-50	PASS
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.94	-80.96	-50	PASS



Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	771.69	-80.82	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-49.87	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.06	-51.32	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.50	-78.34	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.58	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.07	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	925.60	-69.87	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2473.53	-59.82	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2545.76	-57.85	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5002.00	-35.61	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.02	-79.67	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.80	-80.37	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.29	-77.85	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.34	-80.75	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	810.23	-80.62	-50	PASS
Band7	20	20850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.88	-78.53	-50	PASS
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.31	-80.62	-50	PASS

Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.49	-80.84	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.25	-80.75	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.12	-80.22	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.33	-79.85	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.90	-79.27	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.80	-78.45	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.80	-79.15	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.28	-79.76	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.18	-81.02	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.07	-80.81	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.95	-51.38	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2591.62	-51.31	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.93	-78.35	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.33	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-60.19	-36	PASS
Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	795.62	-69.91	-36	PASS
Band7	20	21100	1	#0	QPSK	1000	1	2491.00	-39.72	-30	PASS

						MHz-2500.00 MHz	MHz				
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2570.72	-58.22	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5052.38	-43.35	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.38	-79.72	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.05	-80.32	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.58	-74.67	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	935.85	-80.81	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.17	-80.64	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.32	-78.55	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.22	-80.65	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.55	-80.83	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.24	-80.76	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.36	-80.33	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.88	-79.88	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.40	-79.26	-50	PASS
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-78.41	-50	PASS

Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.00	-79.13	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.92	-79.74	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.82	-81.00	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.23	-80.78	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.24	-51.37	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2589.54	-51.34	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2613.58	-78.37	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.71	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.79	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	800.47	-69.82	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-44.62	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2761.39	-59.23	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	5101.94	-42.57	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.68	-79.74	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.78	-80.40	-50	PASS
Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2672.29	-75.63	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960	1	932.00	-80.80	-50	PASS

						MHz	MHz				
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.76	-80.63	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.48	-78.53	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.27	-80.58	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.55	-80.73	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1462.08	-80.66	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.56	-80.33	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.14	-79.89	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.10	-79.26	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-78.44	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.40	-79.09	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.89	-79.73	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.20	-81.02	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.38	-80.75	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.76	-51.31	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.84	-51.32	-15.5	PASS
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.18	-78.27	-40	PASS

						MHz					
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-60.10	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.92	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.20	-53.17	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.32	-50.48	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1393.00	-63.59	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2641.20	-57.90	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12660.23	-60.55	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.90	-83.79	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.20	-84.48	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.52	-82.08	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.50	-84.78	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.70	-84.76	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-82.69	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.09	-84.84	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.56	-84.98	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.57	-84.92	-50	PASS

Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.68	-84.43	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.22	-83.94	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2594.10	-81.54	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.60	-83.38	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-82.63	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3624.80	-83.23	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.15	-83.89	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	744.70	-85.17	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.35	-84.94	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.81	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.00	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.57	-51.13	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-51.65	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1320.50	-63.57	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2690.70	-51.84	-30	PASS
Band8	1.4	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12625.80	-60.49	-30	PASS



Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.24	-83.84	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.28	-84.43	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2689.37	-81.75	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.57	-74.17	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.39	-84.39	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-82.78	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.93	-84.69	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.40	-84.99	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.51	-84.90	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.32	-84.40	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.05	-83.98	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2599.60	-80.83	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.90	-83.46	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.56	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.40	-83.22	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.55	-83.88	-50	PASS

						MHz					
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.92	-85.13	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.23	-84.94	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.93	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.91	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.62	-50.44	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-55.26	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1330.00	-63.53	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2741.10	-51.28	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.83	-60.58	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.62	-83.80	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.18	-84.52	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.88	-82.15	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.34	-75.09	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.59	-84.82	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.08	-82.66	-50	PASS
Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.77	-84.78	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.89	-84.99	-50	PASS

						MHz					
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.38	-84.87	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.86	-84.42	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.39	-84.02	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2577.60	-82.16	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.00	-83.43	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3408.80	-82.55	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.00	-83.18	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2172.46	-83.88	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.74	-85.07	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.70	-84.98	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.31	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.68	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	868.66	-70.85	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	897.63	-66.52	-36	PASS
Band8	5	21475	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1482.50	-63.50	-30	PASS
Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2641.20	-57.25	-30	PASS

						MHz					
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12651.45	-60.53	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.00	-83.83	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.55	-84.59	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2638.83	-81.27	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.34	-83.78	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	805.55	-84.80	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-82.68	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.57	-84.82	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.87	-85.00	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.49	-84.95	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.74	-84.40	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.84	-83.98	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.55	-82.53	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.70	-83.38	-50	PASS
Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3402.00	-79.97	-50	PASS
Band8	5	21475	1	#0	QPSK	3600	1	3606.20	-83.22	-50	PASS

						MHz-3800 MHz	MHz				
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.54	-83.89	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.94	-85.09	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.55	-84.92	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.06	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.03	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.23	-67.62	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.52	-68.72	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1473.00	-63.51	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2686.20	-53.72	-30	PASS
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12654.83	-60.46	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.94	-83.85	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.63	-84.53	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2683.91	-78.62	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	943.55	-72.66	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.90	-84.77	-50	PASS
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3574.64	-82.86	-50	PASS

Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.73	-84.80	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.07	-84.99	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.14	-84.87	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.56	-84.43	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.05	-84.04	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.20	-82.54	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.10	-83.40	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3429.60	-82.73	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.80	-83.20	-50	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2129.35	-83.83	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.54	-85.07	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.32	-84.92	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.36	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.52	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.83	-67.22	-36	PASS
Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	928.75	-72.52	-36	PASS
Band8	5	21775	1	#0	QPSK	1000	1	1478.00	-63.53	-30	PASS

						MHz-1500 MHz	MHz				
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2731.20	-48.64	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12614.33	-60.54	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.68	-83.85	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.45	-84.58	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.37	-82.10	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.06	-74.52	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.06	-84.78	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-82.64	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.43	-84.64	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.37	-84.93	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.64	-84.92	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.76	-84.41	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.88	-83.97	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2605.70	-80.72	-50	PASS
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.50	-83.40	-50	PASS



Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-82.62	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.80	-83.24	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.34	-83.84	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.34	-85.13	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.98	-84.83	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.43	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.75	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	528.75	-71.16	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	907.28	-70.90	-36	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1332.00	-63.56	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2642.10	-57.80	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12631.20	-60.52	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.00	-83.83	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.63	-84.53	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2637.36	-81.30	-50	PASS
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.86	-78.47	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821	1	796.43	-84.77	-50	PASS

						MHz	MHz				
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-82.62	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.49	-84.84	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.31	-84.95	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.42	-84.94	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.92	-84.32	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.09	-84.01	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2575.05	-82.11	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.30	-83.38	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-82.54	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.80	-83.20	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.06	-83.85	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.90	-85.08	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.03	-84.93	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.30	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.88	-36	PASS
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.55	-61.28	-36	PASS


Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	917.67	-71.78	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1499.50	-63.57	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2679.00	-54.39	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12639.30	-60.38	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.52	-83.76	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.98	-84.52	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2674.74	-79.14	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.00	-72.49	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.41	-84.74	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3568.16	-82.91	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.62	-84.80	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.74	-84.95	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.84	-84.91	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.44	-84.43	-50	PASS
Band8	10	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.25	-83.98	-50	PASS
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2585.70	-80.63	-50	PASS

						MHz					
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.90	-83.42	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3477.40	-80.70	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.60	-83.19	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.93	-83.89	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.56	-85.17	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.19	-84.95	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.39	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.93	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	888.02	-58.32	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	958.70	-72.50	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1459.00	-63.50	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2716.80	-51.53	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12620.40	-60.52	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.76	-83.84	-50	PASS
Band8	10	21750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.05	-84.52	-50	PASS
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.57	-82.10	-50	PASS

						MHz					
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	958.74	-74.53	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.12	-84.73	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.84	-82.58	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.88	-84.73	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.65	-85.00	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.77	-84.94	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.00	-84.40	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.40	-84.04	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2587.10	-79.87	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.70	-83.41	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.61	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.80	-83.21	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.58	-83.88	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.22	-85.13	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.35	-84.89	-50	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

### Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

### Conducted spurious emissions



Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0


### Conducted spurious emissions



Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0




### Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0


### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions



Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0


### Conducted spurious emissions



Band3 QPSK BW=10MHz Channel=19575 RB Size=1 Position=#0




### Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19250 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19900 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

### Conducted spurious emissions




Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0


### Conducted spurious emissions




### Conducted spurious emissions




### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0

### Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0


### Conducted spurious emissions




### Conducted spurious emissions



### Conducted spurious emissions




### Conducted spurious emissions






### Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

### Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0


### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0



### Conducted spurious emissions



### Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-50.22	-39	PASS
Band1	5	18300	25	#0	QPSK	-50.06	-39	PASS
Band1	5	18575	25	#0	QPSK	-50.20	-39	PASS
Band1	20	18100	100	#0	QPSK	-49.93	-39	PASS
Band1	20	18300	100	#0	QPSK	-49.82	-39	PASS
Band1	20	18500	100	#0	QPSK	-50.03	-39	PASS
Band20	5	24175	25	#0	QPSK	-48.25	-39	PASS
Band20	5	24300	25	#0	QPSK	-48.17	-39	PASS
Band20	5	24425	25	#0	QPSK	-48.15	-39	PASS
Band20	20	24250	100	#0	QPSK	-47.99	-39	PASS
Band20	20	24300	100	#0	QPSK	-48.35	-39	PASS
Band20	20	24350	100	#0	QPSK	-48.27	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-49.67	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-49.77	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-49.78	-39	PASS
Band3	5	19225	25	#0	QPSK	-49.73	-39	PASS
Band3	5	19575	25	#0	QPSK	-49.92	-39	PASS
Band3	5	19925	25	#0	QPSK	-49.97	-39	PASS
Band3	20	19300	100	#0	QPSK	-49.77	-39	PASS
Band3	20	19575	100	#0	QPSK	-50.25	-39	PASS
Band3	20	19850	100	#0	QPSK	-50.16	-39	PASS

Band38	5	37775	25	#0	QPSK	-49.28	-39	PASS
Band38	5	38000	25	#0	QPSK	-49.56	-39	PASS
Band38	5	38225	25	#0	QPSK	-49.53	-39	PASS
Band38	20	37850	100	#0	QPSK	-49.65	-39	PASS
Band38	20	38000	100	#0	QPSK	-49.48	-39	PASS
Band38	20	38150	100	#0	QPSK	-49.51	-39	PASS
Band40	5	38675	25	#0	QPSK	-50.50	-39	PASS
Band40	5	39150	25	#0	QPSK	-50.74	-39	PASS
Band40	5	39625	25	#0	QPSK	-50.23	-39	PASS
Band40	20	38750	100	#0	QPSK	-49.73	-39	PASS
Band40	20	39150	100	#0	QPSK	-50.65	-39	PASS
Band40	20	39550	100	#0	QPSK	-50.25	-39	PASS
Band7	5	20775	25	#0	QPSK	-50.80	-39	PASS
Band7	5	21100	25	#0	QPSK	-50.54	-39	PASS
Band7	5	21425	25	#0	QPSK	-50.44	-39	PASS
Band7	20	20850	100	#0	QPSK	-50.11	-39	PASS
Band7	20	21100	100	#0	QPSK	-50.05	-39	PASS
Band7	20	21350	100	#0	QPSK	-49.78	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-47.75	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-47.80	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-47.82	-39	PASS
Band8	5	21475	25	#0	QPSK	-47.88	-39	PASS
Band8	5	21625	25	#0	QPSK	-47.91	-39	PASS
Band8	5	21775	25	#0	QPSK	-48.03	-39	PASS
Band8	10	21500	50	#0	QPSK	-47.80	-39	PASS
Band8	10	21625	50	#0	QPSK	-47.77	-39	PASS
Band8	10	21750	50	#0	QPSK	-47.99	-39	PASS

#### Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS

Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2589.9975	-53.8	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2600.0025	-53.8	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2589.9975	-25	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2600.0025	-25	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2582.4975	-53.8	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2607.5025	-53.8	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2582.4975	-25	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2607.5025	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2344.9975	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2355.0025	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2344.9975	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2355.0025	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2337.4975	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2362.5025	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2337.4975	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2362.5025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS

Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS

Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS



Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2584.9875	-56	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2605.0125	-56	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2579.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2574.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2569.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2564.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2559.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2610.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2615.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2620.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2625.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2630.0075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2577.4875	-56	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2612.5125	-56	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2572.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2567.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2562.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2557.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2617.5075	-44	100.00	95	PASS

Band38	20	38000	100	QPSK	Case2	2622.5075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2627.5075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2632.5075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2339.9875	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2360.0125	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2334.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2329.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2324.9925	-44	99.83	95	PASS
Band40	5	39150	25	QPSK	Case2	2319.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2314.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2309.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2304.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2299.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2294.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2289.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2365.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2370.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2375.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2380.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2385.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2390.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2395.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2400.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2405.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2410.0075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2332.4875	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2367.5125	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2327.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2322.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2317.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2312.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2307.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2302.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2297.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2292.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2287.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2372.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2377.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2382.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2387.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2392.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2397.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2402.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2407.5075	-44	100.00	95	PASS



Band40	20	39150	100	QPSK	Case2	2412.5075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS

Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

#### Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band38	5	38000	25	QPSK	2592.2925	-55	100.00	95	PASS
Band38	5	38000	25	QPSK	2597.7075	-55	100.00	95	PASS
Band38	20	38000	100	QPSK	2584.7925	-55	100.00	95	PASS
Band38	20	38000	100	QPSK	2605.2075	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2347.2925	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2352.7075	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2339.7925	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2360.2075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

#### Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth	UL	UL RB	Modulation	Interference	Interference	Throughput	Limit	Verdict
------	-----------	----	-------	------------	--------------	--------------	------------	-------	---------

	(MHz)	Channel	Size		Freq (MHz)	Level (dBm)	(%)	(%)	
--	-------	---------	------	--	------------	-------------	-----	-----	--

#### Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference 1 Freq (MHz)	Interference 1 Level (dBm)	Interference 2 Freq (MHz)	Interference 2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band38	5	38000	25	QPSK	2585	-46	2575	-46	100.00	95	PASS
Band38	5	38000	25	QPSK	2605	-46	2615	-46	100.00	95	PASS
Band38	20	38000	100	QPSK	2577.5	-46	2560	-46	100.00	95	PASS
Band38	20	38000	100	QPSK	2612.5	-46	2630	-46	100.00	95	PASS
Band40	5	39150	25	QPSK	2340	-46	2330	-46	100.00	95	PASS
Band40	5	39150	25	QPSK	2360	-46	2370	-46	100.00	95	PASS
Band40	20	39150	100	QPSK	2332.5	-46	2315	-46	100.00	95	PASS
Band40	20	39150	100	QPSK	2367.5	-46	2385	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS

Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS

#### Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	53.72	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	42.58	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	40.26	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	49.45	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	50.16	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	54.26	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	53.84	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	49.57	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	48.90	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	41.61	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	43.87	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	53.92	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	50.01	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	42.38	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	41.59	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	42.50	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	43.31	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	50.39	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2-	52.87	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	44.11	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR-	41.90	29.2	PASS
Band1	5	18025	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR+	49.03	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR+	49.69	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	53.26	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	52.86	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	49.09	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR-	48.45	29.2	PASS
Band1	5	18025	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR+	43.26	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR+	45.08	32.2	PASS

Band1	5	18025	8	#Max	QAM16	U-ACLR2+	53.00	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	49.79	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	43.00	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR-	42.18	29.2	PASS
Band1	5	18025	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR+	42.93	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR+	43.83	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	50.03	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	53.66	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	42.66	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	40.16	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	50.09	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	50.83	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	54.18	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	53.71	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	49.77	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	49.07	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	40.32	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	42.86	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	53.86	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	49.89	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	42.21	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	41.38	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	42.61	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	43.57	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	50.75	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	52.66	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR1-	43.39	32.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR-	41.15	29.2	PASS
Band1	5	18300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR+	49.33	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR+	50.03	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	53.09	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	52.78	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	49.07	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR-	48.41	29.2	PASS
Band1	5	18300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR+	41.56	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR+	43.84	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	52.95	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	49.31	35.2	PASS

Band1	5	18300	25	#0	QAM16	U-ACLR1-	42.15	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR-	41.33	29.2	PASS
Band1	5	18300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR+	42.29	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR+	43.19	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	50.05	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	54.14	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	43.00	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	40.42	29.2	PASS
Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	49.93	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	50.68	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	54.67	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	54.43	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	49.91	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	49.23	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	38.49	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	41.29	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.47	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	50.43	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	43.00	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	42.16	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	42.12	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	43.03	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	51.27	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	53.28	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	44.89	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR-	42.74	29.2	PASS
Band1	5	18575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR+	49.70	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR+	50.39	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	53.72	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	53.32	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	49.69	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR-	49.06	29.2	PASS
Band1	5	18575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR+	41.68	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR+	44.06	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	53.50	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	49.74	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	43.40	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR-	42.54	29.2	PASS



Band1	5	18575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR+	42.49	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR+	43.39	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	50.44	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	52.33	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	41.74	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	40.94	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	48.91	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR+	52.40	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	52.97	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	51.78	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	51.65	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	47.92	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	43.28	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	44.33	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	52.61	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	47.38	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	43.82	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	41.52	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	42.31	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	44.51	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	48.23	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	51.32	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	43.67	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR-	42.50	29.2	PASS
Band1	10	18050	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR+	47.71	29.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR+	51.28	32.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2+	51.71	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	50.73	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	50.73	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR-	46.91	29.2	PASS
Band1	10	18050	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR+	43.31	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR+	44.60	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	51.66	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	47.62	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	44.15	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR-	41.81	29.2	PASS
Band1	10	18050	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR+	42.63	29.2	PASS



Band1	10	18050	50	#0	QAM16	U-ACLR+	44.92	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	48.43	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	51.95	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	42.68	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	41.75	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	48.86	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	52.32	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	52.89	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	51.50	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	51.28	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	47.60	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	42.37	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	43.32	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	52.76	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	47.19	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	43.62	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	41.27	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	43.32	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	45.60	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	49.11	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	51.20	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	43.28	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR-	42.10	29.2	PASS
Band1	10	18300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR+	47.98	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR+	51.52	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	51.99	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2-	50.57	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1-	50.59	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR-	46.77	29.2	PASS
Band1	10	18300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR+	42.87	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR+	44.13	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	51.94	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	47.43	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1-	43.30	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR-	41.11	29.2	PASS
Band1	10	18300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR+	43.05	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR+	45.14	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	49.24	35.2	PASS

Band1	10	18550	12	#0	QPSK	U-ACLR2-	52.46	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	44.77	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	43.60	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	48.75	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	52.39	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	52.88	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	51.96	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	51.89	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR-	48.05	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	42.51	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	43.39	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	53.27	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	48.70	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	46.05	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	43.47	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	43.86	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	46.04	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	50.08	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	51.70	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	45.04	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR-	43.74	29.2	PASS
Band1	10	18550	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR+	48.14	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR+	51.74	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	52.23	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	51.19	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	51.14	32.2	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR-	47.33	29.2	PASS
Band1	10	18550	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR+	43.17	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR+	44.25	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	52.55	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	48.27	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	44.82	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR-	42.49	29.2	PASS
Band1	10	18550	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR+	43.21	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR+	45.21	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	49.69	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	50.30	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	43.96	32.2	PASS

Band1	20	18100	18	#0	QPSK	E-ACLR-	42.75	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	46.76	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	53.39	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	53.50	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	52.09	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	52.61	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	46.03	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR+	43.79	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	45.76	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	51.33	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	47.15	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	45.84	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	41.13	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	41.96	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	46.65	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	48.03	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	49.70	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	44.11	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR-	42.53	29.2	PASS
Band1	20	18100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR+	45.80	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR+	52.46	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	52.50	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	51.14	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	51.66	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR-	45.08	29.2	PASS
Band1	20	18100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR+	43.11	29.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR+	45.26	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	50.70	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	46.47	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	45.29	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR-	40.69	29.2	PASS
Band1	20	18100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR+	41.76	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR+	46.51	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	47.87	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	50.52	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	44.30	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	42.90	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS

Band1	20	18300	18	#0	QPSK	E-ACLR+	47.21	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	53.53	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	53.69	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	51.98	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	52.40	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	45.68	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	43.08	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	44.02	32.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2+	51.21	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	45.62	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	44.41	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	39.75	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	42.65	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	47.14	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	48.85	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	49.75	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	44.70	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR-	42.69	29.2	PASS
Band1	20	18300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR+	46.28	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR+	52.62	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	52.71	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	51.02	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	51.46	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR-	44.76	29.2	PASS
Band1	20	18300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR+	43.23	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR+	45.07	32.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2+	50.88	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2-	45.56	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	44.31	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR-	39.73	29.2	PASS
Band1	20	18300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR+	42.45	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR+	47.12	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	48.67	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	50.48	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	44.27	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	42.76	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	47.11	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	53.87	32.2	PASS

Band1	20	18500	18	#0	QPSK	U-ACLR2+	54.03	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	51.93	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	52.63	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	45.28	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	43.75	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	45.21	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	51.81	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	47.43	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	46.99	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	41.17	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	43.22	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	47.97	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	49.43	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	49.72	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1-	44.72	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR-	42.47	29.2	PASS
Band1	20	18500	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR+	46.11	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR+	52.75	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	52.98	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	51.07	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	51.66	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR-	44.50	29.2	PASS
Band1	20	18500	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR+	43.42	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR+	45.46	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	51.28	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	46.57	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR1-	45.98	32.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR-	40.68	29.2	PASS
Band1	20	18500	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR+	43.14	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR+	47.75	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	49.13	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	54.03	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	41.69	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	39.37	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	51.74	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	52.55	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.20	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	53.96	35.2	PASS

Band20	5	24175	8	#Max	QPSK	U-ACLR1-	52.44	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	51.71	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	42.79	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	45.40	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	54.07	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	53.05	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	44.16	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	43.23	29.2	PASS
Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	40.79	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	41.75	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	52.19	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	52.91	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	43.92	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR-	41.65	29.2	PASS
Band20	5	24175	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR+	50.98	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR+	51.76	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	53.20	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	52.96	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	51.72	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR-	50.99	29.2	PASS
Band20	5	24175	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR+	43.07	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR+	45.93	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	53.07	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	53.12	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	44.74	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR-	43.68	29.2	PASS
Band20	5	24175	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR+	41.00	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR+	41.90	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	52.37	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	53.76	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	41.97	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	39.76	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	51.83	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	52.61	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	54.04	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	53.65	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	51.75	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	51.01	29.2	PASS



Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	40.99	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	43.55	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	53.78	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	51.98	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	42.72	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	41.82	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	40.92	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR+	41.82	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	52.31	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2-	52.72	35.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR1-	43.18	32.2	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR-	40.91	29.2	PASS
Band20	5	24300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QAM16	E-ACLR+	50.93	29.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR+	51.70	32.2	PASS
Band20	5	24300	8	#0	QAM16	U-ACLR2+	53.03	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2-	52.74	35.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR1-	51.00	32.2	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR-	50.27	29.2	PASS
Band20	5	24300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QAM16	E-ACLR+	41.31	29.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR+	44.15	32.2	PASS
Band20	5	24300	8	#Max	QAM16	U-ACLR2+	52.87	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2-	51.95	35.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR1-	42.45	32.2	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR-	41.45	29.2	PASS
Band20	5	24300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QAM16	E-ACLR+	40.46	29.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR+	41.43	32.2	PASS
Band20	5	24300	25	#0	QAM16	U-ACLR2+	52.18	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	53.54	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	41.51	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	39.14	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	51.72	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	52.54	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	53.89	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	53.55	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	51.55	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	50.78	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	38.59	29.2	PASS

Band20	5	24425	8	#Max	QPSK	U-ACLR+	41.16	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	53.78	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	51.58	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	43.38	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	42.55	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	41.00	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	41.85	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	52.40	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	52.57	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	44.31	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR-	42.33	29.2	PASS
Band20	5	24425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR+	50.91	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR+	51.66	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	52.84	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	52.50	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	50.99	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR-	50.25	29.2	PASS
Band20	5	24425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR+	41.23	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR+	43.72	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	52.80	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	51.49	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	43.50	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR-	42.68	29.2	PASS
Band20	5	24425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR+	41.06	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR+	41.88	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	52.38	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2-	53.64	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	41.19	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	40.59	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	49.57	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	52.93	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	53.67	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	53.73	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	53.24	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	49.79	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	44.47	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	45.42	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	53.56	35.2	PASS



Band20	10	24200	50	#0	QPSK	U-ACLR2-	52.51	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	44.70	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	43.56	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	43.09	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	45.62	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	48.24	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	52.68	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	42.77	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR-	41.87	29.2	PASS
Band20	10	24200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR+	48.71	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR+	52.13	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	52.80	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	52.72	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	52.42	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR-	48.88	29.2	PASS
Band20	10	24200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR+	44.16	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR+	45.34	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	52.74	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	52.64	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	44.86	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR-	43.74	29.2	PASS
Band20	10	24200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR+	42.90	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR+	45.05	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	48.88	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	52.95	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	42.50	32.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR-	41.76	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	49.63	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	53.12	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	53.61	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	52.80	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	52.65	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	48.97	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	44.03	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	45.18	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	53.29	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	48.63	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	45.14	32.2	PASS

Band20	10	24300	50	#0	QPSK	E-ACLR-	42.92	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	41.33	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	43.48	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	47.67	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	52.05	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	43.83	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR-	42.71	29.2	PASS
Band20	10	24300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR+	48.68	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR+	52.24	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	52.59	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	51.92	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	51.81	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR-	48.11	29.2	PASS
Band20	10	24300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR+	43.87	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR+	45.14	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	52.44	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	48.85	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	44.34	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR-	42.39	29.2	PASS
Band20	10	24300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR+	40.75	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR+	42.59	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	47.86	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	52.75	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	47.12	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	45.58	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR+	49.67	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	53.09	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	52.69	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	52.54	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	48.86	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	40.57	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	41.24	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.57	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	48.97	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	47.74	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	44.52	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS

Band20	10	24400	50	#0	QPSK	E-ACLR+	43.97	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	46.15	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	50.42	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	51.98	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	46.45	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR-	44.81	29.2	PASS
Band20	10	24400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR+	48.83	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR+	52.23	32.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2+	52.94	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	51.76	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	51.77	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR-	48.02	29.2	PASS
Band20	10	24400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR+	41.61	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR+	42.52	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	52.67	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	48.52	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	45.61	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR-	43.05	29.2	PASS
Band20	10	24400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR+	42.86	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR+	44.72	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	50.16	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	52.70	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	43.91	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	43.30	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	46.86	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	53.41	32.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2+	53.66	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	52.51	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	52.81	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	46.49	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	43.87	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	45.14	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	52.40	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	51.66	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	47.50	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	44.26	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	40.71	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	45.56	32.2	PASS

Band20	20	24250	100	#0	QPSK	U-ACLR2+	46.49	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	51.67	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	44.09	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR-	43.13	29.2	PASS
Band20	20	24250	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR+	45.90	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR+	52.49	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	52.64	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	51.50	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	51.82	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR-	45.46	29.2	PASS
Band20	20	24250	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR+	43.37	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR+	44.95	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	51.53	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	51.60	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1-	47.30	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR-	44.20	29.2	PASS
Band20	20	24250	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR+	40.34	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR+	44.99	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	45.97	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	52.16	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	46.96	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	44.65	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	46.93	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	53.37	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	53.63	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	52.37	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1-	52.69	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	46.41	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	45.06	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	47.77	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	52.91	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	49.56	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	46.45	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	43.18	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	42.07	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	45.85	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	48.05	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	51.19	35.2	PASS

Band20	20	24300	18	#0	QAM16	U-ACLR1-	46.72	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR-	44.09	29.2	PASS
Band20	20	24300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR+	45.97	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR+	52.43	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	52.66	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	51.34	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	51.71	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR-	45.42	29.2	PASS
Band20	20	24300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR+	44.40	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR+	47.30	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	52.01	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	49.21	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	46.24	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR-	42.98	29.2	PASS
Band20	20	24300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR+	41.60	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR+	45.12	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	47.30	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	51.66	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	42.72	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	42.20	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	46.94	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	53.40	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.73	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	52.19	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	52.57	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	46.09	29.2	PASS
Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	41.67	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	41.39	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	53.16	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	46.69	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	44.98	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	41.15	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	43.94	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	47.09	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	51.61	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	50.76	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	43.93	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR-	42.66	29.2	PASS

Band20	20	24350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR+	45.90	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR+	52.42	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	52.66	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	51.16	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	51.54	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR-	45.11	29.2	PASS
Band20	20	24350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR+	42.40	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR+	43.01	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	52.19	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	46.50	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	44.60	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR-	40.95	29.2	PASS
Band20	20	24350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR+	43.75	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR+	46.41	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	51.29	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	46.02	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	42.97	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	44.91	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	48.07	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	47.62	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	44.22	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	43.33	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	46.50	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	47.93	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	46.06	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	46.92	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	48.52	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	47.36	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR-	44.51	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR+	46.63	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR+	49.06	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	48.64	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR-	45.95	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR+	44.79	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR+	47.85	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	48.03	32.2	PASS



Band3	1.4	19207	6	#0	QAM16	E-ACLR-	45.44	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR+	46.26	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR+	48.45	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	43.98	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	38.22	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	41.11	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	46.70	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	46.46	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	40.66	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	38.09	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	44.00	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	45.18	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	42.31	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	42.45	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	45.29	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	45.16	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR-	39.79	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR+	41.95	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR+	47.18	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	47.30	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR-	42.49	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR+	39.36	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR+	44.77	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	47.48	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR-	45.22	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR+	45.16	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR+	47.43	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	44.80	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	41.08	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	43.54	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	47.22	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	46.51	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	42.33	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	41.12	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	45.15	32.2	PASS

Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	46.16	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	44.86	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	45.19	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	46.52	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	46.40	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR-	43.27	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR+	45.53	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR+	48.00	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	47.79	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR-	44.75	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR+	43.58	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR+	46.78	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	47.35	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR-	45.96	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR+	46.32	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR+	47.59	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	53.13	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	45.96	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	43.84	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	47.87	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	48.29	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	53.74	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	53.37	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	48.87	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	48.40	29.2	PASS
Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	44.62	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	46.93	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	53.37	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	51.75	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	45.19	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	44.22	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	44.47	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	45.41	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	51.89	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	52.35	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	46.55	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR-	44.08	29.2	PASS



Band3	5	19225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR+	48.15	29.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR+	48.61	32.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2+	52.71	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	52.41	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	48.85	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR-	48.35	29.2	PASS
Band3	5	19225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR+	44.69	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR+	47.22	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	52.59	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	52.75	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	44.96	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR-	44.01	29.2	PASS
Band3	5	19225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR+	44.37	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR+	45.30	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	52.87	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	53.17	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	40.82	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	38.16	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	48.00	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	48.43	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	53.67	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	53.35	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	49.10	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	48.58	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	39.68	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR+	42.27	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	53.49	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.36	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	43.20	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	42.40	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	42.25	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	43.12	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.64	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	52.28	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	42.65	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR-	40.13	29.2	PASS
Band3	5	19575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR+	47.83	29.2	PASS

Band3	5	19575	8	#0	QAM16	U-ACLR+	48.30	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	52.65	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2-	52.34	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1-	48.87	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR-	48.35	29.2	PASS
Band3	5	19575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR+	41.47	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR+	44.08	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	52.54	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	52.28	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	44.35	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR-	43.39	29.2	PASS
Band3	5	19575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR+	43.27	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR+	44.15	32.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2+	52.49	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	53.14	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	42.59	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	40.32	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	48.17	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	48.62	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	53.67	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	53.28	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	48.08	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	47.62	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	40.95	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	43.13	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	53.56	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	51.09	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	44.71	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	43.86	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	44.84	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	45.71	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	51.91	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	52.19	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	45.34	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR-	43.48	29.2	PASS
Band3	5	19925	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR+	48.06	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR+	48.51	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	52.65	35.2	PASS

Band3	5	19925	8	#Max	QAM16	U-ACLR2-	52.26	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	48.03	32.2	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR-	47.55	29.2	PASS
Band3	5	19925	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR+	43.40	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR+	45.45	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	52.55	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	51.71	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	44.99	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR-	44.15	29.2	PASS
Band3	5	19925	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR+	45.21	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR+	46.14	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	52.70	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	52.78	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	45.32	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	44.20	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	46.31	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	50.86	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	50.19	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	51.19	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	51.33	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	47.25	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	44.83	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	46.02	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.13	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	49.34	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	46.19	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR-	43.79	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	44.05	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	46.68	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	49.26	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	51.84	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	45.46	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR-	44.04	29.2	PASS
Band3	10	19250	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR+	45.97	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR+	50.42	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	49.84	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	50.71	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	50.68	32.2	PASS

Band3	10	19250	12	#Max	QAM16	E-ACLR-	46.73	29.2	PASS
Band3	10	19250	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR+	44.42	29.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR+	45.75	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	52.27	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	49.64	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	45.82	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR-	43.61	29.2	PASS
Band3	10	19250	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR+	43.66	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR+	45.98	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	49.50	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	52.29	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	39.20	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	38.58	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	46.68	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	50.99	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	50.51	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	51.59	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	51.59	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	47.67	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	42.02	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	42.87	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.06	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	47.08	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	43.77	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	41.47	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR+	41.69	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	43.77	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	47.87	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	51.53	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	41.28	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR-	40.37	29.2	PASS
Band3	10	19575	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR+	46.01	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR+	50.29	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	49.97	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	50.91	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	51.07	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR-	47.07	29.2	PASS
Band3	10	19575	12	#Max	QAM16	EUTRA	0.00	0	PASS

Band3	10	19575	12	#Max	QAM16	E-ACLR+	43.08	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR+	44.30	32.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2+	52.29	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2-	48.52	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	44.49	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR-	42.38	29.2	PASS
Band3	10	19575	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR+	42.65	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR+	44.50	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	49.33	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	52.41	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	40.39	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	39.68	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	47.35	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	51.33	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	51.55	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	50.86	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	50.82	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	46.83	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	43.16	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	44.06	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	53.32	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	47.29	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	45.00	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	42.32	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	44.54	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	46.57	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	50.94	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	51.66	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	42.04	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR-	41.17	29.2	PASS
Band3	10	19900	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR+	46.89	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR+	50.77	32.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2+	51.09	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	50.37	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	50.41	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR-	46.41	29.2	PASS
Band3	10	19900	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR+	43.90	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR+	45.12	32.2	PASS

Band3	10	19900	12	#Max	QAM16	U-ACLR2+	52.49	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	48.35	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR1-	44.92	32.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR-	42.66	29.2	PASS
Band3	10	19900	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR+	44.75	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR+	46.57	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	51.60	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	51.56	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	46.40	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	44.05	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	43.97	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	52.97	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	52.11	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	51.58	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	52.14	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	45.47	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	42.45	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	43.46	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	51.77	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	49.11	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	47.81	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	43.15	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	41.66	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	47.22	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	48.23	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	50.69	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR1-	45.89	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR-	43.41	29.2	PASS
Band3	20	19300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR+	43.52	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR+	52.09	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	51.55	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	50.68	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	51.26	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR-	44.60	29.2	PASS
Band3	20	19300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR+	42.39	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR+	43.86	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	51.12	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	49.39	35.2	PASS



Band3	20	19300	100	#0	QAM16	U-ACLR1-	47.69	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR-	43.45	29.2	PASS
Band3	20	19300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR+	41.87	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR+	47.09	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	48.11	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	50.55	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	40.14	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	40.56	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	44.38	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	52.85	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	52.24	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	51.83	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	52.47	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	45.31	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	44.07	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	45.96	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	52.29	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	47.22	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	46.23	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	41.09	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	41.35	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	46.11	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	47.54	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	50.03	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	42.09	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR-	41.50	29.2	PASS
Band3	20	19575	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR+	43.93	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR+	51.90	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	51.62	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	50.85	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	51.47	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR-	44.56	29.2	PASS
Band3	20	19575	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR+	44.04	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR+	47.12	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	51.59	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	48.69	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	47.81	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR-	42.69	29.2	PASS

Band3	20	19575	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR+	42.88	29.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR+	47.65	32.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2+	49.16	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.06	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	45.07	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	43.25	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	46.52	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	52.95	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	53.15	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	51.34	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	52.21	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	44.70	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	44.12	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	45.77	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	52.75	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	48.14	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	47.47	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	42.14	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	44.03	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	48.32	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	50.68	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	50.35	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	45.62	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR-	43.15	29.2	PASS
Band3	20	19850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR+	45.58	29.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR+	52.00	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	52.25	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	50.57	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	51.32	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR-	44.07	29.2	PASS
Band3	20	19850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR+	43.93	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR+	46.47	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	51.94	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	48.63	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	47.79	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR-	42.71	29.2	PASS
Band3	20	19850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR+	44.63	29.2	PASS



Band3	20	19850	100	#0	QAM16	U-ACLR+	48.52	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	51.36	35.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR2-	52.40	35.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR1-	39.39	32.2	PASS
Band38	5	37775	8	#0	QPSK	E-ACLR-	39.28	29.2	PASS
Band38	5	37775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	8	#0	QPSK	E-ACLR+	45.80	29.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR+	51.57	32.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR2+	49.40	35.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR2-	50.33	35.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR1-	52.48	32.2	PASS
Band38	5	37775	8	#Max	QPSK	E-ACLR-	46.63	29.2	PASS
Band38	5	37775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	8	#Max	QPSK	E-ACLR+	39.42	29.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR+	39.60	32.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR2+	52.12	35.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR2-	43.41	35.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR1-	40.90	32.2	PASS
Band38	5	37775	25	#0	QPSK	E-ACLR-	37.84	29.2	PASS
Band38	5	37775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	25	#0	QPSK	E-ACLR+	37.32	29.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR+	40.61	32.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR2+	42.59	35.2	PASS
Band38	5	37775	8	#0	QAM16	U-ACLR2-	52.94	35.2	PASS
Band38	5	37775	8	#0	QAM16	U-ACLR1-	38.60	32.2	PASS
Band38	5	37775	8	#0	QAM16	E-ACLR-	38.79	29.2	PASS
Band38	5	37775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	37775	8	#0	QAM16	E-ACLR+	45.92	29.2	PASS
Band38	5	37775	8	#0	QAM16	U-ACLR+	51.94	32.2	PASS
Band38	5	37775	8	#0	QAM16	U-ACLR2+	49.51	35.2	PASS
Band38	5	37775	8	#Max	QAM16	U-ACLR2-	50.78	35.2	PASS
Band38	5	37775	8	#Max	QAM16	U-ACLR1-	52.47	32.2	PASS
Band38	5	37775	8	#Max	QAM16	E-ACLR-	46.87	29.2	PASS
Band38	5	37775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	5	37775	8	#Max	QAM16	E-ACLR+	38.98	29.2	PASS
Band38	5	37775	8	#Max	QAM16	U-ACLR+	38.91	32.2	PASS
Band38	5	37775	8	#Max	QAM16	U-ACLR2+	52.75	35.2	PASS
Band38	5	37775	25	#0	QAM16	U-ACLR2-	42.76	35.2	PASS
Band38	5	37775	25	#0	QAM16	U-ACLR1-	40.01	32.2	PASS
Band38	5	37775	25	#0	QAM16	E-ACLR-	37.22	29.2	PASS
Band38	5	37775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	37775	25	#0	QAM16	E-ACLR+	36.79	29.2	PASS
Band38	5	37775	25	#0	QAM16	U-ACLR+	39.62	32.2	PASS
Band38	5	37775	25	#0	QAM16	U-ACLR2+	42.17	35.2	PASS

Band38	5	38000	8	#0	QPSK	U-ACLR2-	52.11	35.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR1-	40.66	32.2	PASS
Band38	5	38000	8	#0	QPSK	E-ACLR-	40.33	29.2	PASS
Band38	5	38000	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	8	#0	QPSK	E-ACLR+	45.52	29.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR+	51.47	32.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR2+	49.05	35.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR2-	50.56	35.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR1-	52.26	32.2	PASS
Band38	5	38000	8	#Max	QPSK	E-ACLR-	46.71	29.2	PASS
Band38	5	38000	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	8	#Max	QPSK	E-ACLR+	39.99	29.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR+	40.24	32.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR2+	52.36	35.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR2-	45.34	35.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR1-	43.11	32.2	PASS
Band38	5	38000	25	#0	QPSK	E-ACLR-	39.87	29.2	PASS
Band38	5	38000	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	25	#0	QPSK	E-ACLR+	38.98	29.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR+	42.40	32.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR2+	44.08	35.2	PASS
Band38	5	38000	8	#0	QAM16	U-ACLR2-	52.24	35.2	PASS
Band38	5	38000	8	#0	QAM16	U-ACLR1-	40.35	32.2	PASS
Band38	5	38000	8	#0	QAM16	E-ACLR-	40.13	29.2	PASS
Band38	5	38000	8	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	38000	8	#0	QAM16	E-ACLR+	45.54	29.2	PASS
Band38	5	38000	8	#0	QAM16	U-ACLR+	51.29	32.2	PASS
Band38	5	38000	8	#0	QAM16	U-ACLR2+	49.20	35.2	PASS
Band38	5	38000	8	#Max	QAM16	U-ACLR2-	51.06	35.2	PASS
Band38	5	38000	8	#Max	QAM16	U-ACLR1-	52.87	32.2	PASS
Band38	5	38000	8	#Max	QAM16	E-ACLR-	47.15	29.2	PASS
Band38	5	38000	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	5	38000	8	#Max	QAM16	E-ACLR+	40.21	29.2	PASS
Band38	5	38000	8	#Max	QAM16	U-ACLR+	40.44	32.2	PASS
Band38	5	38000	8	#Max	QAM16	U-ACLR2+	52.13	35.2	PASS
Band38	5	38000	25	#0	QAM16	U-ACLR2-	44.48	35.2	PASS
Band38	5	38000	25	#0	QAM16	U-ACLR1-	41.91	32.2	PASS
Band38	5	38000	25	#0	QAM16	E-ACLR-	39.01	29.2	PASS
Band38	5	38000	25	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	38000	25	#0	QAM16	E-ACLR+	38.15	29.2	PASS
Band38	5	38000	25	#0	QAM16	U-ACLR+	41.11	32.2	PASS
Band38	5	38000	25	#0	QAM16	U-ACLR2+	43.54	35.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR2-	52.32	35.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR1-	39.72	32.2	PASS

Band38	5	38225	8	#0	QPSK	E-ACLR-	39.59	29.2	PASS
Band38	5	38225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	8	#0	QPSK	E-ACLR+	46.13	29.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR+	52.07	32.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR2+	49.61	35.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR2-	49.55	35.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR1-	52.19	32.2	PASS
Band38	5	38225	8	#Max	QPSK	E-ACLR-	46.03	29.2	PASS
Band38	5	38225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	8	#Max	QPSK	E-ACLR+	39.54	29.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR+	39.55	32.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR2+	53.05	35.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR2-	45.11	35.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR1-	42.59	32.2	PASS
Band38	5	38225	25	#0	QPSK	E-ACLR-	39.56	29.2	PASS
Band38	5	38225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	25	#0	QPSK	E-ACLR+	39.30	29.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR+	42.47	32.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR2+	44.65	35.2	PASS
Band38	5	38225	8	#0	QAM16	U-ACLR2-	52.85	35.2	PASS
Band38	5	38225	8	#0	QAM16	U-ACLR1-	40.12	32.2	PASS
Band38	5	38225	8	#0	QAM16	E-ACLR-	40.09	29.2	PASS
Band38	5	38225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	38225	8	#0	QAM16	E-ACLR+	46.33	29.2	PASS
Band38	5	38225	8	#0	QAM16	U-ACLR+	52.35	32.2	PASS
Band38	5	38225	8	#0	QAM16	U-ACLR2+	49.77	35.2	PASS
Band38	5	38225	8	#Max	QAM16	U-ACLR2-	49.82	35.2	PASS
Band38	5	38225	8	#Max	QAM16	U-ACLR1-	52.11	32.2	PASS
Band38	5	38225	8	#Max	QAM16	E-ACLR-	46.21	29.2	PASS
Band38	5	38225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	5	38225	8	#Max	QAM16	E-ACLR+	40.46	29.2	PASS
Band38	5	38225	8	#Max	QAM16	U-ACLR+	40.49	32.2	PASS
Band38	5	38225	8	#Max	QAM16	U-ACLR2+	53.24	35.2	PASS
Band38	5	38225	25	#0	QAM16	U-ACLR2-	44.37	35.2	PASS
Band38	5	38225	25	#0	QAM16	U-ACLR1-	41.89	32.2	PASS
Band38	5	38225	25	#0	QAM16	E-ACLR-	38.96	29.2	PASS
Band38	5	38225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band38	5	38225	25	#0	QAM16	E-ACLR+	38.63	29.2	PASS
Band38	5	38225	25	#0	QAM16	U-ACLR+	41.55	32.2	PASS
Band38	5	38225	25	#0	QAM16	U-ACLR2+	44.02	35.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR2-	49.72	35.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR1-	40.62	32.2	PASS
Band38	10	37800	12	#0	QPSK	E-ACLR-	39.94	29.2	PASS
Band38	10	37800	12	#0	QPSK	EUTRA	0.00	0	PASS

Band38	10	37800	12	#0	QPSK	E-ACLR+	44.23	29.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR+	56.79	32.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR2+	55.71	35.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR2-	56.45	35.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR1-	56.95	32.2	PASS
Band38	10	37800	12	#Max	QPSK	E-ACLR-	45.89	29.2	PASS
Band38	10	37800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	37800	12	#Max	QPSK	E-ACLR+	39.81	29.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR+	40.66	32.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR2+	49.09	35.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR2-	46.09	35.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR1-	43.60	32.2	PASS
Band38	10	37800	50	#0	QPSK	E-ACLR-	38.21	29.2	PASS
Band38	10	37800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	37800	50	#0	QPSK	E-ACLR+	37.37	29.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR+	43.09	32.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR2+	45.27	35.2	PASS
Band38	10	37800	12	#0	QAM16	U-ACLR2-	49.67	35.2	PASS
Band38	10	37800	12	#0	QAM16	U-ACLR1-	39.84	32.2	PASS
Band38	10	37800	12	#0	QAM16	E-ACLR-	39.78	29.2	PASS
Band38	10	37800	12	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	37800	12	#0	QAM16	E-ACLR+	44.17	29.2	PASS
Band38	10	37800	12	#0	QAM16	U-ACLR+	55.96	32.2	PASS
Band38	10	37800	12	#0	QAM16	U-ACLR2+	55.39	35.2	PASS
Band38	10	37800	12	#Max	QAM16	U-ACLR2-	55.86	35.2	PASS
Band38	10	37800	12	#Max	QAM16	U-ACLR1-	56.20	32.2	PASS
Band38	10	37800	12	#Max	QAM16	E-ACLR-	45.58	29.2	PASS
Band38	10	37800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	10	37800	12	#Max	QAM16	E-ACLR+	39.94	29.2	PASS
Band38	10	37800	12	#Max	QAM16	U-ACLR+	39.80	32.2	PASS
Band38	10	37800	12	#Max	QAM16	U-ACLR2+	49.72	35.2	PASS
Band38	10	37800	50	#0	QAM16	U-ACLR2-	44.77	35.2	PASS
Band38	10	37800	50	#0	QAM16	U-ACLR1-	42.78	32.2	PASS
Band38	10	37800	50	#0	QAM16	E-ACLR-	37.69	29.2	PASS
Band38	10	37800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	37800	50	#0	QAM16	E-ACLR+	36.64	29.2	PASS
Band38	10	37800	50	#0	QAM16	U-ACLR+	42.22	32.2	PASS
Band38	10	37800	50	#0	QAM16	U-ACLR2+	43.78	35.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR2-	49.40	35.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR1-	41.89	32.2	PASS
Band38	10	38000	12	#0	QPSK	E-ACLR-	40.74	29.2	PASS
Band38	10	38000	12	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	12	#0	QPSK	E-ACLR+	45.39	29.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR+	56.74	32.2	PASS

Band38	10	38000	12	#0	QPSK	U-ACLR2+	56.21	35.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR2-	56.35	35.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR1-	56.78	32.2	PASS
Band38	10	38000	12	#Max	QPSK	E-ACLR-	46.34	29.2	PASS
Band38	10	38000	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	12	#Max	QPSK	E-ACLR+	40.78	29.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR+	41.38	32.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR2+	49.94	35.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR2-	48.03	35.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR1-	45.50	32.2	PASS
Band38	10	38000	50	#0	QPSK	E-ACLR-	40.24	29.2	PASS
Band38	10	38000	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	50	#0	QPSK	E-ACLR+	38.66	29.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR+	44.47	32.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR2+	46.24	35.2	PASS
Band38	10	38000	12	#0	QAM16	U-ACLR2-	49.72	35.2	PASS
Band38	10	38000	12	#0	QAM16	U-ACLR1-	41.06	32.2	PASS
Band38	10	38000	12	#0	QAM16	E-ACLR-	40.73	29.2	PASS
Band38	10	38000	12	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	38000	12	#0	QAM16	E-ACLR+	45.25	29.2	PASS
Band38	10	38000	12	#0	QAM16	U-ACLR+	55.81	32.2	PASS
Band38	10	38000	12	#0	QAM16	U-ACLR2+	55.57	35.2	PASS
Band38	10	38000	12	#Max	QAM16	U-ACLR2-	55.94	35.2	PASS
Band38	10	38000	12	#Max	QAM16	U-ACLR1-	55.88	32.2	PASS
Band38	10	38000	12	#Max	QAM16	E-ACLR-	46.00	29.2	PASS
Band38	10	38000	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	10	38000	12	#Max	QAM16	E-ACLR+	40.73	29.2	PASS
Band38	10	38000	12	#Max	QAM16	U-ACLR+	40.84	32.2	PASS
Band38	10	38000	12	#Max	QAM16	U-ACLR2+	49.49	35.2	PASS
Band38	10	38000	50	#0	QAM16	U-ACLR2-	46.76	35.2	PASS
Band38	10	38000	50	#0	QAM16	U-ACLR1-	44.32	32.2	PASS
Band38	10	38000	50	#0	QAM16	E-ACLR-	39.43	29.2	PASS
Band38	10	38000	50	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	38000	50	#0	QAM16	E-ACLR+	37.98	29.2	PASS
Band38	10	38000	50	#0	QAM16	U-ACLR+	43.38	32.2	PASS
Band38	10	38000	50	#0	QAM16	U-ACLR2+	45.16	35.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR2-	50.43	35.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR1-	41.66	32.2	PASS
Band38	10	38200	12	#0	QPSK	E-ACLR-	41.01	29.2	PASS
Band38	10	38200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	12	#0	QPSK	E-ACLR+	45.32	29.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR+	56.99	32.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR2+	56.24	35.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR2-	55.87	35.2	PASS

Band38	10	38200	12	#Max	QPSK	U-ACLR1-	56.46	32.2	PASS
Band38	10	38200	12	#Max	QPSK	E-ACLR-	45.10	29.2	PASS
Band38	10	38200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	12	#Max	QPSK	E-ACLR+	41.35	29.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR+	41.68	32.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR2+	50.98	35.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR2-	47.43	35.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR1-	45.26	32.2	PASS
Band38	10	38200	50	#0	QPSK	E-ACLR-	39.70	29.2	PASS
Band38	10	38200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	50	#0	QPSK	E-ACLR+	39.36	29.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR+	44.49	32.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR2+	46.81	35.2	PASS
Band38	10	38200	12	#0	QAM16	U-ACLR2-	50.17	35.2	PASS
Band38	10	38200	12	#0	QAM16	U-ACLR1-	41.22	32.2	PASS
Band38	10	38200	12	#0	QAM16	E-ACLR-	40.87	29.2	PASS
Band38	10	38200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	38200	12	#0	QAM16	E-ACLR+	45.22	29.2	PASS
Band38	10	38200	12	#0	QAM16	U-ACLR+	56.06	32.2	PASS
Band38	10	38200	12	#0	QAM16	U-ACLR2+	55.63	35.2	PASS
Band38	10	38200	12	#Max	QAM16	U-ACLR2-	55.37	35.2	PASS
Band38	10	38200	12	#Max	QAM16	U-ACLR1-	55.77	32.2	PASS
Band38	10	38200	12	#Max	QAM16	E-ACLR-	44.93	29.2	PASS
Band38	10	38200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	10	38200	12	#Max	QAM16	E-ACLR+	41.14	29.2	PASS
Band38	10	38200	12	#Max	QAM16	U-ACLR+	41.10	32.2	PASS
Band38	10	38200	12	#Max	QAM16	U-ACLR2+	50.85	35.2	PASS
Band38	10	38200	50	#0	QAM16	U-ACLR2-	45.72	35.2	PASS
Band38	10	38200	50	#0	QAM16	U-ACLR1-	44.07	32.2	PASS
Band38	10	38200	50	#0	QAM16	E-ACLR-	38.71	29.2	PASS
Band38	10	38200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band38	10	38200	50	#0	QAM16	E-ACLR+	38.68	29.2	PASS
Band38	10	38200	50	#0	QAM16	U-ACLR+	43.86	32.2	PASS
Band38	10	38200	50	#0	QAM16	U-ACLR2+	45.81	35.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR2-	46.33	35.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR1-	42.53	32.2	PASS
Band38	20	37850	18	#0	QPSK	E-ACLR-	40.86	29.2	PASS
Band38	20	37850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	37850	18	#0	QPSK	E-ACLR+	43.55	29.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR+	57.29	32.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR2+	57.46	35.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR2-	57.10	35.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR1-	57.17	32.2	PASS
Band38	20	37850	18	#Max	QPSK	E-ACLR-	44.49	29.2	PASS



Band38	20	37850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	37850	18	#Max	QPSK	E-ACLR+	40.88	29.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR+	43.30	32.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR2+	45.78	35.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR2-	48.11	35.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR1-	46.65	32.2	PASS
Band38	20	37850	100	#0	QPSK	E-ACLR-	38.61	29.2	PASS
Band38	20	37850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	37850	100	#0	QPSK	E-ACLR+	36.95	29.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR+	43.97	32.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR2+	46.68	35.2	PASS
Band38	20	37850	18	#0	QAM16	U-ACLR2-	47.08	35.2	PASS
Band38	20	37850	18	#0	QAM16	U-ACLR1-	41.06	32.2	PASS
Band38	20	37850	18	#0	QAM16	E-ACLR-	40.43	29.2	PASS
Band38	20	37850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	37850	18	#0	QAM16	E-ACLR+	43.23	29.2	PASS
Band38	20	37850	18	#0	QAM16	U-ACLR+	56.34	32.2	PASS
Band38	20	37850	18	#0	QAM16	U-ACLR2+	56.41	35.2	PASS
Band38	20	37850	18	#Max	QAM16	U-ACLR2-	56.03	35.2	PASS
Band38	20	37850	18	#Max	QAM16	U-ACLR1-	56.23	32.2	PASS
Band38	20	37850	18	#Max	QAM16	E-ACLR-	43.85	29.2	PASS
Band38	20	37850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	20	37850	18	#Max	QAM16	E-ACLR+	40.85	29.2	PASS
Band38	20	37850	18	#Max	QAM16	U-ACLR+	41.89	32.2	PASS
Band38	20	37850	18	#Max	QAM16	U-ACLR2+	47.02	35.2	PASS
Band38	20	37850	100	#0	QAM16	U-ACLR2-	46.93	35.2	PASS
Band38	20	37850	100	#0	QAM16	U-ACLR1-	45.51	32.2	PASS
Band38	20	37850	100	#0	QAM16	E-ACLR-	37.96	29.2	PASS
Band38	20	37850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	37850	100	#0	QAM16	E-ACLR+	36.16	29.2	PASS
Band38	20	37850	100	#0	QAM16	U-ACLR+	43.60	32.2	PASS
Band38	20	37850	100	#0	QAM16	U-ACLR2+	45.20	35.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR2-	45.87	35.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR1-	43.44	32.2	PASS
Band38	20	38000	18	#0	QPSK	E-ACLR-	40.87	29.2	PASS
Band38	20	38000	18	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	18	#0	QPSK	E-ACLR+	43.49	29.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR+	57.33	32.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR2+	57.42	35.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR2-	56.90	35.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR1-	56.95	32.2	PASS
Band38	20	38000	18	#Max	QPSK	E-ACLR-	44.52	29.2	PASS
Band38	20	38000	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	18	#Max	QPSK	E-ACLR+	41.20	29.2	PASS

Band38	20	38000	18	#Max	QPSK	U-ACLR+	43.03	32.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR2+	46.63	35.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR2-	49.56	35.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR1-	47.95	32.2	PASS
Band38	20	38000	100	#0	QPSK	E-ACLR-	40.20	29.2	PASS
Band38	20	38000	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	100	#0	QPSK	E-ACLR+	38.06	29.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR+	45.40	32.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR2+	47.44	35.2	PASS
Band38	20	38000	18	#0	QAM16	U-ACLR2-	47.38	35.2	PASS
Band38	20	38000	18	#0	QAM16	U-ACLR1-	42.49	32.2	PASS
Band38	20	38000	18	#0	QAM16	E-ACLR-	40.99	29.2	PASS
Band38	20	38000	18	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	38000	18	#0	QAM16	E-ACLR+	43.17	29.2	PASS
Band38	20	38000	18	#0	QAM16	U-ACLR+	56.33	32.2	PASS
Band38	20	38000	18	#0	QAM16	U-ACLR2+	56.46	35.2	PASS
Band38	20	38000	18	#Max	QAM16	U-ACLR2-	56.04	35.2	PASS
Band38	20	38000	18	#Max	QAM16	U-ACLR1-	56.14	32.2	PASS
Band38	20	38000	18	#Max	QAM16	E-ACLR-	43.92	29.2	PASS
Band38	20	38000	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	20	38000	18	#Max	QAM16	E-ACLR+	41.50	29.2	PASS
Band38	20	38000	18	#Max	QAM16	U-ACLR+	42.41	32.2	PASS
Band38	20	38000	18	#Max	QAM16	U-ACLR2+	48.10	35.2	PASS
Band38	20	38000	100	#0	QAM16	U-ACLR2-	48.83	35.2	PASS
Band38	20	38000	100	#0	QAM16	U-ACLR1-	47.25	32.2	PASS
Band38	20	38000	100	#0	QAM16	E-ACLR-	39.66	29.2	PASS
Band38	20	38000	100	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	38000	100	#0	QAM16	E-ACLR+	37.38	29.2	PASS
Band38	20	38000	100	#0	QAM16	U-ACLR+	44.90	32.2	PASS
Band38	20	38000	100	#0	QAM16	U-ACLR2+	46.72	35.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR2-	46.83	35.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR1-	44.12	32.2	PASS
Band38	20	38150	18	#0	QPSK	E-ACLR-	41.39	29.2	PASS
Band38	20	38150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	18	#0	QPSK	E-ACLR+	43.94	29.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR+	57.41	32.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR2+	57.44	35.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR2-	56.78	35.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR1-	56.89	32.2	PASS
Band38	20	38150	18	#Max	QPSK	E-ACLR-	43.92	29.2	PASS
Band38	20	38150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	18	#Max	QPSK	E-ACLR+	41.71	29.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR+	43.22	32.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR2+	47.93	35.2	PASS



Band38	20	38150	100	#0	QPSK	U-ACLR2-	49.14	35.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR1-	46.78	32.2	PASS
Band38	20	38150	100	#0	QPSK	E-ACLR-	39.76	29.2	PASS
Band38	20	38150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	100	#0	QPSK	E-ACLR+	38.32	29.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR+	46.17	32.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR2+	47.77	35.2	PASS
Band38	20	38150	18	#0	QAM16	U-ACLR2-	48.01	35.2	PASS
Band38	20	38150	18	#0	QAM16	U-ACLR1-	42.98	32.2	PASS
Band38	20	38150	18	#0	QAM16	E-ACLR-	41.27	29.2	PASS
Band38	20	38150	18	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	38150	18	#0	QAM16	E-ACLR+	43.55	29.2	PASS
Band38	20	38150	18	#0	QAM16	U-ACLR+	56.52	32.2	PASS
Band38	20	38150	18	#0	QAM16	U-ACLR2+	56.61	35.2	PASS
Band38	20	38150	18	#Max	QAM16	U-ACLR2-	55.78	35.2	PASS
Band38	20	38150	18	#Max	QAM16	U-ACLR1-	56.01	32.2	PASS
Band38	20	38150	18	#Max	QAM16	E-ACLR-	43.68	29.2	PASS
Band38	20	38150	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band38	20	38150	18	#Max	QAM16	E-ACLR+	41.68	29.2	PASS
Band38	20	38150	18	#Max	QAM16	U-ACLR+	42.43	32.2	PASS
Band38	20	38150	18	#Max	QAM16	U-ACLR2+	48.96	35.2	PASS
Band38	20	38150	100	#0	QAM16	U-ACLR2-	48.25	35.2	PASS
Band38	20	38150	100	#0	QAM16	U-ACLR1-	46.44	32.2	PASS
Band38	20	38150	100	#0	QAM16	E-ACLR-	39.10	29.2	PASS
Band38	20	38150	100	#0	QAM16	EUTRA	0.00	0	PASS
Band38	20	38150	100	#0	QAM16	E-ACLR+	37.84	29.2	PASS
Band38	20	38150	100	#0	QAM16	U-ACLR+	45.84	32.2	PASS
Band38	20	38150	100	#0	QAM16	U-ACLR2+	47.14	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2-	53.57	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR1-	42.71	32.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR-	43.15	29.2	PASS
Band40	5	38675	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR+	43.29	29.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR+	49.18	32.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2+	46.64	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2-	47.15	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1-	49.79	32.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR-	43.81	29.2	PASS
Band40	5	38675	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR+	43.45	29.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR+	42.56	32.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2+	53.51	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2-	49.66	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1-	46.71	32.2	PASS

Band40	5	38675	25	#0	QPSK	E-ACLR-	43.65	29.2	PASS
Band40	5	38675	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR+	43.12	29.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR+	46.52	32.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2+	48.88	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2-	53.82	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR1-	42.32	32.2	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR-	43.10	29.2	PASS
Band40	5	38675	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR+	43.61	29.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR+	49.96	32.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2+	46.81	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2-	47.60	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR1-	49.83	32.2	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR-	44.15	29.2	PASS
Band40	5	38675	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR+	44.05	29.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR+	44.16	32.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2+	53.49	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2-	48.21	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR1-	44.89	32.2	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR-	42.38	29.2	PASS
Band40	5	38675	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR+	42.18	29.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR+	45.03	32.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2+	47.90	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2-	51.76	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1-	36.40	32.2	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR-	36.74	29.2	PASS
Band40	5	39150	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR+	43.68	29.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR+	49.60	32.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2+	47.02	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2-	47.30	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1-	49.34	32.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR-	43.73	29.2	PASS
Band40	5	39150	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR+	37.65	29.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR+	37.26	32.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2+	52.54	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	43.71	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	41.29	32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR-	38.42	29.2	PASS
Band40	5	39150	25	#0	QPSK	EUTRA	0.00	0	PASS

Band40	5	39150	25	#0	QPSK	E-ACLR+	39.03	29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR+	41.61	32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	44.43	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2-	51.94	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR1-	37.90	32.2	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR-	38.31	29.2	PASS
Band40	5	39150	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR+	43.95	29.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR+	49.73	32.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2+	47.35	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2-	46.88	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR1-	49.76	32.2	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR-	43.64	29.2	PASS
Band40	5	39150	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR+	39.01	29.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR+	38.70	32.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2+	52.48	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2-	44.56	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR1-	41.14	32.2	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR-	38.81	29.2	PASS
Band40	5	39150	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR+	39.07	29.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR+	41.45	32.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2+	44.74	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2-	51.11	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1-	38.77	32.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR-	39.01	29.2	PASS
Band40	5	39625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR+	44.83	29.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR+	50.76	32.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2+	48.07	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2-	47.24	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1-	49.97	32.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR-	43.91	29.2	PASS
Band40	5	39625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR+	38.68	29.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR+	38.14	32.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2+	51.89	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2-	47.47	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1-	45.30	32.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR-	41.77	29.2	PASS
Band40	5	39625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR+	41.42	29.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR+	45.13	32.2	PASS

Band40	5	39625	25	#0	QPSK	U-ACLR2+	47.04	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2-	51.36	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR1-	41.07	32.2	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR-	40.98	29.2	PASS
Band40	5	39625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR+	45.36	29.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR+	51.45	32.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2+	48.51	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2-	47.88	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR1-	50.51	32.2	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR-	44.61	29.2	PASS
Band40	5	39625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR+	41.24	29.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR+	41.12	32.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2+	51.95	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2-	46.68	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR1-	44.65	32.2	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR-	41.22	29.2	PASS
Band40	5	39625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR+	40.71	29.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR+	43.93	32.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2+	46.19	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2-	52.03	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1-	44.35	32.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR-	43.81	29.2	PASS
Band40	10	38700	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR+	42.06	29.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR+	57.11	32.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2+	54.61	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2-	55.82	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1-	57.15	32.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR-	44.24	29.2	PASS
Band40	10	38700	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR+	43.75	29.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR+	44.38	32.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2+	51.57	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2-	51.25	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1-	49.55	32.2	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR-	43.71	29.2	PASS
Band40	10	38700	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR+	41.95	29.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR+	48.24	32.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2+	49.77	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2-	51.47	35.2	PASS

Band40	10	38700	12	#0	QAM16	U-ACLR1-	44.08	32.2	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR-	43.29	29.2	PASS
Band40	10	38700	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR+	42.25	29.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR+	56.32	32.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2+	54.81	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2-	55.60	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR1-	56.34	32.2	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR-	44.27	29.2	PASS
Band40	10	38700	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR+	43.41	29.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR+	44.21	32.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2+	51.50	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2-	49.92	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR1-	47.24	32.2	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR-	42.44	29.2	PASS
Band40	10	38700	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR+	41.15	29.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR+	47.29	32.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2+	48.79	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2-	49.15	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1-	36.26	32.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR-	37.60	29.2	PASS
Band40	10	39150	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR+	42.93	29.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR+	57.45	32.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2+	55.73	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2-	55.39	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR1-	56.72	32.2	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR-	44.34	29.2	PASS
Band40	10	39150	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR+	39.93	29.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR+	38.92	32.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2+	50.02	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	44.13	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1-	43.05	32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR-	37.39	29.2	PASS
Band40	10	39150	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR+	38.55	29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR+	43.55	32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	45.20	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2-	48.68	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR1-	37.84	32.2	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR-	39.04	29.2	PASS

Band40	10	39150	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR+	43.22	29.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR+	56.62	32.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2+	55.50	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2-	55.80	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR1-	56.14	32.2	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR-	44.42	29.2	PASS
Band40	10	39150	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR+	40.34	29.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR+	39.65	32.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2+	49.58	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2-	44.78	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR1-	43.02	32.2	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR-	37.96	29.2	PASS
Band40	10	39150	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR+	38.92	29.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR+	43.68	32.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2+	45.77	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2-	50.09	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1-	41.93	32.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR-	41.79	29.2	PASS
Band40	10	39600	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR+	44.49	29.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR+	57.46	32.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2+	56.22	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2-	55.61	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR1-	56.81	32.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR-	44.17	29.2	PASS
Band40	10	39600	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR+	41.63	29.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR+	41.08	32.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2+	50.37	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2-	50.03	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1-	48.83	32.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR-	42.38	29.2	PASS
Band40	10	39600	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR+	41.42	29.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR+	48.54	32.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2+	49.10	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2-	49.51	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR1-	42.35	32.2	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR-	41.79	29.2	PASS
Band40	10	39600	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR+	44.64	29.2	PASS



Band40	10	39600	12	#0	QAM16	U-ACLR+	56.58	32.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2+	55.83	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2-	55.35	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR1-	56.04	32.2	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR-	44.33	29.2	PASS
Band40	10	39600	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR+	42.02	29.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR+	41.89	32.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2+	49.63	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2-	48.57	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR1-	46.79	32.2	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR-	41.40	29.2	PASS
Band40	10	39600	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR+	40.33	29.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR+	46.48	32.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2+	47.81	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2-	50.38	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1-	48.12	32.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR-	44.07	29.2	PASS
Band40	20	38750	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR+	42.19	29.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR+	58.07	32.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2+	58.40	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2-	57.65	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1-	57.58	32.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR-	44.25	29.2	PASS
Band40	20	38750	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR+	43.72	29.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR+	46.93	32.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2+	49.60	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2-	53.34	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1-	51.85	32.2	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR-	43.36	29.2	PASS
Band40	20	38750	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR+	40.96	29.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR+	50.02	32.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2+	51.53	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2-	50.69	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR1-	46.73	32.2	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR-	43.38	29.2	PASS
Band40	20	38750	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR+	42.17	29.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR+	57.14	32.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2+	57.26	35.2	PASS

Band40	20	38750	18	#Max	QAM16	U-ACLR2-	56.71	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR1-	56.64	32.2	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR-	43.80	29.2	PASS
Band40	20	38750	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR+	43.36	29.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR+	46.28	32.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2+	50.06	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2-	51.39	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR1-	49.91	32.2	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR-	41.91	29.2	PASS
Band40	20	38750	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR+	40.20	29.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR+	48.59	32.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2+	50.21	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2-	46.69	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1-	38.64	32.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR-	39.94	29.2	PASS
Band40	20	39150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR+	42.71	29.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR+	58.57	32.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2+	58.70	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2-	57.86	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1-	57.53	32.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR-	43.17	29.2	PASS
Band40	20	39150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR+	42.23	29.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR+	42.26	32.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2+	49.62	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2-	45.76	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1-	44.75	32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR-	36.59	29.2	PASS
Band40	20	39150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR+	38.43	29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR+	46.18	32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	47.33	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2-	48.03	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR1-	40.33	32.2	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR-	40.88	29.2	PASS
Band40	20	39150	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR+	42.72	29.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR+	57.57	32.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2+	57.69	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2-	56.91	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR1-	56.73	32.2	PASS



Band40	20	39150	18	#Max	QAM16	E-ACLR-	42.97	29.2	PASS
Band40	20	39150	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR+	42.66	29.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR+	43.64	32.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2+	49.87	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2-	46.68	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR1-	45.31	32.2	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR-	37.72	29.2	PASS
Band40	20	39150	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR+	38.47	29.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR+	46.85	32.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2+	47.69	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2-	48.88	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1-	46.11	32.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR-	43.14	29.2	PASS
Band40	20	39550	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR+	43.78	29.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR+	58.05	32.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2+	58.27	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2-	57.70	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1-	57.61	32.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR-	44.27	29.2	PASS
Band40	20	39550	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR+	42.31	29.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR+	43.91	32.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2+	48.35	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2-	52.39	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1-	50.72	32.2	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR-	42.47	29.2	PASS
Band40	20	39550	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR+	40.50	29.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR+	49.51	32.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2+	51.09	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2-	48.94	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR1-	44.73	32.2	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR-	42.60	29.2	PASS
Band40	20	39550	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR+	43.67	29.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR+	57.24	32.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2+	57.37	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2-	56.75	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR1-	56.74	32.2	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR-	43.69	29.2	PASS
Band40	20	39550	18	#Max	QAM16	EUTRA	0.00	0	PASS

Band40	20	39550	18	#Max	QAM16	E-ACLR+	42.33	29.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR+	44.38	32.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2+	48.59	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2-	51.27	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR1-	49.41	32.2	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR-	41.46	29.2	PASS
Band40	20	39550	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR+	39.53	29.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR+	47.48	32.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2+	49.45	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	54.00	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	43.46	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	41.48	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	44.38	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	44.66	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	54.46	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	54.11	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	45.16	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	44.88	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	40.84	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	43.10	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	54.19	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	50.61	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	43.13	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	42.43	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	41.52	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	42.23	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	49.87	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	53.06	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	43.79	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR-	41.90	29.2	PASS
Band7	5	20775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR+	45.10	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR+	45.37	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	53.45	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2-	53.14	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	45.54	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR-	45.25	29.2	PASS
Band7	5	20775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR+	42.12	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR+	43.95	32.2	PASS

Band7	5	20775	8	#Max	QAM16	U-ACLR2+	53.27	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	50.32	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	42.92	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR-	42.08	29.2	PASS
Band7	5	20775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR+	41.66	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR+	42.40	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	49.85	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	53.83	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	39.46	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	36.80	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	44.22	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	44.47	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	54.55	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	54.17	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	45.53	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	45.21	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	38.89	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	41.58	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	54.21	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	50.79	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	39.74	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	39.01	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	39.18	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	40.00	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	50.81	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2-	52.90	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	40.85	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR-	38.23	29.2	PASS
Band7	5	21100	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR+	44.08	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR+	44.33	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	53.48	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	53.15	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	45.83	32.2	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR-	45.51	29.2	PASS
Band7	5	21100	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR+	39.93	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR+	42.62	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	53.36	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	50.19	35.2	PASS

Band7	5	21100	25	#0	QAM16	U-ACLR1-	40.28	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR-	39.40	29.2	PASS
Band7	5	21100	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR+	39.22	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR+	40.10	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	50.31	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	53.68	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	38.61	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	35.76	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	45.40	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	45.67	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	54.53	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	54.03	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	43.18	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	42.96	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	38.54	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	41.42	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	53.90	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	50.30	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	38.51	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	37.75	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	38.89	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	39.85	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	50.82	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	52.91	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR1-	40.75	32.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR-	38.29	29.2	PASS
Band7	5	21425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR+	46.11	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR+	46.40	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	53.38	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	52.99	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	43.98	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR-	43.73	29.2	PASS
Band7	5	21425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR+	40.73	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR+	43.25	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	53.17	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	49.71	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	39.15	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR-	38.38	29.2	PASS

Band7	5	21425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR+	39.22	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR+	40.09	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	50.37	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	53.12	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	43.21	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	42.42	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	42.93	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	48.12	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	46.86	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	48.69	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	49.51	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	44.70	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	40.12	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	40.72	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	53.59	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	46.86	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	44.20	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	41.72	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	39.24	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	41.65	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	44.56	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	52.24	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1-	43.66	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR-	42.67	29.2	PASS
Band7	10	20800	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR+	43.11	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR+	48.25	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	47.04	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	48.85	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	49.46	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR-	44.83	29.2	PASS
Band7	10	20800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR+	40.98	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR+	41.78	32.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2+	52.73	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	47.20	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	44.35	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR-	41.85	29.2	PASS
Band7	10	20800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR+	39.82	29.2	PASS

Band7	10	20800	50	#0	QAM16	U-ACLR+	42.33	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	45.22	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	38.01	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	37.46	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	44.57	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	49.46	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	48.37	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	48.37	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	48.99	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	44.34	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	41.41	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	42.12	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.64	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	44.54	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	40.46	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	38.36	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	39.25	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	41.40	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	45.30	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	52.04	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	39.87	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR-	39.13	29.2	PASS
Band7	10	21100	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR+	44.92	29.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR+	49.62	32.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2+	48.96	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	48.45	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	49.37	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR-	44.55	29.2	PASS
Band7	10	21100	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR+	41.98	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR+	42.92	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	52.92	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	45.64	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR1-	40.87	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR-	38.95	29.2	PASS
Band7	10	21100	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR+	39.30	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR+	41.30	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	45.72	35.2	PASS



Band7	10	21400	12	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	38.72	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	38.17	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	45.60	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	50.45	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	49.46	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	48.42	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	48.98	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	44.36	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	40.82	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	41.48	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.57	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	44.14	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	39.50	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	37.58	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	39.04	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	41.07	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	45.26	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	52.17	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	40.09	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR-	39.41	29.2	PASS
Band7	10	21400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR+	45.71	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR+	50.33	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	49.57	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2-	48.60	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1-	49.12	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR-	44.60	29.2	PASS
Band7	10	21400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR+	41.46	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR+	42.29	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	52.81	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	45.23	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	39.97	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR-	38.23	29.2	PASS
Band7	10	21400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR+	38.90	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR+	40.88	32.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2+	45.43	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	51.64	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	44.04	32.2	PASS



Band7	20	20850	18	#0	QPSK	E-ACLR-	42.96	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	42.41	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	53.62	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	51.33	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	51.85	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	53.16	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	44.71	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	39.73	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	38.81	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	51.36	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	46.82	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	45.12	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	41.07	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	37.36	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	42.02	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	43.38	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	50.83	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	43.99	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR-	42.57	29.2	PASS
Band7	20	20850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR+	42.44	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR+	52.52	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	51.31	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	51.05	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	52.03	32.2	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR-	44.22	29.2	PASS
Band7	20	20850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR+	40.47	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR+	40.27	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	50.96	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	47.27	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	45.96	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR-	41.42	29.2	PASS
Band7	20	20850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR+	38.31	29.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR+	43.21	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	44.43	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	50.51	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	38.44	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	39.51	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS

Band7	20	21100	18	#0	QPSK	E-ACLR+	43.98	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	53.84	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	52.43	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	51.60	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	52.81	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	44.08	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	42.81	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	43.70	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	52.30	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	43.42	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	41.78	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	37.72	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	38.47	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	42.95	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	44.75	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	50.05	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	40.09	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR-	40.41	29.2	PASS
Band7	20	21100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR+	43.89	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR+	52.85	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	52.13	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	50.95	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	51.85	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR-	43.84	29.2	PASS
Band7	20	21100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR+	42.74	29.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR+	44.05	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	51.68	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	44.77	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	42.83	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR-	38.85	29.2	PASS
Band7	20	21100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR+	38.35	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR+	43.23	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	44.40	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.55	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	42.56	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	41.95	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	44.38	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	53.91	32.2	PASS

Band7	20	21350	18	#0	QPSK	U-ACLR2+	52.65	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	51.27	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	52.77	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	43.71	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	41.58	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	41.38	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	51.91	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	45.15	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	43.95	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	39.48	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	39.19	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	44.20	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	44.98	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	50.77	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	42.75	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR-	41.93	29.2	PASS
Band7	20	21350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR+	44.19	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR+	52.96	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	52.29	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	50.70	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	51.80	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR-	43.54	29.2	PASS
Band7	20	21350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR+	41.81	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR+	42.24	32.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2+	51.36	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2-	46.26	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	44.61	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR-	40.39	29.2	PASS
Band7	20	21350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR+	38.80	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR+	43.40	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	44.81	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	47.19	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	43.42	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	43.04	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	46.86	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	48.59	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	44.46	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS

Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	40.65	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	44.57	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	49.10	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	47.89	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	46.97	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	47.32	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	48.29	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR-	44.81	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR+	44.75	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR+	47.93	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	49.44	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR-	46.36	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR+	42.88	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR+	46.11	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	49.15	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR-	47.46	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR+	46.44	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR+	47.45	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	47.13	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	44.54	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	45.66	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	48.10	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	48.32	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	45.83	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	43.93	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	46.56	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	47.95	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	47.28	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	46.96	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	47.67	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	47.39	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR-	44.59	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR+	46.04	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR+	48.14	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	48.57	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR-	46.38	29.2	PASS

Band8	1.4	21625	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR+	44.06	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR+	46.78	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	48.29	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR-	46.57	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR+	46.34	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR+	47.93	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	40.33	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	35.00	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	38.94	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	45.21	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	43.05	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	37.14	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	36.47	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	42.32	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	42.53	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	39.71	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	41.39	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	44.41	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	43.14	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR-	38.45	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR+	41.85	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR+	46.87	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	45.33	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR-	40.26	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR+	39.30	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR+	44.58	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	44.65	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR-	41.91	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR+	43.55	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR+	46.24	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.51	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	46.25	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	43.69	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	50.96	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	51.77	32.2	PASS

Band8	5	21475	8	#0	QPSK	U-ACLR2+	53.67	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	53.53	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	52.52	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	51.69	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	37.91	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	40.26	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.46	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	46.56	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	45.57	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	40.93	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	41.61	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	51.35	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	52.51	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	47.30	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR-	44.82	29.2	PASS
Band8	5	21475	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR+	50.23	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR+	51.04	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	52.72	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	52.52	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	51.83	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR-	51.05	29.2	PASS
Band8	5	21475	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR+	41.11	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR+	43.31	32.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2+	52.66	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2-	52.63	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	47.12	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR-	46.12	29.2	PASS
Band8	5	21475	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR+	42.24	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR+	42.95	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	51.66	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.20	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	47.10	32.2	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR-	45.26	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	51.05	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	51.80	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	53.59	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	53.29	35.2	PASS



Band8	5	21625	8	#Max	QPSK	U-ACLR1-	51.50	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	50.77	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	43.58	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	45.42	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.47	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	51.53	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	46.59	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	45.64	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	45.20	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	46.19	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	51.93	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	52.30	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	46.65	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR-	44.80	29.2	PASS
Band8	5	21625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR+	50.37	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR+	51.12	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	52.71	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	52.37	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	50.78	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR-	50.07	29.2	PASS
Band8	5	21625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR+	43.93	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR+	45.81	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	52.52	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	52.06	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR1-	45.25	32.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR-	44.26	29.2	PASS
Band8	5	21625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR+	43.99	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR+	44.95	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	52.51	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	53.08	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	44.96	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	42.77	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR+	51.69	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	52.52	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	53.72	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.26	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	51.23	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	50.42	29.2	PASS




Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	37.44	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	40.15	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	53.64	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.01	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	42.58	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	41.80	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	45.11	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	46.06	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	52.65	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	52.23	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	46.20	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR-	43.98	29.2	PASS
Band8	5	21775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR+	50.92	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR+	51.70	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	52.73	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	52.22	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	50.60	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR-	49.86	29.2	PASS
Band8	5	21775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR+	40.90	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR+	43.37	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	52.59	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	51.36	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	42.09	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR-	41.38	29.2	PASS
Band8	5	21775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR+	44.81	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR+	45.93	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	53.59	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	53.21	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	44.54	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	43.53	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	49.21	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	52.73	32.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2+	53.19	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	53.19	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	53.05	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	49.42	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	41.78	29.2	PASS

Band8	10	21500	12	#Max	QPSK	U-ACLR+	42.51	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	52.78	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.87	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	48.48	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	46.26	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	40.51	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	42.97	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	46.02	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	52.20	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1-	45.31	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR-	44.02	29.2	PASS
Band8	10	21500	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR+	48.23	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR+	51.76	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	52.18	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	52.15	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	52.14	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR-	48.45	29.2	PASS
Band8	10	21500	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR+	42.26	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR+	43.28	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	52.00	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	52.74	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	48.96	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR-	46.88	29.2	PASS
Band8	10	21500	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR+	40.78	29.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR+	42.92	32.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2+	47.07	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	52.47	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	46.04	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	44.71	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	49.21	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	52.61	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	53.30	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	52.54	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1-	52.41	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	48.73	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	42.51	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	43.35	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	53.17	35.2	PASS


Band8	10	21625	50	#0	QPSK	U-ACLR2-	49.19	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	47.46	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	44.50	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	44.97	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	47.69	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	49.94	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	51.59	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	45.83	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR-	44.28	29.2	PASS
Band8	10	21625	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR+	48.33	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR+	51.81	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	52.32	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	51.53	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	51.55	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR-	47.80	29.2	PASS
Band8	10	21625	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR+	43.11	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR+	44.22	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	52.29	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	49.23	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	46.21	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR-	43.73	29.2	PASS
Band8	10	21625	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR+	44.32	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR+	46.55	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	50.26	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	52.28	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	44.49	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	43.37	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	49.85	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	53.30	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	52.16	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	51.77	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	48.21	29.2	PASS
Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	40.90	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	41.56	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	48.08	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	45.63	32.2	PASS

Band8	10	21750	50	#0	QPSK	E-ACLR-	42.94	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	45.70	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	47.11	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	52.93	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	51.55	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	44.40	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR-	43.15	29.2	PASS
Band8	10	21750	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR+	48.93	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR+	52.39	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	52.86	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	51.31	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	51.12	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR-	47.45	29.2	PASS
Band8	10	21750	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR+	42.10	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR+	42.96	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	52.78	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	47.55	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	43.70	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR-	41.51	29.2	PASS
Band8	10	21750	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR+	45.25	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR+	46.34	32.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2+	53.81	35.2	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0







Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0






Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max






Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0







Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0







Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max






Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0







Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0







Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max



Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max







Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0



Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0







Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0






Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max



Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max







Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0





Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0



Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 QAM16 BW=10MHz Channel=37800 RB Size=12 Position=#0



Band38 QAM16 BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QAM16 BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=18 Position=#0



Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0



Band38 QAM16 BW=20MHz Channel=37850 RB Size=18 Position=#Max







Band38 QAM16 BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=12 Position=#Max




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 QAM16 BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=8 Position=#Max



Band38 QAM16 BW=5MHz Channel=38000 RB Size=8 Position=#0



Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QAM16 BW=20MHz Channel=38000 RB Size=18 Position=#Max




Band38 QAM16 BW=20MHz Channel=38000 RB Size=18 Position=#0



Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0







Band38 QAM16 BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 QAM16 BW=20MHz Channel=38150 RB Size=18 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=8 Position=#Max




Band38 QAM16 BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#Max



Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#0



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#Max






Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#0



Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#Max




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#Max




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#Max







Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max



Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max






Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0



Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0







Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0






Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max







Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0







Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0







Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max







Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0



Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0







Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max







Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0






Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



#### Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	99.91	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	99.36	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	97.72	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	100.00	95	PASS
Band38	5	37775	25	QPSK	-99.3	100.00	95	PASS
Band38	5	38000	25	QPSK	-99.3	100.00	95	PASS
Band38	5	38225	25	QPSK	-99.3	100.00	95	PASS
Band38	20	37850	100	QPSK	-93.3	100.00	95	PASS
Band38	20	38000	100	QPSK	-93.3	100.00	95	PASS
Band38	20	38150	100	QPSK	-93.3	100.00	95	PASS
Band40	5	38675	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39150	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39625	25	QPSK	-99.3	100.00	95	PASS
Band40	20	38750	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39150	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39550	100	QPSK	-93.3	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	100.00	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS



Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	100.00	95	PASS


#### Clause 4.2.10 LTE Receiver spurious emissions

Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	797.76	-83.32	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	2410.00	-77.35	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	799.50	-83.34	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2410.00	-77.25	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	811.34	-83.98	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2410.00	-77.10	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	217.31	-92.81	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1807.81	-72.68	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	211.29	-92.97	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1835.23	-71.52	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	211.78	-92.78	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1866.56	-71.78	-47	PASS
Band38	20	37850	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-90.73	-57	PASS
Band38	20	37850	QPSK	1000 MHz-12.75 GHz	1 MHz	2580.38	-75.89	-47	PASS
Band38	20	38000	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-91.38	-57	PASS
Band38	20	38000	QPSK	1000 MHz-12.75 GHz	1 MHz	2587.23	-75.65	-47	PASS
Band38	20	38150	QPSK	30 MHz-1000 MHz	100 kHz	220.51	-91.50	-57	PASS

Band38	20	38150	QPSK	1000 MHz-12.75 GHz	1 MHz	2603.88	-76.29	-47	PASS
Band40	20	38750	QPSK	30 MHz-1000 MHz	100 kHz	209.35	-91.90	-57	PASS
Band40	20	38750	QPSK	1000 MHz-12.75 GHz	1 MHz	2433.50	-74.41	-47	PASS
Band40	20	39150	QPSK	30 MHz-1000 MHz	100 kHz	203.34	-91.88	-57	PASS
Band40	20	39150	QPSK	1000 MHz-12.75 GHz	1 MHz	2358.10	-75.32	-47	PASS
Band40	20	39550	QPSK	30 MHz-1000 MHz	100 kHz	917.36	-91.59	-57	PASS
Band40	20	39550	QPSK	1000 MHz-12.75 GHz	1 MHz	2395.31	-71.30	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	207.61	-91.67	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2628.35	-74.36	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	220.61	-91.50	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2662.63	-73.43	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	221.09	-91.47	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2672.42	-73.26	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	931.71	-81.53	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	12640.33	-81.81	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	945.00	-82.37	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	12622.71	-81.79	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	950.72	-84.29	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	12639.35	-81.77	-47	PASS


Band20 QPSK BW=20MHz Channel=24250

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

### Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

### Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

### Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38150

### Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38000

### Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=37850

### Conducted spurious emissions



Band40 QPSK BW=20MHz Channel=38750


### Conducted spurious emissions



Band40 QPSK BW=20MHz Channel=39550




### Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

### Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

### Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625

### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21500

### Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750

### Conducted spurious emissions

