

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Gain (dBm)	E.I.R.P (dBm)	Verdict
Band41	5MHz	QPSK	40240	1RB#0	24.29	-0.85	23.44	PASS
Band41	5MHz	QPSK	40240	1RB#12	24.47	-0.85	23.62	PASS
Band41	5MHz	QPSK	40240	1RB#24	24.27	-0.85	23.42	PASS
Band41	5MHz	QPSK	40240	12RB#0	23.38	-0.85	22.53	PASS
Band41	5MHz	QPSK	40240	12RB#6	23.41	-0.85	22.56	PASS
Band41	5MHz	QPSK	40240	12RB#13	23.41	-0.85	22.56	PASS
Band41	5MHz	QPSK	40240	25RB#0	23.41	-0.85	22.56	PASS
Band41	5MHz	QPSK	40620	1RB#0	24.15	-0.85	23.3	PASS
Band41	5MHz	QPSK	40620	1RB#12	23.95	-0.85	23.1	PASS
Band41	5MHz	QPSK	40620	1RB#24	23.72	-0.85	22.87	PASS
Band41	5MHz	QPSK	40620	12RB#0	22.94	-0.85	22.09	PASS
Band41	5MHz	QPSK	40620	12RB#6	22.84	-0.85	21.99	PASS
Band41	5MHz	QPSK	40620	12RB#13	22.84	-0.85	21.99	PASS
Band41	5MHz	QPSK	40620	25RB#0	22.85	-0.85	22	PASS
Band41	5MHz	QPSK	41215	1RB#0	23.45	-0.85	22.6	PASS
Band41	5MHz	QPSK	41215	1RB#12	23.63	-0.85	22.78	PASS
Band41	5MHz	QPSK	41215	1RB#24	23.40	-0.85	22.55	PASS
Band41	5MHz	QPSK	41215	12RB#0	22.60	-0.85	21.75	PASS
Band41	5MHz	QPSK	41215	12RB#6	22.62	-0.85	21.77	PASS
Band41	5MHz	QPSK	41215	12RB#13	22.55	-0.85	21.7	PASS
Band41	5MHz	QPSK	41215	25RB#0	22.59	-0.85	21.74	PASS
Band41	5MHz	16QAM	40240	1RB#0	23.64	-0.85	22.79	PASS
Band41	5MHz	16QAM	40240	1RB#12	23.84	-0.85	22.99	PASS
Band41	5MHz	16QAM	40240	1RB#24	23.64	-0.85	22.79	PASS
Band41	5MHz	16QAM	40240	12RB#0	22.34	-0.85	21.49	PASS
Band41	5MHz	16QAM	40240	12RB#6	22.38	-0.85	21.53	PASS
Band41	5MHz	16QAM	40240	12RB#13	22.37	-0.85	21.52	PASS
Band41	5MHz	16QAM	40240	25RB#0	22.46	-0.85	21.61	PASS
Band41	5MHz	16QAM	40620	1RB#0	23.38	-0.85	22.53	PASS
Band41	5MHz	16QAM	40620	1RB#12	23.26	-0.85	22.41	PASS
Band41	5MHz	16QAM	40620	1RB#24	22.94	-0.85	22.09	PASS

Band41	5MHz	16QAM	40620	12RB#0	21.85	-0.85	21	PASS
Band41	5MHz	16QAM	40620	12RB#6	21.86	-0.85	21.01	PASS
Band41	5MHz	16QAM	40620	12RB#13	21.97	-0.85	21.12	PASS
Band41	5MHz	16QAM	40620	25RB#0	21.84	-0.85	20.99	PASS
Band41	5MHz	16QAM	41215	1RB#0	22.66	-0.85	21.81	PASS
Band41	5MHz	16QAM	41215	1RB#12	22.85	-0.85	22	PASS
Band41	5MHz	16QAM	41215	1RB#24	22.59	-0.85	21.74	PASS
Band41	5MHz	16QAM	41215	12RB#0	21.55	-0.85	20.7	PASS
Band41	5MHz	16QAM	41215	12RB#6	21.53	-0.85	20.68	PASS
Band41	5MHz	16QAM	41215	12RB#13	21.52	-0.85	20.67	PASS
Band41	5MHz	16QAM	41215	25RB#0	21.58	-0.85	20.73	PASS
Band41	10MHz	QPSK	40190	1RB#0	23.84	-0.85	22.99	PASS
Band41	10MHz	QPSK	40190	1RB#24	24.05	-0.85	23.2	PASS
Band41	10MHz	QPSK	40190	1RB#49	23.80	-0.85	22.95	PASS
Band41	10MHz	QPSK	40190	25RB#0	22.90	-0.85	22.05	PASS
Band41	10MHz	QPSK	40190	25RB#12	22.88	-0.85	22.03	PASS
Band41	10MHz	QPSK	40190	25RB#25	22.93	-0.85	22.08	PASS
Band41	10MHz	QPSK	40190	50RB#0	22.90	-0.85	22.05	PASS
Band41	10MHz	QPSK	40620	1RB#0	23.94	-0.85	23.09	PASS
Band41	10MHz	QPSK	40620	1RB#24	24.00	-0.85	23.15	PASS
Band41	10MHz	QPSK	40620	1RB#49	23.75	-0.85	22.9	PASS
Band41	10MHz	QPSK	40620	25RB#0	22.89	-0.85	22.04	PASS
Band41	10MHz	QPSK	40620	25RB#12	22.87	-0.85	22.02	PASS
Band41	10MHz	QPSK	40620	25RB#25	22.85	-0.85	22	PASS
Band41	10MHz	QPSK	40620	50RB#0	22.85	-0.85	22	PASS
Band41	10MHz	QPSK	41190	1RB#0	23.58	-0.85	22.73	PASS
Band41	10MHz	QPSK	41190	1RB#24	23.76	-0.85	22.91	PASS
Band41	10MHz	QPSK	41190	1RB#49	23.48	-0.85	22.63	PASS
Band41	10MHz	QPSK	41190	25RB#0	22.67	-0.85	21.82	PASS
Band41	10MHz	QPSK	41190	25RB#12	22.68	-0.85	21.83	PASS
Band41	10MHz	QPSK	41190	25RB#25	22.56	-0.85	21.71	PASS
Band41	10MHz	QPSK	41190	50RB#0	22.64	-0.85	21.79	PASS
Band41	10MHz	16QAM	40190	1RB#0	23.24	-0.85	22.39	PASS
Band41	10MHz	16QAM	40190	1RB#24	23.41	-0.85	22.56	PASS
Band41	10MHz	16QAM	40190	1RB#49	23.18	-0.85	22.33	PASS
Band41	10MHz	16QAM	40190	25RB#0	21.97	-0.85	21.12	PASS
Band41	10MHz	16QAM	40190	25RB#12	21.98	-0.85	21.13	PASS

Band41	10MHz	16QAM	40190	25RB#25	22.04	-0.85	21.19	PASS
Band41	10MHz	16QAM	40190	50RB#0	21.88	-0.85	21.03	PASS
Band41	10MHz	16QAM	40620	1RB#0	22.77	-0.85	21.92	PASS
Band41	10MHz	16QAM	40620	1RB#24	22.93	-0.85	22.08	PASS
Band41	10MHz	16QAM	40620	1RB#49	22.67	-0.85	21.82	PASS
Band41	10MHz	16QAM	40620	25RB#0	21.86	-0.85	21.01	PASS
Band41	10MHz	16QAM	40620	25RB#12	21.86	-0.85	21.01	PASS
Band41	10MHz	16QAM	40620	25RB#25	21.87	-0.85	21.02	PASS
Band41	10MHz	16QAM	40620	50RB#0	21.87	-0.85	21.02	PASS
Band41	10MHz	16QAM	41190	1RB#0	22.64	-0.85	21.79	PASS
Band41	10MHz	16QAM	41190	1RB#24	22.81	-0.85	21.96	PASS
Band41	10MHz	16QAM	41190	1RB#49	22.54	-0.85	21.69	PASS
Band41	10MHz	16QAM	41190	25RB#0	21.69	-0.85	20.84	PASS
Band41	10MHz	16QAM	41190	25RB#12	21.70	-0.85	20.85	PASS
Band41	10MHz	16QAM	41190	25RB#25	21.62	-0.85	20.77	PASS
Band41	10MHz	16QAM	41190	50RB#0	21.60	-0.85	20.75	PASS
Band41	15MHz	QPSK	40165	1RB#0	23.82	-0.85	22.97	PASS
Band41	15MHz	QPSK	40165	1RB#38	23.93	-0.85	23.08	PASS
Band41	15MHz	QPSK	40165	1RB#74	23.75	-0.85	22.9	PASS
Band41	15MHz	QPSK	40165	38RB#0	22.95	-0.85	22.1	PASS
Band41	15MHz	QPSK	40165	38RB#18	22.98	-0.85	22.13	PASS
Band41	15MHz	QPSK	40165	38RB#37	22.96	-0.85	22.11	PASS
Band41	15MHz	QPSK	40165	75RB#0	22.97	-0.85	22.12	PASS
Band41	15MHz	QPSK	40620	1RB#0	23.85	-0.85	23	PASS
Band41	15MHz	QPSK	40620	1RB#38	23.91	-0.85	23.06	PASS
Band41	15MHz	QPSK	40620	1RB#74	23.75	-0.85	22.9	PASS
Band41	15MHz	QPSK	40620	38RB#0	22.90	-0.85	22.05	PASS
Band41	15MHz	QPSK	40620	38RB#18	22.90	-0.85	22.05	PASS
Band41	15MHz	QPSK	40620	38RB#37	22.87	-0.85	22.02	PASS
Band41	15MHz	QPSK	40620	75RB#0	22.86	-0.85	22.01	PASS
Band41	15MHz	QPSK	41165	1RB#0	23.57	-0.85	22.72	PASS
Band41	15MHz	QPSK	41165	1RB#38	23.65	-0.85	22.8	PASS
Band41	15MHz	QPSK	41165	1RB#74	23.44	-0.85	22.59	PASS
Band41	15MHz	QPSK	41165	38RB#0	22.67	-0.85	21.82	PASS
Band41	15MHz	QPSK	41165	38RB#18	22.67	-0.85	21.82	PASS
Band41	15MHz	QPSK	41165	38RB#37	22.69	-0.85	21.84	PASS
Band41	15MHz	QPSK	41165	75RB#0	22.70	-0.85	21.85	PASS

Band41	15MHz	16QAM	40165	1RB#0	23.20	-0.85	22.35	PASS
Band41	15MHz	16QAM	40165	1RB#38	23.31	-0.85	22.46	PASS
Band41	15MHz	16QAM	40165	1RB#74	23.12	-0.85	22.27	PASS
Band41	15MHz	16QAM	40165	38RB#0	22.97	-0.85	22.12	PASS
Band41	15MHz	16QAM	40165	38RB#18	22.99	-0.85	22.14	PASS
Band41	15MHz	16QAM	40165	38RB#37	22.95	-0.85	22.1	PASS
Band41	15MHz	16QAM	40165	75RB#0	21.96	-0.85	21.11	PASS
Band41	15MHz	16QAM	40620	1RB#0	22.86	-0.85	22.01	PASS
Band41	15MHz	16QAM	40620	1RB#38	22.93	-0.85	22.08	PASS
Band41	15MHz	16QAM	40620	1RB#74	22.74	-0.85	21.89	PASS
Band41	15MHz	16QAM	40620	38RB#0	22.87	-0.85	22.02	PASS
Band41	15MHz	16QAM	40620	38RB#18	22.87	-0.85	22.02	PASS
Band41	15MHz	16QAM	40620	38RB#37	22.90	-0.85	22.05	PASS
Band41	15MHz	16QAM	40620	75RB#0	21.85	-0.85	21	PASS
Band41	15MHz	16QAM	41165	1RB#0	22.62	-0.85	21.77	PASS
Band41	15MHz	16QAM	41165	1RB#38	22.69	-0.85	21.84	PASS
Band41	15MHz	16QAM	41165	1RB#74	22.48	-0.85	21.63	PASS
Band41	15MHz	16QAM	41165	38RB#0	22.69	-0.85	21.84	PASS
Band41	15MHz	16QAM	41165	38RB#18	22.69	-0.85	21.84	PASS
Band41	15MHz	16QAM	41165	38RB#37	22.67	-0.85	21.82	PASS
Band41	15MHz	16QAM	41165	75RB#0	21.66	-0.85	20.81	PASS
Band41	20MHz	QPSK	40140	1RB#0	23.77	-0.85	22.92	PASS
Band41	20MHz	QPSK	40140	1RB#49	24.10	-0.85	23.25	PASS
Band41	20MHz	QPSK	40140	1RB#99	23.75	-0.85	22.9	PASS
Band41	20MHz	QPSK	40140	50RB#0	22.86	-0.85	22.01	PASS
Band41	20MHz	QPSK	40140	50RB#25	22.84	-0.85	21.99	PASS
Band41	20MHz	QPSK	40140	50RB#50	22.97	-0.85	22.12	PASS
Band41	20MHz	QPSK	40140	100RB#0	22.94	-0.85	22.09	PASS
Band41	20MHz	QPSK	40620	1RB#0	23.77	-0.85	22.92	PASS
Band41	20MHz	QPSK	40620	1RB#49	24.04	-0.85	23.19	PASS
Band41	20MHz	QPSK	40620	1RB#99	23.66	-0.85	22.81	PASS
Band41	20MHz	QPSK	40620	50RB#0	22.83	-0.85	21.98	PASS
Band41	20MHz	QPSK	40620	50RB#25	22.84	-0.85	21.99	PASS
Band41	20MHz	QPSK	40620	50RB#50	22.82	-0.85	21.97	PASS
Band41	20MHz	QPSK	40620	100RB#0	22.84	-0.85	21.99	PASS
Band41	20MHz	QPSK	41140	1RB#0	23.60	-0.85	22.75	PASS
Band41	20MHz	QPSK	41140	1RB#49	23.84	-0.85	22.99	PASS

Band41	20MHz	QPSK	41140	1RB#99	23.44	-0.85	22.59	PASS
Band41	20MHz	QPSK	41140	50RB#0	22.75	-0.85	21.9	PASS
Band41	20MHz	QPSK	41140	50RB#25	22.77	-0.85	21.92	PASS
Band41	20MHz	QPSK	41140	50RB#50	22.51	-0.85	21.66	PASS
Band41	20MHz	QPSK	41140	100RB#0	22.65	-0.85	21.8	PASS
Band41	20MHz	16QAM	40140	1RB#0	23.00	-0.85	22.15	PASS
Band41	20MHz	16QAM	40140	1RB#49	23.26	-0.85	22.41	PASS
Band41	20MHz	16QAM	40140	1RB#99	22.96	-0.85	22.11	PASS
Band41	20MHz	16QAM	40140	50RB#0	21.88	-0.85	21.03	PASS
Band41	20MHz	16QAM	40140	50RB#25	21.88	-0.85	21.03	PASS
Band41	20MHz	16QAM	40140	50RB#50	22.03	-0.85	21.18	PASS
Band41	20MHz	16QAM	40140	100RB#0	21.95	-0.85	21.1	PASS
Band41	20MHz	16QAM	40620	1RB#0	22.40	-0.85	21.55	PASS
Band41	20MHz	16QAM	40620	1RB#49	22.70	-0.85	21.85	PASS
Band41	20MHz	16QAM	40620	1RB#99	22.30	-0.85	21.45	PASS
Band41	20MHz	16QAM	40620	50RB#0	21.87	-0.85	21.02	PASS
Band41	20MHz	16QAM	40620	50RB#25	21.88	-0.85	21.03	PASS
Band41	20MHz	16QAM	40620	50RB#50	21.88	-0.85	21.03	PASS
Band41	20MHz	16QAM	40620	100RB#0	21.87	-0.85	21.02	PASS
Band41	20MHz	16QAM	41140	1RB#0	22.52	-0.85	21.67	PASS
Band41	20MHz	16QAM	41140	1RB#49	22.80	-0.85	21.95	PASS
Band41	20MHz	16QAM	41140	1RB#99	22.39	-0.85	21.54	PASS
Band41	20MHz	16QAM	41140	50RB#0	21.73	-0.85	20.88	PASS
Band41	20MHz	16QAM	41140	50RB#25	21.71	-0.85	20.86	PASS
Band41	20MHz	16QAM	41140	50RB#50	21.46	-0.85	20.61	PASS
Band41	20MHz	16QAM	41140	100RB#0	21.64	-0.85	20.79	PASS

Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	5MHz	QPSK	40240	1RB#0	4.59	13	PASS
Band41	5MHz	QPSK	40240	25RB#0	5.33	13	PASS
Band41	5MHz	QPSK	40620	1RB#0	5.24	13	PASS
Band41	5MHz	QPSK	40620	25RB#0	5.43	13	PASS
Band41	5MHz	QPSK	41215	1RB#0	4.15	13	PASS
Band41	5MHz	QPSK	41215	25RB#0	5.00	13	PASS
Band41	5MHz	16QAM	40240	1RB#0	5.59	13	PASS
Band41	5MHz	16QAM	40240	25RB#0	6.10	13	PASS
Band41	5MHz	16QAM	40620	1RB#0	6.03	13	PASS
Band41	5MHz	16QAM	40620	25RB#0	6.20	13	PASS
Band41	5MHz	16QAM	41215	1RB#0	5.09	13	PASS
Band41	5MHz	16QAM	41215	25RB#0	6.31	13	PASS
Band41	10MHz	QPSK	40190	1RB#0	4.81	13	PASS
Band41	10MHz	QPSK	40190	50RB#0	5.26	13	PASS
Band41	10MHz	QPSK	40620	1RB#0	5.32	13	PASS
Band41	10MHz	QPSK	40620	50RB#0	5.34	13	PASS
Band41	10MHz	QPSK	41190	1RB#0	4.36	13	PASS
Band41	10MHz	QPSK	41190	50RB#0	5.05	13	PASS
Band41	10MHz	16QAM	40190	1RB#0	5.92	13	PASS
Band41	10MHz	16QAM	40190	50RB#0	6.15	13	PASS
Band41	10MHz	16QAM	40620	1RB#0	6.10	13	PASS
Band41	10MHz	16QAM	40620	50RB#0	6.24	13	PASS
Band41	10MHz	16QAM	41190	1RB#0	5.53	13	PASS
Band41	10MHz	16QAM	41190	50RB#0	5.87	13	PASS
Band41	15MHz	QPSK	40165	1RB#0	4.77	13	PASS
Band41	15MHz	QPSK	40165	75RB#0	5.60	13	PASS
Band41	15MHz	QPSK	40620	1RB#0	5.50	13	PASS
Band41	15MHz	QPSK	40620	75RB#0	5.71	13	PASS
Band41	15MHz	QPSK	41165	1RB#0	4.41	13	PASS
Band41	15MHz	QPSK	41165	75RB#0	5.41	13	PASS
Band41	15MHz	16QAM	40165	1RB#0	6.51	13	PASS
Band41	15MHz	16QAM	40165	75RB#0	6.23	13	PASS
Band41	15MHz	16QAM	40620	1RB#0	6.09	13	PASS
Band41	15MHz	16QAM	40620	75RB#0	6.36	13	PASS
Band41	15MHz	16QAM	41165	1RB#0	5.61	13	PASS


Band41	15MHz	16QAM	41165	75RB#0	6.13	13	PASS
Band41	20MHz	QPSK	40140	1RB#0	5.62	13	PASS
Band41	20MHz	QPSK	40140	100RB#0	5.43	13	PASS
Band41	20MHz	QPSK	40620	1RB#0	5.34	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	5.50	13	PASS
Band41	20MHz	QPSK	41140	1RB#0	5.00	13	PASS
Band41	20MHz	QPSK	41140	100RB#0	5.33	13	PASS
Band41	20MHz	16QAM	40140	1RB#0	5.74	13	PASS
Band41	20MHz	16QAM	40140	100RB#0	6.18	13	PASS
Band41	20MHz	16QAM	40620	1RB#0	6.85	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	6.27	13	PASS
Band41	20MHz	16QAM	41140	1RB#0	6.29	13	PASS
Band41	20MHz	16QAM	41140	100RB#0	6.12	13	PASS

Test Graphs


Band41-5MHz-QPSK-40240-1RB#0




Band41-5MHz-QPSK-40240-25RB#0




Band41-5MHz-QPSK-40620-1RB#0




Band41-5MHz-QPSK-40620-25RB#0




Band41-5MHz-QPSK-41215-1RB#0




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40240-1RB#0




Band41-5MHz-16QAM-40240-25RB#0




Band41-5MHz-16QAM-40620-1RB#0




Band41-5MHz-16QAM-40620-25RB#0




Band41-5MHz-16QAM-41215-1RB#0




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40190-1RB#0




Band41-10MHz-QPSK-40190-50RB#0




Band41-10MHz-QPSK-40620-1RB#0




Band41-10MHz-QPSK-40620-50RB#0




Band41-10MHz-QPSK-41190-1RB#0




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40190-1RB#0




Band41-10MHz-16QAM-40190-50RB#0




Band41-10MHz-16QAM-40620-1RB#0




Band41-10MHz-16QAM-40620-50RB#0




Band41-10MHz-16QAM-41190-1RB#0




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40165-1RB#0




Band41-15MHz-QPSK-40165-75RB#0




Band41-15MHz-QPSK-40620-1RB#0




Band41-15MHz-QPSK-40620-75RB#0




Band41-15MHz-QPSK-41165-1RB#0




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40165-1RB#0




Band41-15MHz-16QAM-40165-75RB#0




Band41-15MHz-16QAM-40620-1RB#0




Band41-15MHz-16QAM-40620-75RB#0




Band41-15MHz-16QAM-41165-1RB#0




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40140-1RB#0




Band41-20MHz-QPSK-40140-100RB#0




Band41-20MHz-QPSK-40620-1RB#0




Band41-20MHz-QPSK-40620-100RB#0




Band41-20MHz-QPSK-41140-1RB#0




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40140-1RB#0




Band41-20MHz-16QAM-40140-100RB#0




Band41-20MHz-16QAM-40620-1RB#0




Band41-20MHz-16QAM-40620-100RB#0



Band41-20MHz-16QAM-41140-1RB#0



Band41-20MHz-16QAM-41140-100RB#0




Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	40240	25RB#0	4.4957	4.826	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.4969	4.790	PASS
Band41	5MHz	QPSK	41215	25RB#0	4.5009	4.761	PASS
Band41	5MHz	16QAM	40240	25RB#0	4.4957	4.771	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.4942	4.777	PASS
Band41	5MHz	16QAM	41215	25RB#0	4.5033	4.784	PASS
Band41	10MHz	QPSK	40190	50RB#0	8.9678	9.501	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.9682	9.522	PASS
Band41	10MHz	QPSK	41190	50RB#0	9.0027	9.486	PASS
Band41	10MHz	16QAM	40190	50RB#0	8.9812	9.505	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.9792	9.489	PASS
Band41	10MHz	16QAM	41190	50RB#0	8.9829	9.508	PASS
Band41	15MHz	QPSK	40165	75RB#0	13.461	14.24	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.449	14.23	PASS
Band41	15MHz	QPSK	41165	75RB#0	13.475	14.23	PASS
Band41	15MHz	16QAM	40165	75RB#0	13.469	14.22	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.450	14.21	PASS
Band41	15MHz	16QAM	41165	75RB#0	13.465	14.23	PASS
Band41	20MHz	QPSK	40140	100RB#0	17.925	18.92	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.957	18.95	PASS
Band41	20MHz	QPSK	41140	100RB#0	17.945	18.93	PASS
Band41	20MHz	16QAM	40140	100RB#0	17.912	18.92	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.936	18.93	PASS
Band41	20MHz	16QAM	41140	100RB#0	17.941	18.95	PASS

Test Graphs


Band41-5MHz-QPSK-40240-25RB#0




Band41-5MHz-QPSK-40620-25RB#0




Band41-5MHz-QPSK-41215-25RB#0




Band41-5MHz-16QAM-40240-25RB#0




Band41-5MHz-16QAM-40620-25RB#0




Band41-5MHz-16QAM-41215-25RB#0




Band41-10MHz-QPSK-40190-50RB#0




Band41-10MHz-QPSK-40620-50RB#0




Band41-10MHz-QPSK-41190-50RB#0




Band41-10MHz-16QAM-40190-50RB#0




Band41-10MHz-16QAM-40620-50RB#0




Band41-10MHz-16QAM-41190-50RB#0




Band41-15MHz-QPSK-40165-75RB#0




Band41-15MHz-QPSK-40620-75RB#0




Band41-15MHz-QPSK-41165-75RB#0




Band41-15MHz-16QAM-40165-75RB#0




Band41-15MHz-16QAM-40620-75RB#0




Band41-15MHz-16QAM-41165-75RB#0




Band41-20MHz-QPSK-40140-100RB#0




Band41-20MHz-QPSK-40620-100RB#0




Band41-20MHz-QPSK-41140-100RB#0




Band41-20MHz-16QAM-40140-100RB#0



Band41-20MHz-16QAM-40620-100RB#0



Band41-20MHz-16QAM-41140-100RB#0




Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41	5MHz	QPSK	40240	25RB#0	-39.33,-35.58,-27.03,-17.00	PASS
Band41	5MHz	QPSK	41215	25RB#0	-22.06,-28.91,-36.12,-38.20	PASS
Band41	5MHz	16QAM	40240	25RB#0	-40.88,-36.32,-29.82,-22.27	PASS
Band41	5MHz	16QAM	41215	25RB#0	-22.64,-27.62,-37.61,-39.95	PASS
Band41	10MHz	QPSK	40190	50RB#0	-39.19,-32.07,-27.24,-22.16	PASS
Band41	10MHz	QPSK	41190	50RB#0	-24.57,-28.06,-31.21,-37.83	PASS
Band41	10MHz	16QAM	40190	50RB#0	-39.35,-33.18,-28.80,-25.81	PASS
Band41	10MHz	16QAM	41190	50RB#0	-23.93,-29.05,-34.22,-38.53	PASS
Band41	15MHz	QPSK	40165	75RB#0	-38.06,-29.77,-26.58,-22.88	PASS
Band41	15MHz	QPSK	41165	75RB#0	-23.39,-25.81,-27.72,-36.14	PASS
Band41	15MHz	16QAM	40165	75RB#0	-39.38,-32.70,-28.66,-26.41	PASS
Band41	15MHz	16QAM	41165	75RB#0	-23.55,-27.24,-31.79,-37.68	PASS
Band41	20MHz	QPSK	40140	100RB#0	-39.18,-31.63,-27.48,-24.52	PASS
Band41	20MHz	QPSK	41140	100RB#0	-26.41,-28.36,-30.62,-37.55	PASS
Band41	20MHz	16QAM	40140	100RB#0	-39.27,-31.30,-29.59,-28.25	PASS
Band41	20MHz	16QAM	41140	100RB#0	-28.66,-30.00,-33.19,-37.98	PASS

Test Graphs






Band41-5MHz-16QAM-40240-25RB#0



Band41-5MHz-16QAM-41215-25RB#0



Band41-10MHz-QPSK-40190-50RB#0



Band41-10MHz-QPSK-41190-50RB#0



Band41-10MHz-16QAM-40190-50RB#0



Band41-10MHz-16QAM-41190-50RB#0



Band41-15MHz-QPSK-40165-75RB#0



Band41-15MHz-QPSK-41165-75RB#0



Band41-15MHz-16QAM-40165-75RB#0



Band41-15MHz-16QAM-41165-75RB#0



Band41-20MHz-QPSK-40140-100RB#0




Band41-20MHz-QPSK-41140-100RB#0



Band41-20MHz-16QAM-40140-100RB#0



Band41-20MHz-16QAM-41140-100RB#0



Appendix E: Conducted Spurious Emission


Test Result

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(253 5-2655)	5	40265	1	#0	QPSK	6839.50	-29.75	-25	PASS
Band41(253 5-2655)	5	40265	1	#0	16QAM	6266.60	-29.45	-25	PASS
Band41(253 5-2655)	5	40740	1	#0	QPSK	6779.15	-29.99	-25	PASS
Band41(253 5-2655)	5	40740	1	#0	16QAM	6324.40	-29.57	-25	PASS
Band41(253 5-2655)	5	41215	1	#0	QPSK	6246.20	-29.92	-25	PASS
Band41(253 5-2655)	5	41215	1	#0	16QAM	5971.65	-29.71	-25	PASS
Band41(253 5-2655)	10	40290	1	#0	QPSK	6862.45	-29.95	-25	PASS
Band41(253 5-2655)	10	40290	1	#0	16QAM	6958.50	-29.59	-25	PASS
Band41(253 5-2655)	10	40740	1	#0	QPSK	6313.35	-30.12	-25	PASS
Band41(253 5-2655)	10	40740	1	#0	16QAM	6243.65	-30.03	-25	PASS
Band41(253 5-2655)	10	41190	1	#0	QPSK	6910.05	-29.47	-25	PASS
Band41(253 5-2655)	10	41190	1	#0	16QAM	6887.10	-29.87	-25	PASS
Band41(253 5-2655)	15	40315	1	#0	QPSK	6768.95	-29.66	-25	PASS
Band41(253 5-2655)	15	40315	1	#0	16QAM	6505.45	-30.15	-25	PASS
Band41(253 5-2655)	15	40740	1	#0	QPSK	6226.65	-30.06	-25	PASS
Band41(253 5-2655)	15	40740	1	#0	16QAM	6192.65	-30.01	-25	PASS
Band41(253 5-2655)	15	41165	1	#0	QPSK	6261.50	-29.96	-25	PASS
Band41(253 5-2655)	15	41165	1	#0	16QAM	6852.25	-29.72	-25	PASS


Band41(253 5-2655)	20	40340	1	#0	QPSK	6222.40	-29.49	-25	PASS
Band41(253 5-2655)	20	40340	1	#0	16QAM	15835.05	-30.36	-25	PASS
Band41(253 5-2655)	20	40740	1	#0	QPSK	6188.40	-29.72	-25	PASS
Band41(253 5-2655)	20	40740	1	#0	16QAM	6943.20	-29.78	-25	PASS
Band41(253 5-2655)	20	41140	1	#0	QPSK	6270.85	-29.44	-25	PASS
Band41(253 5-2655)	20	41140	1	#0	16QAM	6847.15	-29.41	-25	PASS

Test Graphs


Band41(2535-2655) QPSK BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40740 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40265 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40740 RB Size=1 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40290 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0174083	-61.46	-25
2	0.15	30	10	12.02831	-57.59	-25
3	30	1000	100	882.339	-46.72	-25
4	1000	26500	1000	6862.45	-29.95	-25

Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-60.79	-25
2	0.15	30	10	11.98652	-56.71	-25
3	30	1000	100	990.526333333333	-46.67	-25
4	1000	26500	1000	5971.65	-29.71	-25

Band41(2535-2655) 16QAM BW=10MHz Channel=40290 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0371201	-60.86	-25
2	0.15	30	10	10.8761	-58.1	-25
3	30	1000	100	905.877666666667	-46.33	-25
4	1000	26500	1000	6958.5	-29.59	-25

Band41(2535-2655) QPSK BW=10MHz Channel=40740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-62.05	-25
2	0.15	30	10	12.3288	-56.38	-25
3	30	1000	100	1000	-44.99	-25
4	1000	26500	1000	6313.35	-30.12	-25


Band41(2535-2655) 16QAM BW=10MHz Channel=40740 RB Size=1 Position=#0



Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092162	-61.31	-25
2	0.15	30	10	0.17786	-56.79	-25
3	30	1000	100	739.975333333333	-46.45	-25
4	1000	26500	1000	6887.1	-29.87	-25

Band41(2535-2655) QPSK BW=15MHz Channel=40315 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-61.46	-25
2	0.15	30	10	11.366635	-57.36	-25
3	30	1000	100	808.877666666667	-46.22	-25
4	1000	26500	1000	6768.95	-29.66	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=40315 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095029	-61.28	-25
2	0.15	30	10	0.15	-57.23	-25
3	30	1000	100	919.296	-46.61	-25
4	1000	26500	1000	6505.45	-30.15	-25

Band41(2535-2655) QPSK BW=15MHz Channel=40740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-61.61	-25
2	0.15	30	10	12.7467	-57.8	-25
3	30	1000	100	739.684333333333	-46.91	-25
4	1000	26500	1000	6226.65	-30.06	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=40740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-60.29	-25
2	0.15	30	10	12.009405	-57.16	-25
3	30	1000	100	878.976333333333	-46.24	-25
4	1000	26500	1000	6192.65	-30.01	-25

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092914	-60.05	-25
2	0.15	30	10	12.737745	-57.84	-25
3	30	1000	100	717.115666666667	-46.34	-25
4	1000	26500	1000	6261.5	-29.96	-25

Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101656	-61.02	-25
2	0.15	30	10	12.38452	-57.59	-25
3	30	1000	100	994.794333333333	-46.3	-25
4	1000	26500	1000	6852.25	-29.72	-25

Band41(2535-2655) QPSK BW=20MHz Channel=40340 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101045	-61.28	-25
2	0.15	30	10	11.549715	-57.89	-25
3	30	1000	100	769.237	-46.27	-25
4	1000	26500	1000	6222.4	-29.49	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=40340 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109176	-61.54	-25
2	0.15	30	10	0.152985	-56.34	-25
3	30	1000	100	871.054666666667	-46.19	-25
4	1000	26500	1000	15835.05	-30.36	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=40740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0134039	-60.48	-25
2	0.15	30	10	20.94749	-57.55	-25
3	30	1000	100	767.232333333333	-47.03	-25
4	1000	26500	1000	6943.2	-29.78	-25

Band41(2535-2655) QPSK BW=20MHz Channel=40740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0166328	-62.12	-25
2	0.15	30	10	19.59031	-57.79	-25
3	30	1000	100	891.133666666667	-46.68	-25
4	1000	26500	1000	6188.4	-29.72	-25

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119892	-61.21	-25
2	0.15	30	10	0.19975	-57.24	-25
3	30	1000	100	899.055333333333	-46.39	-25
4	1000	26500	1000	6270.85	-29.44	-25

Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=1 Position=#0



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40240	25RB#0	VL	NT	67.79	0.026532	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	VN	NT	61.24	0.023969	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	VH	NT	67.59	0.026454	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	VL	NT	-39.70	-0.015310	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	VN	NT	43.15	0.016641	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	VH	NT	-50.82	-0.019599	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VL	NT	52.71	0.019872	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VN	NT	58.07	0.021893	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	VH	NT	43.23	0.016298	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	VL	NT	21.17	0.008286	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	VN	NT	10.70	0.004188	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	VH	NT	23.47	0.009186	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	VL	NT	22.54	0.008693	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	VN	NT	23.93	0.009229	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	VH	NT	-20.25	-0.007809	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VL	NT	43.92	0.016558	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VN	NT	42.48	0.016015	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	VH	NT	25.72	0.009697	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	5MHz	QPSK	40240	25RB#0	NV	-30	25.50	0.009980	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	NV	-20	43.68	0.017096	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	NV	0	64.82	0.025370	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	NV	10	27.31	0.010689	±2.5	PASS
Band41	5MHz	QPSK	40240	25RB#0	NV	20	69.51	0.027205	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	-30	-24.79	-0.009560	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	-20	-27.24	-0.010505	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	0	-33.71	-0.013000	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	10	-22.56	-0.008700	±2.5	PASS
Band41	5MHz	QPSK	40620	25RB#0	NV	20	-29.63	-0.011427	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	-30	39.63	0.014941	±2.5	PASS

Band41	5MHz	QPSK	41215	25RB#0	NV	-20	35.93	0.013546	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	0	27.81	0.010484	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	10	-25.84	-0.009742	±2.5	PASS
Band41	5MHz	QPSK	41215	25RB#0	NV	20	38.97	0.014692	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	NV	-30	-31.34	-0.012266	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	NV	-20	-17.61	-0.006892	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	NV	0	22.13	0.008661	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	NV	10	-26.34	-0.010309	±2.5	PASS
Band41	5MHz	16QAM	40240	25RB#0	NV	20	-19.59	-0.007667	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	NV	-30	-32.97	-0.012715	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	NV	-20	16.85	0.006498	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	NV	0	-31.45	-0.012129	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	NV	10	17.44	0.006726	±2.5	PASS
Band41	5MHz	16QAM	40620	25RB#0	NV	20	6.65	0.002565	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-30	27.31	0.010296	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	-20	32.16	0.012124	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	0	-21.58	-0.008136	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	10	29.04	0.010948	±2.5	PASS
Band41	5MHz	16QAM	41215	25RB#0	NV	20	25.22	0.009508	±2.5	PASS