

# TEST REPORT

Report No.: **SZ1210506-15123E-M1**

Date: June 01, 2021

Page 1 of 27

Shenzhen Huafurui Technology Co., Ltd

Unit 1401 & 1402, 14/F, JinqiZhigu Mansion (No.4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen, P.R. China

This report supersedes SZ1210506-15123E which was generated on May 17, 2021.

Report on the submitted samples said to be:

Sample Description:	Smart phone
Style/Item No.:	NOTE 9
Color:	Black
Country of Origin:	China
Brand:	CUBOT
Sample Receiving Date:	May 06,2021
Testing Period:	May 06,2021 - May 13,2021
Result:	<b>Pass</b>

Signed for and on behalf of

BACL



Checked by: \_\_\_\_\_  
Candy Lin



Approved by: \_\_\_\_\_  
Lance Lee

# TEST REPORT

Report No.: **SZ1210506-15123E-M1**

Date: June 01, 2021

Page 2 of 27

\*\*\*\*\*

Summary of Test Result:

**TEST REQUEST**

**CONCLUSION**

A RoHS Directive 2011/65/EU and amendment directives (EU) 2015/863 on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs, Phthalates(DBP, BBP, DEHP, DIBP) content

A.1 XRF screening test in the components of submitted sample as the requirement of client

Pass\*1

A.2 Wet Chemical Testing

A.2.1 Chromium VI (CrVI) content

Pass

A.2.2 PBBs & PBDEs content


Pass

A.3 Phthalates(DBP, BBP, DEHP, DIBP)content in the components of submitted sample as the requirement of client

Pass\*1

Pass\*1 = Meet the requirement of Client.

\*\*\*\*\*



# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 3 of 27

**Result:**

Tested part(s):

- (1) Black plastic (rear cover, mobile phone)
- (2) Black plastic (button, rear cover, mobile phone)
- (3) Silvery printed black plastic (origin label, rear cover, mobile phone)
- (4) Dark gray plastic with adhesive (double adhesive tape, origin label, rear cover, mobile phone)
- (5) Black plastic (frame, mobile phone)
- (6) Black plated silvery metal (screw, frame, mobile phone)
- (7) Black plated silvery metal (loop, frame, mobile phone)
- (8) Black coated transparent plastic (rear camera shield, frame, mobile phone)
- (9) Transparent plastic with adhesive (double adhesive tape, loop & camera shield, frame, mobile phone)
- (10) Black coated brown plastic with golden metal with adhesive (antenna FPC, frame, mobile phone)
- (11) White printed orange plastic with golden metal (speaker FPC, frame, mobile phone)
- (12) Brown body (SMD capacitor, PCB, type-C, USB cable)
- (13) Dark silvery fabric with adhesive (tape, mobile phone)
- (14) White printed orange plastic with golden metal (LED FPC, frame, mobile phone)
- (15) Silvery metal (stiffening plate, LED FPC, frame, mobile phone)
- (16) White printed orange plastic with golden metal (flashlight FPC, frame, mobile phone)
- (17) Silvery metal (stiffening plate, flashlight FPC, frame, mobile phone)
- (18) Yellow / white body (SMD LED, flashlight FPC, frame, mobile phone)
- (19) Transparent plastic (SMD LED shield, flashlight FPC, frame, mobile phone)
- (20) Black foam with adhesive (washer, SMD LED shield, flashlight FPC, frame, mobile phone)
- (21) Black plastic (front cover, mobile phone)
- (22) Dark silvery metal (front cover, mobile phone)
- (23) Golden metal (nut, front cover, mobile phone)
- (24) Black EVA with black fabric (dust gauze, front cover, mobile phone)
- (25) Black printed white plastic with adhesive (label, front cover, mobile phone)
- (26) Yellow transparent plastic with adhesive (tape, front cover & LCD, mobile phone)
- (27) Black coated transparent glass (touch panel, LCD, mobile phone)
- (28) Silvery coated transparent plastic with adhesive (touch panel, LCD, mobile phone)
- (29) Black EVA with adhesive (pad, touch panel, LCD, mobile phone)
- (30) White printed orange / black plastic with golden metal (FPC, touch panel, LCD, mobile phone)
- (31) Silvery metal (stiffening plate, FPC, touch panel, LCD, mobile phone)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 4 of 27

- (32) Black body (IC, FPC, touch panel, LCD, mobile phone)
- (33) Black printed silvery metal (cover, backlight module, LCD, mobile phone)
- (34) White plastic (frame, backlight module, LCD, mobile phone)
- (35) Black EVA with adhesive (pad, backlight module, LCD, mobile phone)
- (36) Bright silver transparent plastic (diffuser sheet, backlight module, LCD, mobile phone)
- (37) Silvery transparent plastic (diffuser sheet, backlight module, LCD, mobile phone)
- (38) Transparent plastic (light guide plate, backlight module, LCD, mobile phone)
- (39) White /silvery plastic (reflect sheet, backlight module, LCD, mobile phone)
- (40) Translucent plastic (film, backlight module, LCD, mobile phone)
- (41) Black body (SMD resistor, PCB, type-C, USB cable)
- (42) Silvery solder (PCB, type-C, USB cable)
- (43) White printed orange plastic with golden metal (FPC, backlight module, LCD, mobile phone)
- (44) Yellow / white body (SMD LED, FPC, backlight module, LCD, mobile phone)
- (45) Silvery coated black transparent glass (body, screen, LCD, mobile phone)
- (46) Silvery body (IC, screen, LCD, mobile phone)
- (47) White printed blue coated white plastic with coppery metal (PCB, type-C, USB cable)
- (48) White printed black coated orange / green plastic with golden metal (FPC, screen, LCD, mobile phone)
- (49) Silvery solder (FPC, screen, LCD, mobile phone)
- (50) Silvery metal (stiffening plate, FPC, screen, LCD, mobile phone)
- (51) Black EVA with adhesive (pad, FPC, screen, LCD & speaker & rear big camera, mobile phone)
- (52) Golden metal (pin, connector "J1 & J2" , FPC, screen, LCD, mobile phone)
- (53) Black plastic (pin holder, connector "J1 & J2" , FPC, screen, LCD, mobile phone)
- (54) Black plastic (connector "J3" , FPC, screen, LCD, mobile phone)
- (55) White plastic (connector "J3" , FPC, screen, LCD, mobile phone)
- (56) Golden metal (pin, connector "J3" , FPC, screen, LCD, mobile phone)
- (57) Black soft plastic with black fabric (dust gauze, receiver, mobile phone)
- (58) Silvery metal (coil holder, receiver, mobile phone)
- (59) Coppery metal (coil, receiver, mobile phone)
- (60) Silvery metal (diaphragm, receiver, mobile phone)
- (61) Transparent plastic (diaphragm, receiver, mobile phone)
- (62) Black printed silvery metal (magnet holder, receiver, mobile phone)
- (63) Silvery magnet (receiver, mobile phone)
- (64) Golden plated silvery metal (contact plate, receiver, mobile phone)
- (65) Black plastic (frame, receiver, mobile phone)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 5 of 27

- (66) Silvery metal (coil holder, speaker, mobile phone)
- (67) Coppery metal (coil, speaker, mobile phone)
- (68) Silvery metal (diaphragm, speaker, mobile phone)
- (69) Transparent plastic (diaphragm, speaker, mobile phone)
- (70) Black printed silvery metal (magnet holder, speaker, mobile phone)
- (71) Silvery magnet (speaker, mobile phone)
- (72) Golden plated silvery metal (contact plate, speaker, mobile phone)
- (73) Silvery solder (contact plate, speaker, mobile phone)
- (74) Black plastic (frame, speaker, mobile phone)
- (75) White printed orange / black plastic with golden metal (side key FPC, mobile phone)
- (76) Transparent plastic (PCB holder, type-C, USB cable)
- (77) Silvery metal (contact plate, side key FPC, mobile phone)
- (78) Silvery metal (stiffening plate, side key FPC, mobile phone)
- (79) White printed orange / black plastic with golden metal (FPC, rear big camera, mobile phone)
- (80) Silvery metal (stiffening plate, FPC, rear big camera, mobile phone)
- (81) Silvery metal (holder, rear big camera, mobile phone)
- (82) Black plastic (pin holder, type-C, USB cable)
- (83) Silvery magnet (rear big camera, mobile phone)
- (84) Coppery metal (coil, rear big camera, mobile phone)
- (85) Black plastic (lens cover, rear big camera, mobile phone)
- (86) Black plastic (coil holder, rear big camera, mobile phone)
- (87) Transparent plastic (big lens, rear big camera, mobile phone)
- (88) Transparent plastic (small lens, rear big camera, mobile phone)
- (89) Black plastic (washer, lens, rear big camera, mobile phone)
- (90) Black plastic (base, lens, rear big camera, mobile phone)
- (91) Blue transparent glass (filter, rear big camera, mobile phone)
- (92) Black plastic (holder, filter, rear big camera, mobile phone)
- (93) Iridescent body (IC, rear big camera, mobile phone)
- (94) White printed orange / black plastic with golden metal (FPC, rear small camera, mobile phone)
- (95) Silvery metal (stiffening plate, FPC, rear small camera, mobile phone)
- (96) Silvery metal (thick pin, type-C, USB cable)
- (97) Black plastic (cover, rear small camera, mobile phone)
- (98) Transparent plastic (lens, rear small camera, mobile phone)
- (99) Black plastic (washer, lens, rear small camera, mobile phone)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 6 of 27

- (100) Transparent glass (filter, rear small camera, mobile phone)
- (101) Iridescent body (IC, FPC, rear small camera, mobile phone)
- (102) Black body (SMD resistor, FPC, rear small camera, mobile phone)
- (103) White printed orange / brown plastic with golden metal (FPC, front camera, mobile phone)
- (104) Silvery metal (stiffening plate, FPC, front camera, mobile phone)
- (105) Silvery metal (thin pin, type-C, USB cable)
- (106) Black plastic (lens cover, front camera, mobile phone)
- (107) Transparent plastic (big lens, front camera, mobile phone)
- (108) Transparent plastic (small lens, front camera, mobile phone)
- (109) Black plastic (washer, lens, front camera, mobile phone)
- (110) Black plastic (holder, lens, front camera, mobile phone)
- (111) Iridescent glass (filter, front camera, mobile phone)
- (112) Black plastic (holder, filter, front camera, mobile phone)
- (113) Iridescent body (IC, front camera, mobile phone)
- (114) Silvery metal (cover, mic, mobile phone)
- (115) Silvery metal (ring, mic, mobile phone)
- (116) White plastic (ring, mic, mobile phone)
- (117) Yellow plastic (washer, mic, mobile phone)
- (118) Silvery metal (loop, mic, mobile phone)
- (119) Silvery plastic (diaphragm, mic, mobile phone)
- (120) Gray coated silvery metal (plate, mic, mobile phone)
- (121) Red coated brown plastic with golden metal (PCB, mic, mobile phone)
- (122) Silvery solder (PCB, mic, mobile phone)
- (123) Black body (SMD transistor, PCB, mic, mobile phone)
- (124) Black body (SMD resistor, PCB, mic, mobile phone)
- (125) Brown body (SMD capacitor, PCB, mic, mobile phone)
- (126) Silvery metal (holder, USB socket, mobile phone)
- (127) Golden plated silvery metal (pin, USB socket, mobile phone)
- (128) Silvery metal (plate, USB socket, mobile phone)
- (129) Dark gray plastic (pin holder, USB socket, mobile phone)
- (130) White printed blue coated brown plastic with golden metal (USB PCB, mobile phone)
- (131) Silvery solder (USB PCB, mobile phone)
- (132) Silvery metal (cover, type-C, USB cable)
- (133) Silvery metal (screw, USB PCB & main PCB, mobile phone)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 7 of 27

- (134) Black plastic (connector, USB PCB, mobile phone)
- (135) Golden metal (pin, connector, USB PCB, mobile phone)
- (136) Golden metal (GSM socket, USB PCB & main PCB, mobile phone)
- (137) Black plastic (insulation, GSM socket, USB PCB & main PCB, mobile phone)
- (138) Golden metal (contact point, USB PCB & main PCB, mobile phone)
- (139) Golden plated silvery metal (contact point, USB PCB, mobile phone)
- (140) Black body (IC, USB PCB, mobile phone)
- (141) Black body (SMD diode, USB PCB, mobile phone)
- (142) Black body (SMD resistor, USB PCB, mobile phone)
- (143) Brown body (SMD capacitor, USB PCB, mobile phone)
- (144) Black plastic (wire jacket, GSM cable, mobile phone)
- (145) Silvery metal (wire, GSM cable, mobile phone)
- (146) Silvery metal (plug holder, GSM cable, mobile phone)
- (147) Golden metal (plug, GSM cable, mobile phone)
- (148) Black plastic (insulation, plug, GSM cable, mobile phone)
- (149) White plastic (pin holder, type-A, USB cable)
- (150) Silvery metal (cover, vibrator, mobile phone)
- (151) Silvery metal (base, vibrator, mobile phone)
- (152) Silvery metal (axis, vibrator, mobile phone)
- (153) Silvery magnet (vibrator, mobile phone)
- (154) Coppery metal (coil, vibrator, mobile phone)
- (155) Golden metal (loop, rotor, vibrator, mobile phone)
- (156) Silvery metal (rotor, vibrator, mobile phone)
- (157) White plastic (rotor, vibrator, mobile phone)
- (158) Green coated white plastic with golden metal (PCB, vibrator, mobile phone)
- (159) Orange plastic with coppery metal (PFC, vibrator, mobile phone)
- (160) Silvery solder (PFC, vibrator, mobile phone)
- (161) Silvery solder (pin, type-A, USB cable)
- (162) Silvery metal (pin, type-A, USB cable)
- (163) Silvery metal (cover, type-A, USB cable)
- (164) Silvery metal (wire, vibrator, mobile phone)
- (165) Silvery metal (holder, battery contact point, mobile phone)
- (166) Golden plated silvery metal (battery contact point, mobile phone)
- (167) Dark gray plastic (insulation, battery contact point, mobile phone)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 8 of 27

- (168) Silvery metal (holder, SD card slot, mobile phone)
- (169) Golden plated silvery metal (contact plate, SD card slot, mobile phone)
- (170) Dark gray plastic (insulation, SD card slot, mobile phone)
- (171) Black / iridescent body (sensor, main PCB, mobile phone)
- (172) Black soft plastic (sensor shield, main PCB, mobile phone)
- (173) Black printed white paper with adhesive (label, main PCB, mobile phone)
- (174) Silvery metal (big shielding case, main PCB, mobile phone)
- (175) Silvery metal (small shielding case, main PCB, mobile phone)
- (176) Silvery metal (holder, TF card slot, main PCB, mobile phone)
- (177) Golden plated silvery metal (contact plate, TF card slot, main PCB, mobile phone)
- (178) Dark gray plastic (insulation, TF card slot, main PCB, mobile phone)
- (179) Golden metal (pin, big connector, main PCB, mobile phone)
- (180) Dark gray plastic (pin holder, big connector, main PCB, mobile phone)
- (181) Black plastic (medium connector, main PCB, mobile phone)
- (182) Dark gray plastic (pin holder, medium connector, main PCB, mobile phone)
- (183) Golden plated silvery metal (pin, medium connector, main PCB, mobile phone)
- (184) Black plastic (small connector, main PCB, mobile phone)
- (185) Dark gray plastic (pin holder, small connector, main PCB, mobile phone)
- (186) Golden plated silvery metal (pin, small connector, main PCB, mobile phone)
- (187) Silvery metal (cover, socket, main PCB, mobile phone)
- (188) Black plastic (insulation, socket, main PCB, mobile phone)
- (189) Transparent glue (IC, main PCB, mobile phone)
- (190) Black body (IC "SCY" , main PCB, mobile phone)
- (191) Black body (IC "SPPEADTRUM " , main PCB, mobile phone)
- (192) Black body (IC "aiWIN" , main PCB, mobile phone)
- (193) Black body (big IC "SPRD" , main PCB, mobile phone)
- (194) Black body (small IC "SPRD" , main PCB, mobile phone)
- (195) Black body (IC "NABNZ2044-51" , main PCB, mobile phone)
- (196) Black body (IC "NBAGZ202037-51" , main PCB, mobile phone)
- (197) Silvery body (IC, main PCB, mobile phone)
- (198) Black body (big IC, main PCB, mobile phone)
- (199) Black body (medium IC, main PCB, mobile phone)
- (200) Black body (small IC, main PCB, mobile phone)
- (201) Blue body (GPS, main PCB, mobile phone)



# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 9 of 27

- (202) Gray body (big inductor, main PCB, mobile phone)
- (203) Gray body (small inductor, main PCB, mobile phone)
- (204) Black body (big inductor, main PCB, mobile phone)
- (205) Black body (small inductor, main PCB, mobile phone)
- (206) Silvery body (big crystal oscillator, main PCB, mobile phone)
- (207) Silvery body (small crystal oscillator, main PCB, mobile phone)
- (208) Black body (SMD transistor, main PCB, mobile phone)
- (209) Black body (SMD diode, main PCB, mobile phone)
- (210) Black / white body (SMD resistor, main PCB, mobile phone)
- (211) Brown body (SMD capacitor, main PCB, mobile phone)
- (212) White printed blue coated brown plastic with golden metal (main PCB, mobile phone)
- (213) Silvery solder (main PCB, mobile phone)
- (214) Transparent silvery body (SMD LED, main PCB, mobile phone)
- (215) Transparent coppery body (inductor, main PCB, mobile phone)
- (216) Gray coated white plastic (cover, adaptor)
- (217) White plastic (pin holder, adaptor)
- (218) Silvery metal (pin, adaptor)
- (219) White / black printed green coated brown plastic with coppery metal (PCB, adaptor)
- (220) Silvery solder (PCB, adaptor)
- (221) White glue (PCB, adaptor)
- (222) Silvery metal (holder, USB socket, PCB, adaptor)
- (223) Golden plated silvery metal (pin, USB socket, PCB, adaptor)
- (224) White plastic (pin holder, USB socket, PCB, adaptor)
- (225) Black plastic (shielding case, PCB, adaptor)
- (226) Silvery metal (contact plate, PCB, adaptor)
- (227) Black printed green plastic with adhesive (tape, transformer, PCB, adaptor)
- (228) Light yellow plastic with adhesive (tape, transformer, PCB, adaptor)
- (229) Coppery metal (coil, transformer, PCB, adaptor)
- (230) Yellow plastic (coil jacket, transformer, PCB, adaptor)
- (231) Black plastic (coil holder, transformer, PCB, adaptor)
- (232) Black magnet (frame, transformer, PCB, adaptor)
- (233) Gray printed brown plastic (sleeve, capacitor "C1 & C2" , PCB, adaptor)
- (234) Silvery body (capacitor "C1 & C2" , PCB, adaptor)
- (235) Gray printed green plastic (sleeve, capacitor "C7" , PCB, adaptor)

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 10 of 27

- (236) Silvery body (capacitor "C7" , PCB, adaptor)
- (237) Gray printed black plastic (sleeve, capacitor "C4" , PCB, adaptor)
- (238) Silvery body (capacitor "C4" , PCB, adaptor)
- (239) Red printed silvery body (capacitor "C8" , PCB, adaptor)
- (240) Blue body (capacitor "CY1" , PCB, adaptor)
- (241) Multi-color coated green body (big resistor, PCB, adaptor)
- (242) Silvery metal (pin, big resistor, PCB, adaptor)
- (243) Multi-color coated gray body (small resistor, PCB, adaptor)
- (244) Silvery metal (pin, small resistor, PCB, adaptor)
- (245) Black plastic (sleeve, small resistor, PCB, adaptor)
- (246) Black body (IC "U1" , PCB, adaptor)
- (247) Black body (IC "U3" , PCB, adaptor)
- (248) Black body (IC "U2" , PCB, adaptor)
- (249) Black body (SMD diode, PCB, adaptor)
- (250) Black / white body (SMD resistor, PCB, adaptor)
- (251) Brown body (SMD capacitor, PCB, adaptor)
- (252) Black printed silvery plastic with adhesive (label, USB cable)
- (253) White PVC (type-A holder, USB cable)
- (254) White PVC (type-C holder, USB cable)
- (255) White PVC (cable jacket, USB cable)
- (256) Green plastic (wire jacket, USB cable)
- (257) Red plastic (wire jacket, USB cable)
- (258) White plastic (wire jacket, USB cable)
- (259) Black plastic (wire jacket, USB cable)
- (260) Coppery metal (wire, USB cable)

\*\*\*\*\*

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 11 of 27

**A RoHS Directive 2011/65/EU and amendment directives (EU) 2015/863 on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs, Phthalates(DBP, BBP, DEHP, DIBP) content**

**A.1 XRF screening test in the components of submitted sample as the requirement of client**

Test method: IEC 62321-3-1:2013

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(1)	BL	BL	BL	BL	BL
(2)	BL	BL	BL	BL	BL
(3)	BL	BL	BL	BL	BL
(4)	BL	BL	BL	BL	BL
(5)	BL	BL	BL	BL	BL
(6)	BL	BL	BL	BL	---
(7)*	BL	BL	BL	X	---
(8)	BL	BL	BL	BL	BL
(9)	BL	BL	BL	BL	BL
(10)	BL	BL	BL	BL	---
(11)	BL	BL	BL	BL	---
(12)	BL	BL	BL	BL	BL
(13)	BL	BL	BL	BL	BL
(14)	BL	BL	BL	BL	---
(15)	BL	BL	BL	BL	---
(16)	BL	BL	BL	BL	---
(17)	BL	BL	BL	BL	---
(18)	BL	BL	BL	BL	BL
(19)	BL	BL	BL	BL	BL
(20)	BL	BL	BL	BL	BL
(21)	BL	BL	BL	BL	BL
(22)*	BL	BL	BL	X	---
(23)* <sup>1</sup>	OL(21494)	BL	BL	BL	---
(24)	BL	BL	BL	BL	BL
(25)	BL	BL	BL	BL	BL
(26)	BL	BL	BL	BL	BL
(27)	BL	BL	BL	BL	BL

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 12 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(28)	BL	BL	BL	BL	BL
(29)	BL	BL	BL	BL	BL
(30)	BL	BL	BL	BL	---
(31)	BL	BL	BL	BL	---
(32)	BL	BL	BL	BL	BL
(33)	BL	BL	BL	BL	---
(34)	BL	BL	BL	BL	BL
(35)	BL	BL	BL	BL	BL
(36)	BL	BL	BL	BL	BL
(37)	BL	BL	BL	BL	BL
(38)	BL	BL	BL	BL	BL
(39)	BL	BL	BL	BL	BL
(40)	BL	BL	BL	BL	BL
(41)	BL	BL	BL	BL	BL
(42)	BL	BL	BL	BL	---
(43)	BL	BL	BL	BL	---
(44)	BL	BL	BL	BL	BL
(45)	BL	BL	BL	BL	BL
(46)	BL	BL	BL	BL	BL
(47)*	BL	BL	BL	BL	X
(48)	BL	BL	BL	BL	---
(49)	BL	BL	BL	BL	---
(50)	BL	BL	BL	BL	---
(51)	BL	BL	BL	BL	BL
(52)	BL	BL	BL	BL	---
(53)	BL	BL	BL	BL	BL
(54)	BL	BL	BL	BL	BL
(55)	BL	BL	BL	BL	BL
(56)	BL	BL	BL	BL	---
(57)	BL	BL	BL	BL	BL
(58)	BL	BL	BL	BL	---

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 13 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(59)	BL	BL	BL	BL	---
(60)	BL	BL	BL	BL	---
(61)	BL	BL	BL	BL	BL
(62)	BL	BL	BL	BL	---
(63)	BL	BL	BL	BL	BL
(64)	BL	BL	BL	BL	---
(65)	BL	BL	BL	BL	BL
(66)	BL	BL	BL	BL	---
(67)	BL	BL	BL	BL	---
(68)	BL	BL	BL	BL	---
(69)	BL	BL	BL	BL	BL
(70)	BL	BL	BL	BL	---
(71)	BL	BL	BL	BL	BL
(72)*	BL	BL	BL	X	---
(73)	BL	BL	BL	BL	---
(74)	BL	BL	BL	BL	BL
(75)	BL	BL	BL	BL	---
(76)	BL	BL	BL	BL	BL
(77)	BL	BL	BL	BL	---
(78)	BL	BL	BL	BL	---
(79)	BL	BL	BL	BL	---
(80)	BL	BL	BL	BL	---
(81)	BL	BL	BL	BL	---
(82)	BL	BL	BL	BL	BL
(83)	BL	BL	BL	BL	BL
(84)	BL	BL	BL	BL	---
(85)	BL	BL	BL	BL	BL
(86)	BL	BL	BL	BL	BL
(87)	BL	BL	BL	BL	BL
(88)	BL	BL	BL	BL	BL
(89)	BL	BL	BL	BL	BL

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 14 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(90)	BL	BL	BL	BL	BL
(91)	BL	BL	BL	BL	BL
(92)	BL	BL	BL	BL	BL
(93)	BL	BL	BL	BL	BL
(94)	BL	BL	BL	BL	---
(95)	BL	BL	BL	BL	---
(96)	BL	BL	BL	BL	---
(97)	BL	BL	BL	BL	BL
(98)	BL	BL	BL	BL	BL
(99)	BL	BL	BL	BL	BL
(100)	BL	BL	BL	BL	BL
(101)	BL	BL	BL	BL	BL
(102)	BL	BL	BL	BL	BL
(103)	BL	BL	BL	BL	---
(104)	BL	BL	BL	BL	---
(105)	BL	BL	BL	BL	---
(106)	BL	BL	BL	BL	BL
(107)	BL	BL	BL	BL	BL
(108)	BL	BL	BL	BL	BL
(109)	BL	BL	BL	BL	BL
(110)	BL	BL	BL	BL	BL
(111)	BL	BL	BL	BL	BL
(112)	BL	BL	BL	BL	BL
(113)	BL	BL	BL	BL	BL
(114)	BL	BL	BL	BL	---
(115)	BL	BL	BL	BL	---
(116)	BL	BL	BL	BL	BL
(117)	BL	BL	BL	BL	BL
(118)	BL	BL	BL	BL	---
(119)	BL	BL	BL	BL	BL
(120)*	BL	BL	BL	X	---

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 15 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(121)	BL	BL	BL	BL	---
(122)	BL	BL	BL	BL	---
(123)	BL	BL	BL	BL	BL
(124)	BL	BL	BL	BL	BL
(125)	BL	BL	BL	BL	BL
(126)	BL	BL	BL	BL	---
(127)	BL	BL	BL	BL	---
(128)	BL	BL	BL	BL	---
(129)	BL	BL	BL	BL	BL
(130)*	BL	BL	BL	BL	X
(131)	BL	BL	BL	BL	---
(132)	BL	BL	BL	BL	---
(133)	BL	BL	BL	BL	---
(134)	BL	BL	BL	BL	BL
(135)	BL	BL	BL	BL	---
(136)	BL	BL	BL	BL	---
(137)	BL	BL	BL	BL	BL
(138)*	BL	BL	BL	X	---
(139)*	BL	BL	BL	X	---
(140)	BL	BL	BL	BL	BL
(141)	BL	BL	BL	BL	BL
(142)	BL	BL	BL	BL	BL
(143)	BL	BL	BL	BL	BL
(144)	BL	BL	BL	BL	BL
(145)	BL	BL	BL	BL	---
(146)	BL	BL	BL	BL	---
(147)	BL	BL	BL	BL	---
(148)	BL	BL	BL	BL	BL
(149)	BL	BL	BL	BL	BL
(150)	BL	BL	BL	BL	---
(151)	BL	BL	BL	BL	---

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 16 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(152)	BL	BL	BL	BL	---
(153)	BL	BL	BL	BL	BL
(154)	BL	BL	BL	BL	---
(155)	BL	BL	BL	BL	---
(156)	BL	BL	BL	BL	---
(157)	BL	BL	BL	BL	BL
(158)	BL	BL	BL	BL	---
(159)	BL	BL	BL	BL	---
(160)	BL	BL	BL	BL	---
(161)	BL	BL	BL	BL	---
(162)	BL	BL	BL	BL	---
(163)	BL	BL	BL	BL	---
(164)	BL	BL	BL	BL	---
(165)	BL	BL	BL	BL	---
(166)	BL	BL	BL	BL	---
(167)	BL	BL	BL	BL	BL
(168)	BL	BL	BL	BL	---
(169)	BL	BL	BL	BL	---
(170)	BL	BL	BL	BL	BL
(171)	BL	BL	BL	BL	BL
(172)	BL	BL	BL	BL	BL
(173)	BL	BL	BL	BL	BL
(174)	BL	BL	BL	BL	---
(175)	BL	BL	BL	BL	---
(176)	BL	BL	BL	BL	---
(177)	BL	BL	BL	BL	---
(178)	BL	BL	BL	BL	BL
(179)	BL	BL	BL	BL	---
(180)	BL	BL	BL	BL	BL
(181)	BL	BL	BL	BL	BL
(182)	BL	BL	BL	BL	BL



# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 17 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(183)	BL	BL	BL	BL	---
(184)	BL	BL	BL	BL	BL
(185)	BL	BL	BL	BL	BL
(186)	BL	BL	BL	BL	---
(187)	BL	BL	BL	BL	---
(188)	BL	BL	BL	BL	BL
(189)	BL	BL	BL	BL	BL
(190)*	BL	BL	BL	BL	X
(191)	BL	BL	BL	BL	BL
(192)	BL	BL	BL	BL	BL
(193)	BL	BL	BL	BL	BL
(194)	BL	BL	BL	BL	BL
(195)	BL	BL	BL	BL	BL
(196)	BL	BL	BL	BL	BL
(197)	BL	BL	BL	BL	BL
(198)	BL	BL	BL	BL	BL
(199)	BL	BL	BL	BL	BL
(200)	BL	BL	BL	BL	BL
(201)	BL	BL	BL	BL	BL
(202)	BL	BL	BL	BL	BL
(203)	BL	BL	BL	BL	BL
(204)	BL	BL	BL	BL	BL
(205)	BL	BL	BL	BL	BL
(206)	BL	BL	BL	BL	BL
(207)	BL	BL	BL	BL	BL
(208)	BL	BL	BL	BL	BL
(209)	BL	BL	BL	BL	BL
(210)	BL	BL	BL	BL	BL
(211)	BL	BL	BL	BL	BL
(212)	BL	BL	BL	BL	---
(213)	BL	BL	BL	BL	---

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 18 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(214)	BL	BL	BL	BL	BL
(215)	BL	BL	BL	BL	BL
(216)	BL	BL	BL	BL	BL
(217)	BL	BL	BL	BL	BL
(218)	BL	BL	BL	BL	---
(219)*	BL	BL	BL	BL	X
(220)	BL	BL	BL	BL	---
(221)	BL	BL	BL	BL	BL
(222)	BL	BL	BL	BL	---
(223)	BL	BL	BL	BL	---
(224)*	BL	BL	BL	BL	X
(225)*	BL	BL	BL	BL	X
(226)	BL	BL	BL	BL	---
(227)	BL	BL	BL	BL	BL
(228)	BL	BL	BL	BL	BL
(229)	BL	BL	BL	BL	---
(230)	BL	BL	BL	BL	BL
(231)	BL	BL	BL	BL	BL
(232)	BL	BL	BL	BL	BL
(233)	BL	BL	BL	BL	BL
(234)	BL	BL	BL	BL	BL
(235)	BL	BL	BL	BL	BL
(236)	BL	BL	BL	BL	BL
(237)	BL	BL	BL	BL	BL
(238)	BL	BL	BL	BL	BL
(239)	BL	BL	BL	BL	BL
(240)	BL	BL	BL	BL	BL
(241)	BL	BL	BL	BL	BL
(242)	BL	BL	BL	BL	---
(243)	BL	BL	BL	BL	BL
(244)	BL	BL	BL	BL	---

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 19 of 27

Seq No.	Result				
	Pb	Cd	Hg	Cr	Br
(245)	BL	BL	BL	BL	BL
(246)	BL	BL	BL	BL	BL
(247)	BL	BL	BL	BL	BL
(248)	BL	BL	BL	BL	BL
(249)	BL	BL	BL	BL	BL
(250)	BL	BL	BL	BL	BL
(251)	BL	BL	BL	BL	BL
(252)	BL	BL	BL	BL	BL
(253)	BL	BL	BL	BL	BL
(254)	BL	BL	BL	BL	BL
(255)	BL	BL	BL	BL	BL
(256)	BL	BL	BL	BL	BL
(257)	BL	BL	BL	BL	BL
(258)	BL	BL	BL	BL	BL
(259)	BL	BL	BL	BL	BL
(260)	BL	BL	BL	BL	---

Note:

--- = Not Applicable.

\* = Screening by XRF and detected by chemical method. The test result of chemical method please refer to next pages.

\*1 = As claimed by the material declaration submitted by the client, the materials of the sample No. 23 is copper alloy. And according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.

# TEST REPORT

Report No.: **SZ1210506-15123E-M1**

Date: June 01, 2021

Page 20 of 27

Remark:

i Result were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013.

Element	Unit	Polymers	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ<X <130+3σ≤OL	BL≤70-3σ<X <130+3σ≤OL	BL≤50-3σ<X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<X	BL≤700-3σ<X	BL≤500-3σ<X
Br	mg/kg	BL≤300-3σ<X	--	BL≤250-3σ<X

Note:

BL = Below Limit

OL = Over Limit

IN / X = Inconclusive (questionable, need further chemical analysis)

ii The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

iii The maximum permissible limit is quoted from the RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 21 of 27

## A.2 Wet Chemical Testing

### A.2.1 Chromium VI (CrVI) content

Test method: IEC 62321-7-1:2015

Item	Unit	MDL	Result						Limit
			(7)	(22)	(72)	(120)	(138)	(139)	
hexavalent chromium(Cr VI)	µg/cm <sup>2</sup>	0.10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	See Remark
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Limit Remark:

- The sample is positive for CrVI if the CrVI concentration is greater than 0.13µg/cm<sup>2</sup>. The sample coating is considered to contain CrVI
  - The sample is negative for CrVI if CrVI is ND (concentration less than 0.10µg/cm<sup>2</sup>). The coating is considered a non-CrVI based coating
  - The result between 0.10µg/cm<sup>2</sup> and 0.13µg/cm<sup>2</sup> is considered to be inconclusive -unavoidable coating variations may influence the determination
- For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

### A.2.2 PBBs & PBDEs content

Test method: IEC 62321-6:2015

Item	Unit	MDL	Result						Limit
			(47)	(130)	(190)	(219)	(224)	(225)	
Monobromobiphenyl (MonoBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Dibromobiphenyl(DiBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tribromobiphenyl(TriBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tetrabromobiphenyl(TetraBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Pentabromobiphenyl(PentaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Hexabromobiphenyl(HexaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Heptabromobiphenyl (HeptaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Octabromobiphenyl(OctaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Nonabromobiphenyl(NonaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Decabromobiphenyl(DecaBB)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Monobromodiphenyl ether (MonoBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Dibromodiphenyl ether (DiBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tribromodiphenyl ether (TriBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 22 of 27

Item	Unit	MDL	Result						Limit
			(47)	(130)	(190)	(219)	(224)	(225)	
Tetrabromodiphenyl ether (TetraBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Pentabromodiphenyl ether (PentaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Hexabromodiphenyl ether (HexaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Heptabromodiphenyl ether (HeptaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Octabromodiphenyl ether (OctaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Nonabromodiphenyl ether (NonaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Decabromodiphenyl ether (DecaBDE)	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
sum of MonoBDE, DiBDE, TriBDE, TetraBDE, PentaBDE, HexaBDE, HeptaBDE, OctaBDE, NonaBDE, DecaBDE	mg/kg	-	/	/	/	/	/	/	1000
sum of MonoBB, DiBB, TriBB, TetraBB, PentaBB, HexaBB, HeptaBB, OctaBB, NonaBB, DecaBB	mg/kg	-	/	/	/	/	/	/	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

### A.3 Phthalates (DBP, BBP, DEHP, DIBP) content in the components of submitted sample as the requirement of client

Test method: IEC 62321-8:2017

Item	Unit	MDL	Result						Limit
			(1)+(2)+(3)	(4)+(9)+(13)	(5)+(8)+(21)	(10)+(11)+(14)	(16)+(30)+(43)	(18)+(32)	
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 23 of 27

Item	Unit	MDL	Result						Limit
			(19)+(20)+(26)	(24)+(25)+(29)	(27)+(45)	(28)+(34)	(35)+(51)+(57)	(36)+(37)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result						Limit
			(38)+(40)	(39)+(74)	(44)+(46)+(53)	(47)+(212)+(219)	(48)+(75)+(79)	(54)+(55)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result						Limit
			(61)+(65)+(69)	(76)+(258)+(259)	(82)+(149)	(85)+(86)+(87)	(88)+(98)+(107)	(89)+(90)+(92)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result						Limit
			(93)+(101)+(113)	(94)+(103)+(121)	(97)+(99)+(106)	(108)+(109)+(110)	(112)+(116)+(117)	(119)+(123)+(129)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 24 of 27

Item	Unit	MDL	Result						Limit
			(130)+(158) +(159)	(134)+(137)	(140)+(141)	(144)+(172)	(148)+(157) +(167)	(170)+(171) +(173)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result						Limit
			(178)+(180) +(181)	(182)+(184) +(185)	(188)+(191) +(192)	(189)+(190)	(193)+(194) +(195)	(196)+(197) +(198)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result						Limit
			(199)+(200) +(201)	(208)+(209)	(214)+(215)	(216)+(217) +(224)	(221)+(225)	(227)+(228) +(230)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Item	Unit	MDL	Result					Limit
			(231)+(233)+ (234)	(235)+(236)	(237)+(238)+ (239)	(240)+(241)+ (243)	(245)+(246)+ (247)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/



# TEST REPORT

Report No.: **SZ1210506-15123E-M1**

Date: June 01, 2021

Page 25 of 27

Item	Unit	MDL	Result					Limit
			(248)+(249)+(252)	(253)	(254)	(255)	(256)+(257)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
<b>Conclusion</b>	/	/	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	/

Note:

- N.D.= Not Detected or less than MDL
- MDL = Method Detection Limit
- "+" = Composite testing.
- The Result less than MDL are not taken into account while calculating the sum contents.

\*\*\*\*\*

# TEST REPORT

Report No.: SZ1210506-15123E-M1

Date: June 01, 2021

Page 26 of 27

Photograph of Sample



BACL authenticate the photo on original report only

# TEST REPORT

**Report No.: SZ1210506-15123E-M1**

Date: June 01, 2021

Page 27 of 27

Statement:

- 1.This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3.This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No. , P.O. No. , manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.

\*\*\* End of Report \*\*\*