

TCB

GRANT OF EQUIPMENT  
AUTHORIZATION

TCB

Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:

MiCOM Labs  
575 Boulder Court  
Pleasanton, CA 94566

Date of Grant: 08/28/2020

Application Dated: 08/28/2020

Shenzhen Huafurui Technology Co., Ltd  
Unit 1401 14/F, Jin qi zhi gu mansion Liu xian  
street ,Xili, Nan shan district  
Shenzhen,  
China

Attention: Paul Liu

## NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is  
VALID ONLY for the equipment identified hereon for use under the Commission's  
Rules and Regulations listed below.

FCC IDENTIFIER: 2AHZ5C30

Name of Grantee: Shenzhen Huafurui Technology Co.,  
Ltd

Equipment Class: PCS Licensed Transmitter held to ear  
Notes: Smartphone

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	0.8995	0.207985 PM	248KGXW
	22H	824.2 - 848.8	0.20797	0.207985 PM	256KG7W
	24E	1850.2 - 1909.8	0.83368	0.095213 PM	248KGXW
	24E	1850.2 - 1909.8	0.3069	0.095213 PM	256KG7W
	22H	826.4 - 846.6	0.08913	0.202008 PM	4M20F9W
	24E	1852.4 - 1907.6	0.17865	0.101064 PM	4M20F9W
	27	1712.4 - 1752.6	0.23714	0.099273 PM	4M20F9W
	24E	1850.7 - 1909.3	0.14859	0.092021 PM	1M10W7D
	24E	1850.7 - 1909.3	0.18664	0.105319 PM	1M10G7D
	24E	1860.0 - 1900.0	0.15453	0.092021 PM	18M0W7D
	24E	1860.0 - 1900.0	0.18408	0.105319 PM	18M1G7D
	27	1710.7 - 1754.3	0.20797	0.112554 PM	1M10W7D
	27	1710.7 - 1754.3	0.25823	0.098124 PM	1M10G7D
	27	1720.0 - 1745.0	0.20464	0.112554 PM	18M0W7D
	27	1720.0 - 1745.0	0.25704	0.098124 PM	18M1G7D
	22H	824.7 - 848.3	0.12882	0.200837 PM	1M10W7D
	22H	824.7 - 848.3	0.16406	0.236701 PM	1M10G7D
	22H	829.0 - 844.0	0.13213	0.200837 PM	9M12W7D
	22H	829.0 - 844.0	0.16444	0.236701 PM	9M12G7D
	27	2502.5 - 2567.5	0.1349	0.071006 PM	4M52W7D
	27	2502.5 - 2567.5	0.16406	0.069428 PM	4M54G7D
	27	2510.0 - 2560.0	0.13213	0.071006 PM	18M0W7D
	27	2510.0 - 2560.0	0.17022	0.069428 PM	18M2G7D
	27	699.0 - 715.3	0.07482	0.269965 PM	1M10W7D
	27	699.0 - 715.3	0.09795	0.268551 PM	1M10G7D
	27	704.0 - 711.0	0.07413	0.269965 PM	9M12W7D

27	704.0 - 711.0	0.09661	0.268551 PM	9M12G7D
27	706.5 - 713.5	0.07798	0.280282 PM	4M52W7D
27	706.5 - 713.5	0.09354	0.278873 PM	4M54G7D
27	709.0 - 711.0	0.07464	0.280282 PM	9M12W7D
27	709.0 - 711.0	0.09419	0.278873 PM	9M20G7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above 1GHz. SAR compliance for body-worn operating configurations is limited to the specific configurations tested for this filing. Body-worn operations are restricted to belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 1.0 cm separation between the device and the body of the user. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR for head, body-worn accessory, product specific (wireless router), and simultaneous transmission use conditions is 0.47W/kg, 0.38W/kg, 0.55W/kg and 0.93W/kg respectively. This device also contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.