

REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 1 of 33

Applicant Company Name: Shenzhen Huafurui Technology Co., Ltd.

Applicant Company Address: Unit 1401 &1402, 14/F, Jinqi zhigu mansion (No. 4 building of Chongwen

Garden), Crossing of the Liuxian street and Tangling road, Taoyuan street,

Nanshan district, Shenzhen, P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : Smart phone

Model No. : CUBOT P40

Sample Receiving Date : May 20, 2020

Testing Period : From May 20, 2020 to May 28, 2020

Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST CONCLUSION

EU RoHS Directive 2011/65/EU and its amendment directives 2015/863/EU (RoHS 2.0)

Pass

Signed for and on behalf of

DTI

Approved by

lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the control or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 2 of 33

Results:

1、EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.	Tooted Pout(s)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
1	Blackish Green Coating	BL	BL	BL	BL	BL	
2	Black Plastic Frame	BL	BL	BL	BL	BL	
3	FPC OH OH OH	BL	BL	BL	BL	BL	
4	Copper Foil	BL	BL	BL	BL	BL	
5	Black Plastic Frame	BL	BL	BL	BL	BL	
6	Silver Metal Pedestal	BL	BL	BL	BL	BL	
7	Gold Metal Nut	X	BL	BL	BL	BL	
8	Yellow Plastic Sticker	BL	BL	BL	BL	BL	
9	Black Plastic Sticker	BL	BL	BL	BL	BL	
10	Gray Coating	BL	BL	BL	BL	BL	
11	Black Coating	BL	BL	BL	BL	BL	
12	Plastic Cover Substrate	BL	BL	BL	BL®	BL	
13	Black Electroplating	BL	BL	BL	BL	BL	
14	Metal Case Substrate	BL	BL	BL	BL	BL	
15	Camera Glass Cover	BL	BL	BL	BL	BL	
16	White Translucent Plastic Shell (Flash Lamp)	BL	BL	BL	BL	BL	
17	Black Plastic Cover	BL	BL	BL	BL	BL	
18	FPC	BL	BL	BL	BL	BL	
19	Copper Foil	BL	BL	BL	BL	BL	
20	FPC	BL	BL	BL	BL	BL	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company is observed its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) lested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 3 of 33

Seq.	Tosted Bart(s)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
21	1 LED		BL	BL	BL	BL	
2201	Touch Screen Glass	BL	BL	BL (BL	BL	
23	Display Screen Glass	BL	BL	BL	BL	BL	
24	Silver Plastic Patch	BL	BL	BL	BL	BL	
25	White Plastic Patch	BL	BL	BL	BL	BL	
26	Transparent Plastic Sheet	BL	BL	BL	BL	BL	
27	White Plastic Sheet	BL	BL	BL	BL	BL	
28	Silver Plastic Sheet	BL	BLo	BL	BL	BL	
29	Black Plastic Stickers	BL	BL	BL	BL	BL	
30	White Plastic Frame	BL	BL	BL	BL	BL	
31	Silver Metal Case	BL (BL	BLo	BL	BL	
32	PCB	BL	BL	BL	BL	X	
33	Solder Point	X	BL	BL	BL	BL	
34	Silver Metal Socket	BL	BL	BL	BL	BL	
35	Gold Metal Socket	BL	BL	BL	BL	BL	
36	Silver Metal Cover	BL	BL	BL	BL	BL	
37	Terminal Black Plastic	BL	BL	BL	BL	BL	
38	Terminal Silver Needles	BL	BL	BL	BL	BL	
39	Patch Coil Inductor	BL	BL	BL	BL	BL	
40	Copper Winding	BL	BL	BL	BL	BL	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 4 of 33

Seq.	OTI OTI OTI OTI OTI OTI	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
41	Black Plastic Plug-Base	BL	BL	BL	BL	BL	
42	Gold Metal Terminal	BL	BL	BL (BL	BLo	
43	Silver Metal Terminal	BL	BL	BL	BL	BL	
44	Black Plastic Cover	BL	BL	BL	BL	BL	
45	Beige Plastic Plug-Base	BL	BL	BL	BL	BL	
46	Silver Metal Terminal	BL	BL	BL	BL	BL	
47	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
48	Patch Resistor	BL	BLo	BL	BL	BL	
49	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
50	SMD Components	BL	BL	BL	BL	BL	
51	Patch Diode (61)	BL (BL	BLO	BL	BL	
52	Patch LED	BL	BL	BL	BL	BL	
53	Black Plastic Case (Earphone Jack)	BL	BL	BL	BL	BL	
54	Gold Metal Pin	BL	BL	BL	BLO	BL	
55	Silver Metal Case (Card Slot)	BL	BL	BL	BL	BL	
56	Black Plastic (Card Slot)	BL	BL	BL	BL	BL	
57 6	Gold Metal Needles (Card Slot)	BL	BL	BL	BL	BL	
58	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
59	Patch Resistor	BL	BL	BL	BL	BL	
60	Multiplayer Ceramic Chip Capacitors	BLo	BL	BL	BL	BL	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 5 of 33

Seq.	Tested Part(s)	Results					
No.		Pb	Cd	Hg	Cr	Br	
61	Patch Diode	BL	BL	BL	BL	BL	
6201	Crystal Oscillator	BL	BL	BL (BL	BL	
63	SMD Components	BL	BL	BL	BL	BL	
64	Patch LED	BL	BL	BL	BL	BL	
65	Patch Coil Inductor	BL	BL	BL	BL	BL	
66	Copper Winding	BL	BL	BL	BL	BL	
67	Black Plastic Cover	BL	BL	BL	BL	BL	
68	Beige Plastic Plug-Base	BL	BLo	BL	BL	BL	
69	Silver Metal Terminal	BL	BL	BL	BL	BL	
70	Black Plastic Plug-Base	BL	BL	BL	BL	BL	
71	Gold Metal Terminal	BL (BL	BLO	BL	BL	
72	Silver Metal Terminal	BL	BL	BL	BL	BL	
73	PCB	BL	BL	BL	BL	X	
74	Solder Point	BL	BL (BL	BLO	BL	
75	Black Plastic Plug-Base	BL	BL	BL	BL	BL	
76	Gold Metal Terminal	BL	BL	BL	BL	BL	
77 6	PCB [61] [61] [61] [61]	BL	BL	BL	BL	X	
78	Solder Point	BL	BL	BL	BL	BL	
79	Yellow Plastic Sticker	BL	BL	BL	BL	BL	
80	Black Ceramic Body Chip	BL	BL	BL	BL	BL	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exoneate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 6 of 33

Seq.	Tested Part(s)	Results				
No.		Pb	Cd	Hg	Cr	Br
81	Patch Resistor	BL	BL	BL	BL	BL
82	Patch Diode	BL	BL	BL (BL	BL
83	Silver Metal Components	BL	BL	BL	BL	BL
84	Silver Metal Terminal	BL	BL	BL	BL	BL
85	Gold Metal Socket	BL	BL	BL	BL	BL
86	Black Ceramic Body Chip	BL	BL	BL	BL	BL
87	Patch Resistor	BL	BL	BL	BL	BL
88	Patch Diode	BL	BLo	BL	BL	BL
89	SMD Components	BL	BL	BL	BL	BL
90	Black Plastic Plug-Base	BL	BL	BL	BL	BL
91	Gold Metal Terminal	BL (BL	BLO	BL	BL
92	Silver Metal Case	BL	BL	BL	BL	BL
93	Internal Black Plastic	BL	BL	BL	BL	BL
94	Gold Metal Needles	BL	BL	BL	BLO	BL
95	FPC	BL	BL	BL	BL	BL
96	Silver Metal Sheet	BL	BL	BL	BL	BL
97 🕤	Black Ceramic Body Chip	BL	BL	BL	BL	BL
98	Patch Resistor	BL	BL	BL	BL	BL
99	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
100	Patch Diode	BL	BL	BL	BL	BL



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exoneate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 7 of 33

Seq.	Tosted Bartis)	Results (1)				
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br
101	Yellow Plastic Sticker	BL	BL	BL	BL	BL
102	Black Plastic Plug-In	BL	BL	BL (BL	BLo
103	Gold Metal Terminal	BL	BL	BL	BL	BL
104	FPC	BL	BL	BL	BL	BL
105	Silver Metal Sheet	BL	BL	BL	BL	BL
106	Silver Metal Case	BL	BL	BL	BL	BL
107	Black Camera Components	BL	BL	BL	BL	BL
108	Black Plastic Plug-In	BL	BLo	BL	BL	BL
109	Gold Metal Terminal	BL	BL	BL	BL	BL
110	White Horn Paper (Horn)	BL	BL	BL	BL	BL
111	Silver Horn Paper (Horn)	BL (BL	BLO	BL	BL
112	Black Plastic Frame (Horn)	BL	BL	BL	BL	BL
113	Silver Metal Cover (Horn)	BL	BL	BL	BL	BL
114	Transparent Plastic (Horn)	BL	BL	BL	BLO	BL
115	Copper Wire (Horn)	BL	BL	BL	BL	BL
116	Silver Magnet (Horn)	BL	BL	BL	BL	BL
1170	Silver Metal Pedestal (Horn)	BL	BL	BL	BL	BL
118	Silver Metal Pin (Horn)	BL	BL	BL	BL	BL
119	Silver Metal Microphone Components	BL	BL	BL	BL	BL
120	Blue Plastic Wire Outer Skin	BL	BL	BL	BL	BL



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 8 of 33

Seq.	' Loctor Particl	OTI	(1	Results	s of	i)
No.	No.		Cd	Hg	Cr	Br
121	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL
122	Wire Internal Metal Wire	BL	BL	BL (BL	BLo
123	FPC	BL	BL	BL	BL	BL
124	Silver Metal Sheet	BL	BL	BL	BL	BL
125	Black Plastic Stickers	BL	BL	BL	BL	BL
126	Silver Metal Sheet	BL	BL	BL	BL	BL
127	Silver Metal Case (Chip Cover)	BL	BL	BL	BL	BL
128	Black Stickers	BL	BL	BL	BL	BL
129	Gray Sponge Viscose	BL	BL	BL	BL	BL
130	Black Rubber Cover	BL	BL	BL	BL	BL
131	Silver Metal Screws	BL (BL	BLO	BL	BL
132	Blackish Green Coating	BL	BL	BL	BL	BL
133	Plastic Button Substrate	BL	BL	BL	BL	BL
134	Black Plastic Wire Outer Skin	BL	BL	BL	BLO	BL
135	Wire Internal Metal Wire	BL	BL	BL	BL	BL
136	Gold Metal Plug	BL	BL	BL	BL	BL
137	Black Plastic Case	BL	BL	BL	BL	BL
138	Black Plastic Cover	BL	BL	BL	BL	BL
139	Black Plastic Base	BL	BL	BL	BL	BL
140	PCB (I) (DTI) (DTI)	BL	BL	BL	BL	X



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exoneate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 9 of 33

Seq.	(DTI) (DTI) (DTI) (DTI) (DTI)	Results				
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br
141	Solder Point	BL	BL	BL	BL	BL
142	Patch Resistor	BL	BL	BL (BL	BL
143	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
144	Black Ceramic Body Chip	BL	BL	BL	BL	BL
145	Gold Metal Sheet	BL	BL	BL	BL	BL
146	Plastic Packaging Film	BL	BL	BL	BL	BL
147	Highland Barley Paper	BL	BL	BL	BL	BL
148	Electrode Metal Sheet	BL	BLo	BL	BL	BL
149	Aluminum Laminated Films	BL	BL	BL	BL	BL
150	Polymer Membranes	BL	BL	BL	BL	BL
151	Green Plastic Sticker	BL(BL	BLO	BL	BL
152	White Plastic Sticker	BL	BL	BL	BL	BL
153	Copper Foil	BL	BL	BL	BL	BL
154	Aluminum Foil	BL	BL	BL	BLO	BL
155	Gray Coating	BL	BL	BL	BL	BL
156	White Plastic Case	BL	BL	BL	BL	BL
157	White Plastic Cover	BL	BL	BL	BL	BL
158	Silver Metal Round Plug	BL	BL	BL	BL	BL
159	Black Plastic Sheet	BL	BL	BL	BL	BL
160	PCBTI OTI OTI OTI	BL	BL	BL	BL	(X)



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exoneate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 10 of 33

Seq.	i ested Part(s)		(8	Results	s pr	Ŋ
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br
161	Solder Point	BL	BL	BL	BL	BL
162	Black Ceramic Body Chip	BL	BL	BL (BL	BL
163	Patch Resistor		BL	BL	BL	BL
164	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL
165	SMD Components	BL	BL	BL	BL	BL
166	Patch Diode	BL	BL	BL	BL	BL
167	Electrolytic Capacitor Outer Layer Plastic Leather	BL	BL	BL	BL	BL
168	Electrolytic Capacitor Silver Metal Case	BL	BLOT	BL	BL	BL
169	Electrolytic Capacitor Internal Sticker	BL	BL	BL	BL	BL
170	Blue Plastic Sticker		BL	BL	BL	BL
171	Yellow Plastic Sticker	BL (BL	BLo	BL	BL
172	Black Square Magnetic Ring	BL	BL	BL	BL	BL
173	Transformer Ceramic Frame	BL	BL	BL	BL	BL
174	Transformer Copper Winding	BL	BL	BL	BLO	BL
175	White Viscose	BL	BL	BL	BL	BL
176	Black Heat Shrink Tube Sleeve	BL	BL	BL	BL	BL
177	Color Ring Resistance	BL	BL	BL	BL	BL
178	Silver Metal Pin	BL	BL	BL	BL	BL
179	Silver Metal Sheet	BL	BL	BL	BL	BL
180	Chromatic Ring Inductor	BLo	BL	BL	BL	BL
181	Silver Metal Pin	BL	BL	BL	BL	BL
182	Blue Ceramic Capacitance	BL	BL	BL	BL	BL
) 183	Silver Metal Pin	BL	BL	BL	BL	BL
184	Electrolytic Capacitor Silver Metal Case	BL	BL	BL	BL	BL



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 11 of 33

Seq.	DTI DTI DTI DTI DTI	Results Of I					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
185	Electrolytic Capacitor Internal Sticker	BL	BL	BL	BL	BL	
186	Silver Metal Case (USB)	BL	BL	BL (BL	BL	
187	Internal White Plastic (USB)	BL	BL	BL	BL	X	
188	Gold Metal Needles	BL	BL	BL	BL	BL	
189	White Soft Plastics	BL	BL	BL	BL	BL	
190	Internal Translucent Plastic	BL	BL	BL	BL	BL	
191	Silver Metal Case	BL	BL	BL	BL	BL	
192	Internal Black Plastic	BL	BLo	BL	BL	BL	
193	Gold Metal Needles	BL	BL	BL	BL	BL	
194	PCB	BL	BL	BL	BL	X	
195	Solder Point (1)	BL (BL	BLo	BL	BL	
196	White Plastic Skin	BL	BL	BL	BL	BL	
197	Silver Metal Wire	BL	BL	BL	BL	BL	
198	Silver Shielding Paper	BL	BL (BL	BL	BL	
199	Black Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
200	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
201	Green Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
202	White Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
203	Wire Internal Metal Wire	BL	BL	BL	BL	BL	
204	White Soft Plastics (USB)	BL) BL	BL	BL	BL	
205	Internal Translucent Plastic (USB)	BL	BL	BL	BL	BL	
206	Silver Metal Case (USB)	BL	BL	BL	BL	BL	
207	Internal White Plastic (USB)	BL	BL	BL	BL	BL	
208	Silver Metal Needles	BL	BL	BL	BL	BL	
	Solder Point	BL	BL	BL	BL	BL	

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 12 of 33

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd 6	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	BL≤50-3σ< X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X	orii - orii	BL≤250-3σ< X

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company is observed its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) lested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 13 of 33

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives 2015/863/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	≤100
Lead (Pb)	≤1000
Mercury (Hg)	≤1000
Hexavalent Chromium (Cr(VI))	≤1000
Polybrominated biphenyls (PBBs)	≤1000
Polybrominate ddiphenylethers (PBDEs)	≤1000

(4) Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

Testing Internal Int

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company is observed its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) lested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 14 of 33

2. The Test Results of Chemical Method:

Test method:

Lead, Cadmium, Mercury Content:

With reference to IEC 62321-5:2013 and IEC62321-4:2013+AMD1:2017, by acid digestion and analysis was performed by Inductively Coupled Plasma- Atomic Emission Spectrophotometer (ICP-AES)

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

Hexavalent Chromium Content (For non-metal material):

With reference to IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic/mass spectrometer (GC-MS)

DEHP, BBP, DBP&.DIBP content:

With reference to IEC 62321-8:2017 by solvent extraction and analysis was performed by gas chromatographic -mass spectrometer (GC-MS)

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 15 of 33

1) The test results of Pb

1) The test results of P	b(i)					
Itam	l lmi4	MDI	Res	sults	Limit	
Item	Unit	MDL	7	33	Limit	
Lead(Pb)	mg/kg	20711	18453*	N.D. ^A	≤1000	DTil
Conclusion	/	1	Pass	Pass	1	

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- *= the weight of lead in the copper alloy does not exceed 4%(40000ppm).
- ^=This data is the retested data after rectification.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 16 of 33

2) The test results of PBBs & PBDEs

(i) (p(i) (p(i)	Oli	MDI	(OTi)	OTIL	Results	(i)	(DTi)	(071)
Item	Unit	MDL	32	73	77	140	160	Limit
Polybrominated Biphenyls (PBBs)		<u>'</u>						
Monobromobiphenyl	mg/kg	5011	N.D.	N.D.	N.D.	N.D.	N.D.	orii / or
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	ŊN.D.	N.D.	N.D.	dri
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	(01)
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Total content	mg/kg	(D/i)	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Polybrominated Diphenylethers (PBI	DEs)(Mon	-Deca)						
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Hexabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	(0,11)
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Nonabromodiphenyl ether	mg/kg	015	N.D.	N.D.	N.D.	N.D.	N.D.	(ori)
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	N.D.	N.D.	1
Total content	mg/kg	1	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	10	/	Pass	Pass	Pass	Pass	Pass	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 17 of 33

	107	MDI	ori) Res	sults	(Pri)
Item	Unit	MDL	187	194	Limit
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	70 /
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	1
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	1
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	1
Pentabromobiphenyl	mg/kg	5	013 N.D. 013	N.D.	Pro
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	1
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	1
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	oril /
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	1
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	/
Total content	mg/kg	(1)	N.D.	N.D.	≤1000
Polybrominated Diphenylethers (PBI	DEs)(Mon	-Deca)			
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Tribromodiphenyl ether	mg/kg	5	N.D.	OTO N.D. OTO	(2)
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Hexabromodiphenyl ether	mg/kg	501	N.D.	N.D.	orii / or
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	1
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	l'il
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	12
Total content	mg/kg	1	N.D.	N.D.	≤1000
Conclusion	1	/	Pass	Pass	

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28

3) The test results of DEHP, BBP, DBP & DIBP

	Unit	MDL	OTI	(DTi)	Results	(1)	Oris	(DTi)
Item	Unit		1	2	3	5	8	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Ham (DTI) (DTI) (DTI)	Unit	MDL	<u>fil</u>	OTI	Results		otil	OTI
Item	Unit		9	10	11	12	15	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item OTI OTI	Unit	MDLOT		orij	Results	61	j)	(1)
item	Unit	MDL	16	17	18 20 21 N.D. N.D. N.D. N.D. N.D. N.D. N.D. N.D.	Limit		
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	(011)



Page 18 of 33

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 19 of 33

	Unit 6 M	0			Results	(1)	ail	Limit
Item (pri) (pri)	Unit	MDL	22	23	24	25	26	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(071)	Pass	Pass	Pass	Pass	Pass	101

Item	11	MDL			Results			1 :
nem (pri) (pri)	Unit		27	28	29	30	32	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	<u> </u>	Pass	Pass	Pass	Pass	Pass	(ori)

Item	Unit	MDL	Results					Limit	
nem (pri) (pri)	oril	MDL	37	39	41	44	45	oril	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass		



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 20 of 33

Item		MDL	OTI	OTI	Results	ril	OTI	(DTI)
item	Unit		47	48	49	50	51	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item (pri) (pri)	11.671	Unit MDL	Ti)	OTI	Results)	oril	OTI).
item	Unit	MDL	52	53	56	58	59	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.O	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	P

Man (1)	11.44	MDL	\		Results		3	(Same 14
Item pril pril pril	Unit	MIDE	60	61	63	64	65	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	OXI



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 21 of 33

			- 0.10 1				. 5	0 = : 0: 0:	
Item (571) (571)	Unit	MDL	(ir	71)	Results	Results			
Item (pt) (pt)	Onito	MIDL	67	68	70	73	75	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	OTU	Pass	Pass	Pass	Pass	Pass	101	

Item (DTI) (DTI)	Unit∠	MDL			Results				
	Onit	MIDL	77	79	80	81	82	Limit ≤1000 ≤1000 ≤1000 ≤1000	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	Ti) /	Pass	Pass	Pass	Pass	Pass	OTI	

Itama	l lmi4	MDL			Results			Limit
Item	Unit	WIDE	86	87	88	89	89 90	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 22 of 33

		:: N		Results					
item of of of of of	Unit	MDL	93	95	97	98	99	Limit	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	(071)	Pass	Pass	Pass	Pass	Pass	101	

Item (pri) (pri)	l lmi4	MDI				Limit		
	Unit	MDL	100	101	102	104	107	≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	<u> </u>	Pass	Pass	Pass	Pass	Pass	(ori)

tem	Unit	MDL		Results					
ori) ori) ori)	ori	ofil wide	WIDL (01)	108	110	111	112	114	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass		



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 23 of 33

					Descrite			
Item (T) (T)	Unit	MDL	(ize	(iz	Results	(i)	(iz	Limit
	Oille		120	121	123	125	128	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(DTI)	Pass	Pass	Pass	Pass	Pass	101

Item (pil) (pil)	1164	MDI		Results				
	Unit	MDL	129	130	132	133	134	Limit ≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	Ti) /	Pass	Pass	Pass	Pass	Pass	OTI

Itam	l lmi4	MDL			Results			Limit
Item	Unit	MIDL	137	7 138 139 140	142	Limit		
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 24 of 33

				Results				
Item of	Unit	MDL	143	144	146	147	149	Limit ≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(071)	Pass	Pass	Pass	Pass	Pass	101

Item (pri)	llmi4 -	MDI				Limit		
	Unit	MDL	150	151	152	155	156	Limit ≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	<u> </u>	Pass	Pass	Pass	Pass	Pass	(ori)

Item	Unit	MDL			Results			Limit
nem (pri) (pri)	orii	MDL	157 159	159	160	162) 163	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 25 of 33

Item (511) (511)	Unit	MDL	(11)	Results				
	Unit	MDL	164	165	166	167	169	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	OTU	Pass	Pass	Pass	Pass	Pass	101

Item (DTI)	llmi4 -	MDI	Results					Limit
	Unit	MDL	170	171	172	173	175	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	<u> </u>	Pass	Pass	Pass	Pass	Pass	(ori)

Item	Unit	MDL			Results			Limit
ori ori ori	Onit	WIDL	176	177	180	182	185	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 26 of 33

Item (071) (071)	Hait	() MDI	(in	Til	Results	1 1001		
Item (pt) (pt)	Unit	MDL	187	189	190	192	194	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(071)	Pass	Pass	Pass	Pass	Pass	101

Item (pri) (pri)	Unit	MDI			Results			Limit
	Onit	MDL	196	198	199	200	201	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	366	N.D.	40	42	43	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	Ti) /	Pass	Pass	Pass	Pass	Pass	OTI

140.00	Unit	MDI		Res	Lineit		
Item		MDL	202	204	€ 205	207	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	39	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Flow chart appendix is included.
- Photo appendix is included.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the control or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn




REPORT No.: DTIBW20200397-1RDate: 2020-05-28
Page 27 of 33

Appendix I

Test Flow chart

Test Flowchart for Cd / Pb /Hg content
 These samples were dissolved totally by pre-conditioning method according to below flow chart.





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the control or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 28 of 33 3. Test Flowchart for Cr⁶⁺ content (Non-metal material) Adjust the pH of Weighted sample Add digestion solution and extracted solution to Cutting/ and put into a heat in constant temperature 7.5 ± 0.5 and transfer preparation conical flask shaking water baths into a volumetric flask Made up with Analyzed by UV-vis Adjust the pH to 2.0 ± 0.5 and deionized water; add DATA (540nm) make up with deionized water Diphenylcarbazide solution Test Flowchart for PBBs & PBDEs content Add organic solvent and Concentrated/ Cutting/ Weight sample and extracted by dilute extracted solution place in a thimble preparation Ultrasonic method Cool, cleanup solution Concentrated extracted Make up with organic solvent ◀ Data Analyzed by GC-MS solution 5. Test Flowchart for DEHP, BBP, DBP & DIBP content Add organic solvent and Cutting/ Weight sample and Concentrated/ extracted by place in a thimble dilute extracted solution preparation Ultrasonic method Cool, cleanup solution Data Analyzed by GC-MS Make up with organic solvent ◀ Concentrated extracted solution Testing Intern

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company is observed its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) lested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 29 of 33

Table:

Sample material	Digestion Acid
Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Any acid to total digestion



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 30 of 33

Appendix II

Photograph of Sample





This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the control or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 31 of 33 20_T31 73-76



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the control or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 32 of 33 95-101 102,103 inuo 127-129 130 131 132-133 134 136 119¹122 137,154 155-156 157-158 160-166 HE STATE STATE




This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn



REPORT No.: DTIBW20200397-1R Date: 2020-05-28 Page 33 of 33



*** End of Report ***



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exoneate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-0755-32936716, E-mail: DTI@deesev.cn