

REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 1 of 23

Applicant Company Name: Shenzhen Huafurui Technology Co., Ltd.

Applicant Company Address: Unit 1401 &1402, 14/F, Jinqi zhigu mansion (No. 4 building of Chongwen Garden), Crossing of the Liuxian street and Tangling road, Taoyuan street, Nanshan district, Shenzhen, P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : Smartwatch

Model No.

: CUBOT/HAFURY Trademark

Sample Receiving Date : June 02, 2021; June 10, 2021

Testing Period : From June 02, 2021 to June 11, 2021

Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST CONCLUSION

EU RoHS Directive 2011/65/EU and its amendment directives 2015/863/EU (RoHS 2.0)

Shenzhen Deesev Testing International Corp

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼

深圳市德泽威技术检测有限公司 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 2 of 23

Results:

1, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq.	(DTI) (DTI) (DTI) (DTI) (DTI)	Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
1	Gray Coating	BL	BL	BL	BL	BL	
012	Plastic Frame Substrate	BLT	BL	BL	BL	BL	
3	Black Plastic Cover	BL	BL	BL	BL	BL	
4	Gold Metal Terminal	BL	BL	BL	BL	N/A	
5	Silver Magnet	BL	BLOT	BL	BL	N/A	
6	Double Faced Adhesive	BL	BL	BL	BL	BL	
7	Black Coating	BL	BL	BL	BL	BL	
8111	Transparent Plastic Sheet	BL(BL	BLO	BL	BL	
9	Touch Screen Glass	BL	BL	BL	BL	BL	
10	Display Screen Glass	BL	BL	BL	BL	BL	
9 ⁷¹⁾ 11	FPC (DTI) (DTI) (DTI) (DTI)	BL	BL	BL	BL	BL	
12	LED	BL	BL	BL	BL	BL	
13	Silver Plastic Patch	BL	BL	BL	BL	BL	
14 💇	White Plastic Patch	BL	BL	BL	BL	BL	
15	Transparent Plastic Sheet	BL	BL	BL	BL	BL	
16	Silver Plastic Sheet	BL	BL	BL	BL	BL	
17	Translucent Plastic Sheet	BL	BL	BL	BL	BL	
18	Black Plastic Stickers	BL	BL	BL	BL	BL	
19	White Plastic Frame	BL	BL	BL	BL	BL	
20	Silver Metal Case	BL	BL®	BL	X	N/A	

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company is observed its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 3 of 23

Seq.	OTI OTI OTI OTI OTI		Results					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br		
21	Black Rubber Belt	BL	BL	BL	BL	BL		
2201	Black Rubber Ring	BL	BL	BL(BL	BLO		
23	Silver Metal Frame	BL	BL	BL	X	N/A		
24	Silver Metal Needle	BL	BL	BL	X	N/A		
25	Silver Metal Shaft	BLT	BL	BL	X	N/A		
26	PCB	BL	BL	BL	BL	X		
27	Solder Point	BL	BL	BL	BL	N/A		
28	Black Ceramic Body Chip	BL	BLO	BL	BL	BL		
29	Patch Resistor	BL	BL	BL	BL	BL		
30	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL		
31	Black Plastic Case	BL	BL	BLO	BL	BL		
32	Gold Metal Needles	BL	BL	BL	BL	N/A		
33	Black Plastic Cover	BL	BL	BL	BL	BL		
34	Black Plastic Case	BL	BL	BL	BL	BL		
35	Gold Metal Needles	BL	BL	BL	BL	N/A		
36	Gold Metal Terminal	BL	BL	BL	BL	N/A		
37 💇	Black Ceramic Body Chip	BL	BL	BL	BL	BL		
38	Patch Resistor	BL	BL	BL	BL	BL		
39	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL		
40	Patch Diode	BL	BL	BL	BL	BL		

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer report refer control to the sample (shested $the \ law.unless \ otherwise \ stated \ the \ results \ shown \ in \ this \ test \ report \ refer \ only \ to \ the \ sample(s) tested.$



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 4 of 23

Seq.	OTH OTH OTH OTH OTH		Results (71)					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br		
41	Crystal Oscillator	BL	BL	BL	BL	N/A		
4201	FPC (DTI) (DTI) (DTI) (DTI) (DTI)	BL	BL	BL (BL	BLO		
43	Silver Metal Sheet	BL	BL	BL	BL	N/A		
44	Black Foam Viscose	BL	BL	BL	BL	BL		
45	SMD Components	BLT	BL	BL	BL	BL		
46	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL		
47	Patch LED	BL	BL	BL	BL	BL		
48	Silver Metal Components	BL	BLOT	BL	BL	N/A		
49	Blue Plastic Wire Outer Skin	BL	BL	BL	BL	BL		
50	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL		
51	Wire Internal Metal Wire	BL	BL	BLO	BL	N/A		
52	FPC	BL	BL	BL	BL	BL		
53	Silver Metal Sheet	BL	BL	BL	BL	N/A		
54	Black Plastic Case	BL	BL	BL	BL	BL		
55	Gold Metal Needles	BL	BL	BL	BL	N/A		
56	Black Plastic Cover	BL	BL	BL	BL	BL		
57 🧐	Black Plastic Case	BL	BL	BL	BL	BL		
58	Gold Metal Needles	BL	BL	BL	BL	N/A		
59	FPC	BL	BL	BL	BL	BL		
60	Yellow Fiberboard	BLO	BL	BL	BL	BL		

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to attransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th FIr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 5 of 23

Seq.	(DTI) (DTI) (DTI) (DTI) (DTI)	Results (T)					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
61	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
62	Patch Resistor	BL	BL	BL	BL	BLO	
63	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
64	FPC	BL	BL	BL	BL	BL	
65	Silver Metal Sheet	BLT	BL	BL	BL	N/A	
66	Black Stickers	BL	BL	BL	BL	BL	
67	Silver Metal Sheet	BL	BL	BL	BL	N/A	
68	Black Electroplating	BL	BLOT	BL	BL	N/A	
69	Metal Knob Substrate	BL	BL	BL	BL	N/A	
70	Silver Metal Spring	BL	BL	BL	BL	N/A	
71	Silver Metal Shaft	BL	BL	BLO	X	N/A	
72	Black Metal Screws	BL	BL	BL	BL	N/A	
73	Grey Viscose Tape	BL	BL	BL	BL	BL	
74	Black Plastic Wire Outer Skin	BL	BL	BL	BL©	BL	
75	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
76	Wire Internal Metal Wire	BL	BL	BL	BL	N/A	
77 💇	PCB (DT) (DT) (DT) (DT)	BL	BL	BL	BL	X	
78	Solder Point	BL	BL	BL	BL	N/A	
79	Multiplayer Ceramic Chip Capacitors	BL	BL	BL	BL	BL	
80	Patch Resistor	BLO	BL	BL	BL	BL	

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to attransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Baoʻan,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 6 of 23

Seq.	OTI OTI OTI OTI OTI	Results (1)					
No.	Tested Part(s)	Pb	Cd	Hg	Cr	Br	
81	Black Ceramic Body Chip	BL	BL	BL	BL	BL	
82	Yellow Plastic Sticker	BL	BL	BL(BL	BLO	
83	Double Faced Adhesive	BL	BL	BL	BL	BL	
84	Electrode Metal Sheet	BL	BL	BL	BL	N/A	
85	Aluminum Laminated Films	BLT	BL	BL	BL	BL	
86	Polymer Membranes	BL	BL	BL	BL	BL	
87	Green Plastic Sticker	BL	BL	BL	BL	BL	
88	White Plastic Sticker	BL	BLOT	BL	BL	BL	
89	Copper Foil	BL	BL	BL	BL	N/A	
90	Aluminum Foil	BL	BL	BL	BL	N/A	
91	Black Soft Plastics	BL	BL	BLO	BL	BL	
92	Black Plastic Case	BL	BL	BL	BL	BL	
93	Silver Magnet	BL	BL	BL	BL	N/A	
94	Gold Metal Terminal	X	BL	BL	BL®	N/A	
95	Solder Point	BL	BL	BL	BL	N/A	
96	Red Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
97 💇	Black Plastic Wire Outer Skin	BL	BL	BL	BL	BL	
98	Wire Internal Metal Wire	BL	BL	BL	BL	N/A	
99	Black Plastic Skin	BL	BL	BL	BL	BL	
100	Black Soft Plastics (USB)	BLO	BL	BL	BL	BL	
101	Silver Metal Case (USB)	BL	BL	BL	BL	N/A	
102	Internal White Plastic (USB)	BL	BL	BL	BL	BL	
103	Gold Metal Needles	BL	BL®	BL	BL	N/A	
104	PCB	BL	BL	BL	BL	X	
105	Solder Point	X	BL	BL	BL	N/A	
106	Black Ceramic Body Chip	BL	BL	BL	BL	ВL	

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



DTI



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 7 of 23

Remark:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	BL≤50-3σ< X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤ OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X		BL≤250-3σ< X

Note:

BL = Below Limit

OL = Over Limit

X = Inconclusive

N/A = Not Applicable

(2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 8 of 23

(3) The maximum permissible limit is quoted from the document 2011/65/EU and its amendment directives 2015/863/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	≤100
Lead (Pb)	≤1000
Mercury (Hg)	≤1000
Hexavalent Chromium (Cr(VI))	≤1000
Polybrominated biphenyls (PBBs)	(i) (of) (of)
Polybrominate ddiphenylethers (PBDEs)	≤1000

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 9 of 23

2. The Test Results of Chemical Method:

Test method:

Lead, Cadmium, Mercury Content:

With reference to IEC 62321-5:2013 and IEC62321-4:2013+AMD1:2017, by acid digestion and analysis was performed by Inductively Coupled Plasma- Atomic Emission Spectrophotometer (ICP-AES)

Hexavalent Chromium Content (For metal material):

With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

Hexavalent Chromium Content (For non-metal material):

With reference to IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic/mass spectrometer (GC-MS)

DEHP, BBP, DBP&.DIBP content:

With reference to IEC 62321-8:2017 by solvent extraction and analysis was performed by gas chromatographic -mass spectrometer (GC-MS)

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law_unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Baoʻan, Shenzhen, Guangdong, China中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座9楼



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 10 of 23

1) The test results of Cr (VI)

M	11:4	MDI			Results			1 ! !4	
oriltem	Unit	MDL	20	23	24 (25 🧑	71 0	Limit	
Hexavalent Chromium (Cr (VI)) (Metal material)	μg/cm ²	I	Negative	Negative	Negative	Negative	Negative	#	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1	

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- Negative= Sample Cr(VI) concentration is less than 0.10 μg/cm²
 Positive = Sample Cr(VI) concentration is greater than 0.13 μg/cm²
- #=

Positive indicates the presence of Cr(VI) on the tested areas and the test results are considered to be incompatible with Directive 2011/65/EU (RoHS 2.0) requirement.

Negative indicates the absence of Cr(VI) on the tested areas and the test results are considered to be consistent with Directive 2011/65/EU (RoHS 2.0) requirement.

- mg/kg = ppm

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Da

2) The test results of Pb

Date: 2021-06-11 Page 11 of 23

14	D. Unit	MDI	Res	ults	l imit	
Item	Unit	MDL	94^	105*	Limit	
Lead(Pb)	mg/kg	2,11	23951	OTI N.D.	≤1000	07
Conclusion	1	/	Pass	Pass	/	

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- ^= the weight of lead in the copper alloy does not exceed 4%(40000ppm).
- *= This data is the corrected retest data.

ofil ofil ofil

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 12 of 23

3) The test results of PBBs & PBDEs

il (pril (pril	(07)		(071) (07	Results	OTI	OTI
Item	Unit MD		00		101	Limit
Polybrominated Biphenyls (PBBs)			26	77	104	
Monobromobiphenyl	mg/kg	501	N.D.	N.D.	N.D.	071) / (0
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	1
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	1
Tetrabromobiphenyl	mg/kg	5115	N.D.	N.D.	N.D.	Kri
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	Ĭ
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	1
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	A /
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	(011)
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	1
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	1
Total content	mg/kg	ONI	N.D.	N.D.	(01) N.D. (0	≤1000
Polybrominated Diphenylethers (PBI	DEs)(Mon	-Deca)				
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	(10)
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	(0)
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Nonabromodiphenyl ether	mg/kg	015	N.D.	OT N.D.	N.D. (01)	(ori)
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	1
Total content	mg/kg	/	N.D.	N.D.	N.D.	≤1000
Conclusion	100	/	Pass /	Pass	Pass	Vite

Note:

- N.D. = Not Detected or less than MDL

Shenzhen Deesev Testing International Corp.

- mg/kg = ppm
- MDL = Method Detection Limit

il (pril (pril (pril (pril

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's sold presents being at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) lested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼



REPORT No.: DTIBW20211104-2R

4) The test results of DEHP, BBP, DBP & DIBP

Date: 2021-06-11

Page 13 of 23

Ma	11:4	MDL		Limit				
Item	Unit		1	2	3	6	7	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Itom	Unit	t MDL			Limit			
Item	Oilit		8	9	10	11	12	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.9	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	/	1	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL		Limit				
	Unit	WIDL	13	14	15	16	17	Lillit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	/

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of $the \ law.unless \ otherwise \ stated \ the \ results \ shown \ in \ this \ test \ report \ refer \ only \ to \ the \ sample(s) tested.$



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 14 of 23

Item (571) (571)	11!4	() MDI	Til	511)	Results	(i)	ati)	
	Unit	MDL	18	19	21	22	26	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	(011)	Pass	Pass	Pass	Pass	Pass	10

Item (pri) (pri)	11	MDI			Results	esults			
	Unit	MDL	28	29	30	31	33	Limit≤1000≤1000≤1000≤1000	
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	₀ ≤1000	
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000	
Conclusion	1	Til 1	Pass	Pass	Pass	Pass	Pass	OTI	

Item	Unit	MDL		Limit				
	onit	MDL	34	37	38	39	40	≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1) /	Pass	Pass	Pass	Pass	Pass	(Ti)

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8, Bao'an, Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区隆昌路 8号飞扬科技园 B座9楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 15 of 23

Item		MDI	OTI	OTI	Results		OTI	(DTI)
	Unit	MDL	42	44	45	46	47	Limit≤1000≤1000≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item (pri) (pri)	n (při)	MDI	Ti)	OTI	Results		oril	OTI
	Unit	MDL	49	50	52	54	56	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	

Item of li	1164	MD	\		Results			Albania.
	Unit	MDL	57	59	60	61	62	≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101	1	Pass	Pass	Pass	Pass	Pass	(OLI)

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 16 of 23

ltem		MDI	OTI	OTI	Results		OTI	(DTI)
	Unit	MDL	63	64	66	73	74	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item (pri) (pri)	n (při)	MDI	Ti)	OTI	Results)	oril	OTI
	Unit	MDL	75	77	79	80	81	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item of the least	11.41	MDI		ail	Results	/4	1	- Al14
	Unit	MDL	82	83	85	86	87	≤1000 ≤1000 ≤1000 ≤1000
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	101) /	Pass	Pass	Pass	Pass	Pass	OFI

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exencising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号飞扬科技园 B座时楼 Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 17 of 23

ltem	(0,1	MDI	OTI	OTI	Results		OTI	(DTI)
	Unit	MDL	88	91	92	96	97	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	90	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Item (DTI) (DTI)	II. OTI	MDI	11)	OTI	Results		oril	(DTI)
	Unit	MDL	99	100	102	104	106	Limit
Di-2-ethylhexyl phthalate (DEHP)	mg/kg	30	N.D.	86	N.D.	N.D.	N.D.	≤1000
Benzyl-n-butyl phthalate (BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-n-butyl phthalate (DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Di-iso-butyl phthalate (DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	≤1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Decision rule: According to DTI-CX-39-2020 《Decision rule for conformity of the test results》
- Flow chart appendix is included.
- Photo appendix is included.

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents is advised that information contained herein englished therein. The company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.






REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 18 of 23

Appendix I

Test Flow chart

Test Flowchart for Cd / Pb /Hg content
 These samples were dissolved totally by pre-conditioning method according to below flow chart.



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.unless otherwise stated the results shown in this test report refer only to the sample(s) lested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China中国广东省 深圳市 宝安区隆昌路 8号 飞扬科技园 B座9楼



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 19 of 23 3. Test Flowchart for Cr⁶⁺ content (Non-metal material) Adjust the pH of Add digestion solution and Weighted sample extracted solution to Cutting/ and put into a heat in constant temperature 7.5 ± 0.5 and transfer preparation conical flask shaking water baths into a volumetric flask Made up with Analyzed by UV-vis Adjust the pH to 2.0 ± 0.5 and deionized water; add DATA (540nm) make up with deionized water Diphenylcarbazide solution 4. Test Flowchart for PBBs & PBDEs content Add organic solvent and Concentrated/ Cutting/ Weight sample and extracted by dilute extracted solution place in a thimble preparation Ultrasonic method Cool, cleanup solution Concentrated extracted Make up with organic solvent ◀ Data Analyzed by GC-MS solution 5. Test Flowchart for DEHP, BBP, DBP & DIBP content Add organic solvent and Cutting/ Weight sample and Concentrated/ extracted by place in a thimble dilute extracted solution preparation Ultrasonic method Cool, cleanup solution Data Analyzed by GC-MS Make up with organic solvent ◀ Concentrated extracted solution

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents is advised that information contained herein englished therein. The company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 20 of 23

Table:

Sample material	Digestion Acid
Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
Glass	HNO ₃ /HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic (61)	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl
Others	Any acid to total digestion

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼

深圳市德泽威技术检测有限公司 ___

Shenzhen Deesev Testing International Corp.


Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Date: 2021-06-11 Page 21 of 23

Appendix II

Photograph of Sample



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's sold presponsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼

Tel: +86-755-32936716 E-mail: DTI@deesev.cn



REPORT No.: DTIBW20211104-2R Page 22 of 23 Date: 2021-06-11 9-20 23-25 26-30 31,32 33-35

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced execept in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




9th Flr., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 8座9楼

DTI



REPORT No.: DTIBW20211104-2RDate: 2021-06-11
Page 23 of 23



*** End of Report ***

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on requestfor electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnitication and jurisdiction issues defined therein.any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to atransaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



9th Fir., Building B, Feiyang Science & Technology Park, Longchang Rd.No.8,Bao'an,Shenzhen, Guangdong, China 中国 广东省 深圳市 宝安区 隆昌路 8号 飞扬科技园 B座9楼

Tel: +86-755-32936716 E-mail: DTI@deesev.cn