

**TCB****GRANT OF EQUIPMENT  
AUTHORIZATION****TCB****Certification****Issued Under the Authority of the  
Federal Communications Commission****By:****MiCOM Labs  
575 Boulder Court  
Pleasanton, CA 94566****Date of Grant: 07/13/2025****Application Dated: 07/13/2025****Shenzhen Huafurui Technology Co., Ltd.  
Unit 601-03, 6/F, Block A, Building 1,  
Ganfeng Technology Building, No. 993 Jiaxian Road,  
Shenzhen,  
China****Attention: Paul Liu ,****NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is  
VALID ONLY for the equipment identified hereon for use under the Commission's  
Rules and Regulations listed below.

**FCC IDENTIFIER: 2AHZ5-TAB****Name of Grantee: Shenzhen Huafurui Technology Co., Ltd.****Equipment Class: PCS Licensed Transmitter****Notes: Tablet**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	2.213095	0.015961 PM	245KGXW
	24E	1850.2 - 1909.8	1.422329	0.012979 PM	250KGXW
	24E	1852.4 - 1907.6	0.31842	0.010277 PM	4M16F9W
	27	1712.4 - 1752.6	0.28774	0.010933 PM	4M16F9W
	22H	826.4 - 846.6	0.321366	0.026961 PM	4M17F9W
	24E	1860.0 - 1900.0	0.120504	0.007874 PM	18M0G7D
	24E	1860.0 - 1900.0	0.103276	0.005272 PM	18M1W7D
	27	1720.0 - 1745.0	0.118304	0.005138 PM	17M9G7D
	27	1720.0 - 1745.0	0.103753	0.005472 PM	18M0W7D
	22H	829.0 - 844.0	0.126183	0.008521 PM	8M97G7D
	22H	829.0 - 844.0	0.111944	0.007457 PM	8M98W7D
	27	2510.0 - 2560.0	0.12942	0.003831 PM	18M0G7D
	27	2510.0 - 2560.0	0.111429	0.002746 PM	18M0W7D
	27	704.0 - 711.0	0.126183	0.014668 PM	9M03G7D
	27	704.0 - 711.0	0.127644	0.01119 PM	8M99W7D
	27	709.0 - 711.0	0.139637	0.013733 PM	9M00G7D
	27	709.0 - 711.0	0.114288	0.013817 PM	8M95W7D
	27	2545.0 - 2645.0	0.124165	0.004354 PM	17M9G7D
	27	2545.0 - 2645.0	0.116145	0.004325 PM	18M0W7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above 1GHz. SAR compliance for body-worn operating configurations is limited to the specific configurations tested for this filing. Body-worn operations are restricted to belt-clips, holsters or similar accessories that have no metallic component in the assembly and must provide at least 0 mm separation between the device and the body of the user. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance. The highest reported SAR for body-worn, hotspot and simultaneous SAR accessory are 0.88 W/kg, 0.88 W/kg and 1.35 W/kg respectively.