

RF TEST REPORT

For

Shenzhen Huafurui Technology Co., Ltd.

Product Name: Wireless Earphone

Test Model(s): Cubot Neo 1

Report Reference No. : DACE250428032RL003

Applicant's Name : Shenzhen Huafurui Technology Co., Ltd.

Address : Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Shenzhen, China

Testing Laboratory : Shenzhen DACE Testing Technology Co., Ltd.

Address : 102, Building H1, & 1/F., Building H, Hongfa Science & Technology Park, Tangtou Community, Shiyan Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Test Specification Standard : EN 62479:2010

Date of Receipt : April 28, 2025

Date of Test : April 28, 2025 to April 30, 2025

Data of Issue : April 30, 2025

Result : Pass

Note: This report shall not be reproduced except in full, without the written approval of Shenzhen DACE Testing Technology Co., Ltd. This document may be altered or revised by Shenzhen DACE Testing Technology Co., Ltd. personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample



000004818

Apply for company information

| | | |
|--------------------------------|---|---|
| Applicant's Name | : | Shenzhen Huafului Technology Co., Ltd. |
| Address | : | Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Shenzhen, China |
| Product Name | : | Wireless Earphone |
| Test Model(s) | : | Cubot Neo 1 |
| Series Model(s) | : | N/A |
| Test Specification Standard(s) | : | EN 62479:2010 |

NOTE1:

The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EU Directives.



NOTE2:

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

Compiled by:

Keren Huang

Keren Huang / Test Engineer

April 30, 2025

Supervised by:

Ben Tang

Ben Tang / Project Engineer

April 30, 2025



Approved by:

Tom Chen

Tom Chen / Manager

April 30, 2025

Revision History Of Report

| Version | Description | REPORT No. | Issue Date |
|---------|-------------|--------------------|----------------|
| V1.0 | Original | DACE250428032RL003 | April 30, 2025 |
| | | | |
| | | | |
| | | | |
| | | | |

CONTENTS

| | |
|--|----------|
| 1 TEST SUMMARY | 5 |
| 1.1 TEST STANDARDS | 5 |
| 1.2 SUMMARY OF TEST RESULT | 5 |
| 2 GENERAL INFORMATION | 6 |
| 2.1 CLIENT INFORMATION | 6 |
| 2.2 DESCRIPTION OF DEVICE (EUT) | 6 |
| 2.3 DESCRIPTION OF TEST MODES | 6 |
| 2.4 DESCRIPTION OF SUPPORT UNITS | 6 |
| 3 RADIO SPECTRUM MATTER TEST RESULTS (RF) | 7 |
| 3.1 ELECTROMAGNETIC FIELDS EXPOSURE | 7 |
| 3.1.1 E.U.T. Operation: | 8 |
| 3.1.2 Test Data: | 8 |
| 4 PHOTOS OF THE EUT | 9 |

1 TEST SUMMARY

1.1 Test Standards

The tests were performed according to following standards:

EN 62479:2010: ASSESMENT OF THE COMPLIANCE OF LOW-POWER ELECTRONIC AND ELECTRICAL EQUIPMENT WITH THE BASIC RESTRICTIONS RELATED TO HUMAN EXPOSURE TO ELECTROMAGNETIC FIELDS (10 MHz to 300 GHz)

1.2 Summary of Test Result

| Item | Standard | Method | Requirement | Result |
|---------------------------------|---------------|--------|--------------------|--------|
| Electromagnetic Fields Exposure | EN 62479:2010 | | RED Article 3.1(a) | Pass |

2 GENERAL INFORMATION

2.1 Client Information

Applicant's Name : Shenzhen Huafurui Technology Co., Ltd.
Address : Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Shenzhen, China

Manufacturer : Shenzhen Huafurui Technology Co., Ltd.
Address : Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Shenzhen, China

2.2 Description of Device (EUT)

| | |
|-----------------------|-------------------|
| Product Name: | Wireless Earphone |
| Model/Type reference: | Cubot Neo 1 |
| Series Model: | N/A |
| Model Difference: | N/A |
| Trade Mark: | CUBOT |
| Hardware Version: | V1.0 |
| Software Version: | V1.0 |

2.3 Description of Test Modes

| No | Title | Description |
|-----|-------|-----------------------------------|
| TM1 | TX | Keep the EUT in transmitting mode |


2.4 Description of Support Units

The EUT was tested as an independent device.

3 Radio Spectrum Matter Test Results (RF)

3.1 Electromagnetic Fields Exposure

| | |
|-------------------|---|
| Test Requirement: | RED Article 3.1(a) |
| Procedure: | <p>Conformity assessment methods:</p> <p>Compliance of electromagnetic emissions from electronic and electrical equipment with the basic restrictions usually is determined by measurements and, in some cases, calculation of the exposure level. If the electrical power used by or radiated by the equipment is sufficiently low, the electromagnetic fields emitted will be incapable of producing exposures that exceed the basic restrictions. This standard provides simple EMF assessment procedures for this low power equipment.</p> <p>Any relevant compliance assessment procedure which is consistent with the state of the art, reproducible and gives valid results can be used.</p> <p>For transmitters intended for use with more than one antenna configuration option, the combination of transmitter and antenna(s) which generates the highest available antenna power and/or average total radiated power shall be assessed.</p> <p>Four routes, as illustrated in Figure 1 and described as follows, can be used to demonstrate compliance with this standard:</p> <p>A Typical usage, installation and the physical characteristics of equipment make it inherently compliant with the applicable EMF exposure levels such as those listed in the bibliography. This low-power equipment includes unintentional (or non-intentional) radiators, for example incandescent light bulbs and audio/visual (A/V) equipment, information technology equipment (ITE) and multimedia equipment (MME) that does not contain radio transmitters. NOTE Equipment is described as A/V equipment, ITE or MME if its main use is playback/recording of music, voice or images, or processing of digital information.</p> <p>B The input power level to electrical or electronic components that are capable of radiating electromagnetic energy in the relevant frequency range is so low that the available antenna power and/or the average total radiated power cannot exceed the low-power exclusion level defined in 4.2.</p> <p>C The available antenna power and/or the average total radiated power are limited by product standards for transmitters to levels below the low-power exclusion level defined in 4.2.</p> <p>D Measurements or calculations show that the available antenna power and/or the average total radiated power are below the low-power exclusion level defined in 4.2.</p> <p>If none of these routes can be used, then the equipment is deemed to be out of the scope of this standard and EMF assessment for conformity assessment purposes shall be made according to other standards, such as IEC 62311 or other EMF product standards.</p> |



3.1.1 E.U.T. Operation:

| | | | | | |
|------------------------|-------|-----------|------|-----------------------|---------|
| Operating Environment: | | | | | |
| Temperature: | 23 °C | Humidity: | 54 % | Atmospheric Pressure: | 101 kPa |
| Pretest mode: | TM1 | | | | |
| Final test mode: | TM1 | | | | |

3.1.2 Test Data:

Since the maximum output power of the EUT is 5.13dBm, which is less than Low-power exclusion level (P_{max}), it is deemed to comply with EMF basic restrictions.

4 PHOTOS OF THE EUT

External

















Internal







***** End of Report *****