



Appendix E for BT Test Data

Product Name: Smartphone

Test Model: NOTE 40

Environmental Conditions

Temperature:	22.2° C
Relative Humidity:	52.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Ling Zhu



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



E.1 RF Output Power

Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	8.35	20	Pass
NVNT	1-DH5	2480	Ant1	8.85	20	Pass
NVNT	2-DH5	2402	Ant1	6.98	20	Pass
NVNT	2-DH5	2480	Ant1	7.3	20	Pass
NVNT	3-DH5	2402	Ant1	6.93	20	Pass
NVNT	3-DH5	2480	Ant1	7.3	20	Pass

Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVLT	1-DH5	2402	Ant1	8.31	20	Pass
NVLT	1-DH5	2480	Ant1	8.75	20	Pass
NVLT	2-DH5	2402	Ant1	6.88	20	Pass
NVLT	2-DH5	2480	Ant1	7.21	20	Pass
NVLT	3-DH5	2402	Ant1	6.86	20	Pass
NVLT	3-DH5	2480	Ant1	7.25	20	Pass

Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	2402	Ant1	8.23	20	Pass
NVHT	1-DH5	2480	Ant1	8.64	20	Pass
NVHT	2-DH5	2402	Ant1	6.84	20	Pass
NVHT	2-DH5	2480	Ant1	7.14	20	Pass
NVHT	3-DH5	2402	Ant1	6.77	20	Pass
NVHT	3-DH5	2480	Ant1	7.13	20	Pass

***Note: 20 bursts had been captured for power measurement.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



E.2 Accumulated Transmit Time


Condition	Mode	Frequency (MHz)	Antenna	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	Ant1	318.28	400	31600	109	Pass
NVNT	1-DH5	2480	Ant1	291	400	31600	100	Pass
NVNT	2-DH5	2402	Ant1	359.6	400	31600	124	Pass
NVNT	2-DH5	2480	Ant1	307.4	400	31600	106	Pass
NVNT	3-DH5	2402	Ant1	316.1	400	31600	109	Pass
NVNT	3-DH5	2480	Ant1	284.2	400	31600	98	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1




Dwell NVNT 1-DH5 2480MHz Ant1






Dwell NVNT 2-DH5 2402MHz Ant1




Dwell NVNT 2-DH5 2480MHz Ant1






Dwell NVNT 3-DH5 2402MHz Ant1



Dwell NVNT 3-DH5 2480MHz Ant1





E.3 Frequency Occupation

Condition	Mode	Frequency (MHz)	Antenna	Burst Number	Limit	Sweep Time (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2	1	922.72	Pass
NVNT	1-DH5	2480	Ant1	4	1	919.56	Pass
NVNT	2-DH5	2402	Ant1	7	1	916.4	Pass
NVNT	2-DH5	2480	Ant1	4	1	916.4	Pass
NVNT	3-DH5	2402	Ant1	3	1	916.4	Pass
NVNT	3-DH5	2480	Ant1	2	1	916.4	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Freq. Occup. NVNT 1-DH5 2402MHz Ant1




Freq. Occup. NVNT 1-DH5 2480MHz Ant1






Freq. Occup. NVNT 2-DH5 2402MHz Ant1




Freq. Occup. NVNT 2-DH5 2480MHz Ant1






Freq. Occup. NVNT 3-DH5 2402MHz Ant1



Freq. Occup. NVNT 3-DH5 2480MHz Ant1





E.4 Hopping Sequence

Condition	Mode	Antenna	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	Ant1	79	15	95.2	70	Pass
NVNT	2-DH5	Ant1	79	15	96	70	Pass
NVNT	3-DH5	Ant1	79	15	95.6	70	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping Seq. NVNT 1-DH5 2402MHz Ant1



Hopping Seq. NVNT 2-DH5 2402MHz Ant1







E.5 Hopping Frequency Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.015	2403.022	1.007	0.1	Pass
NVNT	1-DH5	Ant1	2479.002	2479.993	0.991	0.1	Pass
NVNT	2-DH5	Ant1	2402	2402.993	0.993	0.1	Pass
NVNT	2-DH5	Ant1	2479.159	2480.348	1.189	0.1	Pass
NVNT	3-DH5	Ant1	2402.142	2403.11	0.968	0.1	Pass
NVNT	3-DH5	Ant1	1239.682	2479.986	1240.304	0.1	Pass





Test Graphs

HFS NVNT 1-DH5 2402MHz Ant1




HFS NVNT 1-DH5 2480MHz Ant1






HFS NVNT 2-DH5 2402MHz Ant1




HFS NVNT 2-DH5 2480MHz Ant1






HFS NVNT 3-DH5 2402MHz Ant1



HFS NVNT 3-DH5 2480MHz Ant1





E.6 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	2402	0.893	2401.554	2402.447	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	Ant1	2479.998	0.884	2479.556	2480.44	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	Ant1	2402	1.194	2401.403	2402.597	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	Ant1	2480	1.196	2479.402	2480.598	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	Ant1	2401.996	1.205	2401.393	2402.599	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	Ant1	2479.996	1.206	2479.393	2480.598	2400 - 2483.5MHz	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

OBW NVNT 1-DH5 2402MHz Ant1




OBW NVNT 1-DH5 2480MHz Ant1






OBW NVNT 2-DH5 2402MHz Ant1




OBW NVNT 2-DH5 2480MHz Ant1






OBW NVNT 3-DH5 2402MHz Ant1



OBW NVNT 3-DH5 2480MHz Ant1





E.7 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	Antenna	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	Hopping	Ant1	2399.5	-70.63	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2398.5	-72.2	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2484	-70.95	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2485	-70.79	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2399.5	-73.99	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2398.5	-70.46	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2484	-71.26	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2485	-65.59	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2399.5	-70.14	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2399.306	-72.6	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2398.306	-69.12	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2398.112	-74.16	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2484	-73.47	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2485	-73.16	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2399.5	-70.95	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2398.5	-70.53	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2484	-16.99	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2484.196	-67.52	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2485.196	-65.23	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2485.392	-68.64	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2399.5	-71.5	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2399.295	-73.78	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2398.295	-71.32	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2398.09	-70.96	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2484	-72.31	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2485	-69.59	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2399.5	-65.26	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2398.5	-72.19	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2484	-73.11	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2484.206	-66.61	-10	Pass
NVNT	3-DH5	Hopping	Ant1	2485.206	-73.27	-20	Pass
NVNT	3-DH5	Hopping	Ant1	2485.412	-72.05	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs



Tx. Emissions OOB NVNT 1-DH5 2402MHz Ant1



Tx. Emissions OOB NVNT 1-DH5 2480MHz Ant1









E.8 Transmitter unwanted emissions in the spurious domain

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	30 -47	43.15	-73.93	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	47 -74	48.95	-73.25	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	74 -87.5	76.85	-72.32	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	87.5 -118	109.65	-72.05	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	118 -174	128.80	-71.75	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	174 -230	203.30	-72.02	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	230 -470	366.25	-70.79	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	470 -694	666.35	-70.18	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	694 -1000	782.80	-68.97	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	1000 -2398	2394.50	-44.25	NA	-30	Pass
NVNT	1-DH5	2402	Ant1	2485.5 -12750	12742.00	-50.76	NA	-30	Pass
NVNT	1-DH5	2480	Ant1	30 -47	46.55	-73.87	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	47 -74	71.15	-73.41	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	74 -87.5	82.10	-72.93	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	87.5 -118	114.85	-71.57	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	118 -174	166.25	-72.14	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	174 -230	202.50	-72.00	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	230 -470	343.35	-70.55	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	470 -694	612.15	-70.57	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	694 -1000	901.00	-68.58	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	1000 -2398	2382.50	-54.84	NA	-30	Pass
NVNT	1-DH5	2480	Ant1	2485.5 -12750	2489.50	-43.74	NA	-30	Pass
NVNT	2-DH5	2402	Ant1	30 -47	45.65	-74.28	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	47 -74	69.20	-73.96	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	74 -87.5	83.40	-72.47	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	87.5 -118	104.35	-72.80	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	118 -174	148.15	-72.72	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	174 -230	199.40	-71.81	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	230 -470	445.30	-71.05	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	470 -694	491.50	-69.59	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	694 -1000	782.75	-68.87	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	1000 -2398	2394.50	-44.23	NA	-30	Pass
NVNT	2-DH5	2402	Ant1	2485.5 -12750	12737.50	-50.79	NA	-30	Pass
NVNT	2-DH5	2480	Ant1	30 -47	42.10	-73.07	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	47 -74	67.55	-71.40	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	74 -87.5	84.95	-73.27	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	87.5 -118	95.90	-72.50	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	118 -174	129.60	-71.72	NA	-36	Pass





NVNT	2-DH5	2480	Ant1	174 -230	194.30	-70.86	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	230 -470	414.30	-70.45	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	470 -694	683.50	-69.63	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	694 -1000	798.35	-68.56	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	1000 -2398	2314.00	-55.25	NA	-30	Pass
NVNT	2-DH5	2480	Ant1	2485.5 -12750	2490.00	-45.04	NA	-30	Pass
NVNT	3-DH5	2402	Ant1	30 -47	34.70	-72.72	NA	-36	Pass
NVNT	3-DH5	2402	Ant1	47 -74	49.95	-73.95	NA	-54	Pass
NVNT	3-DH5	2402	Ant1	74 -87.5	83.45	-73.47	NA	-36	Pass
NVNT	3-DH5	2402	Ant1	87.5 -118	95.85	-72.02	NA	-54	Pass
NVNT	3-DH5	2402	Ant1	118 -174	148.15	-71.45	NA	-36	Pass
NVNT	3-DH5	2402	Ant1	174 -230	200.90	-72.22	NA	-54	Pass
NVNT	3-DH5	2402	Ant1	230 -470	318.40	-70.01	NA	-36	Pass
NVNT	3-DH5	2402	Ant1	470 -694	683.10	-69.73	NA	-54	Pass
NVNT	3-DH5	2402	Ant1	694 -1000	943.45	-69.08	NA	-36	Pass
NVNT	3-DH5	2402	Ant1	1000 -2398	2397.50	-47.66	NA	-30	Pass
NVNT	3-DH5	2402	Ant1	2485.5 -12750	5223.00	-48.66	NA	-30	Pass
NVNT	3-DH5	2480	Ant1	30 -47	31.60	-72.69	NA	-36	Pass
NVNT	3-DH5	2480	Ant1	47 -74	71.95	-73.44	NA	-54	Pass
NVNT	3-DH5	2480	Ant1	74 -87.5	78.10	-73.12	NA	-36	Pass
NVNT	3-DH5	2480	Ant1	87.5 -118	116.15	-71.97	NA	-54	Pass
NVNT	3-DH5	2480	Ant1	118 -174	172.05	-71.66	NA	-36	Pass
NVNT	3-DH5	2480	Ant1	174 -230	184.95	-70.66	NA	-54	Pass
NVNT	3-DH5	2480	Ant1	230 -470	449.25	-70.49	NA	-36	Pass
NVNT	3-DH5	2480	Ant1	470 -694	526.95	-69.11	NA	-54	Pass
NVNT	3-DH5	2480	Ant1	694 -1000	959.10	-68.91	NA	-36	Pass
NVNT	3-DH5	2480	Ant1	1000 -2398	2248.50	-53.17	NA	-30	Pass
NVNT	3-DH5	2480	Ant1	2485.5 -12750	2494.00	-47.76	NA	-30	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1




Tx. Spurious NVNT 1-DH5 2480MHz Ant1






Tx. Spurious NVNT 2-DH5 2402MHz Ant1




Tx. Spurious NVNT 2-DH5 2480MHz Ant1






Tx. Spurious NVNT 3-DH5 2402MHz Ant1



Tx. Spurious NVNT 3-DH5 2480MHz Ant1





E.9 Receiver spurious emissions

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	30 -1000	780.65	-79.45	NA	-57	Pass
NVNT	1-DH5	2402	Ant1	1000 -12750	12625	-62.31	NA	-47	Pass
NVNT	1-DH5	2480	Ant1	30 -1000	852.25	-79.21	NA	-57	Pass
NVNT	1-DH5	2480	Ant1	1000 -12750	12653	-62.69	NA	-47	Pass
NVNT	2-DH5	2402	Ant1	30 -1000	697.5	-79.09	NA	-57	Pass
NVNT	2-DH5	2402	Ant1	1000 -12750	12734.5	-62.21	NA	-47	Pass
NVNT	2-DH5	2480	Ant1	30 -1000	753.7	-79.52	NA	-57	Pass
NVNT	2-DH5	2480	Ant1	1000 -12750	12590.5	-62.08	NA	-47	Pass
NVNT	3-DH5	2402	Ant1	30 -1000	949.9	-79.53	NA	-57	Pass
NVNT	3-DH5	2402	Ant1	1000 -12750	12648	-61.43	NA	-47	Pass
NVNT	3-DH5	2480	Ant1	30 -1000	909.5	-79.35	NA	-57	Pass
NVNT	3-DH5	2480	Ant1	1000 -12750	12688.5	-62.85	NA	-47	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: Room 101, 201, Building A and Room 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing Street,
Bao'an District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Rx. Spurious NVNT 1-DH5 2402MHz Ant1




Rx. Spurious NVNT 1-DH5 2480MHz Ant1






Rx. Spurious NVNT 2-DH5 2402MHz Ant1




Rx. Spurious NVNT 2-DH5 2480MHz Ant1






Rx. Spurious NVNT 3-DH5 2402MHz Ant1



Rx. Spurious NVNT 3-DH5 2480MHz Ant1





E.10 Receiver Blocking

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
DH5	2402	-70	2380	-27	≥-34	CW	3.69	10	Pass
			2504	-22	≥-34	CW	2.64	10	Pass
			2300	-26	≥-34	CW	2.98	10	Pass
			2584	-25	≥-34	CW	1.49	10	Pass
	2480	-70	2380	-29	≥-34	CW	4.00	10	Pass
			2504	-25	≥-34	CW	2.82	10	Pass
			2300	-28	≥-34	CW	2.20	10	Pass
			2584	-22	≥-34	CW	3.01	10	Pass
2DH5	2402	-68	2380	-22	≥-34	CW	3.75	10	Pass
			2504	-21	≥-34	CW	3.17	10	Pass
			2300	-29	≥-34	CW	1.37	10	Pass
			2584	-27	≥-34	CW	4.39	10	Pass
	2480	-68	2380	-24	≥-34	CW	4.68	10	Pass
			2504	-27	≥-34	CW	1.53	10	Pass
			2300	-24	≥-34	CW	1.34	10	Pass
			2584	-20	≥-34	CW	2.18	10	Pass
3DH5	2402	-68	2380	-21	≥-34	CW	2.61	10	Pass
			2504	-24	≥-34	CW	3.16	10	Pass
			2300	-25	≥-34	CW	4.09	10	Pass
			2584	-27	≥-34	CW	2.57	10	Pass
	2480	-68	2380	-29	≥-34	CW	0.98	10	Pass
			2504	-25	≥-34	CW	5.66	10	Pass
			2300	-22	≥-34	CW	5.75	10	Pass
			2584	-25	≥-34	CW	4.86	10	Pass

