

堆码试验报告

Stacking Test Report

Client 委托方	Shenzhen Huafurui Technology Co., Ltd. 深圳市骅福瑞科技有限公司
Address 地址	Unit 1401 & 1402, 14/F, Jin qi zhi gu mansion (No. 4 building of Chong wen Garden), Crossing of the Liu xian street and Tang ling road, Tao yuan street, Nan shan district, Shenzhen, P.R. China 深圳市南山区桃源街道留仙大道与塘岭路交汇处金祺智谷(崇文花园4号办公楼)14楼1401.1402房
Name of Package 包装件名称	Tablet TAB KINGKONG (Containing Rechargeable Li-ion Battery C38 3.8V 10600mAh 40.28Wh) 平板电脑 TAB KINGKONG (内置可充电锂离子电池 C38 3.8V 10600mAh 40.28Wh)
Testing Laboratory 测试机构	Shenzhen NCT Testing Technology Co., Ltd. 深圳诺测检测技术有限公司 B2A101/B2A201/B2A202, Fuqiao 6th Area, Xintian, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道新田社区富桥六区 B2A101, B2A201, B2A202
Report No. 报告编号	NCT240491552XB1-5
Issue Date 签发日期	2024.12.13
Test Conclusion 测试结论: Shown in the Conclusion of test report. 见检测报告结论页.	

Tested by 主检人:
(Testing Engineer 测试工程师)

orange wei 韦子程

orange wei 韦子程

Inspected by 审核人:
(Battery manager 电池组经理)

Miya Li 李志双

Miya Li 李志双

Approved by 批准人:
(Technical Director 技术总监)

Boris Lin 林博谋

Boris Lin 林博谋



(盖章)

Issue Date: 2024.12.13

Name of Package 包装件名称	Tablet TAB KINGKONG (Containing Rechargeable Li-ion Battery C38 3.8V 10600mAh 40.28Wh) 平板电脑 TAB KINGKONG (内置可充电锂离子电池 C38 3.8V 10600mAh 40.28Wh)		
Manufacturer of package 包装件生产企业	Shenzhen Huafurui Technology Co., Ltd. 深圳市骅福瑞科技有限公司		
Manufacturer of packaging container 包装容器生产企业	Shenzhen Zhiang Color Printing and Packaging Products Co., Ltd. 深圳市志昂彩印包装制品有限公司		
Description of the package 包装件描述	Corrugated carton 瓦楞纸箱 Size 尺寸: 575×320×250mm Carton thickness 纸箱厚度: 5mm Packaging auxiliaries 衬垫材料: Carton 纸盒 Battery Quantity 电池数量: 10PCS		
Number of samples 样品数量	3 packages /3 个包装件		
Gross weight per package 每包装件毛重	13.2kg	Stacking height 堆码高度	3.0m
Total load 加载的载荷	145.2kg	Ambient Conditions of sample preparation 样品预处理环境	环境温度: 23°C±2°C 相对湿度: 50%±2%
Test method and criterion 检测方法及判定标准	UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS, Model Regulations ST/SG/AC.10/1/Rev.23 6.1.5.6. 联合国《关于危险货物运输的建议书 规章范本》第二十三修订版 6.1.5.6。		
Test Item 检测项目	Stacking Test 堆码试验		
Test Result 检测结果	After the 24h stacking test, batteries are not damaged, packages are not damaged, no leakage, no deformation. 包装件在经受 24h 堆码试验后, 电池未见受损、包装未见破损、未见泄漏、未见变形。		
Conclusion 检测结论	After testing, the package has passed the stacking test of UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS, Model Regulations ST/SG/AC.10/1/Rev.23 6.1.5.6. 经检测, 该包装件通过了联合国《关于危险货物运输的建议书 规章范本》第二十三修订版 6.1.5.6 的堆码试验。		
Receiving Date 接收日期	2024.12.03	Tested Date 测试日期	2024.12.03-2024.12.06

Photos 照片



注意事项 Important Notice

1. The test report is invalid without the official stamp of NCT.
本报告书无 NCT 盖章无效。
2. Nobody is allowed to photocopy or partly photocopy this test report without written permission of NCT.
未经 NCT 书面同意，不得部分地复制本报告书。
3. The test report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.
本报告书无批准人、审核人、及主检人签名无效。
4. The report is invalid when anything of following happens – illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.
私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。
5. Objections to the test report must be submitted to NCT within 15 days.
对报告书若有异议，应于收到报告之日起 15 天内向本公司提出。
6. The test report is valid for the tested samples only.
本报告仅对测试样品有效。
7. The Chinese contents in this report are only for reference.
本报告中的中文内容仅供参考。

*****End of Report 报告结束*****